

GLUES AND EPOXIES & ADHESIVES





ADHESIVE SPRAY



An easy to use spray adhesive ideal for automotive & marine trim, craft work, furniture and job around the house

- High strength
- Fast tack
- Permanent bond

Product #	Description	Barcode
78690	BOSTON ADHESIVE SPRAY 350 GRAM	9340885004450



SUPER GLUE



- ◆ Superior adhesion
- ◆ Instant bonding
- ◆ Bond most materials
- ◆ No drip formulation
- ◆ A range of pack options including strip 12 pack

Product #	Description	Barcode
VT110	V-TECH SUPER GLUE 3GM	9555202600844
VT111	V-TECH SUPER GLUE - TWIN PACK	9555202600202
VT112V	V-TECH SUPER GLUE 12PACK	9555202600684
VT115	V-TECH SUPER GLUE GEL 3GM	9555202600240



CONTACT ADHESIVE

Ideal for bonding laminates, rubber, cork, leather, fibreglass, vinyl, carpet

- ◆ Superior adhesion
- ◆ Bonds most materials
- ◆ Extended tack time

Product #	Description	Barcode
VT120	V-TECH CONTACT ADHESIVE 50ML	9555202600264
VT328100	V-TECH CONTACT ADHESIVE 100ML	9555202600141
VT328250	V-TECH CONTACT ADHESIVE 250ML	9555202600158
VT328500	V-TECH CONTACT ADHESIVE 500ML	9555202600820
VT3281L	V-TECH CONTACT ADHESIVE 1LT	9555202600165
VT32836L	V-TECH CONTACT ADHESIVE 3.6LT	9555202600172
VT32818L	V-TECH CONTACT ADHESIVE 18LT	9555202600189





3 TON EPOXY




Bonding of metal, timber, plastic, ceramic, glass & fiberglass.
Excellent resistance to most chemicals

- ◆ Clear in colour
- ◆ Rapid set
- ◆ High strength
- ◆ 2 part formula

Product #	Description	Barcode
VT148	V-TECH RAPID 3 TON 4 MIN EPOXY 6ML	9555202601230
VT146	V-TECH RAPID 3 TON 4MIN EPOXY 25ML	9555202601001



RAPID STEEL PUTTY



Strong repair and rebuilding
of metal parts, thread repair &
cracks.

- ◆ Mixable 2 part putty
- ◆ Steel reinforced
- ◆ Fast repairs
- ◆ Once cured can be drilled ground or tapped

Product #	Description	Barcode
VT138	V-TECH RAPID STEEL PUTTY 56.8GM	9555202601599
VT1382OZ	V-TECH RAPID STEEL PUTTY - 24 DISPLAY	9555202602879



AQUA FIX PUTTY



Strong repair for cracks , dents &
holes in fibreglass, concrete,
metal, glass & timber

- ◆ Mixable 2 part putty
- ◆ Fibreglass reinforced
- ◆ Suitable for damp or underwater conditions
- ◆ Cures to a white fibreglass colour

Product #	Description	Barcode
VT139	V-TECH AQUAFIX ALL PURPOSE PUTTY 56.8GM	9555202601605
VT1392OZ	V-TECH AQUAFIX PUTTY - 24 DISPLAY	9555202602930



RAPID STEEL EPOXY



A steel filled 2 part epoxy with excellent gap filling capabilities. Can be used for bonding metal & alloys, gap filling, hole and crack repairs.

- ◆ Rapid setting
- ◆ Non shrinking

Product #	Description	Barcode
VT140	V-TECH RAPID STEEL 4 MIN EPOXY 56.8GM	9555202601452



VITAL STEEL EPOXY



A steel filled 2 part epoxy with reliable heat resistance. Slower setting allows longer working time than rapid steel.

- ◆ Longer working time
- ◆ Steel filled
- ◆ Reliable heat resistance

Product #	Description	Barcode
VT142	V- TECH VITAL STEEL EPOXY 56.8GM	9555202600363
VT145	V-TECH VITAL STEEL EPOXY 25ML	9555202600998



Super Glues and Instant Adhesives

From the world leader in cyanoacrylate, or super glue, technology comes a complete line of adhesives designed to cover the vast majority of common automotive repairs and materials. From the revolutionary Ultra Bond™, a high performance super glue, to Dr. Bond™ adhesive, Permatex® offers a wide range of instant adhesives to meet your many needs.

Epoxies

Permatex® epoxies offer convenient solutions for a wide range of bonding applications. Available in many packaging configurations, Permatex® epoxies are versatile and easy-to-use. From general-purpose to material-specific, Permatex® offers a formulation that will work in virtually any environment.

Specialty Adhesives

Permatex® specialty adhesives offer ideal solutions for many automotive bonding jobs. As complements to a full line of super glues, these products make a more complete adhesive set, while the tried and true formulas guarantee consumer satisfaction.

Sealants

There is a trusted Permatex® sealant for virtually any automotive sealing application, from windshields to vinyl tops to electrical connections. These well-known general-purpose and job specific sealants are cornerstones in the Permatex® line.

Super Glues & Instant Adhesives

Permatex® Super Glue

This formulation was specially designed for a faster, long-lasting bond. It is easily applied and works on non-porous materials including metal, plastics, rubber, vinyl, paper, wood, and textiles. Permanent, transparent bond fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX49450	28 g bottle, carded	10
PX82190	2 g tube, carded	12



Permatex® Super Glue Gel

This no drip gel formula "stays put" for precise application on hard-to-reach, overhead, or vertical surfaces. This permanent, transparent bond is easily applied and works on both porous and non-porous materials including metal, rubber, glass, aluminium, vinyl, ceramics, alloys, and plastics. Fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.



Item #	Container Size	Pack
PX82191	2 g tube, carded	12

Epoxies



Permatex® Steel Weld™

A two part, hand kneadable, putty type industrial strength, steel-reinforced epoxy in stick form, which is used to bond and repair metallic materials that will be exposed to high temperatures up to 260°C. Sets in 5 minutes and cures in 1 hour to a metallic steel grey colour. When fully cured it can be drilled, tapped, machined, filed, and painted. This epoxy is NSF Certified safe for repairs that come in contact with drinking water and is a non-rusting, non-shrinking, non-flammable, moisture resistant, and no VOC formulation. This epoxy is NSF Certified safe for repairs that come in contact with drinking water

Suggested Applications: Automotive and machine parts, stripped threads, rust damage, steel components, anchors, and cracks or voids in metal. Do not use on polyethylene or polypropylene materials.



Nonfood Compounds
Program Listed (P1)
(134528)

Item #	Container Size	Pack
PX84332	56 g carded	12

Permatex® Steel Weld™ Epoxy

Versatile, easy-to-use, multi-metal epoxy adhesive is two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in four minutes, no clamping needed. Dark grey appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 149°C. Permanent strength up to 4500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including aluminium, brass, chrome, copper, iron, stainless steel, steel. Use to seal welded seams, fills metal cracks, and mount metal components.

Item #	Container Size	Pack
PX84109	25 mL dual syringe, carded	12
PX84209	2 x 28g tubes, carded	12



Permatex® Cold Weld Bonding Compound

A 15-minute, two-part adhesive and filler system that eliminates the need for welding or brazing. It repairs, fills and bonds to iron, steel, brass, bronze, aluminium and copper. Once cured, it can be drilled, tapped, threaded, filed, sanded and painted. Resists most automotive, shop and cleaning fluids. Withstands temperatures to 149°C intermittent. Over 3,000 PSI shear strength on steel.

Suggested Applications: Aluminium, steel, brass, bronze, castings and stampings.

Item #	Container Size	Pack
PX14600	2 x 28g tubes, carded	12

Permatex® 1 Minute General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in one minute, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 2500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.

Item #	Container Size	Pack
PX84160	25 mL dual syringe, carded	12



Epoxies

Permatex® 5 Minute Gap Filling Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in five minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3400 PSI. Self-mixing dual syringe (84164) blends the adhesive and filler as it dispenses, eliminating the need for manual mixing.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.



Item #	Container Size	Pack
PX84101	25 mL dual syringe, carded	12

Permatex® 30 Minute High Strength General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in thirty minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.



Item #	Container Size	Pack
PX84107	25 mL dual syringe, carded	12

Permatex® Plastic Welder™ Epoxy

A structural adhesive designed for general purpose bonding of a wide variety of material such as hard and soft plastics to specified surfaces. Forms a tough, durable bond to most plastics, composites, ceramics, wood in any combination. Fast curing product with gelling of mixed adhesive in 5 – 6 minutes and fixturing in 9 – 10 minutes. NOTE: Will not bond most polyethylene or polypropylene plastics. Bonds hard and soft plastics to specified surfaces. Requires no primers, sets in five minutes at room temperature. Cream appearance. Gap filling to 3.175mm. Water resistant and good chemical resistance. Temperature range -51°C to 121°C. Permanent strength up to 3500 PSI.

Suggested Applications: Bonds rigid materials including ABS, acrylic, fibreglass, FRP, glass, PVC, SMC, steel, styrene, vinyl, and wood. Use for interior trim, fills cracks, bonds most plastics, and bonds plastic to vinyl.



Item #	Container Size	Pack
PX84115	25 mL dual syringe, carded	12

Specialty Adhesives



Permatex® Contact Cement

Makes a tough, permanent bond on contact. Instantly bonds metal, wood, ceramic, leather, rubber and many other surfaces. Instantly bonds rubber to glass and metal. Heat and water resistant. Easy-to-use. Requires no clamping.

Suggested Applications: Weather stripping.

Item #	Container Size	Pack
PX25905	44 mL tube, carded	12



Permatex® Clear RTV Silicone Adhesive Sealant

General-purpose, clear RTV indoor/ outdoor sealant. Seals, bonds, repairs, mends, and secures glass, metal, plastics, fabric, vinyl, weather stripping, and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -75°F to 400°F (-59°C to 204°C); resists water, weather, and vibration. Not recommended for windshield installation.

Suggested Applications: Door frames, electrical connections, vinyl tops, seams and roofs. (Not recommended for engine gasket applications).

Item #	Container Size	Pack
PX80050	85 g tube, carded	12
PX80855	311g cartridge	12



Permatex® Liquid Metal Filler

Easy-to-use filler can be drilled, filed, sanded and painted. Forms a long-lasting, metal-tough bond. Works on metal, wood, and concrete. Excellent adhesion to galvanized metal. Repairs cracks or porosity leaks in cast metal parts. Fills small holes, cracks, and perforations. Resists water, oil and gasoline.

Suggested Applications: Oil pans, stake bed holes, door panels, and cast metal parts.

Item #	Container Size	Pack
PX25909	99 g tube, carded	12



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

Permatex® Self-fusing Silicone Tape

A self-fusing silicone repair tape that has been used by the Military for years! An all purpose repair tape that is made out of specially formulated silicone rubber. Contains no adhesives, yet chemically bonds to itself upon contact. Simply stretch and wrap for an airtight, waterproof seal in seconds. Replaces duct tape and electrical tape.

Suggested Applications: Use to seal, insulate and stop vibration on just about anything you are able to get a couple of wraps around. Seal electrical connections, make emergency fuel or water hose repairs, insulate wiring and hoses, repair leaking pipes and hoses, repair damaged wires and wrap hand tools and grips. Use on connector wires and cables, all kinds of hoses such as garden hoses, vacuum hoses, appliance cords, and radiator hoses.

Item #	Container Size	Pack
PX82112	2.54cm x 3.04m Roll carded	6



Specialty Adhesives



Permatex® Spray Sealant Leak Repair

A sprayable sealer that forms a durable rubber barrier that stop leaks in minutes. The wicking action seals hard-to-reach leaks without the need for disassembling or removing parts. Designed specifically to target low pressure leaks in hoses, oil pans, differentials, transmission pans, fluid reservoirs as well as plastic, PVC and metal pipes, their connections and much more!. Eliminates the need for liquid additive sealers that can swell and foul internal seals. Resists common shop fluids. Note: In many cases, more than one coat will be needed to solve the problem. Level 3

Suggested Applications: Engine and transmission leaks, hoses, oil pans, differentials, transmission pans, cooling systems, thermostats, water pumps, valve covers, tubing connections, electrical harness connectors, plastics, and PVC.

Item #	Container Size	Pack
PX82099	255 g aerosol	6



Permatex® Black Silicone Adhesive Sealant

Low odour formula! General-purpose, black RTV indoor/outdoor sealant. Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -59°C to 232°C; resists water, weather, and vibration.

Suggested Applications: Door frames, electrical connections, seams and roofs, vinyl tops, weather stripping (Not recommended for engine gasket applications or windshield installations).

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81158	85 g tube, carded	12
PX81173	365 g cartridge	12



Permatex® Flowable Silicone Windshield & Glass Sealer

Wicking action silicone "seeks the leak." Flows into hidden and hard-to-reach areas. Forms a tough, waterproof, durable, clear seal that is resistant to weather, extreme temperatures, vibration, shock, and most shop chemicals. Fills surface voids and irregularities. Temperature range -62°C to 204°C.

Suggested Applications: Windshields, sunroofs, windows, headlamp assemblies, marine glass, RV vents and windows.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81730	42 g tube, carded	12

Specialised Maintenance & Repair

Whether it's sealing a hole in a tailpipe, attaching a rearview mirror or mending a tear in upholstery, there's a Permatex® product that offers the solution. These problem-solving products are formulated and tested to deliver optimum results for specific maintenance and repair needs.

- Rebuilder's Aids
- Auto Glass Repair
- Electrical System Maintenance
- Body, Interior & Trim
- Professional Repair Systems
- Fabric and Vinyl Repair
- Exhaust System Repair
- Brake Maintenance & Repair
- Radiator & Fuel Tank Repair

Rebuilder's Aids



Permatex® Valve Grinding Compound

Aids valve grinding and seating operations to remove burrs, surface defects, carbon, gum and corrosion. Can be used for lapping and grinding chromium. Mixes with water to form an easy-to-use paste.

Suggested Applications: Seat valves, sharpen reel type lawn mowers.

Item #	Container Size	Pack
PX80036	42.5 g tube, carded	12



Permatex® Prussian Blue

Aids precision-fitting of machined surfaces. Locates high spots on bearings, valves, gears and other close-to-tolerance components. Non-drying. Easy clean-up.

Suggested Applications: Bearings, valves, gears, other close tolerance or machined assemblies.

Item #	Container Size	Pack
PX80038	22 mL tube	36

Auto Glass / Lens Repair



Permatex® Extreme Rearview Mirror Professional Strength Adhesive

2-part (towelette & pipette) professional strength rearview mirror adhesive & activator. Patent pending medical grade towelette helps to minimize application messes, improves application accuracy and also provides a safer package for general consumers and professional installers. This product incorporates a professional strength formula which ensures that it works! NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications:

Mounting rearview mirrors to windshields.

Item #	Container Size	Pack
PX81840	2 part kit - 0.3 mL adhesive vial / 0.6 mL activator towelette, carded	12



Permatex® Professional Strength Rearview Mirror Adhesive

Approved and used by GM, Ford and Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes. Single use only. ODC-free. NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications: Mounting rearview mirrors to windshields.

Item #	Container Size	Pack
PX81844	2-part kit, carded	12

Auto Glass / Lens Repair



Permatex® Rear Window Defogger Electrically Conductive Tab Adhesive

Quickly and easily bonds defogger tab to grid on rear window. Provides a low-cost, high-quality repair for damaged rear window defogger tabs. Complete kit for a quick repair.

Suggested Applications: Rear window defogger tabs.

Item #	Container Size	Pack
PX21351	2-part kit, carded	6



Permatex® Bullseye™ Windshield Repair Kit

The first one-component windshield repair system designed to be used by the car owner. May be used to make air-tight repairs of bullseye damage up to 31.75mm in diameter on most laminated windshield glass. Safe and easy to use. Requires no mixing, no heat. Makes the repair virtually undetectable.

Suggested Applications: Bullseyes on laminated windshield glass.

Item #	Container Size	Pack
PX16067	0.74 mL syringe, carded	12

*See also Permatex® Professional Repair Systems Windshield Repair Kit

Electrical System Maintenance



Permatex® Dielectric Tune-Up Grease

Protects electrical connections and wiring from salt, dirt, and corrosion. Extends the life of bulb sockets. Prevents voltage leakage around any electrical connection. Also prevents spark plugs from fusing to boots. Required for modern, high-energy ignition systems.

Suggested Applications: All electrical connections, spark plug boots, and trailer hitches.

Item #	Container Size	Pack
PX22058	85 g tube, carded	6
PX81150	9 g tube, carded	12



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

Electrical System Maintenance



Permatex® Battery Protector & Sealer

Seals and coats battery terminals eliminating the formation of acid salt corrosion typically found when terminals are untreated. Prevents terminal corrosion and battery drain. Increases battery life and improves electrical flow. Spray on batteries, battery terminals, and cables, in or out of storage. Aerosol - Level 3*

Suggested Applications: Automotive, marine, farm machinery, and motorcycle batteries.



Permatex® Battery Cleaner

Spray it on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt, and grime instantly. Cleans all types of storage batteries and attachments in emergency power supply systems. Level 1

Suggested Applications: Automotive, marine, farm machinery and motorcycle batteries, cables, and terminal connections.

Item #	Container Size	Pack
PX80370	141 g aerosol can	12

Item #	Container Size	Pack
PX80369	163 g aerosol can	12

Body, Interior & Trim



Permatex® Body Shop® Heavy Duty Headliner & Carpet Adhesive

High-strength spray adhesive designed for repairing interior parts that have become detached or loosened. Resistant to extreme weather conditions. Water-resistant. Dries clear for neat appearance. High temperature formula maintains high strength at temperatures up to 77°C. Level 3

Suggested Applications: Headliners, carpets, trunk linings, and inside door panels.

Item #	Container Size	Pack
PX27828	474 g aerosol can	6



Permatex® All Purpose Spray Adhesive

An all-purpose, pressure sensitive, spray adhesive that allows both permanent and re-positionable bonding. Won't bleed through leaving surfaces unstained, dries clear. Unique formula resists water and humidity. Will not shrink. Adheres to porous and non-porous materials. Level 3.

Suggested Applications: Excels at attaching upholstery cloth, carpeting, floor mats, insulation, and kick and silencer pads to metal, wood, or KB board.

Item #	Container Size	Pack
PX82019	297 g aerosol can	12



Permatex® Weatherstrip Cement

A translucent all-purpose cement and sealer that bonds in minutes and dries to a tough, strong bond. Waterproof and durable. It provides a flexible, vibration-resistant bond that adheres rubber to glass and metal.

Suggested Applications: Bonds glass, rubber, and metal; door and windshield weatherstripping.

Item #	Container Size	Pack
PX80328	59 mL tube, carded	12



Permatex® Super Weatherstrip Adhesive

A superior adhesive ideal for many applications including rubber, metal, auto or van carpeting, and fabric-backed vinyl upholstery and automotive gaskets. Allows for repositioning parts after contact is made. Withstands extreme temperatures. Water resistant. Resistant to gasoline, kerosene, antifreeze and most solvents.

Suggested Applications: All types of weather stripping, door and trunk mouldings.

Item #	Container Size	Pack
PX80638	59 mL tube, carded	12

Body, Interior & Trim



Permatex® Heavy-Duty Rubberized Undercoating

Rubberised for maximum durability; seals, protects and insulates. Excellent professional blend all-purpose coating. Ideal for home or shop use. Level 3

Suggested Applications: Automotive frames, rocker panels and wheel wells. Other uses include sealing gutters, roofs, drain systems, and tree pruning. Sound deadening applications.

Item #	Container Size	Pack
PX81833	454 g aerosol can	12



Professional Repair Systems



Premium Repair Kits for Professionals and Do-It-Yourselfers!

These premium repair kits contain everything required for making professional-quality repairs in just a few minutes. State-of-the-art components and easy-to-follow instructions with photographs are common to all kits.

Permatex® Windshield Repair Kit

Make permanent air-tight repairs of bullseye damage up to 31.75mm on most laminated windshield glass. This state-of-the-art delivery system with advanced spring-lock feature, allows you to make professional-quality repairs with no mixing required, and it cures by natural daylight. This complete kit provides everything needed for the repair including easy-to-follow instructions with photographs. See video demo online at permatex.com.

Suggested Applications: Repairs bullseyes (up to 31.75mm long) in laminated automotive windshields

Item #	Container Size	Pack
PX09103	1 kit, clamshell	6




Professional Repair Systems

Permatex® Complete Rear Window Defogger Repair Kit

Complete kit contains everything required for making professional-quality repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Provides a low-cost, high-quality repair for damaged rear window defogger grids and tabs. Quick Grid™ is the result of a joint research project with the General Motors Research Centre.

Suggested Applications: Rear window defogger grids and tabs.

Item #	Container Size	Pack
PX09117	1 kit, clamshelled	6



Permatex® Vinyl & Leather Repair Kit

A complete DIY repair kit for home, automotive, and marine vinyl and leather upholstery. Contains: heat transfer tool, 7 colours of repair compound, clear vinyl adhesive and filler (net. 10 mL), grain pattern paper, plastic spatula, and instruction sheet with colour matching chart.

Suggested Applications: Vinyl and leather upholstery, infant car seats, chairs, stools, and luggage.

Item #	Container Size	Pack
PX80902	1 kit, clamshelled	6



Permatex® Plastic Tank Repair Kit

Complete kit contains everything required for making professional-quality permanent repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Repairs all types of plastic tanks. The repair resin is designed to harden within 8 – 10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10°C to 24°C. Repairs cracks up to 10 cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, trucks, boats and RV's; windshield washer reservoirs, radiator overflow tanks, coolant reservoirs, water tanks, and waste tanks.

Item #	Container Size	Pack
PX09100	1 kit, clamshelled	6



Permatex® Fuel Tank Repair Kit

Eliminates dangerous welding. Complete kit contains everything required for making professional-quality permanent repairs in just minutes. Includes state-of-the-art components and easy-to-follow instructions with photographs to make quick permanent repairs to leaks in all types of metal fuel tanks. It repairs cracks up to 4" (10cm) long and holes up to 3/8" (9mm) in diameter. Repair will be complete when the resin cures in 30 minutes. Tank may be refilled after 30 minutes or when the repair is tack free. The repair resin is designed to harden within 8 – 10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10°C to 24°C. Repairs made at lower temperatures will take longer to cure. Repairs can be made on slow leaking cracks up to 10cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, light trucks and commercial vehicles; portable metal fuel tanks, and metal car fuel tanks.

Item #	Container Size	Pack
PX09101	1 kit, clamshelled	6

Exhaust System Repair




Permatex® Muffler & Tailpipe Bandage

Epoxy-impregnated fibreglass bandage chemically welds mufflers and tailpipes. Permanently repairs holes and leaks in exhaust systems saving costly part replacement. Seals out poisonous fumes to temperatures of 426°C.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors and farm equipment.

Item #	Container Size	Pack
PX80331	5 cm x 106 cm bandage, carded	12



Permatex® Muffler & Tailpipe Putty

Permanently repairs holes and leaks in exhaust systems. Seals out fumes at temperatures up to 1000°C. Safe for catalytic converters. 2-pouch bonus pack.

Suggested Applications: Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80333	113 g net wt. (2 foil pouches, carded)	12



Permatex® 1000° Plus™ Exhaust Repair Kit

Complete kit for repairing cracks and splits in mufflers, tailpipes and exhaust pipes. Withstands temperatures over 540°C. Kit contains ready-to-use foil-packed bandage and support wire.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors, and farm equipment.

Item #	Container Size	Pack
PX80334	1 bandage, 1 support wire, carded	12



Permatex® Muffler & Tailpipe Sealer

Seals holes and leaks in mufflers, tailpipes and around joints. Makes new installations more secure. Resists temperatures to 1000°C.

Suggested Applications: Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80335	85 g tube, carded	12