

NATIONAL PRODUCT CATALOGUE

























































NATIONAL PRODUCT CATALOGUE

SECTION A - PAINT & METAL PROTECTION

web: cwbrands.com.au

email: support@cwbrands.com.au



ANCHOR PAINTS

ANCHOR P





ANCHOR ... PAINTS OF DISTINCTION

Since its introduction into the Australian market over 30 years ago. Anchor has become the market leader in spray paints. Retailers prefer to stock Anchor because of | Excellent profit and stock turns | Massive range of colours | Professional stock presentation | technical specifications to ensure unmatched quality |

LACQUER

SECTION 1

Premium & durable acrylic lacquer with a large range of products

BOND

SECTION 2

Premium & durable touch up paint for Colorbond and powder coating colours

SHIELD

SECTION 3

Epoxy enamel metal protection & rust protection paint in a range of popular colours.

INDUSTRIAL

SECTION 4

Quality range of structural and etch primer. Also include a range of zinc coatings.

MAX

SECTION 5

Professional industrial & equipment paint formulated to protect and decorate a large

HIGH HEAT

SECTION 6

A premium quality, heat resisting paint that withstands temperatures of up to 600°C

PRIME

SECTION 7

An advanced range of primers to ensure superior adhesion of paints to a large range

MARK

SECTION 8

Spot & line marking paint for a large range of industries.



ANCHOR ... PAINTS OF DISTINCTION

7 reasons why retailers prefer to stock anchor

- More colours and a greater range: Anchor offers a huge array of colours over a wide mix of industry specific ranges.
- **Exceptional profit and stock turns:** With pricing designed with the retailer in mind, along with single unit purchase option, Anchor returns excellent profit margins and stock turns for the retail or trade stockist.
- Greater quality confidence: Spray can failures can be a real problem within the spray paint market. Anchor paints have proven to be the most reliable in over 30 countries and has just a 1 in 10,000 failure rate, a rate unmatched in the aerosol paint market.
- Professional stock presentation: Merchandising stands are available for all of the anchor ranges. Theses stands are lockable so as the retailer can comply with state regulations on paint aerosols.
- Environmental standards compliance: Anchor is committed to the enviaddress these issues all Anchor paints have reduced ronment and to toxicity and VOC levels, and are free of lead, toluene and xylene.
- Technical specifications that ensure unmatched quality: The highest quality virgin solvents are used during the manufacturing process to ensure that all Anchor paints deliver the ultimate finish. The unique blend solvent and propellants facilitates a fast drying time as well as paint flow, gloss level and gloss retention.
- Same day despatch: The CW Brands despatch guarantee ensures that the vast range of colours are available on your shelf to meet your customer requirements. Order before midday and we will guarantee same day despatch.



>>> LACQUER >>> LACQUER >>> LACQUER







Anchor Lacquer is an easy to use premium performance spray paint. It is a quick drying, high gloss spray paint for interior & exterior surfaces that produces a tough, durable, superior finish.

- Large colour range
- Comfort touch, anti spatter nozzle
- Superior quality
- Brilliant gloss
- Fast drying



STANDARD COLOURS



FLUORESCENT COLOURS













SPARKLING COLOURS













SECTION A

cwbrands.com.au



Product #	Description	Pack size	Barcode
ANCHOR STA	NDARD COLOURS		
47800	ANCHOR FLAT CLEAR 5% GLOSS	12	9556053050864
47801	ANCHOR GLOSS CLEAR	12	9556053050017
47802	ANCHOR GLOSS WHITE	12	9556053050024
47803	ANCHOR SILVER	12	9556053050031
47804	ANCHOR EXECUTIVE GREY	12	9556053050048
47808	ANCHOR GOLD	12	9556053050086
47812	ANCHOR YELLOW	12	9556053050123
47813	ANCHOR MUSTARD YELLOW	12	9556053050130
47814	ANCHOR ORANGE	12	9556053050147
47818	ANCHOR PINK	12	9556053050185
47820	ANCHOR MONSA RED	12	9556053050208
47821	ANCHOR BLUE	12	9556053050215
47827	ANCHOR GREEN	12	9556053050277
47829	ANCHOR MATT BLACK	12	9556053050291
47830	ANCHOR GLOSS BLACK	12	9556053050307
47833	ANCHOR RED	12	9556053050338
47835	ANCHOR HONDA GREY	12	9556053050352
47836	ANCHOR CHROME YELLOW	12	9556053050369
47837	ANCHOR MID BLUE	12	9556053050376
47842	ANCHOR GENTING DUSK	12	9556053050420
47844	ANCHOR VIOLET BLUE	12	9556053050444
47859	ANCHOR DARK BLUE	12	9556053050598
47860	ANCHOR BROWN	12	9556053050604
47864	ANCHOR FLAT WHITE	12	9556053050642
47867	ANCHOR GRASS GREEN	12	9556053050673
47868	ANCHOR LIME GREEN	12	9556053050680
47875	ANCHOR APPLIANCE WHITE	12	9556053050758
47876	ANCHOR SATIN BLACK	12	9556053050765
47886	ANCHOR SATIN CLEAR 40 PERCENT GLOSS	12	9556053050888
ANCHOR FLU	ORESCENT COLOURS		
45653	ANCHOR FLUORESCENT PINK	12	9556053060016
45654	ANCHOR FLUORESCENT GREEN	12	9556053060023
45655	ANCHOR FLUORESCENT ORANGE	12	9556053060030
45656	ANCHOR FLUORESCENT YELLOW	12	9556053060047
45672	ANCHOR FLUORESCENT RED	12	9556053060054
45677	ANCHOR FLUORESCENT BLUE	12	9556053060061
ANCHOR PRE	MIUM COLOURS		
467018	ANCHOR DECORATIVE CHROME	12	9556053060795
46746	ANCHOR SPARKLING RED	12	9556053050468
46747	ANCHOR SPARKLING BLUE	12	9556053050475
46748	ANCHOR SPARKLING SILVER	12	9556053050482
46749	ANCHOR SPARKLING GOLD	12	9556053050499
46750	ANCHOR SPARKLING BLACK	12	9556053050505
K417	ANCHOR KAWASAKI GREEN	12	9556053056082
S340	ANCHOR LIGHT PURPLE	12	9556053056309





Anchor Bond is an easy to use acrylic touch up paint, providing excellent durability and adhesion on pre-painted and powder coated surfaces or for painting metal surfaces. Colours are formulated to industry standards.

- Roofing, gutters and downpipes
- Fencing and railings
- Outdoor furniture
- Garage doors
- Architectural metal work
- Powder coating touch up
- Available in 300 gram & 150 gram



COLORBOND





POWDER COAT

			POWDE	R COAT			
58030 Birch White	58031 Barrister White	58032 Wizard Blue	58033 Charcoal	58034 Hawthorn Green	58035 Deep Brunswick Green	58036 Signal Red R15	58038 Berry Grey
58041 Wedgwood	58043 Rivergum Beige	58044 Yellow Gold Safety Yellow	58056 Dune Full Gloss	58057 Hunter Red Full Gloss	58058 Wheat Full Gloss	58059 Gloss White Ace Gutters	58060 Satin Black
58061 Federation Green Full Gloss	58062 Ace Gutters Brown Full Gloss	58063 Headland Full Gloss	58064 Manor Red Full Gloss	58066 Paperbark Full Gloss	58067 Woodland Grey Full Gloss	58068 Pale Eucalypt Full Gloss	58069 Wilderness Full Gloss
58070 Deep Ocean	58072 Heritage Green	58073 X15 Orange	58074 Blaze Blue	58075 Notre Dame	58076 Claret	58078 Stromboli	58079 Flame Red
Full Gloss 58080	58081	(Electrical)	58083	58084	58086	58087	58088
Aluminium	Gloss Black	White Satin	Precious Silver Pearl	Teal	Violetone White	Bright Silver	Oyster Grey Matt
58089 Navy	58090 Space Blue	58091 Grey Nurse	58092 Anotec Silver Grey	58093 Shadow Grey	58094 French Blue	58095 Graphite Ripple	58096 Bistro Orange
58097 Anodic Bronze	58098 Roseberry Grey	58099 Ultra Silver Glo	58100 Black Onyx	58101 Metallic Charcoal	58102 Dover White	58103 Pottery	58104 Transformer Grey
58105 Federation Red	58106 Old Pewter Satin Grey	58107 Storm Front Pearl	58108 Bright White	58109 Picton Green	58110 Caravan Cream	58111 Bronze Olive 25% Grove	58112 Silver Glo Pearl
58113 Merino White	58115 G James Architectural White	58116 Vincent Brown	58117 Anotec Off White	58118 North Brownstone	58119 Almond Ivory	58121 Cotta Sand	58122 Perwinkle
58123 Yellowton White	58124 Shoji White	58125 Jason Metallic Matt	58126 Anodic Natural Matt	58127 Gypsum White	58128 Wild Oats	58129 Hardi Red	58130 Barossa Red
58131 Charcoal Grey	58133 Classic Cream Full Gloss	58134 Charcoal ODF	58135 Silver Grey N24	58136 Sandstone ODF	58137 Leather Green ODF	58138 Black ODF	58139 Medium Bronze
58140 Marine ODF	58141 Filter Blue	58142 Apo Grey	58143 White Lustre	58144 Silver ODF	58145 Horizon Blue Gloss	58146 Sand	58147 Admiralty Grey
58148 Slat Cream	58149 Slat White	58150 Light Grey	58151 Stone White	58152 Silver	58153 Slat Sand	58154 Bac Beige	58155 Blue Bird
58157 Cortex	58158 Skybridge	58159 Axis	58160 Conservatory	58161 Facade	58162 Citi Metallic	58166 Barley	58167 Stormfront
58168	58169	58170	58171	58173	58174	Honland Beige	Pearl Matt MI249A 58176
Charcoal Gloss Mi035A PCS16		Treasured Silver Pearl GW103K	Deep Pool Satin MK002A	Bronze Pearl YY276A	Champagne Pearl Matt YY276A	Precious Nickel Pearl Matt 88360	Ironstone Full Gloss
58177 Bushland Full Gloss	58178 Jasper Full Gloss	58179 Sandbank Full Gloss	58180 Shale Grey Full Gloss	58181 Surfmist Full Gloss	58182 Windspray Full Gloss	58183 Evening Haze Full Gloss	58184 Monument Full Gloss
58185 Loft Full Gloss	58186 Cottage Green Full Gloss	58193 Primrose Gloss	58194 Aqua B25	58195 Harbour Blue B24	58196 Silverleaf Pebble	1	



Part		Description	PackSize	BarCode
58001	300 gm	SURFMIST / OFF WHITE / FROST	12	9556053580019
58001M	150 gm		12	9340885000315
58002	300 gm	CLASSIC CREAM / SMOOTH CREAM	12	9556053580026
58002M	150 gm		12	9340885000322
58003	300 gm	PAPERBARK, TERRACE, MERINO	12	9556053580033
58003M	150 gm		12	9340885000339
58004	300 gm	WHEAT/ HARVEST	12	9556053580040
58004M	150 gm		12	9340885000346
58005	300 gm	STONE / RIVERSAND / BEIGE	12	9556053580057
58005M	150 gm		12	9340885000353
58007	300 gm	ESTATE/ IRON BARK	12	9556053580071
58007M	150 gm		12	9340885000377
58008	300 gm	PALE EUCALYPT/ MEADOW/ MIST GREEN	12	9556053580088
58008M	150 gm		12	9340885000384
58009	300 gm	WILDERNESS / WILLOW/ RIVERGUM	12	9556053580095
58009M	150 gm		12	9340885000391
58010	300 gm	COTTAGE GREEN / EVERGREEN / CAULFIELD	12	9556053580101
58010M	150 gm		12	9340885000407
58012	300 gm	MANOR RED / RED OAK / HERITAGE	12	9556053580125
58012M	150 gm		12	9340885000421
58013	300 gm	PEARL WHITE	12	9556053580132
58013M	150 gm		12	9340885000438
58014	300 gm	SHALE GREY / GULL GREY	12	9556053580149
58014M	150 gm		12	9340885000445
58015	300 gm	DOMAIN / PRIMROSE	12	9556053580156
58015M	150 gm		12	9340885000452
58016	300 gm	DOESKIN	12	9556053580163
58016M	150 gm		12	9340885000469
58017	300 gm	HAMMERSLEY BROWN	12	9556053580170
58017M	150 gm		12	9340885000476
58018	300 gm	MAGNOLIA	12	9556053580187
58018M	150 gm		12	9340885000483
58019M	150 gm	BOWRAL / BOUNDARY BROWN	12	9340885000490
58020	300 gm		12	9556053580200
58020M	150 gm	NIGHT SKY / EBONY / MATT BLACK / ECLIPSE	12	9340885000506
58021M	150 gm	TORRES BLUE	12	9340885000513
58022	300 gm	ANOTEC DARK GREY	12	9556053580224
58022M	150 gm		12	9340885000520
58023	300 gm	DUNE / BIRCH	12	9556053580231
58023M	150 gm		12	9340885000537
58024	300 gm	WINDSPRAY / ARMOUR GREY	12	9556053580248
58024M	150 gm		12	9340885000544
58025	300 gm	HEADLAND / TUSCAN RED	12	9556053580255
58025M	150 gm	•	12	9340885000551



Part		Description	PackSize	BarCode
58026	300 gm	WOODLAND GREY / GREY RIDGE / SLATE GREY	12	9556053580262
58026M	150 gm		12	9340885000568
58027	300 gm	DEEP OCEAN / BLUESTONE / MOUNTAIN BLUE	12	9556053580279
58027M	150 gm		12	9340885000575
58030	300 gm	WHITE BIRCH	12	9556053580309
58030M	150 gm	WHITE BIRCH	12	9340885000605
58031M	150 gm	BARRISTER WHITE	12	9340885005426
58032M	150 gm	WIZARD BLUE	12	9340885000629
58033	300 gm	CHARCOAL	12	9556053580330
58033M	150 gm		12	9340885000636
58034	300 gm	HAWTHORN GREEN	12	9556053580347
58035	300 gm	DEEP BRUNSWICK GREEN	12	9556053580354
58035M	150 gm		12	9340885000650
58036	300 gm	SIGNAL RED	12	9556053580361
58038M	150 gm	BERRY GREY	12	9340885004986
58043M	150 gm	RIVERGUM BEIGE	12	9340885000735
58044M	150 gm	YELLOW GOLD/ SAFETY YELLOW	12	9340885000742
58047M	150 gm	PLANTATION / HEDGE	12	9340885000773
58048	300 gm	BUSHLAND, TEATREE, MARSH, GUN METAL GREEN	12	9556053580484
58048M	150 gm		12	9340885000780
58049	300 gm	JASPER , BANYAN BROWN , JASMIN	12	9556053580491
58049M	150 gm		12	9340885000797
58050	300 gm	SANDBANK RIPPLESAND, SANDLEWOOD	12	9556053580507
58050M	150 gm		12	9340885000803
58051	300 gm	IRONSTONE, DARK STONE, IRON GREY	12	9556053580514
58051M	150 gm		12	9340885000810
58052	300 gm	BLUE RIDGE	12	9556053580521
58052M	150 gm		12	9340885000827
58056M	150 gm	DUNE FULL GLOSS	12	9340885005136
58057M	150 gm	HUNTER RED 80%	12	9340885000865
58058M	150 gm	WHEAT 80% GLOSS	12	9340885000872
58059M	150 gm	GLOSS WHITE ACE GUTTERS	12	9340885000889
58060M	150 gm	SATIN BLACK	12	9340885000896
58061M	150 gm	FEDERATION GREEN 80% GLOSS	12	9340885000902
58062M	150 gm	ACE GUTTERS BROWN 80% GLOSS	12	9340885000919
58063M	150 gm	HEADLAND FULL GLOSS	12	9340885005105
58064M	150 gm	MANOR RED FULL GLOSS	12	9340885000933
58066M	150 gm	PAPERBARK FULL GLOSS	12	9340885005068
58067M	150 gm	WOODLAND GREY FULL GLOSS	12	9340885000964
58068M	150 gm	PALE EUCALYPT FULL GLOSS	12	9340885005150
58069M	150 gm	WILDERNESS FULL GLOSS	12	9340885005099
58070M	150 gm	DEEP OCEAN FULL GLOSS	12	9340885005129
58072M	150 gm	HERITAGE GREEN	12	9340885001015
58073M	150 gm	X15 ORANGE (ELECTRICAL)	12	9340885001022

. . . Your national brand name distributor

Part		Description	PackSize	BarCode
58074M	150 gm	BLAZE BLUE	12	9340885001039
58075M	150 gm	NOTRE DAME	12	9340885001046
58076M	150 gm	CLARET	12	9340885004962
58079M	150 gm	FLAME RED	12	9340885001084
58080M	150 gm	ALUMINIUM	12	9340885001091
58081M	150 gm	GLOSS BLACK	12	9340885001107
58082M	150 gm	WHITE SATIN	12	9340885001114
58083M	150 gm	PRECIOUS SILVER PEARL	12	9340885001121
58084M	150 gm	TEAL	12	9340885001138
58086M	150 gm	VIOLETONE WHITE	12	9340885001152
58087M	150 gm	BRIGHT SILVER	12	9340885001169
58088M	150 gm	OYSTER GREY MATT	12	9340885001176
58089M	150 gm	NAVY	12	9340885001183
58090M	150 gm	SPACE BLUE	12	9340885001190
58091M	150 gm	GREY NURSE	12	9340885001206
58092M	150 gm	ANOTEC SILVER GREY	12	9340885001213
58093M	150 gm	SHADOW GREY	12	9340885001220
58094M	150 gm	FRENCH BLUE	12	9340885001237
58095M	150 gm	GRAPHITE RIPPLE	12	9340885001244
58096M	150 gm	BISTRO ORANGE	12	9340885001251
58097M	150 gm	ANODIC BRONZE	12	9340885001268
58098M	150 gm	ROSEBERRY GREY	12	9340885001275
58099M	150 gm	ULTRA SILVER GLO	12	9340885001282
58100M	150 gm	BLACK ONYX	12	9340885001299
58101M	150 gm	METALLIC CHARCOAL	12	9340885001305
58102M	150 gm	DOVER WHITE	12	9340885001312
58103M	150 gm	POTTERY	12	9340885001329
58104M	150 gm	TRANSFORMER GREY	12	9340885001336
58105M	150 gm	FEDERATION RED	12	9340885001343
58106M	150 gm	OLD PEWTER SATIN GREY	12	9340885001350
58107M	150 gm	STORM FRONT PEARL	12	9340885001367
58108M	150 gm	BRIGHT WHITE	12	9340885001374
58109M	150 gm	PICTON GREEN	12	9340885001381
58110M	150 gm	CARAVAN CREAM	12	9340885001398
58111M	150 gm	BRONZE OLIVE 25% , GROVE	12	9340885001404
58112M	150 gm	SILVER GLO PEARL	12	9340885001411
58113M	150 gm	MERINO WHITE / CANOLA CREAM	12	9340885001428
58115M	150 gm	G JAMES ARCHITECTURAL WHITE	12	9340885001442
58116M	150 gm	VINCENT BROWN	12	9340885001459
58118M	150 gm	NORTH BROWNSTONE	12	9340885001473
58119M	150 gm	ALMOND IVORY	12	9340885001480
58121M	150 gm	COTTA SAND	12	9340885001503
58122M	150 gm	PERWINKLE	12	9340885001510
58123M	150 gm	YELLOWTON WHITE	12	9340885001527



Part		Description	PackSize	BarCode
58124M	150 gm	SHOJI WHITE	12	9340885001534
58125M	150 gm	JASON METALLIC MATT	12	9340885001541
58126M	150 gm	ANODIC NATURAL MATT	12	9340885001558
58127M	150 gm	GYPSUM WHITE	12	9340885001565
58128M	150 gm	WILD OATS	12	9340885001572
58129M	150 gm	HARDI RED	12	9340885001589
58130M	150 gm	BAROSSA RED	12	9340885001596
58131M	150 gm	CHARCOAL GREY	12	9340885001602
58133M	150 gm	CLASSIC CREAM FULL GLOSS	12	9340885001626
58134M	150 gm	ODF CHARCOAL	12	9340885001633
58135M	150 gm	SILVER GREY N24	12	9340885001640
58136M	150 gm	ODF SANDSTONE	12	9340885001657
58137M	150 gm	ODF LEATHER GREEN	12	9340885001664
58138M	150 gm	ODF BLACK	12	9340885001671
58140M	150 gm	ODF MARINE	12	9340885001695
58141M	150 gm	FILTER BLUE	12	9340885001701
58142M	150 gm	APO GREY	12	9340885001718
58143M	150 gm	WHITE LUSTRE	12	934085001725
58144M	150 gm	ODF SILVER	12	9340885001732
58145M	150 gm	HORIZON BLUE GLOSS	12	
58146M	150 gm	SAND	12	9340885001756
58147M	150 gm	ADMIRALTY GREY	12	9340885001763
58148M	150 gm	SLAT CREAM	12	9340885001770
58149M	150 gm	SLAT WHITE	12	9340885001787
58150M	150 gm	LIGHT GREY	12	9340885001794
58151M	150 gm	STONE WHITE	12	9340885001800
58152M	150 gm	SILVER	12	9340885001817
58153M	150 gm	SLAT SAND	12	9340885001824
58154M	150 gm	BAC BEIGE	12	9340885001831
58155M	150 gm	BLUEBIRD	12	9340885001848
58157M	150 gm	CORTEX	12	9340885001862
58158M	150 gm	SKYBRIDGE	12	9340885001879
58159M	150 gm	AXIS	12	9340885001886
58160M	150 gm	CONSERVATORY	12	9340885001893
58161M	150 gm	FACADE	12	9340885001909
58162M	150 gm	CITI METALLIC	12	9340885001916
58163	300 gm	MONUMENT, GUNMETAL GREY	12	9556053581634
58163M	150 gm	MONUMENT, GUNMETAL GREY	12	9340885001923
58164	300 gm	LOFT, CARDINAL	12	9556053581641
58164M	150 gm	LOFT, CARDINAL	12	9340885001930
58165	300 gm	EVENING HAZE, MOSS VALE SAND	12	9556053581658
58165M	150 gm		12	9340885001947
58167M	150 gm	STORMFRONT PEARL MATT ML249A	12	9340885004337
58168M	150 gm	CHARCOAL GLOSS ML035A PCS16	12	9340885004344
58169M	150 gm	ROSEBERRY GREY GLOSS ML015A PCS18	12	9340885004351



		2	D 16:	D C 1
Part	450	Description Table State	PackSize	BarCode
58170M	150 gm	TREASURED SILVER PEARL GW103K	12	9340885004368
58173M	150 gm	BRONZE PEARL YY255A	12	9340885004955
58174M	150 gm	CHAMPAGNE PEARL MATT YY276A	12	9340885004405
58175M	150 gm	PRECIOUS NICKEL PEARL MATT 88360	12	9340885004412
58176M	150 gm	IRONSTONE FULL GLOSS	12	9340885005082
58177M	150 gm	BUSHLAND FULL GLOSS	12	9340885005112
58178M	150 gm	JASPER FULL GLOSS	12	9340885005143
58179M	150 gm	SANDBANK FULL GLOSS	12	9340885005167
58180M	150 gm	SHALE GREY FULL GLOSS	12	9340885005174
58181M	150 gm	SURFMIST FULL GLOSS	12	9340885005181
58182M	150 gm	WINDSPRAY FULL GLOSS	12	9340885005198
58183M	150 gm	EVENING HAZE FULL GLOSS	12	9340885005204
58184M	150 gm	MONUMENT FULL GLOSS	12	9340885005211
58185M	150 gm	LOFT FULL GLOSS	12	9340885005228
58186M	150 gm	COTTAGE GREEN FULL GLOSS	12	9340885005075
58187	300 gm	COVE / RIVER REED	12	9340885009110
58187M	150 gm		12	9340885009059
58188	300 gm	GULLY / DRIFTWOOD	12	9340885009127
58188M	150 gm		12	9340885009066
58189	300 gm	MANGROVE / WILD SAGE	12	9340885009134
58189M	150 gm		12	9340885009073
58190	300 gm	TERRAIN / RED DUST	12	9340885009141
58190M	150 gm		12	9340885009080
58191	300 gm	WALLABY / COBBLESTONE	12	9340885009158
58191M	150 gm		12	9340885009097
58192	300 gm	BASALT / GRANITE	12	9340885009103
58192M	150 gm		12	9340885009042
58193M	150 gm	PRIMROSE GLOSS	12	9340885002685
58197M	150 gm	GALACTIC	12	9340885002807
58198M	150 gm	COSMIC	12	9340885002814
58199M	150 gm	RHEA	12	9340885002821
58200M	150 gm	ASTRO	12	9340885002838
58201M	150 gm	ARIES	12	9340885002845
58202M	150 gm	CELESTIAN	12	9340885002852
58203M	150 gm	WHITEHAVEN	12	9340885002869
58204M	150 gm	SURFMIST MATT	12	9340885008281
58205M	150 gm	SHALE GREY MATT	12	9340885008298
58206M	150 gm	DUNE MATT	12	9340885008304
58207M	150 gm	BASALT MATT	12	9340885008311
58208M	150 gm	MONUMENT MATT	12	9340885008328
58209M	150 gm	MOONGLOW	12	9340885008441



COLOUR TO PRODUCT NUMBER CROSS REFERENCE

Colour	Product #	Colour	Product #
ACE GUTTERS BROWN 80% GLOSS	58062	COTTAGE GREEN FULL GLOSS	58186
ADMIRALTY GREY	58147	COVE / RIVER REED	58187
ALMOND IVORY	58119	DEEP BRUNSWICK GREEN	58035
ALUMINIUM	58080	DEEP OCEAN / BLUESTONE / MOUNTAIN BLUE	58027
ANODIC BRONZE	58097	DEEP OCEAN FULL GLOSS	58070
ANODIC NATURAL MATT	58126	DOESKIN	58016
ANOTEC DARK GREY	58022	DOMAIN / PRIMROSE	58015
ANOTEC SILVER GREY	58092	DOVER WHITE	58102
APO GREY	58142	DUNE / BIRCH	58023
ARIES	58201	DUNE FULL GLOSS	58056
ASTRO	58200	DUNE MATT	58206
AXIS	58159	ESTATE/ IRON BARK	58007
BAC BEIGE	58154	EVENING HAZE FULL GLOSS	58183
BAROSSA RED	58130	EVENING HAZE, MOSS VALE SAND	58165
BARRISTER WHITE	58031	FACADE	58161
BASALT / GRANITE	58192	FEDERATION GREEN 80% GLOSS	58061
BASALT MATT	58207	FEDERATION RED	58105
BERRY GREY	58038	FILTER BLUE	58141
BISTRO ORANGE	58096	FLAME RED	58079
BLACK ONYX	58100	FRENCH BLUE	58094
BLAZE BLUE	58074	G JAMES ARCHITECTURAL WHITE	58115
BLUE RIDGE	58052	GALACTIC	58197
BLUEBIRD	58155	GLOSS BLACK	58081
BOWRAL / BOUNDARY BROWN	58019	GLOSS WHITE ACE GUTTERS	58059
BRIGHT SILVER	58087	GRAPHITE RIPPLE	58095
BRIGHT WHITE	58108	GREY NURSE	58091
BRONZE OLIVE 25% , GROVE	58111	GULLY / DRIFTWOOD	58188
BRONZE PEARL YY255A	58173	GYPSUM WHITE	58127
BUSHLAND FULL GLOSS	58177	HAMMERSLEY BROWN	58017
BUSHLAND, TEATREE, MARSH, GUN METAL GREEN	58048	HARDI RED	58129
CARAVAN CREAM	58110	HAWTHORN GREEN	58034
CELESTIAN	58202	HEADLAND / TUSCAN RED	58025
CHAMPAGNE PEARL MATT YY276A	58174	HEADLAND FULL GLOSS	58063
CHARCOAL	58033	HERITAGE GREEN	58072
CHARCOAL GLOSS ML035A PCS16	58168	HORIZON BLUE GLOSS	58145
CHARCOAL GREY	58131	HUNTER RED 80%	58057
CITI METALLIC	58162	IRONSTONE FULL GLOSS	58176
CLARET	58076	IRONSTONE, DARK STONE, IRON GREY	58051
CLASSIC CREAM / SMOOTH CREAM	58002	JASON METALLIC MATT	58125
CLASSIC CREAM FULL GLOSS	58133	JASPER , BANYAN BROWN , JASMIN	58049
CONSERVATORY	58160	JASPER FULL GLOSS	58178
CORTEX	58157	LIGHT GREY	58150
COSMIC	58198	LOFT FULL GLOSS	58185
COTTA SAND	58121	LOFT, CARDINAL	58164
COTTAGE GREEN / EVERGREEN / CAULFIELD	58010	MAGNOLIA	58018



COLOUR TO PRODUCT NUMBER CROSS REFERENCE

COLOUR TO PROD	OCT NC	DIVIDER CROSS REFEREN	
Colour	Product #	Colour	Product #
MANGROVE / WILD SAGE	58189	SHALE GREY MATT	58205
MANOR RED / RED OAK / HERITAGE	58012	SHOJI WHITE	58124
MANOR RED FULL GLOSS	58064	SIGNAL RED	58036
MERINO WHITE / CANOLA CREAM	58113	SILVER	58152
METALLIC CHARCOAL	58101	SILVER GLO PEARL	58112
MONUMENT FULL GLOSS	58184	SILVER GREY N24	58135
MONUMENT MATT	58208	SKYBRIDGE	58158
MONUMENT, GUNMETAL GREY	58163	SLAT CREAM	58148
MONUMENT, GUNMETAL GREY	58163	SLAT SAND	58153
MOONGLOW	58209	SLAT WHITE	58149
NAVY	58089	SPACE BLUE	58090
NIGHT SKY / EBONY / MATT BLACK / ECLIPSE	58020	STONE / RIVERSAND / BEIGE	58005
NORTH BROWNSTONE	58118	STONE WHITE	58151
NOTRE DAME	58075	STORM FRONT PEARL	58107
ODF BLACK	58138	STORMFRONT PEARL MATT ML249A	58167
ODF CHARCOAL	58134	SURFMIST / OFF WHITE / FROST	58001
ODF LEATHER GREEN	58137	SURFMIST FULL GLOSS	58181
ODF MARINE	58140	SURFMIST MATT	58204
ODF SANDSTONE	58136	TEAL	58084
ODF SILVER	58144	TERRAIN / RED DUST	58190
OLD PEWTER SATIN GREY	58106	TORRES BLUE	58021
OYSTER GREY MATT	58088	TRANSFORMER GREY	58104
PALE EUCALYPT FULL GLOSS	58068	TREASURED SILVER PEARL GW103K	58170
PALE EUCALYPT/ MEADOW/ MIST GREEN	58008	ULTRA SILVER GLO	58099
PAPERBARK FULL GLOSS	58066	VINCENT BROWN	58116
PAPERBARK, TERRACE, MERINO	58003	VIOLETONE WHITE	58086
PEARL WHITE	58013	WALLABY / COBBLESTONE	58191
PERWINKLE	58122	WHEAT 80% GLOSS	58058
PICTON GREEN	58109	WHEAT/ HARVEST	58004
PLANTATION / HEDGE	58047	WHITE BIRCH	58030
POTTERY	58103	WHITE BIRCH	58030
PRECIOUS NICKEL PEARL MATT 88360	58175	WHITE LUSTRE	58143
PRECIOUS SILVER PEARL	58083	WHITE SATIN	58082
PRIMROSE GLOSS	58193	WHITEHAVEN	58203
RHEA	58199	WILD OATS	58128
RIVERGUM BEIGE	58043	WILDERNESS / WILLOW/ RIVERGUM	58009
ROSEBERRY GREY	58098	WILDERNESS FULL GLOSS	58069
ROSEBERRY GREY GLOSS ML015A PCS18	58169	WINDSPRAY / ARMOUR GREY	58024
SAND	58146	WINDSPRAY FULL GLOSS	58182
SANDBANK FULL GLOSS	58179	WIZARD BLUE	58032
SANDBANK RIPPLESAND, SANDLEWOOD	58050	WOODLAND GREY / GREY RIDGE / SLATE GREY	58026
SATIN BLACK	58060	WOODLAND GREY FULL GLOSS	58067
SHADOW GREY	58093	X15 ORANGE (ELECTRICAL)	58073
SHALE GREY / GULL GREY	58014	YELLOW GOLD/ SAFETY YELLOW	58044
SHALE GREY FULL GLOSS	58180	YELLOWTON WHITE	58123





Anchor Shield metal protection is a premium metal protection top coat with excellent adhesion and rust preventative properties.

Anchor Shield can be applied directly onto steel without a primer and gives excellent resistance to rust and corrosive elements. Ideal for industrial, marine, mining and automotive market sectors.

Available in Aerosol and brush on from





... Your national brand name distributor

Product #	Description	Size	Barcode
49601	ANCHOR SHIELD BLUE	Aerosol	9340885002593
49601-500		500 ml	9340885003231
49601-1		1 Litre	9340885003248
49601-4		4 Litre	9340885003255
49602	ANCHOR SHIELD GLOSS BLACK	Aerosol	9340885002609
49602-500		500 ml	9340885003422
49602-1		1 Litre	9340885003439
49602-4		4 Litre	9340885003446
49603	ANCHOR SHIELD PEWTER GREY	Aerosol	9340885002616
49603-500		500 ml	9340885001060
49603-1		1 Litre	9340885001077
49603-4		4 Litre	9340885001954
49604	ANCHOR SHIELD MATT BLACK	Aerosol	9340885002623
49604-500	ANGION SINEED WATER BEACK	500 ml	9340885009363
49604-1		1 Litre	9340885009370
49604-4		4 Litre	9340885009387
49605	ANCHOR SHIELD GLOSS RED	Aerosol	9340885002630
49605-500	ANCHOR SHIELD GLOSS KED	500 ml	9340885002030
49605-1		1 Litre	9340885003460
49605-4		4 Litre	9340885003477
	ANCHOR CHIELD CHAFE		
49606	ANCHOR SHIELD SILVER	Aerosol	9340885002647
49606-500		500 ml	9340885004092
49606-1		1 Litre	9340885004108
49606-4	ANGUAR SUUSIR CLASS WUUTS	4 Litre	9340885004115
49607	ANCHOR SHIELD GLOSS WHITE	Aerosol	9340885002654
49607-500		500 ml	9340885005372
49607-1		1 Litre	9340885005389
49607-4	***************************************	4 Litre	9340885009257
49608	ANCHOR SHIELD GREY PRIMER	Aerosol	9340885002661
49608-500		500 ml	9340885008335
49608-1		1 Litre	9340885008342
49608-4		4 Litre	9340885008359
49609	ANCHOR SHIELD GOLDEN YELLOW	Aerosol	9340885002708
49609-500		500 ml	9340885009264
49609-1		1 Litre	9340885009271
49609-4		4 Litre	9340885009288
49610	ANCHOR SHIELD BRUNSWICK GREEN	Aerosol	9340885002715
49610-500		500 ml	9340885009295
49610-1		1 Litre	9340885009301
49610-4		4 Litre	9340885009318
49611	ANCHOR SHIELD SATIN BLACK	Aerosol	9340885008458
49611-500		500 ml	9340885008465
49611-1		1 Litre	9340885008472
49611-4		4 Litre	9340885008489
49612	ANCHOR SHIELD CLEAR	Aerosol	9340885000841





COLD GALVANISING PAINT

A fast-drying protection from corrosion with excellent long term effect for metals. In dry film, Anchor Zinc Spray contains more than 93% zinc and zinc compounds. Available in Aerosol and brush on form

- ♦ Heat resistant to 500°C
- Repairing damaged zinc layers
- Conducting intermediate layer in spot-welding
- Primary coat for installations at risk from water and weather effects
- Everywhere metal must be protected from corrosion



SILVER GALVANISING PAINT

Ideal for re-galvanising damaged areas on galvanised steel. Offer corrosion protection, fast drying, as well as an ideal colour match to newly galvanised metal. An industrial strength formula with temperature resistance up to 300°C.





Product #	Description	Size	Barcode
58053	ANCHOR SHIELD COLD GALVANISING	Aerosol	9340885004429
58053-250		250ml	9340885009325
58053-500		500 ml	9340885009332
58053-1		1 Litre	9340885009349
58053-4		4 Litre	9340885009356
58029	ANCHOR SHIELD SILVER GAL	Aerosol	9340885004436
58029-1		1 Litre	9340885008427
58029-4		4 Litre	9340885008434
58029-20		20 Litre	9340885008496



R ANCHOR ANCHOR ANCHOR

HAMMER FINISH

Anchor Shield Hammer Finish is a durable, protective finish that can be applied to a wide range of metal and pre-painted substrates. Anchor Shield Hammer Finish is ideal for restoring metal surfaces and hiding surface imperfections such as scratches and joints. When sprayed produces a uniform and attractive hammer pattern with good slip resistance. Available in Aerosol, 1 litre, 4 litre and 20 litre.





Part	Description	Pack Size	BarCode
60100	ANCHOR HAMMER FINISH CHARCOAL 400G	6	9340885002180
601001	ANCHOR HAMMER FINISH CHARCOAL 1LT	6	9340885000858
601004	ANCHOR HAMMER FINISH CHARCOAL 4LT	4	9340885000926
6010020	ANCHOR HAMMER FINISH CHARCOAL 20LT	1	9340885005341
60105	ANCHOR HAMMER FINISH BLACK 400G	6	9340885002197
601051	ANCHOR HAMMER FINISH BLACK 1LT	6	9340885000940
601054	ANCHOR HAMMER FINISH BLACK 4LT	4	9340885000957
6010520	ANCHOR HAMMER FINISH BLACK 20LT	1	9340885005501
60110	ANCHOR HAMMER FINISH SILVER 400G	6	9340885002203
601101	ANCHOR HAMMER FINISH SILVER 1LT	6	9340885000971
601104	ANCHOR HAMMER FINISH SILVER 4LT	4	9340885000988
60115	ANCHOR HAMMER FINISH BLUE 400G	6	9340885002210
601151	ANCHOR HAMMER FINISH BLUE 1LT	6	9340885000995
601154	ANCHOR HAMMER FINISH BLUE 4LT	4	9340885001053



ANCHOR ANCHOR ANCHOR ANCHOR >>>INDUSTRIAL >>>INDUSTRIAL >>>INDUSTRIAL >>>INDUSTRIAL >>>INDUSTRIAL



STRUCTURAL PRIMER

BLACK GAL COLD GAL ETCH PRIMER SILVER GAL

ETCH PRIMER

Anchor Industrial Etch Primer is a single pack epoxy rich etch primer. It has exceptional adhesion and fast drying. It can be applied to mild steel, aluminium, zincalume, galvanised iron, fibreglass, chrome, copper, brass, stainless steel and other metal alloys. Can be used as a convention primer at a normal film build or high adhesion primer as a mist coat. Can be over coated with most paint systems. Colours: Grey and Black. Available in 400g aerosol 1L, 4L and 20L

STRUCTURAL PRIMER

Anchor Industrial Structural Primer is a high build, fast drying, easy sanding zinc phosphate enamel primer. It's a cost efficient anti corrosive coating providing a smooth rust resistant base coat that improves adhesion and appearance of the top coat. Suitable for use on mild steel in general industrial & engineering applications, steel structures as well as farm & agricultural projects. Can be over coated with most single pack enamel top coats.

Colours: Grey and Red. Available in 400g aerosol 1L, 4L and 20L

ZINC COATINGS

Anchor Industrial Zinc Protection are a range of fast drying, high solids, high performance, 100% epoxy rich zinc coatings Anchor Industrial Cold Gal is designed to provide exceptional protection to steel surfaces in corrosive environments Anchor Industrial Silver gal is designed to provide a silver sacrificial protection coating containing 48% zinc dust in dry film. Anchor Industrial Black Gal is designed to provide a quick dry primer/ topcoat with great adhesion and anti-corrosive properties. Available in 400g aerosol 1L, 4L and 20L



Product #	Description	Barcode
3260G400	ANCHOR STRUCTURAL PRIMER GREY 400GM	9340885009769
3260G1	ANCHOR STRUCTURAL PRIMER GREY 1LT	9340885000360
3260G4	ANCHOR STRUCTURAL PRIMER GREY 4LT	9340885000414
3260G20	ANCHOR STRUCTURAL PRIMER GREY 20LT	9340885000698
3260R400	ANCHOR STRUCTURAL PRIMER RED 400GM	9340885009752
3260R1	ANCHOR STRUCTURAL PRIMER RED 1LT	9340885000711
3260R4	ANCHOR STRUCTURAL PRIMER RED 4LT	9340885000728
3260R20	ANCHOR STRUCTURAL PRIMER RED 20LT	9340885000766
3260B4	ANCHOR STRUCTURAL PRIMER BLUE 4LT	9340885008595
3260B20	ANCHOR STRUCTURAL PRIMER BLUE 20LT	9340885008601
EP400	ANCHOR ETCH PRIMER GREY 400GM	9340885009738
SEP1	ANCHOR ETCH PRIMER GREY 1LT	9340885000643
SEP4	ANCHOR ETCH PRIMER GREY 4LT	9340885000674
SEP20	ANCHOR ETCH PRIMER GREY 20LT	9340885000681
SEPB400	ANCHOR ETCH PRIMER BLACK 400GM	9340885009745
SEPB1	ANCHOR ETCH PRIMER BLACK 1LT	9340885000582
SEPB4	ANCHOR ETCH PRIMER BLACK 4LT	9340885000599
SEPB20	ANCHOR ETCH PRIMER BLACK 20LT	9340885000612
CG400	ANCHOR COLD GAL 400GM	9340885009707
CG1	ANCHOR COLD GAL 1LT	9340885008823
CG4	ANCHOR COLD GAL 4LT	9340885008830
SGAL400	ANCHOR SILVER GAL 400GM	9340885009714
SGAL1	ANCHOR SILVER GAL 1LT	9340885008809
SGAL4	ANCHOR SILVER GAL 4LT	9340885008816
SGAL20	ANCHOR SILVER GAL 20LT	9340885008847
BGAL400	ANCHOR BLACK GAL 400GM	9340885009721
BSG400	ANCHOR BRIGHT SILVER GAL 400GM	9340885005235






QD ENAMEL - INDUSTRY AND EQUIPMENT COATINGS

ANCHOR MAX is a fast drying high gloss enamel coating designed to protect & decorate all types of industrial equipment, machinery & metal parts. It resists the penetration of machinery oils & maintains a clean appearance. It is ideal for use in most industries, workshops, garages, agriculture, earth moving & wherever the protection of metal parts is required.





Part	Description	Size	Barcode
58305	ANCHORMAX NEW CAT YELLOW	Aerosol	9340885003118
58305-1		1 Litre	9340885009554
58305-4		4 Litre	9340885009622
58305-20		20 Litre	9340885009431
58306	ANCHORMAX JOHN DEERE GREEN	Aerosol	9340885003392
58306-1		1 Litre	9340885001619
58306-4		4 Litre	9340885001749
58307	ANCHORMAX JOHN DEERE YELLOW	Aerosol	9340885003408
58335	ANCHORMAX HOLLY/BRUNSWICK GREEN G12	Aerosol	9340885005020
58336	ANCHORMAX SIGNAL RED R13	Aerosol	9340885005037
58336-1		1 Litre	9340885009561
58336-4		4 Litre	9340885009639
58336-20		20 Litre	9340885009691
58338	ANCHORMAX INTERNATIONAL ORANGE	Aerosol	9340885005044
58340	ANCHORMAX CRIMSON RED R15	Aerosol	9340885005051
58342	ANCHORMAX NAVY BLUE B13	Aerosol	9340885005310
58342-1		1 Litre	9340885001855
58342-4		4 Litre	9340885003071
58344	ANCHORMAX BOTTLE GREEN G11	Aerosol	9340885005327
58345	ANCHORMAX GOLDEN/SAFETY YELLOW Y14	Aerosol	9340885005297
58345-1		1 Litre	9340885009547
58345-4		4 Litre	9340885009615
58345-20		20 Litre	9340885009684
58347	ANCHORMAX BLUE GREY N53	Aerosol	9340885005334
58373	ANCHORMAX ORANGE X15 (ELECTRICAL)	Aerosol	9340885003125
58373-1		1 Litre	9340885007758
58373-4		4 Litre	9340885007765
58402-1	ANCHORMAX IHC RED R15 1L	1 Litre	9340885003088
58402-4		4 Litre	9340885003095
58403	ANCHORMAX MASSEY FERGUSON RED R14 400G	Aerosol	9340885009172
58403-1		1 Litre	9340885001992
58403-4		4 Litre	9340885008175
58404	ANCHORMAX GENIE GREY 400GM	Aerosol	9340885008410
58405	ANCHORMAX GENIE BLUE 400GM	Aerosol	9340885008366
58406	ANCHORMAX SAPHIRE BLUE B14 400GM	Aerosol	9340885008373
58407	ANCHORMAX GREY PRIMER 400GM	Aerosol	9340885008380
58408	ANCHORMAX GLOSS WHITE 400GM	Aerosol	9340885008397
58408-1		1 Litre	9340885009509
58408-4		4 Litre	9340885009578
58408-20		20 Litre	9340885009646
58409	ANCHORMAX GLOSS BLACK 400GM	Aerosol	9340885008403
58409-1		1 Litre	9340885009516
58409-4		4 Litre	9340885009585
58409-20		20 Litre	9340885009653



Part	Description	Size	Barcode
58410	ANCHORMAX MATT BLACK 400G	Aerosol	9340885009486
58410-1		1 Litre	9340885009523
58410-4		4 Litre	9340885009592
58410-20		20 Litre	9340885009660
58411	ANCHORMAX SILVER 400G	Aerosol	9340885009493
58411-1		1 Litre	9340885009530
58411-4		4 Litre	9340885009608
58411-20		20 Litre	9340885009677
58413-1	ANCHORMAX FORD TRACTOR BLUE 1L	1 Litre	9340885007796
58413-4		4 Litre	9340885007802
58421	ANCHORMAX SATIN BLACK 400GM	Aerosol	9340885008182
58421-1		1 Litre	9340885008540
58421-4		4 Litre	9340885001978
58421-20		20 Litre	9340885001985







Anchor HI TEMP is a premium quality, heat resisting paint that withstands temperature of up to 600° C. Ideal for automotive exhaust manifolds, mufflers, BBQ's, grills, boilers, heaters or on any surface that becomes excessively hot. No primer requires.

Cannot be used on cooking surfaces.

Part	Description	Barcode
54303	ANCHOR HI TEMP SILVER 300GM	9340885010178
54329	ANCHOR HI TEMP BBQ BLACK 300GM	9340885010185
54329-500	ANCHOR HI TEMP BBQ BLACK 500ML	9340885010444
54376	ANCHOR HI TEMP BLACK 300GM	9340885010161



>>> PRIME />>> PRIME />>> PRIME />>> PRIME



Anchor Prime is an advanced range of primers that ensures superior adhesion of paint to the surface, increases paint durability, and provides additional corrosion protection.

The Anchor Prime range has many specialised primers suitable for metal, timber and plastic .



SILVER PRIMER	WHITE PRIMER	GREY PRIMER	RED OXIDE PRIMER
CLEAR PLASTIC PRIMER	GREY ETCH PRIMER	BLACK ETCH PRIMER	

Part	Description	Barcode
47863	Primer, Silver	9556053050635
47874	Primer, Satin White	9556053050741
47805	Primer, Grey	9556053050055
47819	Primer, Red Oxide	9556053050192
47885	Primer, Clear Plastic	9556053050871
58055	Primer, Grey Etch	9556053580552
58065	Primer, Black Etch	9556053580651





SPOT AND SURVEY PAINT

Anchor Spot n Survey is a quick drying paint for marking in a variety of applications including landscaping, construction sites, golf courses, surveying etc.

Available in Fluorescent and non fluorescent colours.





Product #	Description	Barcode
AS01	ANCHOR SPOT SURVEY - RED FLUORESCENT	9340885000223
AS02	ANCHOR SPOT SURVEY - YELLOW FLUORESCENT	9340885000230
AS03	ANCHOR SPOT SURVEY - BLUE FLUORESCENT	9340885000247
AS04	ANCHOR SPOT SURVEY - PINK FLUORESCENT	9340885000254
AS05	ANCHOR SPOT SURVEY - GREEN FLUORESCENT	9340885000261
AS06	ANCHOR SPOT SURVEY - ORANGE FLUORESCENT	9340885000278
AS07	ANCHOR SPOT SURVEY - WHITE	9340885000285
AS08	ANCHOR SPOT SURVEY - BLUE	9340885009189
AS10	ANCHOR SPOT N SURVEY - YELLOW	9340885009202
AS12	ANCHOR SPOT N SURVEY - BLACK	9340885009226
AS13	ANCHOR SPOT N SURVEY - RED	9340885009233



>>> MARK | >>> MARK | >>> MARK | >>> MARK



LINE MARKING PAINT

Anchor Line Marking Paint is a quick drying paint, specially formulated to provide long lasting, durable lines and is made to fit into line marking machines. Suitable for car parks, warehouses, factories, sporting fields & courts

BLUE WHITE YELLOW



Product #	Description	Barcode
LM01	ANCHOR LINE MARKING PAINT - WHITE 500 gram	9340885004641
LM02	ANCHOR LINE MARKING PAINT - YELLOW 500 gram	9340885004658
LM03	ANCHOR LINE MARKING PAINT - BLUE 500 gram	9340885004665



ANCHOR ANCHOR ANCHOR



MINE MARKING PAINT

Anchor Mine Marking Paint is a non flammable, 360°, quick drying marking paint used for marking in a variety of applications including underground coal mines and fire sensitive situations. Ideal for use on dirt, gravel, concrete, metal, bitumen, grass and timber



Product #	Description	Barcode
MM01	ANCHOR MINE MARKER - RED FLUORESCENT 400GM	
MM04	ANCHOR MINE MARKER - PINK FLUORESCENT 400GM	9340885009424
MM06	ANCHOR MINE MARKER - ORANGE FLUORESCENT 400GM	9340885009448
MM07	ANCHOR MINE MARKER - WHITE 400GM	9340885009455
MM08	ANCHOR MINE MARKER - BLUE 400GM	9340885009394
MM10	ANCHOR MINE MARKER - YELLOW 400GM	9340885009400
MM13	ANCHOR MINE MARKER - RED 400GM	9340885009417



BOSTON PAINTS











Boston spray paint is a quick drying, high gloss enamel paint for interior & exterior surfaces with many uses in home, craft & industry. It dries to a high gloss, tough, durable finish. Use with confidence on metal, wood, fiberglass & glass surfaces.





PREMUIM & FLUORO COLOURS

FLUORO PINK	FLUORO GREEN	FLUORO YELLOW	FLUORO ORANGE
METALIC	METALIC	METALIC	
BLACK	BLUE	SILVER	



Product #	Description	Barcode
BT04	MATT BLACK 250GM	9340885000001
BT06	GLOSS RED 250GM	9340885000018
BT101	LIME GREEN 250GM	9340885003200
BT120	PLUM PURPLE 250GM	9340885007949
BT135	MISSION BROWN 250GM	9340885000186
BT15	SKY BLUE 250GM	9340885000025
BT190	CLEAR 250GM	9340885000193
BT21	OCEAN BLUE 250GM	9340885000032
BT22	MID GREY 250GM	9340885000049
BT23	SCARLET RED 250GM	9340885000056
BT30	PINK 250GM	9340885000063
BT35	GOLD 250GM	9340885000070
BT36	METALLIC SILVER 250GM	9340885000087
BT39	GLOSS BLACK 250GM	9340885000100
BT40	GLOSS WHITE 250GM	9340885000117
BT41	YELLOW 250GM	9340885000124
BT43	CREAM 250GM	9340885007932
BT45	SATIN WHITE 250G	9340885003217
BT50	BRIGHT CHROME 250GM	9340885000131
BT51	SATIN BLACK 250GM	9340885000148
BT52	MATT WHITE 250GM	9340885000155
BT66	APPLIANCE WHITE 250GM	9340885000209
BT67	YELLOW OXIDE PRIMER 250GM	9340885000216
BT68	INTERNATIONAL ORANGE 250GM	9340885000162
BT77	BRUNSWICK GREEN 250GM	9340885000094
BT89	GREY PRIMER ENAMEL 250GM	9340885000179
BT92	WHITE PRIMER 250GM	9340885008014

PREMUIM & FLUORO COLOURS

Product #	Description	Barcode
BT1002	FLUORO PINK 250GM	9340885008250
BT1003	FLUORO GREEN 250GM	9340885008571
BT1005	FLUORO YELLOW 250GM	9340885008588
BT1006	FLUORO ORANGE 250GM	9340885008564
BT1139	METALLIC BLACK 250GM	9340885001961
BT1546	METALLIC BLUE 250GM	9340885003972
BT1580	METALLIC SILVER 250GM	9340885003494







METAL PROTECTION PAINTS

The Boston Product Range consists of galvanizing, zinc paints and structural primers that are designed to protect and repair galvanised and metal surfaces.

Product #	Description	Barcode
BT250	Cold Galvanizing	9340885002371
BT255	Silver Zinc 2 In 1	9340885002388
BT256	Black Zinc	9340885007901
BT257	Bright Gal	9340885008007
BT258	Structural Red Oxide Primer	9340885008069
BT259	Super Etch Primer Grey	9340885008076



PACER

FACER





PACER PROFESSIONAL auto body repair



Automotive refinish products that guide you to PREPARE • REPAIR • FINISH and SHEILD your car with confidence.
Our quality, high-performance products deliver a professional finish.

The Pacer products have earned a strong and trustworthy reputation not only with the trade professional but also throughout the vast DIY community nationally and abroad. As a proud Australian company, we commit ourselves to providing high quality products, that provide the reseller strong performance at competitive pricing. This portfolio and all CW brands ranges are backed up by our committed sales and technical support teams.

PREPARE

rust repair ● abrasives ● degreasers ● wax and grease
 remover ● cleaning solvents ● paint stripper

REPAIR

- body filler seam sealer primers spray putty
- abrasives
 reinforced fillers
 windscreen sealer

FINISH

- under body paint chassis painter 1K top coat
- 2K finishes
 solvents
 wheel paint
 acrylic top coats

SHIELD

cavity rust inhibitor ● sound deadener ● stone shield

For complete automotive refinish offering please go to our Automotive refinish catalogue



Primer fillers and primers



R45 Primer surfacer & R47 Primer filler

R47 Pacer Primer Filler is a high build, easy-to-sand primer filler for use under acrylic and enamel paints. It is designed for priming and filling in one over bare metal, polyester body filler and fibreglass. Ideal for filling nicks, scratches, stone chips and minor surface imperfections.



Product No.	Product No. Description	
APS400 Pacer R45 Primer surfacer 400 GM aerosol		12
APSG1	Pacer R45 Primer surfacer 1 Litre	6
APSG4	Pacer R45 Primer surfacer 4 Litre	4
OH400	Pacer R47 primer filler 400 GM	12
OH1	Pacer R47 Primer filler 1 Litre	6
OH4	Pacer R47 Primer filler 4 Litre	4



PACER

R46 Spray putty

R45 Pacer Spray Putty is a quick drying putty designed to be applied over Pacer Primer Surfacer. It displays high build properties permitting easy filling of small indentations sand paper marks scratches and file marks. Pacer Spray Putty has superb resistance to shrinkage and can be sanded with ease.

Product No.	Description	Carton Qty.
SP400	Pacer spray putty 400 Gram	6







R44 Plastic primer

Pacer Plastic Primer is a fast drying transparent 1 pack primer with strong adhesion. Suitable for various car plastic parts to increase adhesion of subsequent coatings. Easy to apply. No need to thin down for use.

Product no	Description	Carton Qty
FP400	PACER R44 FLEXI PRIME 400GM	6
PPAP	PACR PLASTIC PRIMER 1 LITRE	6





This is a two pack system comprising a pigmented base co-reacted with an isocyanate hardener yielding a high build filler with excellent adhesion and corrosion resistance. This product is characterised by exceptional ease of application, flow and sanding.

Product No.	Description	Carton Qty.
PPF	Pacer Primer Filler 4:1 4Lt	4
PPH	Pacer 4:1 Hardener 1Lt	6
PPFK	Pacer 2K Hs Primer Filler 5t Kit	1

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Top coats



2K MS 2:1 CLEAR COAT

2K MS 2:1 HARDENER



X MS 2:1 HARDENER



Pacer 2 Pack Colour is suited for the refinishing and repair of, trucks, cars and buses or whenever a high quality, high gloss finish is required. To be used with the Pacer 2K 2:1 hardener. Offers a tough durable coating

Product No.	Description	Carton Qty.
PFB4	Pacer 2K Factory Black 4 Litre	4
PFW4	Pacer 2K Factory White 4 Litre	4



Pacer 2 Pack Platinum MS Clear is a versatile, user friendly high productivity medium solids 2 pack clear coat for professional automotive refinish. Offers a tough, durable coating with excellent gloss and film clarity.

Product No.	Description	Carton Qty.
PCC	Pacer Clear Coat 2:1 4Lt	12
PCH	Pacer 2:1 Hardener 1Lt	12
PCCK	Pacer 2K Ms Clear Coat Kit 6Lt	12





F69 & F72 1K Top coat - volumetric

Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable finish. Available in Jet Black and Hi Opacity

Product No.	Description	Carton Qty.
JB1	Pacer F69 Jet black acrylic 1 litre	6
JB4	Pacer F69 Jet black acrylic 4 litre	6
HOW1	Pacer F72 Hi Opacity white acrylic 1 litre	4
HOW4	Pacer F72 Hi Opacity white acrylic 4 litre	4



F69 & F72 1K Top coat - volumetric

Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable finish. Available in Jet Black and Hi Opacity

PACER	
HI OPACITY WHITE	
ACRYLIC	PACER
F72	IET BLACK
	F69
	- Inner
	allille

Product No.	Description	Carton Qty.
JB1	Pacer F69 Jet black acrylic 1 litre	6
JB4	Pacer F69 Jet black acrylic 4 litre	6
HOW1	Pacer F72 Hi Opacity white acrylic 1 litre	4
HOW4	Pacer F72 Hi Opacity white acrylic 4 litre	4

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Top coats



Acrylic topcoat aerosols



Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable finish.

Product No. Description		Carton Qty.
GB400	Pacer F69 Gloss Black acrylic 400 Gram Aerosol	6
GW400	Pacer F69 Gloss White acrylic 400 Gram Aerosol	6
MB400	Pacer F69 Matt Black acrylic 400 Gram Aerosol	6
SB400	Pacer F69 Satin Black acrylic 400 Gram Aerosol	6
TCC400	Pacer F69 Clear acrylic 400 Gram Aerosol	6





Pacer Subframe Black is a quick drying, semi gloss, black enamel paint with excellent coverage designed for painting subframes, chassis and interior panels such as luggage areas, quarter panels and other automotive components

Product No.	Product No. Description	
SF400	Pacer F75 Sub Frame Black 400 Gram Aerosol	6
PSF1	Pacer F75 Sub Frame Black 1 Litre	6
PSF4	Pacer F75 Sub Frame Black 4 Litre	4
PSF20	Pacer F75 Sub Frame Black 20 Litre	1





Pacer Roll Bar & Chassis Satin Black Paint is a one-step coating that does not require a primer. It gives the appearance of a tough baked-on, porcelain-like finish that provides excellent corrosion resistance. It is suitable for use on roll bars, grill guards, frames, suspension, trailers and equipment

Product No.	Description	Carton Qty.
RBSB400	Pacer F68 Roll bar & Chassis satin black	6

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



Top coats





Pacer Wheel Silver is a premium quality silver metallic finish with excellent durability and weathering properties. Developed especially for metal wheels and plastic wheel trim covers.

Product No.	Description	Carton Qty.
WSL400	Pacer F74 Wheel silver 400 Gram Aerosol	6





Pacer GMH Flat Black is a fast drying, low gloss nitrocellulose acrylic lacquer that provides good coverage and is ideally used for subframes, radiators, engine bays, differentials, tail shafts, interior panels and luggage areas. May be used for covering overspray around subframes and under mudguards, and it is ideal as a guide coat for sanding primers and putties. May be applied to bare, freshly primed and previously painted surfaces

Product No.	Description	Carton Qty.
GMH1	Pacer F65 GMH black 1 Litre	6
GMH4	Pacer F65 GMH black 4 Litre	4
GMH20	Pacer F65 GMH black 20 Litre	1


For complete automotive refinish offering please go to our Automotive refinish catalogue

• PREPARE • REPAIR • FINISH • SHIELD



SEPTONE REFINISH











Septone Acrylics are a fast drying acrylic finish, designed to be used on motor vehicles and other metal surfaces for small touch-ups and repairs. They may safely be used over properly prepared substrates like degreased and well sanded acrylic lacquer, 2-Pack enamels, Primer Surfacer and Primer Filler. Forms a high initial gloss and polishes to a deep full gloss finish.

Septone Hammer Finish is a self priming, rapid drying hammered metal look paint. It is suitable for interior and exterior applications on both metal and timber surfaces. Once applied, it provides a tough, durable, anti-corrosive finish that is both decorative and hides surface imperfections. Available in 3 colours in 400 gram aerosol packs. Volumetric sizes are available in Anchor Shield. Catalogue section A3

Subframe Black is a rapid drying satin black enamel paint designed for painting subframes, chassis, radiators, springs, axles and other automotive components that are normally finished in satin black. Subframe Black offers excellent adhesion to both primed and un-primed metal surfaces.

For complete automotive refinish offering please go to our Automotive refinish catalogue

Product number	Description	Size
Aerosols		
AAGB400	Acrylic Paint Gloss Black Aerosol	400 gram
AAGW400	Acrylic Paint Gloss White Aerosol	400 gram
AAMB400	Acrylic Paint Aerosol Matt Black	400 gram
AASAB400	Acrylic Paint Aerosol Satin Black	400 gram
AAAC400	Acrylic Paint Topcoat Clear Aerosol	400 gram
AAPPF400	Plastic Primer Filler Aerosol Grey	400 gram
AAPS400	Acrylic Primer Surfacer Aerosol Grey	400 gram
AAEP400	Super Etch Primer	400 gram
AAPP400	Plastic Adhesion Primer Aerosol Clear	400 gram
AAPF400	One Step Primer Filler Aerosol Beige	400 gram
AASP400	Acrylic Spray Putty Aerosol Blue	400 gram
Hammer finish		
AAHFB400	Hammer Finish Paint Blue aerosol	400 gram
AAHFC400	Hammer Finish Paint Charcoal aerosol	400 gram
AAHFS400	Hammer Finish Paint Silver aerosol	400 gram


Subframe black		
AFSB1	Subframe Black Paint Satin Black	1 litre
AFSB4	Subframe Black Paint Satin Black	4 Litre
Chassis Black		
AUCB1	Chassis Black	1 litre
AUCB4	Chassis Black	4 Litre

cwbrands.com.au SECTION A PAGE 11.2



DUPLICOLOR

Dupli-Color






<u>Dupli-Color</u>°

Dupli-color High Heat with Ceramic

- Temperatures up to 1093°C
- Dry to touch in 30 minutes
- Resistant to oil and other automotive fluids



SILVER

DH1620

BLACK

DH1602

ALUMINIUM

DH1606

CAST IRON

DH1618

RED

DH1608

ORANGE

DH1610

BLUE

DH1612

WHITE

DH1604

CLEAR

DH1616



Extreme High Heat Applications



Dupli-Color Engine enamel



DE1601

FORD LIGHT

DE1602

UNIVERSAL WHITE

DE1604

UNIVERSAL GOLD

DE1605

FORD RED

DE1606

FORD DARK BLUE

DE1607

CHEVY RED

DE1611

NEW FORD GREY

DE1612

GREY PRIMER

DE1613

GLOSS BLACK

DE1615

ALUMINIUM

DE1620

CHEV ORANGE

DE1621

FORD OLD BLUE

DE1634

CHRYSLER LOW GLOSS BLACK **DE1635**

FORD SEMI GLOSS BLACK

DE1636

GLOSS CLEAR

DE1641

LIME GREEN

DE1650

CAST IRON ALLOY


DE1651

CAST IRON

DE1653

RED







Dupli-Color®

CALIPER PAINT

Duplicolor caliper paint is a durable, protective coating resistant to chipping, brake dust, and automotive chemicals. Formulated with ceramic resins, this high gloss coating resists temperatures up to 250°C.

- East touch nozzle
- Fast drying durable finish
 - Touch dry in 30 minutes
 - Resistant to chemicals and brake dust

RED

BCP100

YELLOW

BCP101

GLOSS BLACK

BCP102

SILVER

BCP103

BLUE

BCP104

SATIN BLACK

BCP105

CLEAR

BCP120

GOLD

BCP121







METALIC AND STAINLESS STEEL PAINT

Duplicor Automotive metallics provide a brilliant metallic finish to automotive trim and accessories. Ideal for interior and exterior use.

Stainless steel coating provides the brilliant look of stainless steel to automotive accessories such as trim, grills and bumpers. Stainless steel coating dries quickly to a durable finish and resists temperatures up to 250°F allowing for under bonnet applications. Excellent adhesion to metal, wood, iron, glass and most other surfaces.



CHROME

CS101

GOLD

GS100

STAINLESS STEEL SS100



Dupli-Color METAL CAST



Duplicolor Metalcast anodised colour turns ordinary chrome finishes into a bright, transparent-coloured metallic finish in a easy one step process.

Metalcast is a durable enamel finish that is oil, fuel and heat resistant to 500, intermittenly, making it ideal for interior, exterior and high heat applications under the hood.

Specially formulated to work over properly prepared shiny, bare metal and chrome like surfaces.

> Base coat MC100

Red Anodised

Blue Anodised MC201

Yellow Anodised MC202

Green Anodised

Purple Anodized MC204



Dupli-Color Wheel coating

Customise or dress up worn out wheels with Duplicolor Wheel coating. This advanced track tested acrylic enamel formula restores original wheel appearance and protects against brake dust, chemicals, heat and chipping. Duplicolor Wheel Finish features a highly durable finish with superior adhesion to steel, aluminium and plastic wheel covers.









Bed Armor

Dupli-Color® BED ARMOR® Do-It-Yourself Truck Bed Coating is a water-based, rubberized polyurethane coating that's ideal for protecting truck beds and a variety of automotive surfaces including metal, aluminum, fiberglass and wood.

BED ARMOR® is formulated with ground up rubber particles to provide uniform texture and help prevent your cargo from moving around. This special formula won't chip, fade, or flake and has a textured, black satin finish that provides the ultimate in truck bed protection. BED ARMOR® Truck Bed Coating is available in aerosol and in kit form

BLACK
BAA2010
Kit: BAK2010

Trim & Bumper paint

Dupli-Color® Trim & Bumper Paint features Fade-X™ Technology to ensure a long-lasting finish for exterior and interior applications. This specialty formulation restores trim & bumper surfaces back to their original factory look.



Features & Benefits:

- Features EZ Touch 360°® Fan Spray Nozzle
- Renews and protects discoloured bumpers
- Superior adhesion
- Dry to touch in 30 Minutes / Handle in 1 Hour
- Provides a uniform solid colour
- For use on thermoplastic and polyurethane bumpers

BLACK

TB101

CLEAR

TB100

CHARCOAL

TB102





Wrinkle finish

Duplicolor Wrinkle finish combines strong colors with a deep rich texture for a custom look. It is temperature resistant to 350F (177C) and is ideal for adding a touch of personal styling to almost any metal surface. Duplicolor wrinkle finish resists color fading, grease, degreasers and severe weather conditions. This tough durable finish is extremely re-

BLACK

WF201

RED

WF204



Ruberised undercoat

Dupli-Color® Undercoating products are ideal for protecting wheel wells, gas tanks, frames and supports, weld joints, floor pans, doors, and quarter panels. Dupli-Color Undercoat (UC101) offers economical protection plus paintablity, moisture resistance, corrosion resistance, and a durable rubberized finish.

Product # UC101



ODD JOBS & EXPORT PAINT









ODD JOBS ENAMEL SPRAY PAINT

Available in 35 Colour Varieties

General purpose spray paint for quick touch ups













125ml paint Pots 12 Colours

Looking to add some colour to your next project? Australian Export's range of enamel paints are perfect for general paint applications around the home. They're super easy to apply allowing them to be used on a range of different applications and come in an array of different colours. Grab an Export enamel paint for your next job!



Part	Description	Barcode
EX1010	EXPORT ENAMEL PAINT GREY PRIMER	
EX1011	EXPORT ENAMEL PAINT GLOSS WHITE	
EX1012	EXPORT ENAMEL PAINT GLOSS RED	
EX1013	EXPORT ENAMEL PAINT MATT BLACK	
EX1014	EXPORT ENAMEL PAINT GLOSS BLACK	
EX1015	EXPORT ENAMEL PAINT BRUNSWICK GREEN	
EX1019	EXPORT ENAMEL PAINT SILVER	
EX1032	EXPORT ENAMEL PAINT GLOSS YELLOW	
EX1033	EXPORT ENAMEL PAINT OCEAN BLUE	
EX1034	EXPORT ENAMEL PAINT GLOSS GOLD	
EX1047	EXPORT ENAMEL PAINT GLOSS CLEAR	
EX1065	EXPORT ENAMEL PAINT MISSION BROWN	



RUST CONVERTERS & INHIBITORS







P14 Rust converter



Pacer Rust Converter contains a built in primer/sealer. In one step it chemically reacts with rust, converting it to a hard inert organic compound, and then seals the surface with an impervious coating. This coating is a suitable base for a variety of paint systems including most single pack acrylics and enamels, 2 pack coatings and water based paint.

Product no	Description	Carton Qty
RR250	PACER P14 RUST REMOVER 250ML	6
RR500	PACER P14 RUST REMOVER 500ML	6

This product is part of the **PACER** automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD

PACER

P15 Rust converter Primer & Sealer

Pacer P15 Rust Converter Primer & sealer is a tannic acid based rust converter that coverts rust into black stable primed finish preventing further corrosion. It can be primed, filled & painted over to give additional corrosion proofing or sound deadening.



Product no	Description	Carton Qty
RC400	PACER P15 RUST CONVERTER 400GM	6
RC500	PACER P15 RUST CONVERTER 500ML	6
RC1	PACER P15 RUST CONVERTER 1L	6

This product is part of the **PACER** automotive refinish range

◆ PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD





SEPTONE Rust Shield

Description: Septone Rust Shield is a black, heavy duty corrosion preventative and noise suppressing coating. Its heavy bodied waterproof formula is fortified with bitumen and waxes enabling it to inhibit the formation of rust on the undercarriage sections, floor pans, firewalls, chassis members and wheel arches of 4WD's, Vehicles, Caravans and Trailers.

Product No.	Pack Size	Carton QTY.
AARS400	400 g Aerosol	12

Features & Benefits:

- · Easy application
- · Rust/Corrosion preventative
- · Noise suppressant
- Waterproof
- · Anti-Chip, prevents stone damage

Area of Application:

- · Trade, Industrial or Handyman use
- · Automotive and Transport vehicles



SEPTONE Rust Shield

Description: Septone Rust Shield is a black, heavy duty corrosion preventative and noise suppressing coating. Its heavy bodied waterproof formula is fortified with bitumen and waxes enabling it to inhibit the formation of rust on the undercarriage sections, floor pans, firewalls, chassis members and wheel arches of 4WD's, Vehicles, Caravans and Trailers.

Product No.	Pack Size	Carton QTY.
AURU4	4 L	4
AURU20	20 L	Each

Features & Benefits:

- · Rust/Corrosion preventative
- Noise suppressing
- Waterproof
- Anti-Chip, prevents stone damage

Area of Application:

- · Trade, Industrial or Handyman use
- · Automotive, Transport, Fleet
- Applied by body deadener gun



SEPTONE Brushcote Body Deadener

Description: Septone Brushcote Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by brush to the underside of motor vehicles. Brushcote Body Deadener can also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tank exteriors and on metal structures.

Product No.	Pack Size	Carton QTY.
AUBD1	1 L	12
AUBD4	4 L	4

Features & Benefits:

- · Easy brush on application
- · Rust/Corrosion preventative
- Noise suppressant
- Waterproof
- · Anti-Chip, prevents stone damage

Area of Application:

- Trade, Industrial or Handyman use
- · Automotive and Transport vehicles





ESEPTONE! Body Deadener

Description: Septone Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application to the undercarriages of motor vehicles. Body Deadener can also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tank exteriors and on metal structures.

Product No.	Pack Size	Carton QTY.
AABD400	400 g Aerosol	12

Features & Benefits:

- · Easy application
- · Rust/Corrosion preventative
- · Noise suppressant
- · Waterproof
- · Forms a durable flexible barrier

Area of Application:

- Trade, Industrial or Handyman use
- · Automotive and Transport vehicles
- · Home Hardware



SEPTONE Rust Proof

Description: Septone Rust Proof is a heavy-duty corrosion preventative coating designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles. Rust Proof is applied using a low-pressure spray gun and dries to a soft brown waxy protective coating.

Product No.	Pack Size	Carton QTY.
AURP1T	1 L	6
AURP4	4 L	4
AURP20	20 L	Each

Features & Benefits:

- · Leaves Wax type protective coating
- · Long-term corrosion preventative
- Applied to internal vehicle surfaces
- · Provides excellent seam penetration

Area of Application:

- · Trade/Professional use
- Automotive and Transport vehicles



SEPTONE Rust Converter

Rust Converter is a concentrated phosphoric acid based rust converter and is used as a pre-painting treatment for converting surface rust (iron oxide) into iron phosphate, which forms an ideal base for further protective coatings. Rustsolve Rust Converter may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel, automotive panels, or rusted nuts and bolts and hand tools.

Product No.	Pack Size	Carton Qty.
AUR500	500 ML	12
AUR5L	5 Litre	4



SEPTONE Rust Prime

Septone Rust Prime is a water based chemical that converts rust to an inert black compound and simultaneously primes and seals the metal surface so that it is ready for subsequent priming and topcoating. Rust Prime may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel, gutters, sheds, rusted nuts and bolts and hand tools. It can also be used in a number of marine applications. Rust Prime will provide temporary protection against rust, but should not be considered as a corrosion resistant coating. Primer coats and top coats should be applied as soon as possible after the surface has been treated with Rust Prime (and within 4 weeks) .

Product No.	Pack Size	Carton Qty.
AURC500	500 ML	12
AURC1	1 Litre	6
AURC4	4 Litre	4







S80 Cavity Rust Inhibitor

Pacer Rust Converter contains a built in primer/sealer. In one step it chemically reacts with rust, converting it to a hard inert organic compound, and then seals the surface with an impervious coating. This coating is a suitable base for a variety of paint systems including most single pack acrylics and enamels, 2 pack coatings and water based paint.

Product No.	Pack Size	Carton Qty.
RC400	Pacer P04 Rust converter 400gm aerosol	6



S81 Deodorised fish oil



Pacer S81 Fish Oil is a long lasting, rust inhibiting coating suitable for automotive, marine, household and industrial use. Mainly used to inhibit further corrosion on rusted surfaces. Intended as a sole coating and does not require a top coat. Useful in enclosed areas that are difficult to access. Penetrates seams and crevasses. Ideal for automotive panels, front guards, quarter panels, wheel arches, doors and sill panels.

	Product No.	Description	Carton Qty.
	FO400	Pacer S81 Deodorised Fish Oil 400 Gram	12
	FO1	Pacer S81 Deodorised Fish Oil 1 Litre	12
ı	FO4	Pacer S81 Deodorised Fish Oil 4 litre	12



PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



SEPTONE

Fish Oil

Septone Deodorised Fish OI is a deodorised corrosion preventative designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles, as well as on structural steel, railings, gates, bridges, pontoons and for the protection of welds. Fish Oil has long been considered to be one of the most effective products for rust prevention. Fish Oil penetrates through rust to give the parent metal protection from further rusting. However, note that Fish Oil is not a rust converter. For badly rusted areas, apply a rust converter prior to applying Fish Oil.

Product No.	Pack Size	Carton Qty.
AAFO350	350 GRAM	12
AUFO4	4 Litre	4
AUFO20	20 Litre	1



FERTAN RUST CONVERTER





FEATURES & BENEFITS

Chemtech Fertan is a new generation, safe, non-toxic and non-flammable rust converter that penetrates deep into rust to convert it into ferric tannate and also creates a zinc phosphate layer deep below the rust surface to protect the base metal.

Chemtech Fertan treated metal can be overcoated immediately or alternatively provide a "painting window" giving total protection for up to six months.

Continuous protection can be achieved with regular retreatment and provides an alternative to sand blasting and painting.

Non toxic & Non Flammable

Provides an ideal painting surface

FER-250M 250 ml FER-1L 1 Litre FER-5L 5 Litres



NATIONAL PRODUCT CATALOGUE

SECTION AA - AUTOMOTIVE REFINISH

web: cwbrands.com.au

email: support@cwbrands.com.au







Automotive refinish products that guide you to PREPARE • REPAIR • FINISH and SHEILD your car with confidence.
Our quality, high-performance products deliver a professional finish.

The Pacer products have earned a strong and trustworthy reputation not only with the trade professional but also throughout the vast DIY community nationally and abroad. As a proud Australian company, we commit ourselves to providing high quality products, that provide the reseller strong performance at competitive pricing. This portfolio and all CW brands ranges are backed up by our committed sales and technical support teams.

PREPARE

rust repair ● abrasives ● degreasers ● wax and grease
 remover ● cleaning solvents ● paint stripper

REPAIR

- body filler seam sealer primers spray putty
- abrasives
 reinforced fillers
 windscreen sealer

FINISH

- under body paint chassis painter 1K top coat
- 2K finishes
 solvents
 wheel paint
 acrylic top coats


SHIELD

cavity rust inhibitor ● sound deadener ● stone shield

For complete automotive refinish offering please go to our Automotive refinish catalogue



PREPARE





RUST REMOVAL & PROOFING



P14 Rust Remover

Pacer Rust Converter contains a built in primer/sealer. In one step it chemically reacts with rust, converting it to a hard inert organic compound, and then seals the surface with an impervious coating. This coating is a suitable base for a variety of paint systems including most single pack acrylics and enamels, 2 pack coatings and water based paint.



Product no	Description	Carton Qty
RR250	PACER P14 RUST REMOVER 250ML	6
RR500	PACER P14 RUST REMOVER 500ML	6

P15 Rust Converter Sealer & Primer

Pacer P15 Rust Converter Primer & sealer is a tannic acid based rust converter that coverts rust into black stable primed finish preventing further corrosion. It can be primed, filled & painted over to give additional corrosion proofing or sound deadening.

Product no	Description	Carton Qty
RC400	PACER P15 RUST CONVERTER 400GM	6
RC500	PACER P15 RUST CONVERTER 500ML	6
RC1	PACER P15 RUST CONVERTER 1L	6



PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Rust Converter

Rust Converter is a concentrated phosphoric acid based rust converter and is used as a pre-painting treatment for converting surface rust (iron oxide) into iron phosphate, which forms an ideal base for further protective coatings. Rustsolve Rust Converter may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel, automotive panels, or rusted nuts and bolts and hand tools.

Product No.	Pack Size	Carton Qty.
AUR500	500 ML	12
AUR5L	5 Litre	4



Rust Prime

Septone Rust Prime is a water based chemical that converts rust to an inert black compound and simultaneously primes and seals the metal surface so that it is ready for subsequent priming and topcoating. Rust Prime may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel. gutters, sheds, rusted nuts and bolts and hand tools. It can also be used in a number of marine applications. Rust Prime will provide temporary protection against rust, but should not be considered as a corrosion resistant coating. Primer coats and top coats should be applied as soon as possible after the surface has been treated with Rust Prime (and within 4 weeks).

Product No.	Pack Size	Carton Qty.
AURC500	500 ML	12
AURC1	1 Litre	6
AURC4	4 Litre	4



RUST REMOVAL & PROOFING



S80 Cavity Rust Inhibitor

Pacer Rust Converter contains a built in primer/sealer. In one step it chemically reacts with rust, converting it to a hard inert organic compound, and then seals the surface with an impervious coating. This coating is a suitable base for a variety of paint systems including most single pack acrylics and enamels, 2 pack coatings and water based paint.

Product No.	Pack Size	Carton Qty.
RC400	Pacer P04 Rust converter 400gm aerosol	6

This product is part of the **PACER** automotive refinish range



PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Rust Proof

Rust Proof is a heavy duty corrosion preventative coating formulated to comply with AS2662, Part 1 - 1983 -Corrosion Inhibition (Rust Proofing) - Motor Vehicles. It is designed to inhibit the formation of rust in internal box sections, door cavities, sills and pillars of motor vehicles. Rust Proof dries to a soft brown waxy protective coating. It is rheology controlled to give excellent atomisation with a fogging attachment, particularly with low pressure systems, and has excellent seam penetration with negligible sag and run.

Note: This product is NOT a rust converter. Do not use this product as an undercoat for paint. Rust Proof is not recommended on exposed areas such as the underbody or wheel arches because the film could become damaged, preventing complete protection.

Product No.	Pack Size	Carton Qty.
AURP1T	1 Litre	6
AURP4	4 Litre	4
AURP20	20 Litre	1



Rust Treatment



Chemtech Fertan is a new generation, safe, non-toxic and non-flammable rust converter that penetrates deep into rust to convert it into ferric tannate and also creates a zinc phosphate layer deep below the rust surface to protect the base metal. Chemtech Fertan treated metal can be overcoated immediately or alternatively provide a "painting window" giving total protection for up to six months. Continuous protection can be achieved with regular retreatment and provides an alternative to sand blasting and painting. Non toxic & Non Flammable Provides an ideal painting surface

Product No.	Pack Size	Carton Qty.
FER-250M	250 ML	12
FER-1L	1 Litre	6
FER-5L	5 Litre	4



PAINT STRIPER



P04 Paint Stripper



Pacer Paint Stripper is a fast acting paint and varnish remover. It will completely remove most paint and varnish from most surfaces. Suitable for removal of 2 pack and single pack paints including automotive 2 pack epoxy, automotive acrylic, water based acrylics, archetectual, automotive and industrial enamels, nitrocellulose lacquers, single and 2 part polyurethanes, varnishes and numerous other coatings.

Product No.	Pack Size	Carton Qty.
Q\$400	400 gram	12
QS1	1 Litre	6
QS4	4 Litre	4

This product is part of the **PACER** automotive refinish range

◆ PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



ANCHOR Paint Stripper

Super powerful for rapid results. A unique blend of solvents that work quickly to break down and blister the bonds that hold the paint film together, thus getting an effective stripping action. It is clear in colour.

Product No.	Pack Size	Carton Qty.
APS250	250 gram	12
APS500	500 gram	6
APS010	1 Litre	6
APS040	4 Litre	4
APS020	20 Litre	1



SEPTONE Paint Stripper

Paint Stripper is a phenolic based heavy duty paint remover designed especially for the stripping of specialist automotive coatings. Note: Septone Paint Stripper is not recommended for the removal of paint from wooden surfaces where the surface is then going to be clear lacquered, because this product will cause irreversible staining of the wood. This product can adversely affect chrome, perspex, rubber and plastic components. Not recommended on fibreglass gelcoats

Product No.	Pack Size	Carton Qty.
AQPS500	500ML	12
AQPS1	1 Litre	6
AQPS4	4 Litre	4



SURFACE CLEANERS



P08 Wax & grease remover



Product No.	Pack Size	Carton Qty.
PWGR400	400 Gram Aerosol	12
PWGR1	1 Litre	1
PWGR4	4 Litre	4
PWGR20	20 Litre	1
PWGR200	200 Litre	1

Pacer Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar and road grime from a vehicle's exterior paintwork. It is applied before and after all sanding operations, and prior to painting operations, during the refinishing of a vehicle's paintwork. Its correct use will prevent the occurrence of fish eyes in the applied paint film.

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



SEPTONE Wax & Grease remover

Septone Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar and road grime from a vehicle's exterior paintwork. It is applied before and after all sanding operations, and prior to painting operations, during the refinishing of a vehicle's paintwork. Its correct use will prevent the occurrence of fish eyes in the applied paint film.

Product No.	Pack Size	Carton Qty.
ASWG1	1 Litre	12
ASWG4	4 Litre	4
ASSR20	20 Litre	6



SURFACE CLEANERS



A high quality Acetone is effective clean-up solvent for difficult resins, waxes and adhesives.



Product No.	Pack Size	Carton Qty.
PA1	1 Litre	6
PA4	4 Litre	4
PA20	20 Litre	1
PA200	200 Litre	1

Pacer Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar and road grime from a vehicle's exterior paintwork. It is applied before and after all sanding operations, and prior to painting operations, during the refinishing of a vehicle's paintwork. Its correct use will prevent the occurrence of fish eyes in the applied paint film.

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



REPAIR





FILLERS



Auto Body Sealant & Adhesive

VTECH VT 638 Autobody sealant & adhesive is a one component, high performance sealant & adhesive formulated based on advanced MS polymer technology. Ideal for making permanent elastic seals of high bonding strength on interior & exterior auto body seams & joints. It is also suitable in construction and industrial applications.

- High strength and elasticity
- Fast Drying
- Paintable

- Primerless bonding to most substrates
- Isocyanate free No air bubbling
- Solvent free No shrinkage

Product No.	Pack Size	Carton Qty.
VT638B	290ML	12
VT638BE	290ML	12
VT638W	290ML	12







Pacer EZI Filler is a two-part, super smooth multi-purpose filler suitable for all autobody repairs with excellent adhesion to aluminium, fibreglass, masonry and wood surfaces. It cures in minutes providing an easy to sand, touch repair that can be drilled or tapped if required.

Product No.	Pack Size	Carton Qty.
EF500	500GM	8
EF1	1KG	8
EF2	2KG	4
EF4	4KG	4





Pacer Reofill is a high strength 2 part fibreglass reinforced filler for the structural repair of dents, holes, cracks, tears and other large damage. Ideal for the repair of rust holes in auto panels. Suitable in automotive, industrial, domestic and marine applications, on metal, fibreglass, suitable plastics and timber substrates

Pack Size	Carton Qty.
750ML	8
1.5KG	4
3KG	4
5KG	4
	750ML 1.5KG 3KG

This product is part of the **PACER** automotive refinish range

◆ PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD




FILLERS



SEPTONE Body filler

Car Filler is a high quality lightweight polyester body filler designed for trade or handyman use in the filling of dents, cracks, holes or gaps. It is ideal for repairs to motor vehicles, boats, trailers, caravans, brickwork, concrete, guttering, furniture and hundreds of other repairs around the house. Its creamy texture makes it easy to apply with no drag and no sag even at high build levels. It is manufactured under vacuum to substantially reduce the incidence of pinholing; and the viscosity, gel and cure are strictly controlled to provide consistent quality. Car Filler exhibits minimal surface tack, easy sanding and good featheredging, and it provides excellent adhesion over mild steel, stainless steel, aluminium, fibreglass, wood, concrete, cement and fibro.

Product No.	Pack Size	Carton Qty.
ABCF500	500 Gram	12
ABCF1	1 Litre	12
ABCF25	2.5 Litre	6





Metal Tech is a stainless steel and fibreglass reinforced patching compound designed for use in the repair of holes, cracks, dents and rust outs in motor vehicles, caravans, trailers, boats and guttering. It is dependable and easy to use and adheres strongly to metal and aluminium panels, fibreglass, wood, plaster, masonite etc. It is fast setting with excellent resistance to stress or shrinkage and is waterproof when fully cured. It is formulated to bridge holes up to 50mm in diameter, a mender patch of fibreglass mat should be used in conjunction with Metal Tech. Metal Tech may be moulded to any shape or contour, and it is easy to cheese grate, file or sand to roughly the finished shape. Final shaping of filled holes should be performed with a standard lightweight body filler, which is much easier to sand and shape to the final contour required.

SEPTONE Blade Putty



Septone Blade Putty is a heavy bodied single pack nitrocellulose based putty for automotive and Industrial use. Suitable for use under acrylic paints. It is designed to fill scratches and minor indentations and smooth out surface flaws in vehicle bodywork. It exhibits excellent adhesion and featheredging whilst sanding; and it is compatible with Septone Primer Surfacer or Primer Filler. Septone Blade Putty is supplied ready for use, and is applied using a glazing knife or plastic putty bat.

Product No.	Pack Size	Carton Qty.
ARBP375	375 Gram	12

SEPTONE Glass fibre filler



Glass Fibre Filler (Fibre Tough) is a high quality fibre reinforced polyester putty designed for trade use. Glass Fibre Filler is dependable and easy to use and is formulated to bridge holes up to 50mm in diameter in rusted metal panels in motor vehicles, caravans, trailers and boats and in guttering. Glass Fibre Filler is fast setting, exhibits maximum adhesion to metal with excellent resistance to shrinkage and is waterproof when fully cured.

Product No.	Pack Size	Carton Qty.
ABGF500	500 Gram	12
ABGF1	1 Litre	6
ABGF3	3 Litre	4
ABGF55	5.5 Litre	4



FILLERS



Edge Rapid Sand is a premium quality lightweight body filler. It has been formulated for easy application and a self-levelling smooth finish reducing panel repair time and abrasive costs. Rapid Sand provides excellent adhesion across a wide range of substrates, including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only)

Edge Ultra Sand represents the next generation in superior quality body fillers, formulated using the latest technology. It provides unparalleled sanding qualities using 80 grit and due to its exceptional self-levelling ultra smooth finish it eliminates the need for putty from the repair process, increasing productivity through lower panel repair cycle time. It provides ultra superior adhesion over a wide range of substrates including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only).

QUALITY BODY FILLER RANGE





RAPID SAND 3 LITRE

Product code: ABERS3

- Easy application & self leveling smooth finish.
- Superior adhesion across a wide range of substrates

ULTRA SAND 3 LITRE

Product code: ABEUS3

- Unparalleled sanding qualities using 80 grit
- Eliminates need for putty repair process

Product No.	Description	Carton Qty.
ABERS3	Septone Edge Rapid sand Body Filler 3L	4
ABEUS3	Septone Edge Ultra sand Body Filler 3L	4



FIBREGLASS REPAIR



Pacer R37 Fibreglass resin used in conjunction with Pacer catalyst and fibreglass matting will repair cracks and holes in fibreglass, wood, steel, iron, masonry and other inflexible material. Repairs can be made to fibreglass and wooden boats, trailers, kayaks, surfboards and vehicles.

Kit contains

- 250ml Polyester resin
- 20g Catalyst (Hardener)
- 250mm x 1000mm fibreglass matting
- 260ml measuring cup
- 2 stirring sticks
- 1 set gloves
- 1 paint brush





This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



SEPTONE

Fibreglass repair kit

REPAIRS:

Automotive: Rusted panels, dents and holes in vehicles, caravans and trailers. **Marine:** Fibreglass and plywood boats, surfboards, water skis and surfcraft. Uses include binding split or damaged booms, spars, spinnaker poles and oars and repairs to transom edges.

SECTION A - PAINT & META

FIBREGLASS REPAIR

ΓΕΡΤΟΛΕ Fibreglass resin



Product No.	Pack Size	Carton Qty.
MFR250	250 Mls	12
MFR500	500 Mls	12

SEPTONE Catalyst



Product No.	Pack Size	Carton Qty.
MMEPK20	20 MLS	12

Primer fillers and primers



R45 Primer surfacer & R47 Primer filler

R47 Pacer Primer Filler is a high build, easy-to-sand primer filler for use under acrylic and enamel paints. It is designed for priming and filling in one over bare metal, polyester body filler and fibreglass. Ideal for filling nicks, scratches, stone chips and minor surface imperfections.



R45 Pacer Acrylic Primer Surfacer is a single pack automotive primer surfacer, designed to be compatible with all existing single pack acrylic paint systems

Product No.	Description	Carton Qty.
APS400	Pacer R45 Primer surfacer 400 GM aerosol	12
APSG1	Pacer R45 Primer surfacer 1 Litre	6
APSG4	Pacer R45 Primer surfacer 4 Litre	4
OH400	Pacer R47 primer filler 400 GM	12
OH1	Pacer R47 Primer filler 1 Litre	6
OH4	Pacer R47 Primer filler 4 Litre	4



- PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆
- SHIELD







R44 Plastic primer

Pacer Plastic Primer is a fast drying transparent 1 pack primer with strong adhesion. Suitable for various car plastic parts to increase adhesion of subsequent coatings. Easy to apply. No need to thin down for use.

Product no	Description	Carton Qty
FP400	PACER R44 FLEXI PRIME 400GM	6
PPAP	PACR PLASTIC PRIMER 1 LITRE	6



PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD





PLASTIC

PRIMER

This is a two pack system comprising a pigmented base co-reacted with an isocyanate hardener yielding a high build filler with excellent adhesion and corrosion resistance. This product is characterised by exceptional ease of application, flow and sanding.

Product No.	Description	Carton Qty.
PPF	Pacer Primer Filler 4:1 4Lt	4
PPH	Pacer 4:1 Hardener 1Lt	6
PPFK	Pacer 2K Hs Primer Filler 5 Lt Kit	1

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD





Pacer Spray Putty is a quick drying putty designed to be applied over Pacer Primer Surfacer. It displays high build properties permitting easy filling of small indentations sand paper marks scratches and file marks. Pacer Spray Putty has superb resistance to shrinkage and can be sanded with ease.

Product No.	Description	Carton Qty.
SP400	Pacer spray putty 400 Gram	6

This product is part of the **PACER** automotive refinish range

◆ PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Primer fillers and primers



SEPTONE Primers

_			
	Product No.	Description	Carton Qty.
	AAPPF400	Plastic primer filler grey 400gram	12
ſ	AAPS400	Acrylic primer filler grey 400 gram	12
ſ	AAEP400	Super etch primer 400 gram	12
ſ	AAPP400	Plastic adhesion primer clear 400 gram	12
ſ	AAPF400	Primer filler beige 400 gram	12
ľ	AASP400	Acrylic spray putty blue 400 gram	12



FINISH





Top coats













2K Top coat

Pacer2 Pack Colour is suited for the refinishing and repair of, trucks, cars and buses or whenever a high quality, high gloss finish is required. To be used with the Pacer 2K 2:1 hardener. Offers a tough durable coating

Product No.	Description	Carton Qty.
PFB4	Pacer 2K Factory Black 4 Litre	4
PFW4	Pacer 2K Factory White 4 Litre	4



Pacer 2 Pack Platinum MS Clear is a versatile, user friendly high productivity medium solids 2 pack clear coat for professional automotive refinish.

Offers a tough, durable coating with excellent gloss and film clarity.

Product No.	Description	Carton Qty.
PCC	Pacer Clear Coat 2:1 4Lt	12
PCH	Pacer 2:1 Hardener 1Lt	12
PCCK	Pacer 2K Ms Clear Coat Kit 6Lt	12



F69 & F72 1K Top coat - volumetric

Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable gloss finish. Available in Jet Black and Hi Opacity White.

Product No.	Description	Carton Qty.
JB1	Pacer F69 Jet black acrylic 1 litre	6
JB4	Pacer F69 Jet black acrylic 4 litre	6
HOW1	Pacer F72 Hi Opacity white acrylic 1 litre	4
HOW4	Pacer F72 Hi Opacity white acrylic 4 litre	4



F73 1K Clear coat - volumetric

Pacer Acrylic Top Coat Clear is a premium quality acrylic lacquer for automotive Clear over Base refinish. Pacer Acrylic Top Coat Clear is based on top quality raw material components, including special UV absorbing additives. This results in an extremely durable gloss finish.

Product No.	Description	Carton Qty.
TCC1	Pacer F73 Top coat clear acrylic 1 litre	6
TCC4	Pacer F73 Top coat clear acrylic 4 litre	4



PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Top coats



Acrylic topcoat aerosols

Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable finish.



Product No.	Description	Carton Qty.
GB400	Pacer F69 Gloss Black acrylic 400 Gram Aerosol	6
GW400	Pacer F69 Gloss White acrylic 400 Gram Aerosol	6
MB400	Pacer F69 Matt Black acrylic 400 Gram Aerosol	6
SB400	Pacer F69 Satin Black acrylic 400 Gram Aerosol	6
TCC400	Pacer F69 Gloss Clear acrylic 400 Gram Aerosol	6





F75 Subframe black

Pacer Subframe Black is a quick drying, semi gloss, black enamel paint with excellent coverage designed for painting subframes, chassis and interior panels such as luggage areas, quarter panels and other automotive components

Product No.	Description	Carton Qty.
SF400	Pacer F75 Sub Frame Black 400 Gram Aerosol	6
PSF1	Pacer F75 Sub Frame Black 1 Litre	6
PSF4	Pacer F75 Sub Frame Black 4 Litre	4
PSF20	Pacer F75 Sub Frame Black 20 Litre	1





F68 Roll bar & Chassis Black

Pacer Roll Bar & Chassis Satin Black Paint is a one-step coating that does not require a primer. It gives the appearance of a tough baked-on, porcelain-like finish that provides excellent corrosion resistance. It is suitable for use on roll bars, grill guards, frames, suspension, trailers and equipment

Product No.	Description	Carton Qty.
RBSB400	Pacer F68 Roll bar & Chassis satin black	6

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD

Carton Qty.

4



Top coats



GMH BLACK



Pacer Wheel Silver is a premium quality silver metallic finish with excellent durability and weathering properties. Developed especially for metal wheels and plastic wheel trim co-

Product No.	Description	Carton Qty.
WSL400	Pacer F74 Wheel silver 400 Gram Aerosol	6



Pacer GMH Flat Black is a fast drying, low gloss nitrocellulose acrylic lacquer that provides good coverage and is ideally used for subframes, radiators, engine bays, differentials, tail shafts, interior panels and luggage areas. May be used for covering overspray around subframes and under mudguards, and it is ideal as a guide coat for sanding primers and putties. May be applied to bare, freshly primed and previously painted surfaces





PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



SEPTONE Acrylics

Product No.	Description	Carton Qty.
AAGB400	Acrylic gloss black 400G	12
AAGW400	Acrylic gloss white 400G	12
AAMB400	Acrylic gloss matt black 400G	12
AASAB400	Acrylic gloss satin black 400G	12
AAAC400	Acrylic topcoat clear 400G	12



Top coats





Hammer finish

Anchor Shield Hammer Finish is a durable, protective finish that can be applied to a wide range of metal and pre-painted substrates. Anchor Shield Hammer Finish is ideal for restoring metal surfaces and hiding surface imperfections such as scratches and joints. When sprayed produces a uniform and attractive hammer pattern with good slip resistance

Product No.	Pack Size	Size
60100	ANCHOR HAMMER FINISH CHARCOAL	400 Gram
601001		1 Litre
601004		4 Litre
6010020		20 Litre
60105	ANCHOR HAMMER FINISH BLACK	400 Gram
601051		1 Litre
601054		4 Litre
6010520		20 Litre
60110	ANCHOR HAMMER FINISH SILVER	400 Gram
601101		1 Litre
601104		4 Litre
60115	ANCHOR HAMMER FINISH BLUE	400 Gram
601151		1 Litre
601154		4 Litre



SEPTONE Hammer finish

Septone Hammer Finish is a self priming, rapid drying hammered metal look paint. It is suitable for interior and exterior applications on both metal and timber surfaces. Once applied, it provides a tough, durable, anti-corrosive finish that is both decorative and hides surface imperfections.

Product No.	Description	Carton Qty.
AAHFC400	Hammer Finish Paint Charcoal 400 Gram	12
AAHFS400	Hammer Finish Paint Silver 400 Gram	12
AAHFB400	Hammer Finish Paint Blue 400 Gram	12



Subframe black SEPTONE

Subframe Black is a rapid drying satin black enamel paint designed for painting subframes, chassis, radiators, springs, axels and other automotive components that are normally finished in satin black. Subframe Black offers excellent adhesion to both primed and unprimed metal surfaces.

Product No.	Description	Carton Qty.
AFSB1	Septone Subframe Black 1 Litre	6
AFSB4	Septone Subframe Black 4 Litre	4

SEPTONE Chassis black

Septone's Chassis Black is a simple black coating perfect for application on the undercarriage of caravans and motor vehicles. Chassis black is not just a paint, but is actually a bituminous coating, which is chip resistant, and can help muffle and reduce road and tyre noise. This product is also anti-corrosive, and creates a waterproof finish wherever it is applied. This product is perfect for iron roofs, guttering and other metal structures.

Product No.	Description	Carton Qty.
AUCB1	Septone Chassis Black 1 Litre	6
AUCB4	Septone Chassis Black 4 Litre	4






<u>Dupli-Color</u>

Dupli-color High Heat with Ceramic

- Temperatures up to 1093°C
- Dry to touch in 30 minutes
- Resistant to oil and other automotive fluids



SILVER

DH1620

BLACK

DH1602

ALUMINIUM

DH1606

CAST IRON

DH1618

RED

DH1608

ORANGE

DH1610

BLUE

DH1612

WHITE

DH1604

CLEAR

DH1616



Extreme High Heat Applications



Dupli-Color Engine enamel



DE1601

FORD LIGHT

DE1602

UNIVERSAL WHITE

DE1604

UNIVERSAL GOLD

DE1605

FORD RED

DE1606

FORD DARK BLUE

DE1607

CHEVY RED

DE1611

NEW FORD GREY

DE1612

GREY PRIMER

DE1613

GLOSS BLACK

DE1615

ALUMINIUM

DE1620

CHEV ORANGE

DE1621

FORD OLD BLUE

DE1634

CHRYSLER LOW GLOSS BLACK **DE1635**

FORD SEMI GLOSS BLACK

DE1636

GLOSS CLEAR

DE1641

LIME GREEN

DE1650

CAST IRON ALLOY


DE1651

CAST IRON

DE1653

RED







Dupli-Color®

CALIPER PAINT

Duplicolor caliper paint is a durable, protective coating resistant to chipping, brake dust, and automotive chemicals. Formulated with ceramic resins, this high gloss coating resists temperatures up to 250°C.

- East touch nozzle
- Fast drying durable finish
 - Touch dry in 30 minutes
 - Resistant to chemicals and brake dust

RED

BCP100

YELLOW

BCP101

GLOSS BLACK

BCP102

SILVER

BCP103

BLUE

BCP104

SATIN BLACK

BCP105

CLEAR

BCP120

GOLD

BCP121







METALIC AND STAINLESS STEEL PAINT

Duplicor Automotive metallics provide a brilliant metallic finish to automotive trim and accessories. Ideal for interior and exterior use.

Stainless steel coating provides the brilliant look of stainless steel to automotive accessories such as trim, grills and bumpers. Stainless steel coating dries quickly to a durable finish and resists temperatures up to 250°F allowing for under bonnet applications. Excellent adhesion to metal, wood, iron, glass and most other surfaces.



CHROME

CS101

GOLD

GS100

STAINLESS STEEL SS100



Dupli-Color METAL CAST



Duplicolor Metalcast anodised colour turns ordinary chrome finishes into a bright, transparent-coloured metallic finish in a easy one step process.

Metalcast is a durable enamel finish that is oil, fuel and heat resistant to 500, intermittenly, making it ideal for interior, exterior and high heat applications under the hood.

Specially formulated to work over properly prepared shiny, bare metal and chrome like surfaces.

> Base coat MC100

Red Anodised

Blue Anodised MC201

Yellow Anodised MC202

Green Anodised

Purple Anodized MC204



Dupli-Color Wheel coating

Customise or dress up worn out wheels with Duplicolor Wheel coating. This advanced track tested acrylic enamel formula restores original wheel appearance and protects against brake dust, chemicals, heat and chipping. Duplicolor Wheel Finish features a highly durable finish with superior adhesion to steel, aluminium and plastic wheel covers.









Bed Armor

Dupli-Color® BED ARMOR® Do-It-Yourself Truck Bed Coating is a water-based, rubberized polyurethane coating that's ideal for protecting truck beds and a variety of automotive surfaces including metal, aluminum, fiberglass and wood.

BED ARMOR® is formulated with ground up rubber particles to provide uniform texture and help prevent your cargo from moving around. This special formula won't chip, fade, or flake and has a textured, black satin finish that provides the ultimate in truck bed protection. BED ARMOR® Truck Bed Coating is available in aerosol and in kit form

BLACK
BAA2010
Kit: BAK2010

Trim & Bumper paint

Dupli-Color® Trim & Bumper Paint features Fade-X™ Technology to ensure a long-lasting finish for exterior and interior applications. This specialty formulation restores trim & bumper surfaces back to their original factory look.



Features & Benefits:

- Features EZ Touch 360°® Fan Spray Nozzle
- Renews and protects discoloured bumpers
- Superior adhesion
- Dry to touch in 30 Minutes / Handle in 1 Hour
- Provides a uniform solid colour
- For use on thermoplastic and polyurethane bumpers

BLACK

TB101

CLEAR

TB100

CHARCOAL

TB102





Wrinkle finish

Duplicolor Wrinkle finish combines strong colors with a deep rich texture for a custom look. It is temperature resistant to 350F (177C) and is ideal for adding a touch of personal styling to almost any metal surface. Duplicolor wrinkle finish resists color fading, grease, degreasers and severe weather conditions. This tough durable finish is extremely re-

BLACK

WF201

RED

WF204



Ruberised undercoat

Dupli-Color® Undercoating products are ideal for protecting wheel wells, gas tanks, frames and supports, weld joints, floor pans, doors, and quarter panels. Dupli-Color Undercoat (UC101) offers economical protection plus paintablity, moisture resistance, corrosion resistance, and a durable rubberized finish.

Product # UC101



SHIELD





Stone shield & body deadeners





S80 Cavity Rust inhibitor

Pacer S80 Cavity Rust Inhibitor is a heavy duty, rust and corrosion preventive wax coating, designed for use on concealed internal surfaces of cars, trucks, trailers, caravans, 4WDs, tractors, farm machinery, equipment and tools. Inhibits the formation of rust inside internal box sections, chassis, door cavities, sills, side panels and pillars. Dries to a flexible, non sticky film that is water repellent. Formulated to AS2662

Product No.	Description	Carton Qty.
CRI400	Pacer S80 Cavity rust inhibitor 400 gram aerosol	6



S83 Stone shield



Pacer Stone Shield Anti-Chip Coating is a flexible textured underbody coating for stone chip and general road abrasion protection. Suitable topcoats are acrylic lacquer, 2 pack colour and basecoat, and 2 pack iso-free acrylic finish

Product No.	Description	Carton Qty.
SGSB400	PACER S83 STONE SHIELD 400GM BLACK	6
SGSB1	PACER S83 STONE SHIELD BLACK 1LT	6
SGSG1	PACER S83 STONE SHIELD GREY 1LT	6
SGSW1	PACER S83 STONE SHIELD WHITE 1L	6





Pacer Sound Deadener Spray On is a quick drying bitumen base that creates a flexible coating for sound deadening and protection against corrosion, dust, moisture, stone chips and abrasion. Ideal for underbody parts such as mudguards, subframes, bonnets, boots, spare wheel tubs, underneath floor panels, and inside door panels. Requires no primer or topcoat

Product No.	Description	Carton Qty.
SO400	PACER S77 SOUND DEADENER 400GM	6
SO115	PACER S77 SOUND DEADENER 1LT	6

This product is part of the PACER automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Stone shield & body deadeners

PACER

S81 Deodorised fish oil



Pacer S81 Fish Oil is a long lasting, rust inhibiting coating suitable for automotive, marine, house-hold and industrial use. Mainly used to inhibit further corrosion on rusted surfaces. Intended as a sole coating and does not require a top coat. Useful in enclosed areas that are difficult to access. Penetrates seams and crevasses. Ideal for automotive panels, front guards, quarter panels, wheel arches, doors and sill panels.

Product No.	Description	Carton Qty.
FO400	Pacer S81 Deodorised Fish Oil 400 Gram	12
FO1	Pacer S81 Deodorised Fish Oil 1 Litre	12
FO4	Pacer S81 Deodorised Fish Oil 4 litre	12

This product is part of the **PACER** automotive refinish range

PREPARE
 ◆ REPAIR
 ◆ FINISH
 ◆ SHIELD



Stone shield & body deadeners



Stone Shield

Stone Shield is a heavy bodied, solvent based elasticised coating which provides excellent resistance against stone chip damage to the lower body sections of motor vehicles. Once dry, Stone Shield forms a durable, flexible coating with a high opacity stippled coloured surface finish which is ready to be top coated with the appropriate finish coats.

Stone Shield is designed to be used on areas such as front aprons and air dams, stone guard panels, wheel arches, etc. Luggage compartments and other areas subject to damage may also be applied with Stone Shield prior to top coating. Stone Shield is designed to be used to repair textured finishes on both local and imported vehicles.

Product No.	Description	Carton Qty.
AASB400	Stoneshield Anti Chip Coating Black 400G	12
AASG400	Stoneshield Anti Chip Coating White 400G	12
AUSB1T	Stoneshield Anti Chip Coating Black Tall tin	6
AUSW1T	Stoneshield Anti Chip Coating White Tall tin	6



SEPTONE Body Deadener Flexcoat

Flexcote is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by spray to the underside of motor vehicles.

Flexcote may also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Flexcote is also suitable for damp-proofing concrete and masonry walls, above and below grade, where no hydrostatic pressure exists.

Product No.	Description	Carton Qty.
AUF1T	Flexcote Spray Body Deadener Tall Tin Black	6
AUF4	Flexcote Spray Body Deadener Black 4 Litre	4
AUF20	Flexcote Spray Body DeadenerBlack 20 Litre	1



SEPTONE Body Deadener Brushcoat

Brushcote Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by brush to the underside of motor vehicles.

Brushcote Body Deadener may also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Brushcote Body Deadener is also suitable for damp-proofing concrete and masonry walls, above and below grade, where no hydrostatic pressure exists.

Product No.	Description	Carton Qty.
AABD400	Body Deadener Black 400 gram aerosol	6
AUBD1	Brushcote Body Deadener Black 1 Litre	6
AUBD4	Brushcote Body Deadener Black 4 Litre	4



Abrasives





PACER





Pacer Dry Cut sandpaper sheets are available in grits from 80G - 400G in both bulk packs of 25 sheets or in the 5 sheet retail hang cell.

Pacer Latex Wet & Dry sandpaper sheets are available in grits from 180 - 2000 in both bulk packs of 25 sheets or in the 5 sheet retail hang cell.



Pacer Velcro Discs are manufactured with high quality polyester film backing with resin over resin boding and ceramic aluminum oxide grit. Suitable for trade or DIY use for sanding primer, fillers and lacquer of automobile surfaces. Also used for sanding all wood and metal surfaces. • anti cogging • high strength backing • long life performance • Wet and dry sanding



Pacer Flap Discs are the perfect all-rounder for every grinding application. With high aggressive stock removal, they offer the best performance when grinding steel and stainless steel. Suitable for grinding Stainless Steel, Steel, and non-ferrous metals.

Pacer Cutting & Grinding Discs Ultra Thin Cutting Discs are a high quality disc for cutting metal or stainless steel. Grinding disc manufactured under stringent standards to ensure a high quality disc for both DIY or trade use.





FREECUT DRY SANDPAPER



Part

	FREECUI DRI SANDPAPER			
Part	Description	Pack size	Barcode	
A2380-5	DRY CUT SANDPAPER 80G - 5 Pack	Each	9340885004474	
A23120-5	DRY CUT SANDPAPER 120G - 5 Pack	Each	9340885004481	
A23180-5	DRY CUT SANDPAPER 180G - 5 Pack	Each	9340885004580	
A23240-5	DRY CUT SANDPAPER 240G - 5 Pack	Each	9340885004948	
A23320-5	DRY CUT SANDPAPER 320G - 5 Pack	Each	9340885005242	
A23400-5	DRY CUT SANDPAPER 400G - 5 Pack	Each	9340885005259	
A23ASS-5	DRY CUT SANDPAPER ASSORTED - 5 Pack	Each	9340885007291	
A2380	DRY CUT SANDPAPER 80G	25	9340885002531	
A23120	DRY CUT SANDPAPER 120G	25	9340885002487	
A23180	DRY CUT SANDPAPER 180G	25	9340885002494	
A23240	DRY CUT SANDPAPER 240G	25	9340885002500	
A23320	DRY CUT SANDPAPER 320G	25	9340885002517	
A23400	DRY CUT SANDPAPER 400G	25	9340885002524	

Pack size

Barcode

WET & DRY SANDPAPER

Description

. are	Description	T delt Size	Burcouc
LWD180-5	LATEX WET & DRY 180G - 5 pack	Each	9340885005266
LWD240-5	LATEX WET & DRY 240G - 5 pack	Each	9340885005303
LWD320-5	LATEX WET & DRY 320G - 5 pack	Each	9340885005440
LWD400-5	LATEX WET & DRY 400G - 5 pack	Each	9340885005457
LWD600-5	LATEX WET & DRY 600G - 5 pack	Each	9340885005464
LWD800-5	LATEX WET & DRY 800G - 5 pack	Each	9340885005471
LWD1200-5	LATEX WET & DRY 1200G - 5 pack	Each	9340885005488
LWD1500-5	LATEX WET & DRY 1500G - 5 pack	Each	9340885005495
LWD2000-5	LATEX WET & DRY 2000G - 5 pack	Each	9340885005655
LWDPREP-5	LATEX WET & DRY PREPARE - 5 pack	Each	9340885006058
LWDFIN-5	LATEX WET & DRY FINISH - 5 pack	Each	9340885006065
LWD180	LATEX WET & DRY 180G	25	9340885002722
LWD240	LATEX WET & DRY 240G	25	9340885002739
LWD320	LATEX WET & DRY 320G	25	9340885002746
LWD400	LATEX WET & DRY 400G	25	9340885002913
LWD600	LATEX WET & DRY 600G	25	9340885003132
LWD800	LATEX WET & DRY 800G	25	9340885003286
LWD1200	LATEX WET & DRY 1200G	25	9340885002548
LWD1500	LATEX WET & DRY 1500G	25	9340885007697
LWD2000	LATEX WET & DRY 2000G	25	9340885007703







VELCRO DISCS

	VLLONO DISCO		
Part	Description	Pack size	Barcode
V6680-5	VELCRO 150MM 6H 80G - 5 PACK	Each	9340885007307
V66120-5	VELCRO 150MM 6H 120G - 5 PACK	Each	9340885007314
V66180-5	VELCRO 150MM 6H 180G - 5 PACK	Each	9340885007376
V66240-5	VELCRO 150MM 6H 240G - 5 PACK	Each	9340885007383
V66320-5	VELCRO 150MM 6H 320G - 5 PACK	Each	9340885007871
V66400-5	VELCRO 150MM 6H 400G - 5 PACK	Each	9340885007888
V66ASS-5	VELCRO 150MM 6H ASSORTED - 5 PACK	Each	9340885007895
V6680	VELCRO 150MM 6H 80G	100	9340885003767
V66120	VELCRO 150MM 6H 120G	100	9340885003361
V66180	VELCRO 150MM 6H 180G	100	9340885003385
V66240	VELCRO 150MM 6H 240G	100	9340885003415
V66320	VELCRO 150MM 6H 320G	100	9340885003644
V66400	VELCRO 150MM 6H 400G	100	9340885003750
V66600	VELCRO 150MM 6H 600G	100	9340885004085
V66800	VELCRO 150MM 6H 800G	100	9340885003774
V661200	VELCRO 150MM 6H 1200G	100	9340885003378
V661500	VELCRO 150MM 6H 1500G	100	9340885004504
V662000	VELCRO 150MM 6H 2000G	100	9340885005754



FLAP DISCS Description

Part	Description	Pack size	Barcode
PFD125120	PACER FLAP DISC 125MM X 120G	10	9340885006447
PFD12540	PACER FLAP DISC 125MM X 40 GRIT	10	9340885005594
PFD12560	PACER FLAP DISC 125MM X 60 GRIT	10	9340885005600
PFD12580	PACER FLAP DISC 125MM X 80G	10	9340885006430



PartDescriptionPack sizeBarcodeP125122PACER CUTTING DISCS 125MM X 1MM X 22MM10934088500128



GRINDING DISCS

CUTTING DISCS

Part	Description	Pack size	Barcode
P125622	PACER GRINDING DISC 125MM X 6MM X 22MM	10	934088500128



Solvents







Solvents

The Pacer range of solvents are developed using specific blends so that products can perform at their best. The range consists of Thinners, Gun Wash, Acetone, Wax and grease remover all in 1 litre, 4 litre, 20 litre and 200 litre options







Product Number	Description
PAPT1	PACER ALL PURPOSE THINNER 1LT
PAPT4	PACER ALL PURPOSE THINNER 4LT
PAPT20	PACER ALL PURPOSE THINNER 20LT
PAPT200	PACER ALL PURPOSE THINNER 200LT
P2K1	PACER 2K THINNER 1LT
P2K4	PACER 2K THINNER 4LT
P2K20	PACER 2K THINNER 20LT
P2K200	PACER THINNERS 2K 200LT
PAT1	PACER ACRYLIC THINNER 1LT
PAT4	PACER ACRYLIC THINNER 4LT
PAT20	PACER ACRYLIC THINNER 20LT
PAT200	PACER ACRYLIC THINNER 200LT
PET1	PACER ENAMEL THINNER 1LT
PET4	PACER ENAMEL THINNER 4LT
PET20	PACER ENAMEL THINNER 20LT
PET200	PACER ENAMEL THINNER 200LT
PGW4	PACER GUNWASH 4 LT
PGW20	PACER GUNWASH 20 LT
PGW200	PACER GUNWASH 200 LT
PWGR1	PACER WAX & GREASE REMOVER 1LT
PWGR4	PACER WAX & GREASE REMOVER 4LT
PWGR20	PACER WAX AND GREASE REMOVER 20LT
PWGR200	PACER WAX AND GREASE REMOVER 200LT
PA1	PACER ACETONE 1LT
PA4	PACER ACETONE 4LT
PA20	PACER ACETONE 20LT
PA200	PACER ACETONE 200 LITRES



NATIONAL PRODUCT CATALOGUE

SECTION B - SILICONES, POLYMERS & ADHESIVES

web: cwbrands.com.au

email: support@cwbrands.com.au



SILICONE SEALANTS











6976 ALL PURPOSE METAL AND GLASS

GSA All General Purpose Silicone is a neutral cure silicone sealant designed for sealing joints in metal guttering, aluminum, roofing, flashings and down pipes.

Recommended Uses

- Metal Roofing Systems
- Flashing & Down Pipes
- Lap joints Sheet-metal
- Skylights & Extraction Units
- Pipe or Sprinkler System Penetrations
- Air conditioning and HVAC applications
- Masonry
- Block or brickwork

Suitable Materials

- Steel
- Aluminium
- Concrete
- Brick
- Masonry
- Glass
- Ceramics
- Timber

AVAILABLE IN CLEAR, BLACK, WHITE AND GREY

















6854 ROOF AND PLUMBING SILICONE

GSA 6854 Roof & Plumbing silicone is a premium one component flexible, neutral curing silicone roof sealant which provides excellent adhesion to many common substrates in plumbing and roofing applications.

- Suited to roofing, general plumbing, weather sealing and most general purpose sealing applications.
- Can be used with Steel, aluminium, glass, concrete, brick, ceramics, and terracotta roof tiles
- Suitable for drinking water as per Australian standards AS/NZS 4020
- Excellent adhesion properties Stays permanently flexible
- Suitable for interior and exterior applications
- Unaffected by rain, snow or extreme temperature change
- UV resistant

Recommended Uses

GSA Roof & Plumbing silicone can be used internally and externally, in residential and commercial applications

Ideal substrates include plumbing applications, roof and gutter applications, metal roofs, steel water tanks, metal flashing, downpipes, lap joints, skylights, flues, steel extraction units, air conditioning ducting and sheet-metal fabrications

SILICONE SEALANT CLEAR NEUTRAL CURE UV RESISTANT WEATHERPROOF HIGH FLEXIBILITY POTABLE WATER APPROVED 300ml NET Vego of creach of children

AVAILABLE IN CLEAR AND GREY









6950 WET AREA SILICONE

GSA Wet Area silicone a premium, natural curing wet area silicone sealant. It is specially formulated to resist mildew when exposed to prolonged hot and humid environments.

- Neutral cure bathroom and kitchen silicone sealant
- Ideal for UV exposure and porous surfaces
- Resists mould & mildew in hot and humid environments
- For use on glass, ceramics, fibreglass, porcelain, laminate
- Formulated to resist mould and mildew
- Maintains a waterproof flexible joint
- Low odour
- UV resistant
- May be used for ceramic tile grouting

Can be used for

- Sealing in wet areas
- Kitchens, bathrooms, toilets & showers
- Basins, sinks and vanity units
- Glass partitions
- Ceramic tile
- Vitreous enamel
- Most laminated surfaces

AVAILABLE IN CLEAR AND WHITE











6910 PRO SEAL 500 SILICONE

GSA Pro Seal 500 is a one- component, neutral-curing, low odour silicone sealant with good adhesion and long shelf life for professional applications. It cures at room temperature under the action of atmospheric moisture to give a permanently flexible silicone rubber.

- Excellent adhesion
- Great weatherability
- Non-sag
- Excellent tooling characteristics
- Long term mould resistance
- Interior and exterior usage
- Fast curing

Can be used for

- Glass and enamel
- Ceramics and tiles
- Aluminium, steel, zinc, copper
- Plastic laminates



AVAILABLE IN 14 COLOURS



Colours above are for reference only and may not reflect the true colour. Colour cards are available on request

Product #	Description	Barcode
6910A	GSA PROSEAL 500 ALABASTER / CLASSIC CREAM	9340885007079
6910AI	GSA PROSEAL 500 ALMOND IVORY / PAPERBARK	9340885007086
6910BE	GSA PROSEAL 500 BEIGE	9340885007093
6910BL	GSA PROSEAL 500 BLACK / NIGHTSKY	9340885007109
6910CH	GSA PROSEAL 500 CHARCOAL / MONUMENT	9340885007130
6910G	GSA PROSEAL 500 GREY	9340885007147
6910MG	GSA PROSEAL 500 MID GREY / SHALE GREY	9340885007154
69100W	GSA PROSEAL 500 OFF WHITE	9340885007161
6910P	GSA PROSEAL 500 PEWTER / IRONSTONE	9340885008199
6910ST	GSA PROSEAL 500 STONE / JASPER	9340885008205
6910T	GSA PROSEAL 500 TRANSLUCENT	9340885008212
6910TG	GSA PROSEAL 500 TILE GREY / SURFMIST	9340885008229
6910TP	GSA PROSEAL 500 TAUPE	9340885008236
6910W	GSA PROSEAL 500 WHITE	9340885008243



HYBRID POLYMERS









HYBRID BOND AND SEAL



GSA BOND & SEAL is a versatile all round durable elastic adhesive / sealant. Suitable for bonding and sealing joints in automotive, industrial and marine applications. Can also be used in connection and floor joints in the construction industry.

AUTOMOTIVE • CONSTRUCTION • INDUSTRIAL • MARINE

- Universal sealant
- Fast curing
- Suitable for gluing and sealing
- Excellent adhesion
- For use on metal, plastic, aluminium, wood and many sensitive substrates

Product #	Description	Barcode
1586B	GSA POWER BITE BOND SEAL BLACK	9340885008632
1586G	GSA POWER BITE BOND SEAL GREY	9340885008618
1586W	GSA POWER BITE BOND SEAL WHITE	9340885008625









HYBRID CRYSTAL CLEAR BOND AND SEAL



GSA BOND & SEAL CRYSAL CLEAR is a translucent durable elastic adhesive and sealant. Suitable for sealing joints, connection joints in buildings, joints in coachwork and as an adhesive in lightweight bonding

CRYSTAL CLEAR ADHESIVE AND SEALANT

- Universal sealant
- High tensile strength
- Suitable for gluing and sealing
- Excellent adhesion on glass and enamel
- For use on metal, plastic, aluminium, wood and many sensitive substrates

Product #	Description	Barcode
1580CC	GSA POWER BITE CRYSTAL CLEAR 290ML	9340885008557





HIGH TACK



GSA HIGH TACK is a high quality professional adheasive with an extremely high initial tack, based on hybrid technology wich cures under influence of humidity to form a durable elastic rubber.

INSTANT GRAB CONSTRUCTION ADHESIVE - 25 KG / 1CM²

- Extreme initial grip
- Eliminates the need for fixings and clamping
- High strength bonding
- UV weather and mould resistant
- Paintable
- Excellent primerless adhesion
- Universal applications

Product #	Description	Barcode
6979HT	GSA POWER BITE HIGH TACK ADHESIVE 290ML	9340885003163





FAÇADE LOW MODULUS SEALANT

GSA facade is a one component, low modulus MS sealant formulated for construction joint sealing applications. It is paintable and non-staining. Ideal for bonding of natural stone like granite & marble. Use for concrete, brick & blockwork, plaster board, aluminum windows, granite, sandstone & marble, fiberglass & specialty systems, metal curtain walls, water tanks etc. Suitable for clean room applications as it is non outgassing.

- Universal sealant for use on a variety of building substrates
- Excellent adhesion without primer to most, even damp, surfaces
- Low modulus (+/- 25% joint movement)
- Moisture curing, almost odourless
- Free of isocyanates, solvents, and silicones
- Permanently elastic
- No shrinkage or bubbling
- Excellent resistance to UV, water and weather
- Extrudes smoothly and easily from any hand operated or mechanical guns



Page 2.3

Can be used for

- Precast and tilt up panels
- Brickwork and blockwork
- Plasterboard face and paper lined recessed edges
- Aluminium windows
- Façade cladding
- Specialty panel systems
- Sandstone, marble, and granite substrates
- Available in 5 colours







HY940 FLEXIBLE JOINT SEALANT

GSA HY940 flexible joint sealant is a 1 component hybrid moisture curing, elastic joint sealant. HY940 has been designed for movement and connection joints on porous substrates as well as indoor and outdoor general sealing applications.

- Movement capability +/- 25%
- Very good workability
- Good adhesion to a wide variety of substrates
- Can be painted over with most paint systems
- Good durability and weather resistance
- Grey in colour







H55FC HIGH MODULUS SEALANT

H55FC is a high quality professional universal high modulus sealant and adhesive based on hybrid technology which cures under the influence of humidity to form a durable elastic rubber seal. H55FC is high modulus and highly elastic.

Specifically developed as a universal sealant for sealing construction and dilation joints in building and industry. Also a universal construction adhesive for bonding many building materials such as stone, plasterboard, PU, PVC, hard plastics, enamel, ceramic, copper, aluminium, metals, stainless steel and timber.





GREY



FIRE PROTECTION SEALANTS







Passive fire resistant products are the primary means used in the construction of a building, limiting the spread of flames, heat and smoke thus increasing fire safety. These products contribute to the stability of the building, in case of fire, and provide time for people to evacuate the building safely. Passive fire resistance limits the spread of flames and smoke thus the transfer and flashover of fire between compartments of the building. **GSA fire protect products comply to AS1530.4 standards**





FIRE SEAL



GSA fire seal is a one component fire resistant sealant based on acrylic dispersion. It is a pasto-elastic sealant which is slightly intumescent above 120°C and is suitable for fire resistant sealing of linear joints up to 4 hours. Specifically developed for use on gypsum and concrete substrates.

- ◆ Tested according to AS1530-4
- ♦ Up to 4 hours fire resistant
- Low odour
- ♦ Available in white, grey & limestone
- Paintable with most water based and synthetic paints
- Easy to apply and clean

Product #	Description	Barcode
1679W	GSA FIRE SEAL 300ML WHITE	9340885002791
1677CG	GSA FIRE SEAL 600ML CONCRETE GREY	9340885002760
1677L	GSA FIRE SEAL 600ML LIMESTONE	9340885002777




Complies to AS1530.4 · insulates, isolates & protects





FAÇADE FIRE RATE





joints in constructions which, in case of fire, should have certain fire resistance and the spreading of fire, smoke and toxic gasses are to be prevented. Also certified for horizontal joints, connection floor/ceiling with walls, timber and steel frames, concrete substrates and all metal stud applications

Designed for sealing exterior movement joints

- ◆ Tested to AS1530.4
- ◆ Up to 4 hours fire resistance
- Suitable for all joints up to 30mm wide
- ♦ Joint movement up to 25%
- Paintable with most water based and synthetic paints
- Non corrosive towards metal substrates
- ♦ Good resistance to UV, water and weather
- ♦ Excellent processing and easy tooling
- ◆ Certified for steel and timber frames
- ♦ Certified for metal stud connections

Product #	Description	Barcode
1590L	GSA FIRE RATE FACADE 600ML LIMESTONE	9340885002784

Complies to AS1530.4 · insulates, isolates & protects





FIRE RATED EXPANDING FOAM





GSA fire rated PU foam is a one component, fire resistant polyurethane expanding foam that offers fire resistance up to 4 hours. The canisters are equipped with an adapter to accurately apply the foam by hand. It has high thermic and acoustic insulation, offers excellent bonding to most substrates.

- Tested to AS 1530.4
- Applicable in joints from 5mm to 30mm wide
- Up to 4 hours fire protection
- Easy to apply
- Fast processing
- ♦ Fast cure

Product #	Description	Barcode
13211FRG	GSA EXPANDING FOAM FIRE RATED - 700ML	9340885004689

Complies to AS1530.4 · insulates, isolates & protects



GAP FILLERS







GSA gap fillers have been manufactured under stringent quality controls to world class standards. This ensures consistently high quality products that meet the demands and expectations of the painting industry. There are 3 types of gap fillers in the GSA range to ensure that all aspects are covered from the DIY market through to the professional trades person.





GAP ATTACK - PAINTERS GAP FILLER



- ♦ Formulated for the DIY user
- Acrylic based
- ◆ Paintable
- ♦ Interior / exterior
- ◆ Easy to use

Product #	Description	Barcode
6465GA	GSA GAP ATTACK	9340885002876



GSA GAPS - TRADE QUALITY PAINTERS GAP FILLER



- Premium trade quality
- ♦ Acrylic based
- ◆ Paintable
- ♦ Extra white in colour
- Latex rubber filled for extra movement capabilities

Product #	Description	Barcode
6465W	GSA ACRYLIC GAP FILLER	9340885003781

cwbrands.com.au Section B4 Page 4.1



GSA gap fillers have been manufactured under stringent quality controls to world class standards. This ensures consistently high quality products that meet the demands and expectations of the painting industry. There are 3 types of gap fillers in the GSA range to ensure that all aspects are covered from the DIY market through to the professional trades person.





SPEED COAT - QUICK DRY PAINTERS GAP FILLER



- ♦ Paint over in 15 minutes
- ◆ Premium quality
- ♦ Acrylic based
- ◆ Paintable
- ◆ Flexible
- ♦ White in colour

Product #	Description	Barcode
6465SC	GSA SPEED COAT GAP FILLER	9340885002678



ULTRA FLEX GAPS - HIGH FLEX GAP FILLER



- Premium trade quality
- ♦ Acrylic based
- Paintable
- Extra white in colour
- Latex rubber filled for extra movement capabilities

Product #	Description	Barcode
6465UF	GSA ULTRA FLEX GAP FILLER	9340885007406





Ready to use wood filler



WOOD FILLER

- Ready to use
 - Water cleanup
- Paintable
- Specially formulated for woodwork and

DESCRIPTION:

A ready mixed, easy to use multipurpose filler specially formulated to fill cracks and holes in woodwork and furniture application, it has virtually no shrinkage and is smooth and durable. It is paintable with oil and water based paints. This water based filler can be cleaned up with water easily.

APPLICATIONS:

Filling and repairing cracks and chips in woodwork, furniture and etc. 50gm handy hang cell pack

AVAILABLE COLOR:


















Product #	Description	Barcode
VT135BR	WOOD FILLER BROWN 50G	9555202603869
VT135CH	WOOD FILLER CHERRY 50G	9555202604231
VT135DW	WOOD FILLER DARK WALNUT 50G	9555202604248
VT135JW	WOOD FILLER JACKWOOD 50G	9555202604255
VT135MH	WOOD FILLER MAHOGANY 50G	9555202604262
VT135NA	WOOD FILLER NATURAL 50G	9555202603852
VT1350K	WOOD FILLER OAK 50G	9555202604279
VT135WH	WOOD FILLER WHITE 50G	9555202604286



CONSTRUCTION ADHESIVES







GLUE SCREWS - CONTRUCTION ADHESIVE



Bonds to most building materials including timber, concrete, metal and fibre cement sheeting

- Trade strength and quality
- Long life adhesion
- ♦ Wet & dry timber
- ◆ Flooring & panelling
- ♦ Brown in colour

Product #	Description	Barcode
6977B	GSA GLUE SCREWS CONSTRUCTION ADH.	9340885003842





GLUE SCREWS - SOLVENT FREE ADHESIVE

Solvent free. Suitable for use with timber, masonry, MDF, particle board, plasterboard and styrene foam



- Water based
- ♦ Fast grab
- ♦ Wet & dry timber
- ♦ Flooring & panelling
- ♦ White in colour

Product #	Description	Barcode
6977SF	GSA SOLVENT FREE GLUE SCREWS	9340885002012









A fast curing two component chemical fastener based on synthetic resins for anchoring threaded studs, reinforcing bars and starter bars into solid and hollow substrates.

Widely used for anchoring into surfaces such as concrete, brickwork and hollow stone. For solid fastening of window frames, roller blinds, banisters, railings, hinges, guard rails and brackets.

Product #	Description	Barcode
6485	GSA CHEMICAL ANCHOR	9340885006485

TEMP	GEL TIME	LOADING AFTER
+ 30° C	4 minutes	25 minutes
+ 20° C	6 minutes	45 minutes
+ 10° C	15 minutes	80 minutes
+ 5° C	25 minutes	120 minutes

Fixing Ø	Drill Ø	Depth mm	Approx. fixings
8	10	80	70
10	12	90	44
12	14	110	20
16	18	125	14
20	22	170	8
24	26	210	3
Tensile strength	ASTM638	N / mm2	>10
Compressive strength	ASSTD695	N / mm2	>78
Flexural strength	ASTM790	N / mm2	21
Modulus		N / mm3	4570



PU FOAM







. . . Your national brand name distributor

Polyurethane foam is one of the most versatile insulating materials that we know. Polyurethane foam or PU foam has many applications such as gap filling, thermal insulation, sound insulation, bonding and passive fire protection. GSA has an extensive range of foams manufactured to world class standards.



EXPANDING FOAM



GSA EXPANDING FOAM is a ready to use one component, self expanding foam for interior & exterior use. For fixing windows & door frames, for insulation between brickwork & cladding, water pipes, tanks, cables, as a joint backing material & thermal insulation in cooling systems.

- ♦ High expansion
- Non sagging
- Excellent adhesion to most substrates

GSA FIRE FOAM is used for fire retardant sealing of joints between partition walls, ceilings & floors, adjusting spaces around windows & door frames, pipes & wire penetrations.

- ♦ Fire resistant
- ♦ Fire class B1(DIN 4102)
- ♦ Tested to AS1530.4

Product #	Description	Barcode
13210	GSA EXPANDING FOAM 500ML	9340885004030
13211	GSA EXPANDING FOAM 750ML	9340885004047
13211FRG	GSA EXPANDING FOAM FIRE RATED - 700ML	9340885004689



EXPANDING FOAM GUNS



Heavy duty foam applicator gun for use on all gun grade foam cans

Product #	Description
EFG	EXPANDING FOAM GUN

Extra Heavy duty quality professional foam applicator gun for use on all gun grade foam cans

Product #	Description	
EFGP	EXPANDING FOAM GUN PROFESSIONAL	

cwbrands.com.au Section B6 Page 6.1



GLUES AND EPOXIES & ADHESIVES







ADHESIVE SPRAY



An easy to use spray adhesive ideal for automotive & marine trim, craft work, furniture and job around the house

- High strength
- Fast tack
- Permanent bond

Product #	Description	Barcode
78690	BOSTON ADHESIVE SPRAY 350 GRAM	9340885004450



SUPER GLUE




- ♦ Superior adhesion
- Instant bonding
- Bond most materials
- No drip formulation
- ◆ A range of pack options including strip 12 pack

Product #	Description	Barcode
VT110	V-TECH SUPER GLUE 3GM	9555202600844
VT111	V-TECH SUPER GLUE - TWIN PACK	9555202600202
VT112V	V-TECH SUPER GLUE 12PACK	9555202600684
VT115	V-TECH SUPER GLUE GEL 3GM	9555202600240



CONTACT ADHESIVE





- Bonds most materials
- Extended tack time



Product #	Description	Barcode
VT120	V-TECH CONTACT ADHESIVE 50ML	9555202600264
VT328100	V-TECH CONTACT ADHESIVE 100ML	9555202600141
VT328250	V-TECH CONTACT ADHESIVE 250ML	9555202600158
VT328500	V-TECH CONTACT ADHESIVE 500ML	9555202600820
VT3281L	V-TECH CONTACT ADHESIVE 1LT	9555202600165
VT32836L	V-TECH CONTACT ADHESIVE 3.6LT	9555202600172
VT32818L	V-TECH CONTACT ADHESIVE 18LT	9555202600189





3 TON EPOXY



Bonding of metal, timber, plastic, ceramic, glass & fiberglass. Excellent resistance to most chemicals

- ♦ Clear in colour
- ♦ Rapid set
- ♦ High strength
- ♦ 2 part formula

Product #	Description	Barcode
VT148	V-TECH RAPID 3 TON 4 MIN EPOXY 6ML	9555202601230
VT146	V-TECH RAPID 3 TON 4MIN EPOXY 25ML	9555202601001



RAPID STEEL PUTTY



Strong repair and rebuilding of metal parts, thread repair & cracks.

- ♦ Mixable 2 part putty
- Steel reinforced
- Fast repairs
- Once cured can be drilled ground or tapped

Product #	Description	Barcode
VT138	V-TECH RAPID STEEL PUTTY 56.8GM	9555202601599
VT1382OZ	V-TECH RAPID STEEL PUTTY - 24 DISPLAY	9555202602879



AQUA FIX PUTTY



Strong repair for cracks , dents & holes in fibreglass, concrete, metal, glass & timber

- ♦ Mixable 2 part putty
- Fibreglass reinforced
- Suitable for damp or underwater conditions
- Cures to a white fibreglass colour

Product #	Description	Barcode
VT139	V-TECH AQUAFIX ALL PURPOSE PUTTY 56.8GM	9555202601605
VT1392OZ	V-TECH AQUAFIX PUTTY - 24 DISPLAY	9555202602930





RAPID STEEL EPOXY



A steel filled 2 part epoxy with excellent gap filling capabilities. Can be used for bonding metal & alloys, gap filling, hole and crack repairs.

- Rapid setting
- ♦ Non shrinking

Product #	Description	Barcode
VT140	V-TECH RAPID STEEL 4 MIN EPOXY 56.8GM	9555202601452



VITAL STEEL EPOXY



A steel filled 2 part epoxy with reliable heat resistance. Slower setting allows longer working time than rapid steel.

- Longer working time
- ♦ Steel filled
- ◆ Reliable heat resistance

Product #	Description	Barcode
VT142	V- TECH VITAL STEEL EPOXY 56.8GM	9555202600363
VT145	V-TECH VITAL STEEL EPOXY 25ML	9555202600998





From the world leader in cyanoacrylate, or super glue, technology comes a complete line of adhesives designed to cover the vast majority of common automotive repairs and materials. From the revolutionary Ultra Bond[™], a high performance super glue, to Dr. Bond[™] adhesive, Permatex[®] offers a wide range of instant adhesives to meet your many needs.

Epoxies

Permatex® epoxies offer convenient solutions for a wide range of bonding applications. Available in many packaging configurations, Permatex® epoxies are versatile and easy-to-use. From general-purpose to material-specific, Permatex® offers a formulation that will work in virtually any environment.

Specialty Adhesives

Permatex® specialty adhesives offer ideal solutions for many automotive bonding jobs. As complements to a full line of super glues, these products make a more complete adhesive set, while the tried and true formulas guarantee consumer satisfaction.

Sealants

There is a trusted Permatex® sealant for virtually any automotive sealing application, from windshields to vinyl tops to electrical connections. These well-known general-purpose and job specific sealants are cornerstones in the Permatex® line.

Super Glues & Instant Adhesives

Permatex® Super Glue

This formulation was specially designed for a faster, long-lasting bond. It is easily applied and works on non-porous materials including metal, plastics, rubber, vinyl, paper, wood, and textiles. Permanent, transparent bond fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX49450	28 g bottle, carded	10
PX82190	2 g tube, carded	12



Permatex® Super Glue Gel

This no drip gel formula "stays put" for precise application on hard-to-reach, overhead, or vertical surfaces. This permanent, transparent bond is easily applied and works on both porous and non-porous materials including metal, rubber, glass, aluminium, vinyl, ceramics, alloys, and plastics. Fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.

Super Glue Gel	Permate	x_
Super Glue Gel		
	Super Glue Gel	n
San or Annual An	San or Personal Assessment	
	HILE	
1000	_ 2	
		10

Item #	Container Size	Pack
PX82191	2 g tube, carded	12



Epoxies



Permatex® Steel Weld™

A two part, hand kneadable, putty type industrial strength, steel-reinforced epoxy in stick form, which is used to bond and repair metallic materials that will be exposed to high temperatures up to 260°C. Sets in 5 minutes and cures in 1 hour to a metallic steel grey colour. When fully cured it can be drilled, tapped, machined, filed, and painted. This epoxy is NSF Certified safe for repairs that come in contact with drinking water and is a non-rusting, non-shrinking, non-flammable, moisture resistant, and no VOC formulation. This epoxy is NSF Certified safe for repairs that come in contact with drinking water

Suggested Applications: Automotive and machine parts, stripped threads, rust damage, steel components, anchors, and cracks or voids in metal. Do not use on polyethylene or polypropylene materials.

Item #	Container Size	Pack
PX84332	56 g carded	12



Permatex® Steel Weld™ Epoxy

Versatile, easy-to-use, multi-metal epoxy adhesive is two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in four minutes, no clamping needed. Dark grey appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 149°C. Permanent strength up to 4500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including aluminium, brass, chrome, copper, iron, stainless steel, steel. Use to seal welded seams, fills metal cracks, and mount metal components.

Item #	Container Size	Pack
PX84109	25 mL dual syringe, carded	12
PX84209	2 x 28g tubes, carded	12





Permatex® Cold Weld Bonding Compound

A 15-minute, two-part adhesive and filler system that eliminates the need for welding or brazing. It repairs, fills and bonds to iron, steel, brass, bronze, aluminium and copper. Once cured, it can be drilled, tapped, threaded, filed, sanded and painted. Resists most automotive, shop and cleaning fluids. Withstands temperatures to 149°C intermittent. Over 3,000 PSI shear strength on steel.

Suggested Applications: Aluminium, steel, brass, bronze, castings and stampings.

Item #	Container Size	Pack
PX14600	2 x 28g tubes, carded	12

Permatex® 1 Minute General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in one minute, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 2500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.

Item #	Container Size	Pack
PX84160	25 mL dual syringe, carded	12





Epoxies

Permatex® 5 Minute Gap Filling Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in five minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3400 PSI. Self-mixing dual syringe (84164) blends the adhesive and filler as it dispenses, eliminating the need for manual mixing.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.





Item #	Container Size	Pack
PX84101	25 mL dual syringe, carded	12

Permatex® 30 Minute High Strength General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in thirty minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.

Item #	Container Size	Pack
PX84107	25 mL dual syringe, carded	12



Permatex® Plastic Welder™ Epoxy

A structural adhesive designed for general purpose bonding of a wide variety of material such as hard and soft plastics to specified surfaces. Forms a tough, durable bond to most plastics, composites, ceramics, wood in any combination. Fast curing product with gelling of mixed adhesive in 5 – 6 minutes and fixturing in 9 – 10 minutes. NOTE: Will not bond most polyethylene or polypropylene plastics. Bonds hard and soft plastics to specified surfaces. Requires no primers, sets in five minutes at room temperature. Cream appearance. Gap filling to 3.175mm. Water resistant and good chemical resistance. Temperature range -51°C to 121°C. Permanent strength up to 3500 PSI.

Suggested Applications: Bonds rigid materials including ABS, acrylic, fibreglass, FRP, glass, PVC, SMC, steel, styrene, vinyl, and wood. Use for interior trim, fills cracks, bonds most plastics, and bonds plastic to vinyl.

Item #	Container Size	Pack
PX84115	25 mL dual syringe, carded	12





Specialty Adhesives



Permatex® Contact Cement

Makes a tough, permanent bond on contact. Instantly bonds metal, wood, ceramic, leather, rubber and many other surfaces. Instantly bonds rubber to glass and metal. Heat and water resistant. Easy-to-use. Requires no clamping.

Suggested Applications: Weather stripping.

Item #	Container Size	Pack
PX25905	44 mL tube, carded	12



Permatex® Clear RTV Silicone Adhesive Sealant

General-purpose, clear RTV indoor/ outdoor sealant. Seals, bonds, repairs, mends, and secures glass, metal, plastics, fabric, vinyl, weather stripping, and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -75°F to 400°F (-59°C to 204°C); resists water, weather, and vibration. Not recommended for windshield installation.

Suggested Applications: Door

frames, electrical connections, vinyl tops, seams and roofs. (Not recommended for engine gasket applications).

Item #	Container Size	Pack
PX80050	85 g tube, carded	12
PX80855	311g cartridge	12



Permatex® Liquid Metal Filler

Easy-to-use filler can be drilled, filed, sanded and painted. Forms a long-lasting, metaltough bond. Works on metal, wood, and concrete. Excellent adhesion to galvanized metal. Repairs cracks or porosity leaks in cast metal parts. Fills small holes, cracks, and perforations. Resists water, oil and gasoline.

Suggested Applications: Oil pans, stake bed holes, door panels, and cast metal parts.



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX25909	99 g tube, carded	12

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

Permatex® Self-fusing Silicone Tape

A self-fusing silicone repair tape that has been used by the Military for years! An all purpose repair tape that is made out of specially formulated silicone rubber. Contains no adhesives, yet chemically bonds to itself upon contact. Simply stretch and wrap for an airtight, waterproof seal in seconds. Replaces duct tape and electrical tape.

Suggested Applications: Use to seal, insulate and stop vibration on just about anything you are able to get a couple of wraps around. Seal electrical connections, make emergency fuel or water hose repairs, insulate wiring and hoses, repair leaking pipes and hoses, repair damaged wires and wrap hand tools and grips. Use on connector wires and cables, all kinds of hoses such as garden hoses, vacuum hoses, appliance cords, and radiator hoses.

Item #	Container Size	Pack
PX82112	2.54cm x 3.04m Roll carded	6





Specialty Adhesives



Permatex® Spray Sealant Leak Repair

A sprayable sealer that forms a durable rubber barrier that stop leaks in minutes. The wicking action seals hard-to-reach leaks without the need for disassembling or removing parts. Designed specifically to target low pressure leaks in hoses, oil pans, differentials, transmission pans, fluid reservoirs as well as plastic, PVC and metal pipes, their connections and much morel. Eliminates the need for liquid additive sealers that can swell and foul internal seals. Resists common shop fluids. Note: In many cases, more than one coat will be needed to solve the problem. Level 3

Suggested Applications: Engine and transmission leaks, hoses, oil pans, differentials, transmission pans, cooling systems, thermostats, water pumps, valve covers, tubing connections, electrical harness connectors, plastics, and PVC.

Item #	Container Size	Pack
PX82099	255 g aerosol	6



Permatex® Black Silicone Adhesive Sealant

Low odour formula! General-purpose, black RTV indoor/outdoor sealant. Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -59°C to 232°C; resists water, weather, and vibration.

Suggested Applications: Door frames, electrical connections, seams and roofs, vinyl tops, weather stripping (Not recommended

for engine gasket applications or windshield installations).

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81158	85 g tube, carded	12
PX81173	365 g cartridge	12



Permatex® Flowable Silicone Windshield & Glass Sealer

Wicking action silicone "seeks the leak." Flows into hidden and hard-to-reach areas. Forms a tough, waterproof, durable, clear seal that is resistant to weather, extreme temperatures, vibration, shock, and most shop chemicals. Fills surface voids and irregularities. Temperature range -62°C to 204°C.

Suggested Applications: Windshields, sunroofs, windows, headlamp assemblies, marine glass, RV vents and windows.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81730	42 g tube, carded	12

cwbrands.com.au Page 7.8



Specialised Maintenance & Repair

Whether it's sealing a hole in a tailpipe, attaching a rearview mirror or mending a tear in upholstery, there's a Permatex® product that offers the solution. These problem-solving products are formulated and tested to deliver optimum results for specific maintenance and repair needs.

- Rebuilder's Aids
- Auto Glass Repair
- Electrical System Maintenance
- Body, Interior & Trim
- Professional Repair Systems
- Fabric and Vinyl Repair



- Exhaust System Repair
- Brake Maintenance & Repair
- Radiator & Fuel Tank Repair

Rebuilder's Aids



Permatex® Valve Grinding Compound

Aids valve grinding and seating operations to remove burrs, surface defects, carbon, gum and corrosion. Can be used for lapping and grinding chromium. Mixes with water to form an easy-to-use paste.

Suggested Applications: Seat valves, sharpen reel type lawn mowers.

Item #	Container Size	Pack
PX80036	42.5 g tube, carded	12



Permatex® Prussian Blue

Aids precision-fitting of machined surfaces. Locates high spots on bearings, valves, gears and other close-to-tolerance components. Non-drying. Easy clean-up.

Suggested Applications: Bearings, valves, gears, other close tolerance or machined assemblies.

Item #	Container Size	Pack
PX80038	22 mL tube	36

Auto Glass / Lens Repair



Permatex® Extreme Rearview Mirror Professional Strength Adhesive

2-part (towelette & pipette) professional strength rearview mirror adhesive & activator. Patent pending medical grade towelette helps to minimize application messes, improves application accuracy and also provides a safer package for general consumers and professional installers. This product incorporates a professional strength formula which ensures that it works! NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications:

Mounting rearview mirrors to windshields.

Item #	m # Container Size	
PX81840	2 part kit - 0.3 mL adhesive vial / 0.6 mL activator towelette, carded	12



Permatex® Professional Strength Rearview Mirror Adhesive

Approved and used by GM, Ford and Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes. Single use only. ODC-free. NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications: Mounting rearview mirrors to windshields.

Item #	Container Size	Pack
PX81844	2-part kit, carded	12



Auto Glass / Lens Repair



Permatex® Rear Window Defogger **Electrically Conductive Tab Adhesive**

Quickly and easily bonds defogger tab to grid on rear window. Provides a low-cost, high-quality repair for damaged rear window defogger tabs. Complete kit for a quick repair.

Suggested Applications: Rear window defogger tabs.

Item #	Container Size	Pack
PX21351	2-part kit, carded	6



Permatex® Bullseye™ Windshield Repair Kit

The first one-component windshield repair system designed to be used by the car owner. May be used to make air-tight repairs of bullseye damage up to 31.75mm in diameter on most laminated windshield glass. Safe and easy to use. Requires no mixing, no heat. Makes the repair virtually undetectable.

Suggested Applications: Bullseyes on laminated windshield glass.

Item #	Container Size	Pack		Pack	
PX16067	0.74 mL syringe, carded	12			

*See also Permatex® Professional Repair Systems Windshield Repair Kit

Electrical System Maintenance



Permatex® Dielectric Tune-Up Grease

Protects electrical connections and wiring from salt, dirt, and corrosion. Extends the life of bulb sockets. Prevents voltage leakage around any electrical connection. Also prevents spark plugs from fusing to boots. Required for modern, high-energy ignition systems.

Suggested Applications: All electrical connections, spark plug boots, and trailer hitches.

Item #	Container Size	Pack
PX22058	85 g tube, carded	6
PX81150	9 g tube, carded	12



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

Section B7 Page 7.10 cwbrands.com.au



Electrical System Maintenance



Permatex® Battery Protector & Sealer

Seals and coats battery terminals eliminating the formation of acid salt corrosion typically found when terminals are untreated. Prevents terminal corrosion and battery drain. Increases battery life and improves electrical flow. Spray on batteries, battery terminals, and cables, in or out of storage. Aerosol - Level 3*

Suggested Applications: Automotive, marine, farm machinery, and motorcycle batteries.

E		ĕ
Į.	2	
Cle	iter) ane	
		4
		3

Permatex® Battery Cleaner

Spray it on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt, and grime instantly. Cleans all types of storage batteries and attachments in emergency power supply systems. Level 1

Suggested Applications: Automotive, marine, farm machinery and motorcycle batteries, cables, and terminal connections.

Item #	Container Size	Pack
PX80370	141 g aerosol can	12

Item #	Container Size	Pack
PX80369	163 g aerosol can	12

Body, Interior & Trim



Permatex® Body Shop® Heavy Duty Headliner & Carpet Adhesive

High-strength spray adhesive designed for repairing interior parts that have become detached or loosened. Resistant to extreme weather conditions. Water-resistant. Dries clear for neat appearance. High temperature formula maintains high strength at temperatures up to 77°C. Level 3

Suggested Applications: Headliners, carpets, trunk linings, and inside door panels.

Item #	Container Size	Pack
PX27828	474 g aerosol can	6



Permatex® All Purpose Spray Adhesive

An all-purpose, pressure sensitive, spray adhesive that allows both permanent and re-positionable bonding. Won't bleed through leaving surfaces unstained, dries clear. Unique formula resists water and humidity. Will not shrink. Adheres to porous and non-porous materials. Level 3.

Suggested Applications: Excels at attaching upholstery cloth, carpeting, floor mats, insulation, and kick and silencer pads to metal, wood, or KB board.

Item #	Container Size	Pack
PX82019	297 g aerosol can	12



Permatex® Weatherstrip Cement

A translucent all-purpose cement and sealer that bonds in minutes and dries to a tough, strong bond. Waterproof and durable. It provides a flexible, vibration-resistant bond that adheres rubber to glass and metal.

Suggested Applications: Bonds glass, rubber, and metal; door and windshield weatherstripping.

Item #	Container Size	Pack
PX80328	59 mL tube, carded	12



Permatex® Super Weatherstrip Adhesive

A superior adhesive ideal for many applications including rubber, metal, auto or van carpeting, and fabric-backed vinyl upholstery and automotive gaskets. Allows for repositioning parts after contact is made. Withstands extreme temperatures. Water resistant. Resistant to gasoline, kerosene, antifreeze and most solvents.

Suggested Applications: All types of weather stripping, door and trunk mouldings.

Item #	Container Size	Pack
PX80638	59 mL tube, carded	12

cwbrands.com.au Section B7



Body, Interior & Trim



Permatex® Heavy-Duty Rubberized Undercoating

Rubberised for maximum durability; seals, protects and insulates. Excellent professional blend all-purpose coating. Ideal for home or shop use. Level 3

Suggested Applications: Automotive frames, rocker panels and wheel wells. Other uses include sealing gutters, roofs, drain systems, and tree pruning. Sound deadening applications.

Item #	Container Size	Pack
PX81833	454 g aerosol can	12



Professional Repair Systems



Premium Repair Kits for Professionals and Do-It-Yourselfers!

These premium repair kits contain everything required for making professional-quality repairs in just a few minutes. State-of-the-art components and easy-to-follow instructions with photographs are common to all kits.

Permatex® Windshield Repair Kit

Make permanent air-tight repairs of bullseye damage up to 31.75mm on most laminated windshield glass. This state-of-the-art delivery system with advanced spring-lock feature, allows you to make professional-quality repairs with no mixing required, and it cures by natural daylight. This complete kit provides everything needed for the repair including easy-to-follow instructions with photographs. See video demo online at permatex.com.

Suggested Applications: Repairs bullseyes (up to 31.75mm long) in laminated automotive windshields

Item #	Container Size	Pack
PX09103	1 kit, clamshell	6





Professional Repair Systems

Permatex® Complete Rear Window Defogger Repair Kit

Complete kit contains everything required for making professional-quality repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Provides a lowcost, high-quality repair for damaged rear window defogger grids and tabs. Quick Grid™ is the result of a joint research project with the General Motors Research Centre.

Suggested Applications: Rear window defogger grids and tabs.

Item #	Container Size	F	ack
PX09117	1 kit, clamshelled		6





Permatex® Vinyl & Leather Repair Kit

A complete DIY repair kit for home, automotive, and marine vinyl and leather upholstery. Contains: heat transfer tool, 7 colours of repair compound, clear vinyl adhesive and filler (net. 10 mL), grain pattern paper, plastic spatula, and instruction sheet with colour matching chart.

Suggested Applications: Vinyl and leather upholstery, infant car seats, chairs, stools, and luggage.

Iten	n #	Container Size	Pack
PX8	0902	1 kit, clamshelled	6



Permatex® Plastic Tank Repair Kit

Complete kit contains everything required for making professional-quality permanent repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Repairs all types of plastic tanks. The repair resin is designed to harden within 8 – 10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10°C to 24°C. Repairs cracks up to 10 cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, trucks, boats and RV's; windshield washer reservoirs,

radiator overflow tanks, coolant reservoirs, water tanks, and waste tanks.

Item #	Container Size	Pack
PX09100	1 kit, clamshelled	6



Permatex® Fuel Tank Repair Kit

Eliminates dangerous welding. Complete kit contains everything required for making professional-quality permanent repairs in just minutes. Includes state-of-the-art components and easy-to-follow instructions with photographs to make quick permanent repairs to leaks in all types of metal fuel tanks. It repairs cracks up to 4" (10cm) long and holes up to 3/8" (9mm) in diameter. Repair will be complete when the resin cures in 30 minutes. Tank may be refilled after 30 minutes or when the repair is tack free. The repair resin is designed to harden within 8 – 10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10°C to 24°C. Repairs made at lower temperatures will take longer to cure. Repairs can be made on slow leaking cracks up to 10cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, light trucks and commercial vehicles; portable metal fuel tanks, and metal car fuel tanks.

Item #	Container Size	Pack
PX09101	1 kit, clamshelled	6

cwbrands.com.au



Exhaust System Repair



Permatex® Muffler & Tailpipe Bandage

Epoxy-impregnated fibreglass bandage chemically welds mufflers and tailpipes. Permanently repairs holes and leaks in exhaust systems saving costly part replacement. Seals out poisonous fumes to temperatures of 426°C.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors and farm equipment.

Item #	Container Size	Pack
PX80331	5 cm x 106 cm bandage, carded	12



Permatex® Muffler & Tailpipe Putty

Permanently repairs holes and leaks in exhaust systems. Seals out fumes at temperatures up to 1000°C. Safe for catalytic converters. 2-pouch bonus pack.

Suggested Applications: Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80333	113 g net wt. (2 foil pouches, carded)	12



Permatex® 1000° Plus™ Exhaust Repair Kit

Complete kit for repairing cracks and splits in mufflers, tailpipes and exhaust pipes. Withstands temperatures over 540°C. Kit contains ready-to-use foil-packed bandage and support wire.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors, and farm equipment.

Item #	Container Size	Pack
PX80334	1 bandage, 1 support wire, carded	12



Permatex® Muffler & Tailpipe Sealer

Seals holes and leaks in mufflers, tailpipes and around joints. Makes new installations more secure. Resists temperatures to 1000°C. Suggested Applications: Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80335	85 g tube, carded	12

Section B7 Page 7.14 cwbrands.com.au



WATERPROOFING







VITAL PROOF

A dark-brown water-based bitumen emulsion. It will dry into a black coating that is flexible, odor and taint free. It features micro porous-breathes to stop blistering, high temperature stability and no re-emulsification in water. It is anti-fungal, anti-bacterial and free of toxic components. It is effective in reducing "concrete cancer", carbonation, spelling and soleplate attack.



Applications

General damp-proofing: concrete, brick, bitumen & mastic asphalt membranes, asbestos cement, slates, tiles, lead copper, zinc, corrugated iron and similar surfaces.

Wet area waterproofing:

toilet, kitchen, balconies, walls, planter box, insulation protection etc.

Metal protection:

against pipe corrosion, structural steelwork, gutting and down pipes, shed walls water tanks, troughs, metal fence posts, garden frames windmill frames, drums, outdoor machinery and other metallic equipment.

Product #	Description	Barcode
VT40020K	VITAL PROOF BX 20KG	9555202600769
VT40045K	VITAL PROOF BX 4.5KG	9555202600752



NATIONAL PRODUCT CATALOGUE

SECTION C - PAINTERS AND BUILDERS FILLERS


web: cwbrands.com.au

email: support@cwbrands.com.au



FILLERS









SUPER FILLER



Ideal for mortar, concrete, besser bricks, fibre cement sheeting, new & old timber. Great for wide cracks & crevices

- ♦ Water resistant
- ◆ Durable
- ♦ Easy to sand
- ♦ 200ml, 750 ml, 2 litre & 10 litre

Product #	Description	Barcode
SF2	GSA SUPER FILLER 0.2LT	9340885003910
SF75	GSA SUPER FILLER 0.75LT	9340885003927
SF20	GSA SUPER FILLER 2LT	9340885003934
SF10	GSA SUPER FILLER 10LT	9340885006072



UNI FILLER



Particularly suitable where a hard durable super smooth finish is required

- ♦ Interior & exterior
- ♦ Durable multi purpose
- ♦ Perfect gloss retention
- ♦ 200ml, 750 ml and 2 litre

Product #	Description	Barcode
UF2	GSA UNI FILLER 0.2LT	9340885006003
UF75	GSA UNI FILLER 0.75LT	9340885006010
UF20	GSA UNI FILLER 2LT	9340885006027

Section C1 Page 1.1





FINE FILLER



A fine particle structure ideal for plaster, plaster board, concrete, mortar & similar interior surfaces.

Suitable for covering minor imperfections over a large area

- ♦ Interior
- ♦ Easy to sand
- ♦ 200ml, 750 ml and 2 litre

Product #	Description	Barcode
FF2	GSA FINE FILLER 0.2LT	9340885003866
FF75	GSA FINE FILLER 0.75LT	9340885003873
FF20	GSA FINE FILLER 2LT	9340885003880



TIMBER FILLER



Ideal for repairing chips, dents, cracks, scratches, nail & screw holes.

- ♦ Excellent Gloss retention
- ♦ 200ml, 750 ml
- Interior use

Product #	Description	Barcode
TF2	GSA TIMBER FILLER 0.2LT	9340885003897
TF75	GSA TIMBER FILLER 0.75LT	9340885003903



















180gm / 400 ml









GSA FAST FILLER is a ready to use lightweight, rapid setting filler for interior and exterior use.

- Rapid drying
- · Light weight for larger holes and cracks
- Paint over in 30 minutes
- Easy sanding
- Suitable for plaster, plasterboard, timber, masonry, primed nail heads
- · Supplied with plastic applicator on lid
- 2 Sizes 180 gram and 260 gram tubs

Product #	Description	Barcode
GFF180	GSA FAST FILLER 180GM	9310885005358
GFF260	GSA FAST FILLER 260GM	9340885005365





BUILDERS FILLER



A 2 part, easy to sand, super light and creamy polyester filler designed to tackle most large filling jobs.

- Light weight
- Fast setting
- ♦ Easy to sand
- ♦ Interior & exterior
- Can be screwed, nailed & drilled
- Available in 250gm,500gm, 1kg & 2kg tubs

Product #	Description	Barcode
BF500	GSA BUILDERS FILLER 500GM	9340885003729
BF1KG	GSA BUILDERS FILLER 1KG	9340885003736
BF2KG	GSA BUILDERS FILLER 2KG	9340885003743
H20	BODY FILLER HARDENER 20GM	9340885008267
H50	BODY FILLER HARDENER 50GM	9340885008274





POWDER FILLER



GSA powder filler is suitable for filling cracks and chips on plaster & plasterboard

- ♦ Easy to use
- Available in 454gm,1.8 kg & 6KG

Product #	Description	Barcode
PF454	GSA POWDER FILLER 454GM	9340885003941
PF18	GSA POWDER FILLER 1.8KG	9340885003958
PF060	GSA POWDER FILLER 6KG	9340885003965



EZI SAND AND FILL



GSA Sand and Fill is a preparation coat designed to be applied to porous surfaces and once sanded gives a smooth surface.

Suitable for coating with gloss or enamels

- ♦ Interior bare timber
- ♦ MDF
- Plaster board
- ♦ Brick and cement

Product #	Description	Barcode
052	EASY SAND AND FILL 4L	9340885002050
053	EASY SAND AND FILL 10L	9340885002067





cwbrands.com.au Page 1.6



PLASTER COMPOUNDS









BASE COAT



A specially formulated base cement used for the jointing of plasterboard & fibre cement wallboard.

- Low shrinkage
- Grit free
- High Strength
- 45 Minute dry time

Product #	Description	Barcode
BC25	GSA BASECOAT 45MIN 2.5KG	9340885007338
BC10	GSA BASECOAT 45MIN 10KG	9340885006393



CORNICE ADHESIVE



A specially formulated adhesive for fixing cornice to plasterboard walls and ceilings

- Quick grab
- High strength
- Clean up in water
- 45 and 60 Minute dry time available

Product #	Description	Barcode
CA452	GSA CORNICE ADHESIVE 45MIN 2.5KG	9340885007345
CA4510	GSA CORNICE ADHESIVE 45MIN 10KG	9340885007352
CA2.5	GSA CORNICE ADHESIVE 60MIN 2.5KG	9340885006461
CA10	GSA CORNICE ADHESIVE 60MIN 10KG	9340885006386





TOTAL JOINTING COMPOUND



A multi Purpose total jointing compound for plasterboard as a finishing coat over base coat and as a repair compound for filling cracks and holes.

- Multi Purpose
- Smooth finish
- Easy to use—Premixed

Product #	Description	Barcode
TJC01	GSA TOTAL JOINTING COMPOUND 1.5 KG	9340885006102
TJC05	GSA TOTAL JOINTING COMPOUND 5KG	9340885006119
TJC15	GSA TOTAL JOINTING COMPOUND 15KG	9340885006126



TOP COAT LITE



Topcoat lite is used as a finishing coat over a base coat. It is a light weight, super smooth, easy to apply compound that can be also be used for the repairs of cracks and holes.

- Superior finishing coat
- Super Smooth finish
- Can be used for repairs
- Water clean up
- Light weight formula

Product #	Description	Barcode
TCL4	GSA TOPCOAT LITE 4LT	9340885006478
TCL17	GSA TOPCOAT LITE 17LT	9340885006362



STUD ADHESIVE



A specially formulated adhesive for fixing by adhesive / nail or adhesive / screw plasterboard or wallboard .

- Superior finishing coat
- Super Smooth finish
- Can be used for repairs
- · Water clean up
- Light weight formula

Product #	Description	Barcode
SA01	GSA STUD ADHESIVE 1KG	9340885006089
SA05	GSA STUD ADHESIVE 5.2KG	9340885006096

Section C2



NATIONAL PRODUCT CATALOGUE

SECTION D - ADHESIVE TAPES

web: cwbrands.com.au

email: support@cwbrands.com.au



ADHESIVE TAPES









GENERAL PURPOSE MASKING TAPE



A medium to high tack masking tape for professional applications.

- No bleed through
- Conforms well to irregular shaped surfaces
- No residue for up to 3 days
- Individually packed for excellent retail display
- Available in sizes 18mm, 24mm, 36mm, 48mm

Product #	Description	Barcode
70618	MASKING TAPE 18MM X 50MTR	9340885002395
70624	MASKING TAPE 24MM X 50MTR	9340885002401
70636	MASKING TAPE 36MM X 50MTR	9340885002418
70648	MASKING TAPE 48MM X 50MTR	9340885002425



GENERAL PURPOSE MASKING TAPE



A low to medium tack masking tape for professional long term masking jobs

- No bleed through
- Conforms well to irregular shaped surfaces
- No residue for up to 14 days
- Individually packed for excellent retail display
- Ideal for masking in direct sunlight
- UV and tear resistant
- Available in sizes 24mm, 36mm, 48mm

Product #	Description	Barcode
70624LL	LONG LIFE BLUE MASKING TAPE 24MM X 50MTR	9340885004627
70636LL	LONG LIFE BLUE MASKING TAPE 36MM X 50MTR	9340885004634
70648LL	LONG LIFE BLUE MASKING TAPE 48MM X 50MTR	9340885005556





DUCT TAPE



Multi purpose duct tape for multiple applications

- Economical choise
- High tack adhesive
- Ideal for general purpose applications
- HVAC, construction, general industrial, building, covering, sealing
- .012.. X 48mm x 30 meters
- Individually packages for excellent retail presentation
- Available in silver and black

Product #	Description	Barcode
8512BL	GSA DUCT TAPE PRO BLACK 0.12MM - 30MTR X 48MM	9340885005730
8512SI	GSA DUCT TAPE PRO SILVER 0.12MM - 30MTR X 48MM	9340885005723



HEAVY DUTY DUCT TAPE



Trade strength duct tape for multiple applications

- Industrial grade duct tape for splicing, masking, patching, sealing, and seaming
- High tensile strength for secure hold under stress
- High adhesive strength
- HVAC, construction, trade and industrial
- .015mm. X 48mm x 30 meters
- Individually packages for excellent retail presentation
- Available in silver and black

Product #	Description	Barcode
8515BL	GSA DUCT TAPE PRO BLACK 0.15MM - 30MTR X 48MM	9340885005792
8515SI	GSA DUCT TAPE PRO SILVER 0.15MM - 30MTR X 48MM	9340885005747





PACKAGING TAPE



A polypropylene film coated with a durable adhesive. Designed for general use sealing application of cartons and parcels. Reliable tape with a secure hold.

Available in clear or brown

Product #	Description	Barcode
82075BR	PACKING TAPE BROWN 48MM X 75MTR	9340885002463
82075CL	PACKING TAPE CLEAR 48MM X 75MTR	9340885002470



CLOTH TAPE

A reliable multi purpose tape that will adhere to a variety of surfaces. Ideal for emergency tape for use around the home, garden, workshop, car, sport, leisure and theatre/staging



- 2 sizes
- Durable quality
- Multi purpose adhesive.



Product #	Description	Barcode
30345BL	CLOTH TAPE BLACK 48MM X 4.5MTR	9555027100048
30345DB	CLOTH TAPE DARK BLUE 48MM X 4.5MTR	9555027101632
30345DG	CLOTH TAPE DARK GREEN 48MM X 4.5MT	9555027100246
30345RE	CLOTH TAPE RED 48MM X 4.5MTR	9340885005549
30345SI	CLOTH TAPE SILVER 48MM X 4.5MTR	9555027100161
30345WH	CLOTH TAPE WHITE 48MM X 4.5MTR	9340885004078
30345YE	CLOTH TAPE YELLOW 48MM X 4.5MTR	9555027100147
30325BL	CLOTH TAPE BLACK 48MM X 25MTR	9555027100215
30325DB	CLOTH TAPE DARK BLUE 48MM X 25MTR	9555027100659
30325DG	CLOTH TAPE DARK GREEN 48MM X 25MTR	9325179010881
30325RE	CLOTH TAPE RED 48MM X 25MTR	9555027100208
30325SI	CLOTH TAPE SILVER 48MM X 25MTR	9555027100260
30325WH	CLOTH TAPE WHITE 48MM X 25MTR	9325179010874
30325YE	CLOTH TAPE YELLOW 48MM X 25MTR	9325179010898





Produced from soft tempered aluminium and aggressive solvent acrylic based pressure sensitive adhesive. Excellent for use in air-conditioning HVAC, cold storage and the temporary sealing of gaps

Reinforced and standard foil available

Available in sizes 48, 72 and 96 mm widths

Product #	Description	Barcode
899048	ALUMINIUM FOIL TAPE 48MM X 50MTR	9340885005617
899072	ALUMINIUM FOIL TAPE 72MM X 50MTR	9340885005624
899048RI	REINFORCED FOIL TAPE 48MM X 50MTR	9340885005631
899072RI	REINFORCED FOIL TAPE 72MM X 50MTR	9340885005648
899096RI	REINFORCED FOIL TAPE 96MM X 50MTR	9340885005679



ELECTRICAL TAPE

High strength PVC electrical tape available in 7 colours

19mm x 20mm rolls

- Green
- Red
- White
- Blue
- Yellow
- Earth

Multi Pack

Black



Product #	Description	Barcode	
8111BL	ELECTRICAL TAPE BLACK 0.18MM - 19MM X 20MTR	9340885002920	
8111DB	ELECTRICAL TAPE BLUE 0.18MM - 19MM X 20MTR	9340885002944	
8111DG	ELECTRICAL TAPE GREEN 0.18MM - 19MM X 20MTR	9340885002982	
8111E	ELECTRICAL TAPE EARTH 0.18MM - 19MM X 20MTR	9340885002968	
8111RE	ELECTRICAL TAPE RED 0.18MM - 19MM X 20MTR	9340885002951	
8111WH	ELECTRICAL TAPE WHITE 0.18MM - 19MM X 20MTR	9340885002937	
8111YE	ELECTRICAL TAPE YELLOW 0.18MM - 19MM X 20MTR	9340885002975	
8111RP	ELECTRICAL TAPE RAINBOW PACK	9340885005716	





BARRIER TAPE



GSA Barrier tape is suitable for all conditions. Great for quick response to hazards and safety awareness. GSA barrier tape is manufactured to be long-lasting.

- Long lasting
- Bright red and white colours
- Suitable for all conditions

Product #	Description	Barcode
87B100	BARRIER TAPE 72MM X 100MTR	9340885010048
87B50	BARRIER TAPE 72MM X 50MTR	9340885010055



CAUTION TAPE



- Warn against hazards or dangerous areas
- 72mm x 100m OR 72mm c 50m
- Indoor /outdoor use
- Bright yellow with bold 'Caution' text, visible from distance
- Sold individually or in carton lots

Product #	Description	Barcode
87C100	CAUTION TAPE 72MM X 100MTR	9340885010024
87C50	CAUTION TAPE 72MM X 50MTR	9340885010031



ANTI SLIP TAPE

Durable anti-slip tape reduces the risk of slips, trips and falls in high traffic areas and is suitable for both indoor and outdoor use.



24mm and 48mm width. Black, Yellow and Yellow/black

Product #	Description	Barcode
ASB24	ANTI SLIP TAPE BLACK 24MM X 5MTR	9340885010086
ASB48	ANTI SLIP TAPE BLACK 48MM X 5MTR	9340885010093
ASY24	ANTI SLIP TAPE YELLOW 24MM X 5MTR	9340885010062
ASY48	ANTI SLIP TAPE YELLOW 48MM X 5MTR	9340885010079
ASYB24	ANTI SLIP TAPE YELLOW/BLACK 24MM X 5MTR	9340885010109
ASYB48	ANTI SLIP TAPE YELLOW/BLACK 48MM X 5MTR	9340885010116





FLAGGING TAPE

Suitable for marking out in mining, construction, surveying, forestry and numerous other applications

- High quality and durable
- Hand tearable
- Ideal for use with survey pins for highly visible marks



Product #	Description	Barcode
FTB75	FLAGGING TAPE BLUE 25MM X 75MTR	9340885010499
FTG75	FLAGGING TAPE GREEN 25MM X 75MTR	9340885010468
FTO75	FLAGGING TAPE ORANGE 25MM X 75MTR	9340885010475
FTP75	FLAGGING TAPE PINK 25MM X 75MTR	9340885010451
FTR75	FLAGGING TAPE RED 25MM X 75MTR	9340885010482
FTW75	FLAGGING TAPE WHITE 25MM X 75MTR	9340885010512
FTY75	FLAGGING TAPE YELLOW 25MM X 75MTR	9340885010505



THREAD TAPE



Quality plumbers thread sealing tape. Available in standard and heavy duty

Product #	Description	Barcode
82000	THREAD TAPE 12MM X 10MTR	NA
82000H	HD THREAD TAPE 12MM X 10MTR	NA



DOUBLE SIDED TAPE



- Suitable for mounting pictures and posters
- Adheres to a variety of substrates
- Perfect for temporary applications
- Available in a variety of sizes

Product #	Description	Barcode
88121	DOUBLE SIDED TAPE 12MM X 1.5MTR	9340885005686
881210	DOUBLE SIDED TAPE 12MM X 10MTR	9340885005693
882410	DOUBLE SIDED TAPE 24MM X 10MTR	9340885005709





JOINTING TAPE



GSA Jointing tape is a self-adhesive, 50mm wide tape designed to strengthen joints when embedded in the first coat of the jointing system. Available in 20m and 90m rolls, it's open mesh structure also makes it ideal for repairing

Product #	Description	Barcode
56820	GSA JOINTING TAPE 50MM X 20MTR	9340885005518
56890	GSA JOINTING TAPE 50MM X 90MTR	9340885005525



PAPER TAPE



GSA Paper Tape is designed to strengthen joints when embedded in the first coat of the jointing system. 50mm wide Paper Tape is creased along the centre line to provide a crisp finish for corners and improved performance in automatic taping tools.

Product #	Description	Barcode
56885	GSA PAPER TAPE 50MM X 75MTR	9340885005532



RUBBER WRAP TAPE



This super silicone rubber wrap will stretch to 3 times its original length & scientifically bonds to itself.

- Withstands pressures in excess of 700PSI
- First aid for Auto, home. Marine and electrical applications
- Available in white or black

Product #	Description	Barcode
4488	SILICONE RUBBER WRAP TAPE BLACK	9340885005570
4489	SILICONE RUBBER WRAP TAPE WHITE	9340885005587



NATIONAL PRODUCT CATALOGUE

SECTION E - PAINTERS EQUIPMENT & HAND TOOLS

web: cwbrands.com.au

email: support@cwbrands.com.au



PAINT BRUSHES







Paint Brush kits





Synthetic filament

Plastic handle

2 Pack sizes available

3 Piece brush kit

- 25mm
- 50 mm
- 75 mm

5 Piece brush kit

- 12mm
- 25 mm
- 38 mm
- 50 mm

Product No.	Description	Pack size	Barcode
РВК3	PHOENIX 3 BRUSH SET - 25MM, 50MM, 75MM	12	9340885002999
PBK5	PHOENIX 5 BRUSH SET - 12MM.25MM.38MM.50MM.75MM	12	9340885003002



WHITE BRISTLE RANGE

White Bristle range

- Wooden handle
- Economically priced
- Great for parts clean up
- Suitable for applying adhesives
- Range of sizes to suit all applications




Product No.	Description	Pack size	Barcode
WBB12	BRUSH - WHITE BRISTLE 12MM	12	9340885002999
WBB25	BRUSH - WHITE BRISTLE 25MM	12	9340885003002
WBB38	BRUSH - WHITE BRISTLE 38MM	12	9340885003019
WBB50	BRUSH - WHITE BRISTLE 50MM	12	9340885003026
WBB75	BRUSH - WHITE BRISTLE 75MM	12	9340885003033
WBB100	BRUSH - WHITE BRISTLE 100MM	12	9340885003040

Section E1 Page 1.2



UTILITY RANGE

- Economical choice
- Great DIY range
- Suitable for acrylic & enamel paints
- Great all round use



Product No.	Description	Pack size	Barcode
UB25	UTILITY BRUSH 25MM	12	9340885007178
UB50	UTILITY BRUSH 50MM	12	9340885007192
UB75	UTILITY BRUSH 75MM	12	9340885007215
UB100	UTILITY BRUSH 100MM	12	9340885007222

cwbrands.com.au Page 1.3



RADIATOR RANGE

- Offset shaped timber handle
- Long handled for hard to reach places
- Stainless steel ferrule
- Tapered synthetic filament
- Easy to clean

Product No.	Description	Pack size	Barcode
RB25	RADIATOR BRUSH 25MM	12	9340885010666
RB38	RADIATOR BRUSH 38MM	12	9340885010673
RB50	RADIATOR BRUSH 50MM	12	9340885010680
RB75	RADIATOR BRUSH 75MM	12	9340885010697



SUPER COAT RANGE

- Suitable for all paints
- Comfortable grip
- Superior even coverage
- Great all round use
- Range also includes angle cutters
- Value with quality



Product No.	Description	Pack Size	Barcode
SC25	SUPER COAT WALL BRUSH 25MM	12	9340885006973
SC38	SUPER COAT WALL BRUSH 38MM	12	9340885006980
SC50	SUPER COAT WALL BRUSH 50MM	12	9340885006973
SC63	SUPER COAT WALL BRUSH 63MM	12	9340885007000
SC75	SUPER COAT WALL BRUSH 75MM	12	9340885007017
SC100	SUPER COAT WALL BRUSH 100MM	12	9340885007024
SCAC38	SUPER COAT ANGLE CUTTER 38MM	12	9340885007031
SCAC50	SUPER COAT ANGLE CUTTER 50MM	12	9340885007048
SCAC63	SUPER COAT ANGLE CUTTER 63MM	12	9340885007055
SCAC75	SUPER COAT ANGLE CUTTER 75MM	12	9340885007062



PLATINUM RANGE

- Trade quality
- Nylon polyester blend filament
- Stiff filament for extra control
- Stainless steel ferrule & pins
- Extra strength epoxy designed to reduced bristle loss
- High quality tapering increases paint pickup and release
- Range also includes sash cutters



Product No.	Description	Pack Size	Barcode
P25	PLATINUM WALL BRUSH 25MM	12	9340885006508
P38	PLATINUM WALL BRUSH 38MM	12	9340885006515
P50	PLATINUM WALL BRUSH 50MM	12	9340885006867
P63	PLATINUM WALL BRUSH 63MM	12	9340885006874
P75	PLATINUM WALL BRUSH 75MM	12	9340885006881
P100	PLATINUM WALL BRUSH 100MM	12	9340885006898
PC38	PLATINUM SASH CUTTER 38MM	12	9340885006904
PC50	PLATINUM SASH CUTTER 50MM	12	9340885006522
PC63	PLATINUM SASH CUTTER 63MM	12	9340885006911
PC75	PLATINUM SASH CUTTER 75MM	12	9340885006928

Section E1 Page 1.6



ROLLER COVERS







FOAM COVERS

- high density foam roller covers.
- maximum performance and professional results.
- Ideal for painting smooth surfaces such as doors, window trims & architraves.
- High density foam is best suitable for use with high gloss and satin paints for a super fine gloss finish.
- Super easy to use and compatible with slide-on mini roller frames.



Product #	Description	Barcode
12016	PHOENIX 100MM 2PK MINI FOAM COVER	9340885003552
12015	PHOENIX 100MM 10PK MINI FOAM COVER	9340885003545
12015L	PHOENIX 160MM 10PK MINI FLOCK FOAM	9340885007383

BLACK FOAM COVERS

- High density seamless one piece foam
- Ideal for gloss and satin and water based paints
- No seams in cover for a smooth finish
- Available in 75mm, 230mm and 270mm.



Product #	Description	Barcode
12033	PHOENIX 75MM BLACK FOAM COVER - SEAMLESS	9340885004177
12001	PHOENIX 230MM BLACK FOAM COVER - SEAMLESS	9340885002296
12001L	PHOENIX 270MM BLACK FOAM COVER - SEAMLESS	9340885006805



POLYESTER COVERS

- Sizes from 75mm to 270mm
- Mini slide on cover also available
- Available in single & tri packs
- High density polyester
- 10mm nap
- Solvent resistant core
- Metal end cap



Product #	Description	Barcode	
12042	PHOENIX 75MM POLYESTER COVER	9340885004184	
12023	PHOENIX 130MM POLYESTER ROLLER COVER	9340885003620	
12043	PHOENIX 180MM POLYESTER ROLLER COVER	9340885004498	
12011	PHOENIX 230MM POLYESTER ROLLER COVER	9340885003507	
12013	PHOENIX 230MM POLYESTER ROLLER COVER PACK 3	9340885003521	
12012	PHOENIX 270MM POLYESTER ROLLER COVER	9340885003514	
12027	PHOENIX 270MM POLYESTER ROLLER COVER PACK 3	9340885003675	

GOLD STRIPE COVERS

- Trade quality acrylic fabric
- Mini and normal frame / cage sizes
- Suitable for smooth and semi rough substrates
- Superior paint pick up
- Best for acrylic paints
- Guaranteed quality
- 11mm nap



Product #	Description	Barcode
12014	PHOENIX 100MM 2PK GOLD STRIPE MINI FABRIC COVER	9340885003538
12002	PHOENIX 100MM 10PK GOLD STRIPE MINI FABRIC COVER	9340885002302
2313	PHOENIX 180MM GOLD STRIPE FABRIC COVER	9334507002313
12032	PHOENIX 230MM GOLD STRIPE FABRIC COVER	9340885004160
12017	PHONNIX 270MM GOLD STRIPE FABRIC COVER	9340885003569



MICROFIBRE COVERS

- For smooth surface
- Mini frame and standard frame / cage sizes
- Maximum paint pickup
- Fine lint free fabric
- Acrylic & enamel paint
- Guaranteed quality

MFC04

Product #	Description	Barcode
12081	PHOENIX MICROFIBRE MINI COVER 100MM - 10 PACK	9340885007253
MFC01	PHOENIX MICROFIBRE ROLLER COVER 230MM - 11MM NAP	9340885006812
MFC02	PHOENIX MICROFIBRE ROLLER COVER 230MM - 4MM NAP	9340885006829
MFC03	PHOENIX MICROFIBRE ROLLER COVER 270MM - 11MM NAP	9340885006836

PHOENIX MICROFIBRE ROLLER COVER 270MM - 4MM NAP

MOHAIR COVERS

- Excellent for enamel paints
- Strong solvent resistant core
- Perfect for very smooth gloss or satin finish on smooth substrates
- Trade quality product



9340885006843

Product #	Description	Barcode
6878	PHOENIX MOHAIR MINI COVER 100MM - 2 PACK	9334507006878
2016	PHOENIX MOHAIR ROLLER COVER 75MM	9334507002016
2337	PHOENIX MOHAIR ROLLER COVER 130MM	
2023	PHOENIX MOHAIR ROLLER COVER 180MM	9334507002023
2030	PHOENIX MOHAIR ROLLER COVER 230MM	9340885004726
2047	PHOENIX MOHAIR ROLLER COVER 270MM	9340885006607



INDUSTRIAL ROLLER COVER

This is a woven nylon, resistant to harsh and aggressive paints and varnishes. It is lint free fabric and 100% PA pile with durable fibres. This roller cover is aimed specifically at the fibreglass and epoxy market



Product #	Description	Barcode
IC230	PHOENIX INDUSTRIAL COVER 230MM	9340885008984
IC270	PHOENIX INDUSTRIAL COVER 270MM	9340885008991

DECKING APPLICATOR



The Phoenix Sheepskin Floor Applicator Handle & Applicator Pad is the best way to quickly and effectively paint or stain a timber deck.

Available as a complete unit and separate refill

Product No.	Description	Pack size	Barcode
12049	SHEEPSKIN FLOOR APPLICATOR - PAD, FOOT & EXT POLE	12	9340885007581
12052	SHEEPSKIN FLOOR APPLICATOR - REFILL	12	9340885007598



ROLLER FRAMES







HD CAGE ROLLER FRAMES



- Sizes from 75mm to 270mm
- 8mm steel
- HD plastic ends
- For professional use
- Value with quality

Product No.	Description	Pack size	Barcode	
12028	75MM ROLLER FRAME	12	9340885004122	
0074	130MM ROLLER FRAME	12	9334507000074	
0043	180MM ROLLER FRAME	12	9334507000043	
12029	230MM HEAVY DUTY ROLLER FRAME	12	9340885004139	
12030	270MM HEAVY DUTY ROLLER FRAME	12	9340885004146	

MINI SLIDE ON FRAMES



- 100mm & 130mm
- 8mm steel
- Heavy duty
- For professional use
- Value with quality

Product No.	Description	Pack size	Barcode
12031	100MM MINI SLIDE-ON FRAME	12	9340885004153
12031L	160MM MINI SLIDE-ON FRAME	12	9340885007390

Section E3

cwbrands.com.au

Page 3.1







PLASTIC PAINT TRAYS



Phoenix paint trays are both economical and durable with sizes from the mini 100mm to the professional 270mm tray

Product No.	Description	Pack size	Barcode
12003	230MM PLASTIC PAINT TRAY	20	9340885002319
5342	130MM PLASTIC PAINT TRAY	20	9334507006342
6366	270MM PLASTIC PAINT TRAY	10	9334507006366

MINI ROLLER SETS









Value 10 packs

- Golden stripe 10 pack
- Mohair set 10 pack
- Microfibre set 10 pack
- Hang cell packaging for easy display

Product No.	Description	Pack size	Barcode
12021	100MM MINI ROLLER COMPLETE WITH FABRIC & FOAM SLEEVE	24	9340885003606
12020	100MM 10PK GOLD STRIPE & HANDLE	24	9340885003590
12082	100MM 10PK MICRO FIBRE & HANDLE	24	9340885007260
6861	100MM 10PK MOHAIR COVER SET & HANDLE	24	9334507006861



KITS & SETS









Product No.	Description	Pack size	Barcode
12040	100MM MINI PAINT ROLLER KIT	12	9340885004245
12024	130MM ACRYLIC TRAY KIT	12	9340885003637
12041	130MM ENAMEL TRAY KIT	12	9340885004252
12026	230MM PAINT ROLLER & TRAY KIT	6	9340885003668
12025	270MM PAINT ROLLER & TRAY KIT	10	9340885003651



EXTENTION POLES







EXTENSION POLES

Aluminium Extension Poles

Strong aluminium construction for professional use. Quality ring release mechanism.

Available in 4 sizes

Steel Extension pole

Quality 1.2 mitre steel extension pole with quality steel thread



Product No.	Description	Pack size	Barcode
12035	ALUMINIUM EXTENSION POLE 0.3-0.6	6	9340885004191
12036	ALUMINIUM EXTENSION POLE 0.6-1.2	6	9340885004207
12037	ALUMINIUM EXTENSION POLE 1.2-2.4	6	9340885004214
12018	ALUMINIUM EXTENSION POLE 1.8-3.6	6	9340885003576
12070	PHOENIX 1.2MT EXTENSION POLE	6	9340885008939

Section E5 Page 5.1



DROP SHEETS AND PROTECTION

phoenix







heavy duty canvas drop Phoenix sheets are manufactured from high quality 9 oz canvas to ensure long lasting durability. Available in 6 sizes

Product No.	Description
9205	PHOENIX HD CANVAS - 5' X 12'
9212	PHOENIX HD CANVAS - 9' X 12'
9229	PHOENIX HD CANVAS - 12' X 12'
9230 PHOENIX HD CANVAS - 15' X 1	
9243 PHOENIX HD CANVAS - 18' X	
9250	PHOENIX HD CANVAS - 15' X 18'



DROP SHEETS



Plastic Protection Sheet

Embossed PLASTIC SHEET

3.6m x 2.6m STRONG/REUSABLE Ideal for floor and furniture protection

CAULION POLYETHELENE PLASTIC SHEET EXTENSIONAL AND SHOULD BEAUTY AWAY FROM CHILDREN

phænix

Phoenix Heavy Duty door frame canvas drop sheet is cut to fit standard door frames, making it quick, easy and safe to protect floors around doors.

Phoenix plastic drop sheets are 2.6m x 3.6m and are available in both light & heavy duty.

Product #	Description	Barcode
12019	PLASTIC DROP SHEET	9340885003583
12022	PLASTIC BLUE DROP SHEET HEAVY DUTY	9340885003613
6199	PHOENIX HD CANVAS - 1MTR X 4MTR	9340885004610
9205	PHOENIX HD CANVAS - 5' X 12'	9340885007604
9212	PHOENIX HD CANVAS - 9' X 12'	9340885007611
9229	PHOENIX HD CANVAS - 12' X 12'	9340885007628
9236	PHOENIX HD CANVAS - 15' X 12'	9340885007635
9243	PHOENIX HD CANVAS - 18' X 12'	9340885007642
9250	PHOENIX HD CANVAS - 15' X 18'	9340885007659
9252	PHOENIX HD DOOR FRAME DROP SHEET	9340885007666





Phoenix pre-taped masking film is available in 550mm, 1800mm and 2700mm width.

Product is available in kit form including a dispenser and refill packs.

Phoenix masking film is manufactured with high quality masking tape for that extra grab.

Product No.	Description	Pack size	Barcode
MF550	MASKING FILM 550MM X 25MTR - REFIL	50	9340885004566
MF550K	MASKING FILM 550MM X 25MTR - WITH DISPENSER	50	9340885004573
MF1800	MASKING FILM 1800MM X 33MTR - REFIL	25	9340885003682
MF1800K	MASKING FILM 1800MM X 33MTR - WITH DISPENSER	20	9340885003699
MF2700	MASKING FILM 2700MM X 17MTR - REFIL	25	9340885003705
MF2700K	MASKING FILM 2700MM X 17MTR - WITH DISPENSER	20	9340885003712

KRAFT PAPER ROLLS

Kraft masking rolls

144mm and 288mm width

Packed as 3 packs



Product No.	Description	Pack size	Barcode
KPR1443	KRAFT PAPER ROLLS 144MM X 50MTR - 3 PK	20	9340885003262
KPR2883	KRAFT PAPER ROLLS 288MM X 50MTR - 3 PK	10	9340885003279



BAGS OF RAGS

Painters mixed rags Available in 10kg



Product No.	Description	Pack size	Barcode
720	DAINTEDS MIVED DAGS 10VG	1	022200500256



TOOLS & SCRAPERS

phoenix





PATCHER SCRAPER

- Economical multi purpose
- Polished flexible blade
- Moulded handle for comfort
- Perfect for achieving smooth filer finishes
- Ideal for removing old flaky paint



Product No.	Description	Pack size	Barcode
7104	38MM PAINT SCRAPER	12	9340885007475
7105	50MM PAINT SCRAPER	12	9340885007482
7106	75MM PAINT SCRAPER	12	9340885007499
7107	100MM PAINT SCRAPER	12	9340885007505

HD STRIPPING TOOL

- Superior quality hardened blade
- Polished stainless
- Hammer end and rivet made from brass
- Moulded soft grip handle
- Engineered to absorb shock and reduce user fatigue



Product No.	Description	Pack size	Barcode	
7042	STRIPPING KNIFE H/DUTY - 38MM	24	9340885007239	
7059	STRIPPING KNIFE H/DUTY - 50MM	12	9340885006775	
7073	STRIPPING KNIFE H/DUTY - 75MM	12	9340885006782	



7 in ONE TOOL

- The ultimate tool for painters
- Quality stainless steel blade
- Soft & durable handle



Product No.	Description	Pack size	Barcode
7097	APEX 7-IN-1 TOOL 75MM	24	9340885006799

BENT POLE SCRAPER

- Mirror polished stainless steel blade
- Impact resistant polypropylene thread
- Extension handle compatible



Product No.	Description	Pack size	Barcode
7189	PHOENIX BENT POLE SCRAPER 75MM	24	9340885007369

FILLING BLADES



- Ultra flexible
- Stainless steel blade
- Quality timber handle
- Perfect for achieving smooth filer finishes
- Available in a variety of

Pack size

24

24

24

Product No.	Description
7271	PHOENIX 50MM FILLING BLADE
7288	PHOENIX 80MM FILLING BLADE
7295	PHOENIX 120MM FILLING BLADE
7004	PHOENIX FILLING BLADE PK3

BROAD KNIFE

PHOENIX BROAD KNIFE 150MM



12091

Barcode

9334507007271

9340885007536

9334507007295 9334507007004

9340885003354



UTILITY KNIFE

Heavy Duty Utility Knife and Blades for general purpose cutting jobs.

Quality product for long lasting durability.





Product No.	Description	Pack size	Barcode
12067	PHOENIX UTILITY KNIFE	15	9340885007741

SNAP BLADE KNIFE

Standard duty snap off knife for hobby projects and general use.





Product No.	Description	Pack size	Barcode
12060	PHOENIX LARGE SNAP KNIFE	15	9340885007673

RETRACTABLE SCRAPER

Easy to use and with a retractable steel blade, the Phoenix scraper is well suited for home use and for the DIYer





Product No.	Description	Pack size	Barcode
12064	PHOENIX RETRACTABLE SCRAPER	12	9340885007710



WINDOW SCRAPER

The best scraper when painting on glass door panes or windows. The blade is held securely in the holder, ensuring a consistent straight line





Product No.	Description	Pack size	Barcode
12068	PHOENIX WINDOW SCRAPER	15	9340885008915

SAFTEY SCRAPER WITH BLADES

Safety scraper with locking system helps prevent blades from dangerously sliding open while working





Product No.	Description	Pack size	Barcode
12065	PHOENIX SAFETY SCRAPER - WITH 5 BLADES	12	9340885007727

LARGE SNAP BLADES 5 PACK

Pack of 5 snap blades to suit most snap blade knifes






Product No.	Description	Pack size	Barcode
12061	PHOENIX LARGE SNAP BLADES - PK5	25	9340885007680



UTILITY BLADES 5 PACK

Pack of 5 blades to suit most scrapers and utility knifes





Product No.	Description	Pack size	Barcode
12066	PHOENIX UTILITY BLADE - PK 5	25	9340885007734

SAFETY BLADES 5 PACK

Pack of 5 blades to suit most snap retractable scrapers.



Product No.	Description	Pack size	Barcode
12069	PHOENIX SCRAPER BLADES - PK 5	25	9340885008922

PAINT CAN OPENER

Sturdy metal paint can & bottle opener.

Barcode attached for easy retailing



Product No.	Description	Pack size	Barcode
12074	PHOENIX METAL CAN OPPENER	25	9340885008977



PAINT PLASTIC STIRRER

Hand stirrer for the home handyman or tradesman. Ideal for 1-4 litre paint tins.



Product No.	Description	Pack size	Barcode
12073	PHOENIX PLASTIC STIRRER 430MM	12	9340885008960

PAINT DRILL MIXER

Drill attachment Ideal for mixing paint and other liquids thoroughly and easily

400mm (L) x 60mm (W)



Product No.	Description	Pack size	Barcode
12072	PHOENIX DRILL STIRRER 600MM	6	9340885008953

WALL PATCH

Self adhesive metal mesh holds in place during repair. Available in 2 sizes. 10cm x 10cm or 15cm x 15cm





Product No.	Description	Pack size	Barcode
PWP10	PHOENIX WALL PATCH 10CM X 10CM	12	9340885003149
PWP15	PHOENIX WALL PATCH 15CM x 15CM	12	9340885003156



SKELETON CAULKING GUN

Featuring a lightweight but strong design, this skeleton gun is ideal for most sealing and bonding tasks.



DRIPLESS CAULKING GUN

Revolving Barrel caulk gun has a 10:1 thrust ratio, easy-load barrel and a heavy-duty design with a lightweight feel.



HD CAULKING GUN

Professional heavy duty frame Caulk gun. Easily dispenses hard or difficult sealants. Robust contraction with strong push rod



SAUSAGE CALKING GUN

600ml Heavy Duty Caulking Gun is the perfect solution for any sealing project. Designed to work with all standard 600ml sausages, this gun produces clean and accurate results. Made from high quality aluminium and aluminium alloy, this gun is ideal for all DIY and professional sealing projects.



Product No.	Description	Pack size	Barcode
12038	230MM SKELETON CAULKING GUN	24	9340885004221
12039	230MM HEAVY DUTY QUALITY DRIPLESS CAULKING GUN	12	9340885004238
12048	EXTRA HEAVY DUTY CAULKING GUN	12	9340885007550
12047	SAUSAGE CAULKING GUN 600ML	12	9340885007567



SEALANT APPLICATOR

The Phoenix sealant applicator tool gives a perfect finish each time. It helps avoid sealant corruption, is re-usable, easy to clean and helps avoid wastage.



Product No.	Description	Pack size	Barcode
12089	PHOENIX SEALANT APPLICATOR	25	9340885003187

SEALANT REMOVER

The Phoenix sealant remover tool removes any type of caulk or sealant without the mess of chemicals. Saves valuable time and effort and is re-usable



Product No.	Description	Pack size	Barcode
12088	PHOENIX SEALANT REMOVER	25	9340885003170

NOZZLE CUTTER

The Phoenix Nozzle cutter cuts cartridge tops and applicator nozzles safely and with ease. Works on all plastic cartridges up to 310ml size



Product No.	Description	Pack size	Barcode
12046	PHOENIX NOZZLE CUTTER	25	9340885007574



BUCKETS & POTS







4 LITRE PAINTERS BUCKET

- Paint storage
- Light weight
- Air tight lid
- Metal handle
- Comfort plastic grip





10 & 20 LITRE PLASTIC BUCKET

- Paint storage
- Stackable
- Comfort plastic grip
- Strong metal handle
- Available in 10 & 20 litre



Product No.	Description	Pack size	Barcode	
12004	PHOENIX 4LT PREMIUM PLASTIC BUCKET	24	9340885003323	
12005	PHOENIX 4LT PLASTIC LID	24	9340885003330	
12008	PHOENIX 10LT WHITE PLASTIC BUCKET/LID	1	9340885006553	
12006	PHOENIX 20LT WHITE PLASTIC BUCKET/LID	1	9340885007437	



NATIONAL PRODUCT CATALOGUE

SECTION F - AEROSOL MAINTENANCE


web: cwbrands.com.au

email: support@cwbrands.com.au



BOSTON AEROSOLS









LUBRICANTS





Boston

SILICONE SPRAY

A high quality silicone spray that lubricates & protects and is colourless, dry, non toxic, non oily and will not stain.

- **♦** Lubricates
- ♦ Protects
- ♦ Release agent

Product #	Description	Barcode
78640	BOSTON SILICONE SPRAY 350GM	9340885007994



Boston

PENETRATING MULTI LUBE

A powerful water disperser spray to eliminate moisture, combined with a penetrating oil to free parts frozen by rust.

- ◆ Lubricates
- ♦ Penetrates
- ◆ Protects

Product #	Description	Barcode
78630	BOSTON PENETRATING MULTILUBE SPRAY	9340885007918
78630	400GM	9340885007918



Boston

LANOLIN SPRAY

Non toxic and biodegradable. Contains no silicones. Suitable for lubricating and protecting automotive, marine and industrial machinery.

- Penetrates and lubricates
- Marine applications
- Corrosion protectionremains pro-active
- Resistant to moisture, salt, mineral acids and sulphur compounds

Product #	Description	Barcode
78634	BOSTON HD LANOLIN SPRAY 400GM	9340885008021

Section F1





LUBRICANTS





Boston

LITHIUM GREASE

An all purpose grease that will not freeze or melt & offers excellent resistance to salt corrosion. Ideal for steel on steel or plastic

- ◆ All purpose
- ◆ Excellent resistance to corrosion
- ◆ Superior lubrication

Product #	Description	Barcode
78650	BOSTON LITHIUM GREASE 400GM	9340885002364



Boston

CHAIN SPRAY

Allows long term internal and external lubrication of bearings, gear mechanisms, roller and ball bearings, chains, wire cables etc. Resistant to temperatures ranging from –25 to +160° Celsius.

- ♦ High tack
- ◆ Long term lubricant
- ♦ Corrosion protection

Product #	Description	Barcode
78652	BOSTON CHAIN SPRAY 350GM	9340885007833





CLEANERS





ENGINE DEGREASER

A powerful solvent based degreaser that is suitable for use in all engines & mechanical parts, concrete floors etc.

- ♦ Powerful
- Fast acting
- Easy to use
- Spray on hose off

Product #	Description	Barcode
78400	BOSTON ENGINE DEGREASER 400GM	9340885002005



don

BRAKE & PARTS CLEANER

Removes brake fluid, oil & other contaminants from brake systems including discs, drums. linings, pads, cylinders & springs. Can

- Fast acting
- Removes brake wear deposits

Barcode 9340885007970

tone free

a. a,	7 a. a. a. y	
be applied with	out disassembly of brakes.	◆ Acetone fi
Will not affect r	ubber & plastic parts.	
Product #	Description	
78200	BOSTON BRAKE & PARTS	CLEANER 350GM



CARBURETTOR CLEANER

A throttle body, carburettor & injector cleaner that rapidly removes varnish, oil, gum, sludge & carbon deposits. Dries quickly without leaving a film. Use also on choke valves, automatic Choke controls& linkages.

- Powerful cleaning action
- High pressure

Product #	Description	Barcode
78100	BOSTON CARBY CLEANER 400GM	9340885007963





CLEANERS





Boston

CONTACT CLEANER

Spray on, plastics safe, technically proven, stable, high purity cleaning solvent suitable for cleaning relays, switches, printed circuit boards & circuit breakers

- ♦ Fast evaporation
- ♦ Residue free
- Safe on most plastics

Product #	Description	Barcode
78680	BOSTON CONTACT CLEANER 350GM	9340885003316



Boston

GLASS CLEANER

Specially formulated to clean windows, mirrors, stainless steel, ceramic tiles, porcelain & windscreens. Helps prevent misting of interior car windows. Non streak formula

- ♦ Foaming cleaner
- ♦ Powerful
- Helps prevent misting

Product #	Description	Barcode
78660	BOSTON GLASS CLEANER 400GM	9340885002357



Boston

AIR DUSTER

A high powered with 152A propellant (non flammable) is an all purpose sterilized cleaner that removes dust & microscopic debris from hard to reach places.

- ♦ High powered
- Removes dust

Product #	Description	Barcode
78691	BOSTON AIR DUSTER 285GM	9340885004597





MAINTAINANCE



TYRE SHINE

Spray on tyres to give that "wet look" appearance. Use on rubber mats, mud flaps etc to restore them to a "like new" look

- ♦ High gloss
- ♦ Wet look

Product #	Description	Barcode
78610	BOSTON TYRE SHINE 350GM	9340885007987



ADHESIVE SPRAY

An easy to use Spray Adhesive ideal for Automotive & marine trim, craft work, furniture and odd jobs around the house

- High strength
- Fast tack
- Permanent

	SNOT	i
	TECHNICA ADDVANCE FORMULAT	TO RINE
(ADHES SPRAY (HIGH TACK) PERMANENT B	SIVE 7 OND
		F
		Y
	SELT NET	

Product #	Description	Barcode
78690	BOSTON ADHESIVE SPRAY 350GM	9340885004450



STARTING FLUID

A highly concentrated, high potency, highly flammable formula designed to instantly start difficult-to-start engines, both diesel & petrol. It is completely harmless to engines.

- ♦ Fast
- ◆ Effective
- Petrol & diesel engines

Product #	Description	Barcode
78670	BOSTON STARTING FLUID 350GM	9340885003309





MAINTAINANCE



Boston

ANTI SPATTER SPRAY

Prevents spatter by adhering to surrounding metal surfaces. Eliminates the need to chisel, grind or wire brush after welding. Water based formula allows easy clean up without the use of solvent cleaners. Does not contain silicones or OCD's. Rust inhibitor additive prevents flash rust.

Product #	Description	Barcode
78647	BOSTON ANTI SPATTER 400 ml	9340885007857



INOX















INOX MX2 is in a class of its own, the only product of its kind that keeps giving outstanding results year in, year out! Approximately 70% of lead-acid batteries over a period of time stop operating because of sulfation on the plates. Charging the battery does not stop this sulfation from happening. INOX MX2 Battery Conditioner can be added at any time during the life cycle of a lead acid battery, but for the best results and longest life for the battery, it is best to add the INOX MX2 Battery Conditioner when the battery is brand new.

- Dissolves battery killing sulfation
- Better & faster cold morning starts
- Constant brighter lights
- Rapid power recovery & recharge
- Holds charge longer between use
- Increases battery efficiency up to 18%
- Up to 2 3 times longer use
- Up to 12 months additional warranty with 92ml bottle purchase when added to a brand new battery. *conditions apply*
- For use in cars, motorcycles, boats, trucks, buses, aviation, farm & earth moving equipment, industrial, solar & stationary batteries



The only lubricant in the world with the special MX3 anti-corrosion, anti-moisture formula for the twenty – first century. MX3 is an anti-corrosion anti-moisture lubricant designed to be sprayed on surfaces and between moving parts. The lubricant is made with a high grade white oil, rust inhibitors and other components to give lasting protection from corrosion and oxidation. MX3 will penetrate through bolts and parts that are stuck together to help loosen and easily free up without causing damage.

Over the years INOX MX3 has become known as the "Supreme Lubricant" and the go to product when the highest of quality is needed. The special MX3 formula is now sought after all around the globe making it one of the leading lubricants in the world today. These qualities make it safe for almost every market out there including: Automotive, aviation, commercial, domestic, electrical & electronics, engineering, farming & mining, firearms, fishing, hobbies, manufacturing, marine, motorcycles, sports and transport.

- Displaces, penetrates, lubricates and protects.
- INOX-mx3 contains no silicon, acid, kerosene or dieelene.
- INOX-mx3 will not harm metal points or surfaces, hard plastics, paints, enamels, fibreglass, formica or neoprene seals
- INOX-mx3 doesn't dry out, gum up, become gooey or sticky or wash off with water.
- INOX-mx3 is non-conductive, non-static, non-toxic, noncorrosive and non-staining.



inox.

Section F2





INOX MX3FG Food Grade Lubricant is a multi-purpose oil based spray designed for use on food processing and handling equipment. Spraying on surfaces creates an anti-rust film to protect from any corrosion or moisture that can occur. It penetrates between moving parts to eliminate any binding or sticking, while keeping them well lubricated.

INOX MX3FG was released to cater specifically for the food and beverage industry. INOX-MX3FG holds the NSF, class H1 food grade approval which is the highest approval available for incidental contact with food for lubricants. As a result, this lubricant is recognised worldwide and therefore allows INOX-MX3FG to be used in all food applications all over the world.

INOX-MX3FG is similar to the original formula with some changes to comply with the NSF H1 criteria. INOX-MX3FG has undergone stringent testing and stands strong among the other INOX products and even stronger with its competitors.

- Displaces, penetrates, lubricates and protects
- Contains no silicon, acid, kerosene, dieselene or toxic compounds
- Will not harm metal points or surfaces, plastics, paints, enamels, fibreglass, formica or neoprene seals
- Doesn't dry out, gum up, become gooey or sticky or wash off with water
- Non-toxic, non-static, non-corrosive non-conductive and non-staining
- Odourless, no dye or masking agents added





LANOX Lanolin Lubricant is a heavy duty, anti-moisture, anti-corrosion lubricant made with a high grade oil and lanolin base, with specialised chemical compounds. LANOX Is created with Lanolin, a natural wax found in animal wool, especially the wool from sheep, commonly referred as 'WOOL FAT' or 'WOOL GREASE'. Lanolin has widespread uses, ranging from cosmetics, soaps and medical products to rust proofing and lubrication. Lanolin has been used in skin care and cosmetics as far back as 700BC, but in the late nineteenth century it was refined at a new level, giving us lanolin with an extremely high quality. Although we make INOX, a quality anti-corrosion lubricant, there are areas where a lanolin based anti-corrosion lubricant like LANOX is sometimes better suited for the application at hand. Our product LANOX MX4 has ideal applications in the Marine industry. It designed to stop electrolysis between different metals and prevent oxidation and rust from forming on the surface. The lanolin base helps to prolong the protection between applications, as it is a natural anti-corrosion compound that is not soluble in water and leaves a protective film behind.

- LANOX is a heavy duty anti-moisture, anti-corrosion lubricant made with a high grade lubricating oil and lanolin base with specialized chemical compounds.
- LANOX contains no silicon, kerosene, acids or dieselene.
- LANOX is harmless to metal points & surfaces, plastics, painted & enamel finishes, fibreglass, formica or neoprene seals.
- LANOX doesn't become sticky, gooey or gum up.
- LANOX is non-conductive, non-static & non-corrosive.
- LANOX has neutral properties, low flammability (NON-AEROSOL)
- Lanox doesn't dry out or wash off with water



Section F2

Page 2.2





LANOX MX4G Grease is a non-toxic, Food Grade Approved Lanolin grease. It is made from a pure high technical grade anhydrous lanolin, food grade approved additives and anti-oxidants. It has been especially designed to remain pliable at very low temperatures with the right amount of gripping tackiness (non-fling) to hang on and still have flexibility for the user. LANOX MX4G Grease is waterproof, non-conductive and safe to use on all surfaces. It is highly suitable for anti-corrosion, rust proofing and anti-fouling coatings for all metals used in Automotive, Aviation, Commercial, Construction, Earthmoving, Farming, Industrial, Marine, Mining and Transport applications. Waterproofs and protects leather. Preserves timber from water, cracking and dry rot. (Do not use on green timber). Anti-seize for bolts, nuts and threaded rod. Stops electrolysis between dissimilar metals.

- LANOX MX4G Grease is Non-carcinogenic, bio-degradable, highly resistant to salt and acid corrosion, provides lasting protection.
- LANOX MX4G Grease is environmentally and user friendly.
- LANOX MX4G Grease looks like creamed honey and has no lanolin odour
- LANOX MX4G Grease holds the NSF H1 food grade registration approval





INOX MX5 PLUS has been designed for applications where a superior extreme pressure, anti-corrosion, anti-moisture, liquid lubricant or an industrial-quality machine cutting oil is required. INOX MX5 PLUS is the ultimate formula that takes the original INOX MX3FG and adds the high grade friction modifier Polytetrafluoroethylene (PTFE) for an even higher, super-slick standard of lubrication in demanding environments. it's even NSF H1 registered for incidental food contact. If you need to handle high speed, high loads, constant friction and extreme pressure, INOX MX5 PLUS with added PTFE is the ultimate lubricant to get the job done. Dissolves corrosion, oxidation and salt buildup. Lubricates constant-friction parts for longer. Protects from wear in extreme conditions. Non-tacky, super slick formula.

- INOX MX5 Plus has been designed for applications where a superior extreme pressure, anti-corrosion, anti-moisture liquid lubricant, a high grade penetrating oil or an industrial quality machine cutting lubricant is required (Safe to use in saw, lathe & milling reservoirs).
- INOX MX5 Plus will not harm metal points or surfaces, fibreglass, formica, painted or enamel finishes, plastics or neoprene seals.
- INOX MX5 Plus will not become tacky, alter surface tolerances, dry out or wash off with water
- INOX MX5 Plus is non-toxic, non-conductive, non-corrosive and non-staining.
- Polytetrafluoroethylene (PTFE) is premium grade extreme pressure anti-friction medium which gives increased lubrication between the contact surfaces. This reduced friction environment also lowers operating temperatures and extends life.



Section F2





INOX MX6 is a synthetic PAO base extreme pressure grease which uses an organo clay thickener formulated to give premium performance and food grade purity. This grease is composed entirely of ingredients which meet the requirements of section 178.3570 of the US FDA regulations and have been cleared for use within registered establishments by the US Department of Agriculture and will not deleteriously affect meat, meat products, or any food products. INOX MX6 is a smooth light tan grease made from polyalphaolafins and a special bentone thickner. It contains additives to protect against corrosion and oxidation. It has a temperature range of -30 C to an extremely high temperature. It will operate non stop to 240 C all day with short bursts up to 270 C without breaking down. INOX MX6 is safe on rubber, and is ideally suitable for all plumbing O-rings & seals, Food machinery O-rings & seals, Pneumatic control valve O-rings & seals, Diving gear O-rings & seals, anywhere rubber or synthetic O-rings and seals are used. Polytetrafluoroethylene (PTFE) is a premium grade anti-friction medium which gives increased lubrication ability between the contact surfaces. This reduced friction environment also lowers operating temperatures and extends life.

- INOX MX6 holds the NSF, class H1 food grade approval.
- INOX MX6 is a synthetic extreme pressure grease containing bentone, PTFE and polyalphaolafins.
- INOX MX6 will work at high temps and has excellent resistance to water washout.
- INOX MX6 is highly suitable for all bearings, bushes, chains, hinges, sprockets, slides, splines & couplings, universals and ball joints used in all Food processing Machinery, Beverage Filling Lines, Food Conveyor Lines, Food Packaging Equipment, Freezers and Cold Rooms.
- Ovens Outside only for hinges and external parts (do not put inside oven)





INOX mx-7 is a specially formulated Extreme Pressure Lithium based grease containing a high percentage of Polytetrafluoroethylene (PTFE) designed for Ultra Extreme Pressure applications and where tough thread anti-seize applications are required. INOX-MX7 is typically used in applications where two surfaces cannot be lubricated once assembled.

- INOX mx-7 is a specially formulated Extreme Pressure Lithium based grease containing a high percentage of Polytetrafluoroethylene (PTFE) designed for Ultra Extreme Pressure Lubrication and where tough Thread Anti-Seize applications are required.
- INOX mx-7 provides high film strength, protects against start up damage in new and reconditioned machinery after long down periods before initial startup.
- INOX mx-7 gives long term lubrication to parts and machinery that are difficult or impossible to lubricate after assembly.
- INOX mx-7 allows for more even torque pressures and faster breakouts of joints, gaskets and threads.
- INOX mx-7 contains anti-corrosion additives.



Section F2





The extreme pressure and anti-wear properties of INOX MX8 grease gives long service life under high loading and shock loading conditions from very low to very high temperature environments. These special characters of shear stability, combined with the inclusion of effective rust, oxidation and corrosion inhibitors and tackiness adhesives, ensures this grease to perform in almost any application. INOX MX8 is a lithium complex grease, which means that it will hold together extremely well under high pressure and variable temperatures.

- INOX-mx8 has the ability to prevent scuffing and reduce wear under high load and shock load conditions, together with its excellent high shear stability and high temperature operation, makes INOX-mx8 the preferred choice over other extreme pressure greases.
- INOX-mx8 resists 'SQUEEZE OUT' from surfaces requiring lubrication under load conditions.
- INOX-mx8 has excellent resistance to water and water wash out even at elevated temperatures. Effective lubrication is maintained and in these situations it also gives protection against rusting and corrosion.
- INOX-mx8 will not thin out because it is shear resistant or thicken because it resists oxidation.
- PTFE Polytetrafluoroethylene is a premium grade anti-friction medium which gives increased lubrication and reduces operating temperatures to bearings, bushes, shafts, gears, chains, splines, PTO's, turntables, cables, universals, CV and ball joint.
- Suitable for: Automotive, aviation, bearings, commercial, earthmoving, electrical, farming, fishing, industrial, marine, mining, shipping, wharves & slips and transport.





Originally designed for the super-bike industry, INOX- MX9 No Chukka Chain Lube is now in high demand for numerous applications such as, hoists, harvesters, forklifts, conveyors and dirt bikes. The perfect blend of PTFE and tackifiers allow this chain lube to not only hold on but at the same time give you smooth effortless transmission in any application. Demand is particularly high in the harshest of farming conditions as INOX-MX9 is one of the most robust, durable and reliable chain lubes on the market today.

- INOX-MX9 No Chukka Chain Lube is a superior grade, high speed, extreme pressure
 chain lube formulated with special tackifiers, coagulants, anti-corrosion and water
 proofing compounds to make it stay on the chain, hence the name 'No Chukka Chain
 Lube'
- INOX-MX9 No Chukka Chain Lube contains the extreme pressure friction modifier PTFE (polytetrafluoroethylene) which gives increased lubrication, reducing wear and also helps in reducing operating temperatures.
- INOX-MX9 No Chukka Chain Lube is highly resistant to salt, chemicals, water wash out and drying.
- INOX-MX9 No Chukka Chain Lube will not harm motorcycle chain 'O' rings



Section F2





INOX MX11 Chain & Brake Clean readily dissolves oil, grease and grime and can be used as a degreaser for car, motorbike, truck, boat, industrial, mining, farming equipment parts, gears, cables, engines or on any equipment where there is contamination from any oil, grease or oil/grease dirt mixtures.

INOX MX11 Chain & Brake Clean is a fast acting degreaser for removing brake fluid, oil, grease or oil/grease dirt contaminants from chains and brake assemblies (including linings and pads) before or after disassembly, leaving them bone dry and squeaky clean in a matter of minutes with no residue. In instances where the oil/grease and dirt is caked on, a second application maybe required and at the same time it is advisable to use a firm non-metallic bristled cleaning brush to help loosen any caked on contaminant.

 INOX MX11 Chain & Brake Clean is a solvent based cleaner that dries in minutes and leaves no residue.





INOX-M12 PTFE SUPA GLIDE is a fast drying, resin bonded polytetrafluoroethylene dry film lubricant for the coating of timber, metal, plastic, rubber, glass and most other surfaces.

It is designed for low-friction, light load repetitive stresses that allows moving parts to wear longer, work harder and require less maintenance and has applications where other conventional sintered PTFE coatings cannot be considered.

- Excellent lubrication qualities
- Good surface adhesion
- Hard abrasion-resistant surface
- Clean and easy to apply
- Thin film
- Longer wear life than pure PTFE coatings
- Cures at room temperature
- Inhibits corrosion
- Doesn't wash off with water
- Resists contamination from dirt and dust
- Life-long lubrication in many applications



Section F2





Product Code	Description	Size	Ctn Qty	Barcode
MX2-92	MX2 Battery Conditioner	92ml	20	9317550000024
MX2-1	MX2 Battery Conditioner	1 litre	6	9317550000062
MX2-5	MX2 Battery Conditioner	5 litre	4	9317550000079
MX2-20	MX2 Battery Conditioner	20 litre	1	9317550000093
MX3-60	MX3 Lubricant Injector Bottle	60ml	12	9317550000109
MX3-100	MX3 Lubricant- Aero	100gm	24	9317550000031
MX3-125	MX3 Lubricant - Pump Bottle	125ml	12	9317550000086
MX3-300	MX3 Lubricant Aero	300ml	12	9317550000017
MX3-A	MX3 Applicator Spray Bottle	500ml	20	9317550003049
MX3-750	MX3 Lubricant Pump	750ml	12	9317550000147
MX3-5	MX3 Lubricant	5 litre	4	9317550000048
MX3-20	MX3 Lubricant	20 litre	1	93175500000055
MX3-205	MX3 Lubricant	205 litre	1	N/A
MX3FG-300	MX3 Food Grade Lubricant Aero	300ml	12	9317550000116
MX3FG-5	MX3 Food Grade Lubricant	5 litre	4	9317550000123
MX3FG-20	MX3 Food Grade Lubricant	20 litre	1	9317550000130
MX3FG-205	MX3 Food Grade Lubricant	205 litre	1	N/A
				(3)34 (3)49
MX4-300	MX4 Lanox Lubricant Aero	300ml	12	9317550001014
MX4-750	MX4 Lanox Lubricant Pump	750ml	12	9317550001076
MX4-5	MX4 Lanox Lubicant	5 litre	4	9317550001021
MX4-20	MX4 Lanox Lubricant	20 litre	1	9317550001038
MX4-205	MX4 Lanox Lubricant	205 litre	1	N/A
MX4G-500	MX4 Lanox Grease	500gm	12	9317550001045
MX4G-2.5	MX4 Lanox Grease	2.5kg	4	9317550001052
MX4G-20	MX4 Lanox Grease	20kg	1	9317550001069
MX5-30	MX5 Plus PTFE Lub. Injector Bottle	30ml	12	9317550005029
MX5-300	MX5 Plus PTFE Lubricant Aero	300ml	12	9317550005012
MX5-5	MX5 Plus PTFE Lubricant	5 litre	4	9317550005036
MX5-20	MX5 Plus PTFE Lubricant	20 litre	1	9317550005043
MX6-30	PTFE	30gm	16	9317550004053
MX6-BP30	MX6 Food Grade Grease Blister Pack	30gm	16	9317550004060
MX6-250	MX6 Food Grade Grease	250gm	12	9327550004090
MX6-450	MX6 Food Grade Grease Cartridge	450gm	12	9317550004046
MX6-2.5	MX6 Food Grade Grease	22.5kg	4	9317550004022
MX6-20	MX6 Food Grade Grease	20kg	1	9317550004039
MX7-125	MX7 EXtreme Pressure PTFE Paste	125gm	12	9317550007016
MX7-18	MX7 EXtreme Pressue PTFE Paste	18kg	1	9317550007010
IAIV10	INIVA EVILENIE LIESPAG LILE LAPIE	TOKE	1	331/33000/023

Section F2






Product Code	Description	Size	Ctn Qty	Barcode
MX8-300	MX8 PTFE Spray Grease Aero	300gm	12	9317550002059
MX8-400	MX8 PTFE Grease	400gm	12	9317550002066
MX8-450	MX8 PTFE Grease - Cartridge	450gm	12	9317550002011
MX8-500	MX8 PTFE Grease	500gm	12	9317550002028
MX8-2.5	MX8 PTFE Grease Tub	2.5kg	4	9317550002035
MX8-20	MX8 PTFE Grease	20kg	1	9317550002042
MX9-150	MX9 No Chukka Chain Lube Aero	150gm	12	9317550006019
MX9-300	MX9 No Chukka Chain Lube Aero	300gm	12	9317550006026
MX11-500	MX11 Chain & Brake Clean Aero	500ml	12	9317550006033
MX11-20	MX11 Chain & Brake Clean	20 litre	1	N/A
MX12-175	MX12 Supa Glide With PTFE Aero	175gm	12	9317550006040



WD40











WD-40. MULTI-USE PRODUCT, THERE'S ALWAYS ANOTHER USE.



PRODUCT RANGE





WD-40 Handy Can

60g NET / 73.6mL Case No 61136 TUN 193 12240 61136 5 Units per case: 12





WD-40

WD-40 Mini Can

81g NET / 100mL Case No 61173 TUN 193 12240 61173 0 Units per case: 24





WD-40 Handy Can

2 x 6 shrinks

60g NET / 73.6mL Case No 61137 TUN 193 12240 61137 2 Units per case: 12 2 x 6 clip strips





WD-40 Aerosol

300g NET / 372mL Low Odour Case No 61176 TUN 193 12240 61176 1





WD-40 Aerosol

150g NET / 184mL Case No 61101 TUN 193 12240 61101 3 Units per case: 12 2 x 6 shrinks





WD-40 Aerosol

Units per case: 12

425g NET / 521mL EZ-REACH

Case No 61180 TUN 193 12240 61180 8 Units per case: 12





WD-40 Aerosol

255g NET / 312mL Case No 61152 TUN 193 12240 61152 5

Units per case: 6





WD-40 Spray Applicator

Case No 61100 TUN 193 12240 61100 6 Units per case: 12





WD-40 Aerosol

300g NET / 368mL Case No 61103 TUN 193 12240 61103 7 Units per case: 12





WD-40 Bulk

4L Liquid Case No 61114 TUN 193 12240 61114 3 Units per case: 4





WD-40 Aerosol

350g NET / 429mL Smart Straw

Case No 61109 TUN 193 12240 61109 9 Units per case: 12





WD-40 Bulk 20L Liquid

Case No 45020 Single unit





WD-40 Aerosol

425g NET / 521mL Case No 61104 TUN 193 12240 61104 4 Units per case: 12





WD-40 Bulk 200L Liquid

Case No 45200 Single unit





WD-40

PROD# 21001





PROD# 21002



PROD# 21005



PROD# 21003



PROD# 21006



PROD# 21004



PROD# 21007



Section F3

cwbrands.com.au Page 3.3





WD-40 BIKE



Description	Ctn Code	Unit Code	Ctn Qty
WD-40 Bike Chain Lubricant Dry 150g Aerosol*	41109	41009	6
WD-40 Bike Chain & Metal Parts Degreaser 200g Aerosol*	41111	41101	6
WD-40 Bike All Surface Wash 500ml Pump Pack*	41112	41102	6







NATIONAL PRODUCT CATALOGUE

SECTION G- SOLVENTS

web: cwbrands.com.au

email: support@cwbrands.com.au



PACER SOVENTS





METHYLATED SPRITS

Use as a general cleaner, glass & window cleaner, stain remover or as a fuel

Product #	Description	Size	Barcode
PMS1	PACER METHYLATED SPRITS	1 Litre	9340885004870
PMS4		4 Litre	9340885004887
PMS20		20 Litre	9340885006720
PMS200		200 Litre	N/A



MINERAL TURPS

Suitable for cleaning paint brushes & rollers, thinning oil base paint & preparing surfaces prior to painting

Product #	Description	Size	Barcode
PMT1	PACER MINERAL TURPENTINE	1 Litre	9340885004894
PMT4		4 Litre	9340885004900
PMT20		20 Litre	9340885004917
PMT200		200 Litre	N/A



KEROSENE

Suitable for use as a fire starter, kero heater and lamp fuel, surface cleaner & engine degreaser

Product#	Description	Size	Barcode
PEK1	PACER KEROSENE	1 Litre	9340885005778
PEK4		4 Litre	9340885005785
PEK20		20 Litre	





WHITE SPRITS

Suitable as a dry cleaning fluid or for carpet cleaning and spot removal

Product#	Description	Size	Barcode
PWS1	PACER WHITE SPIRITS	1 Litre	9340885004924
PWS4		4 Litre	9340885004931
PWS20		20 Litre	9340885009813



ISOPROPYL ALCOHOL

Isopropyl alcohol is a clear, colourless solvent and is miscible in water and hydrocarbon solvents. The flashpoint of isopropyl alcohol is 12°C with a fast evaporation rate. Isopropyl Alcohol is a multi-purpose surface cleaner suitable for a wide variety of uses.

Product#	Description	Size	Barcode
PIPA20	PACER ISOPROPYL ALCOHOL 20LT	20 Litre	9340885009837



WAX & GREASE REMOVER

Product#	Description	Size	Barcode
PWGR1	PACER P08 WAX & GREASE REMOVER	1 Litre	9340885005891
PWGR4		4 Litre	9340885005907
PWGR20		20 Litre	9340885009820
PWGR200		200 Litre	N/A



Section G1

cwbrands.com.au Page 1.2



2K THINNERS

Product#	Description	Size	Barcode
P2K1	PACER F60 2K THINNERS	1 Litre	9340885005914
P2K4		4 Litre	9340885005921
P2K20		20 Litre	9340885009899
P2K200		200 Litre	N/A



ALL PURPOSE THINNERS

Product#	Description	Size	Barcode
PAPT1	PACER F57 ALL PURPOSE THINNERS	1 Litre	9340885005853
PAPT4		4 Litre	9340885005860
PAPT20		20 Litre	9340885009912
PAPT200		200 Litre	N/A



ACRYLIC THINNERS

Product#	Description	Size	Barcode	
PAT1	PACER F59 ACRYLIC THINNERS	1 Litre	9340885005839	
PAT4		4 Litre	9340885005846	
PAT20		20 Litre	9340885009882	





ENAMEL THINNERS

Product#	Description	Size	Barcode
PET1	PACER F51 ENAMEL THINNERS	1 Litre	9340885005877
PET4		4 Litre	9340885005884
PET20		20 Litre	9340885009875
PET200		200 Litre	N/A



ACETONE

Product#	Description	Size	Barcode
PA1	PACER F62 ACETONE 1 LT	1 Litre	9340885005815
PA4	PACER F62 ACETONE 4 LT	4 Litre	9340885005822
PA20	PACER F62 ACETONE 20 LT	20 Litre	9340885009905
PA200	PACER F62 ACETONE 200 LT	200 Litre	N/A



GUN WASH

Product#	Description	Size	Barcode
PGW4	PACER F49 GUNWASH 4 LT	4 Litre	9340885002036
PGW20	PACER F49 GUNWASH 20 LT	20 Litre	9340885009929
PGW200	PACER F49 GUNWASH 200 LT	200 Litre	N/A





P55 BRAKE CLEANER

A highly volatile hydrocarbon solvent that performs well in situations requiring a solvent that evaporates quickly with no residue.

- Fast drying.
- Can be used as a low residue contact cleaner.
- A low flash point solvent that evaporates quickly.
- P55 has high solvency of greases and oils.



SOLVENT ENGINE DECREASER

Pacer Engine Degreaser is a multi-purpose, high flash point solvent degreaser. Ideal for use in automotive workshops including parts cleaning, drilling rigs and mining equipment, marine applications such as engine degreasing and bilge and farm equipment cleaning.







PAINT STRIPPER









PAINT STRIPPER

Super powerful for rapid results. A unique blend of solvents that work quickly to break down and blister the bonds that hold the paint film together, thus getting an effective stripping action. It is clear in col-our.

250ml · 500ml · 1 litre · 4 litre · 20 litre

Product (Code Descrip	otion Size	Ctn Qty	Barcode
ANCHOR P	AINT STRIPPER			
APS250	Anchor 1 Shot Paint Strippe	er 250ml	12	9326088000505
APS500	Anchor 1 Shot Paint Strippe	er 500ml	12	9317352512541
APS010	Anchor 1 Shot Paint Strippe	er 1 litre	6	9326088000580
APS040	Anchor 1 Shot Paint Strippe	er 4 litre	4	9326088000573
APS020	Anchor 1 Shot Paint Strippe	er 20 litre	1	N/A

Section G2 cwbrands.com.au







P04 Paint Stripper

Pacer Paint Stripper is a fast acting paint and varnish remover. It will completely remove most paint and varnish from most surfaces. Suitable for removal of 2 pack and single pack paints including automotive 2 pack epoxy, automotive acrylic, water based acrylics, architectural, automotive and industrial enamels, nitrocellulose lacquers, single and 2 part polyurethanes, varnishes and numerous other coatings. Available in Aerosol, 1 litre and 4 litre



Product No.	Pack Size	Carton Qty.
QS400	400 gram	12
QS1	1 Litre	6
QS4	4 Litre	4



NATIONAL PRODUCT CATALOGUE


SECTION H - CLEANING & HYGIENE

web: cwbrands.com.au

email: support@cwbrands.com.au



HAND & SKIN CARE





Septone® Protecta Grit

SEPTONE

Description: Septone Protecta Grit is an extra heavy duty, industrial solvent hand cleaner, formulated to remove ingrained deposits of grease, oil, metal dust, coal dust and most industrial soils. Its waterless formula contains pumice abrasive for fast cleaning ability, combined with aloe vera, lanolin and jojoba oil to help moisturise the skin.

Features & Benefits:

- · Waterless, solvent based
- · Silicone free
- Contains pumice
- · Removes ingrained dirt & grime
- Contains skin conditioners & moisturisers

Area of Application:

- · Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers

Product No.	Pack Size	Carton QTY.
IHPG500	500 g	12
IPOD3GR	3 L	4
IHPG4	4 L	4
IHPG20	20 Ka	FACH



Septone® Orange Scrub

SEPTONE

Description: Septone Orange Scrub is a biodegradable hand cleaner containing high quality citrus oils and fast working pumice abrasive. It is designed to remove most industrial soils including, grease, oil, dirt, mud, coal dust and solvents. Septone Orange Scrub is pH controlled and contains moisturisers to leave your hands clean and fresh.

Features & Benefits:

- Citrus based with natural fragrance
- Waterless
- · Contains pumice
- · Silicone free
- Removes grease, oil, dirt, mud and tree sap

Area of Application:

- · Trade/household use
- Mechanical, industrial workshops
- Mining, construction, fishing industries

Product No.	Pack Size	Carton QTY.
IHOS500	500 mL	12
IHOS2	2.5 L	3
IPOD30	3 L POD	4
IHOS5	5 L	4
IHOS20	20 L	EACH





PERMATEX FAST ORANGE



Description: Permatex Fast Orange is a natural, biodegradable, waterless hand cleaner containing no petroleum solvents. It effectively cleans hands with natural citrus and fine pumice and soothes raw rough hands with its skin conditioners including aloe vera, lanolin, glycerine and jojoba oil.

Features & Benefits:

- Natural citrus
- Waterless
- · Contains pumice
- Deep cleans tough dirt, oil & grime
- · Contains skin conditioners

Area of Application:

- · Trade/household use
- Construction sites, industrial workshops



Product No.	Pack Size	Carton QTY.
PX25122	443 mL	12
PX25217	1.8 L	6
PX25218	3.78 L	4
PX95185	20 L	EACH

SEPTONE ELIMINATOR



Description: Septone Eliminator is a specialty hand cleaner designed specifically to remove paints, adhesives and resin based products including acrylics, enamels, urethanes, epoxies, 2-pack paints, marine and household paints, varnishes and stains, body fillers and sealants. Septone Eliminator's unique formula also contains fast working pumice and moisturisers to help prevent dry skin.

Features & Benefits:

- Unique hydrocarbon solvent free formula
- · Waterless, silicone free
- Contains pumice
- Removes a wide range of paints, resins & adhesives
- Pleasant fragrance

Area of Application:

- Trade/household use
- Automotive refinish, construction, furniture & paint trades

Product No.	Pack Size	Carton QTY.
IHPE500	500 mL	12
IHPE4	4 L	4



Section H1

cwbrands.com.au Page 1.2



SEPTONE PROTECTA GRIT

SEPTONE

Description: Septone Protecta Grit is an extra heavy duty, industrial solvent hand cleaner, formulated to remove ingrained deposits of grease, oil, metal dust, coal dust and most industrial soils. Its waterless formula contains pumice abrasive for fast cleaning ability, combined with aloe vera, lanolin and jojoba oil to help moisturise the skin.

Features & Benefits:

- · Waterless, solvent based
- · Silicone free
- · Contains pumice
- · Removes ingrained dirt & grime
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers



Product No.	Pack Size	Carton QTY.
IHPG500	500 g	12
IPOD3GR	3 L	4
IHPG4	4 L	4
IHPG20	20 Kg	EACH

SEPTONE PROTECTA PINK

SEPTONE"



SEPTONE Protecta Pink

Description: Septone Protecta Pink is a heavy duty, industrial solvent hand cleaner formulated to remove grease, oil, metal dust, coal dust and most heavy industrial soils. Its smooth, waterless formula, provides fast cleaning ability, combined with aloe vera, lanolin and jojoba oil for added skin protection and moisturising.

Product No.	Pack Size	Carton QTY.
IHPP500D	500 mL P/PK	12
IHPP500R	500 mL REFILL	12
IPOD3P	3 L POD	4
IHPP4	4 L	4
IHPP20	20 Kg	EACH

Features & Benefits:

- Solvent based
- Waterless
- Silicone free
- Cleans dirt, oil & grimeContains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers



SEPTONE ORANGE SCRUB

SEPTONE

Description: Septone Orange Scrub is a biodegradable hand cleaner containing high quality citrus oils and fast working pumice abrasive. It is designed to remove most industrial soils including, grease, oil, dirt, mud, coal dust and solvents. Septone Orange Scrub is pH controlled and contains moisturisers to leave your hands clean and fresh.

Features & Benefits:

- Citrus based with natural fragrance
- Waterless
- · Contains pumice
- · Silicone free
- Removes grease, oil, dirt, mud and tree sap

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mining, construction, fishing industries



Product No.	Pack Size	Carton QTY.
IHOS500	500 mL	12
IHOS2	2.5 L	3
IPOD30	3 L POD	4
IHOS5	5 L	4
IHOS20	20 L	EACH

SEPTONE CITRA SCRUB





SEPTONE

Citra Scrub

Description: Septone Citra Scrub is a heavy duty, waterless, hand cleaner containing citrus oils, formulated to remove most industrial soils including, grease, oil, dirt, mud, solvents and coal dust. It contains natural scrubbers to gently remove ingrained soils with added moisturisers to help prevent dry skin.

Product No.	Pack Size	Carton QTY.
IHCS500	500 mL	12
IHCS4	4 L	4
IHCS20	20 Kg	EACH

Features & Benefits:

- Waterless, citrus based
- Silicone free
- Contains natural scrubbers
- Removes ingrained dirt & grime
- Contains skin conditioners & moisturisers

Area of Application:

- Trade/household use
- Mechanical, industrial workshops
- Mines, construction sites, fishing trawlers



PROTECTA GOLD



Description: Protecta Gold Hand Cleaner represents the next generation of industrial strength hand cleaners. It will remove most heavy industrial soils including oils, greases, dirt, dusts, mud, coal dusts and solvents just as efficiently as traditional solvent-based hand cleaners. It therefore finds applications in mechanical and industrial workshops, on building sites, on the farm, on oil rigs, on fishing trawlers, in mines and by the handy-

Part	Pack Size	Carton Qty
IHGO5	5 Litre	4
IHGO20	20 Litre	Each



PROTECTA SAN



Septone Protecta San is a sanitising antibacterial liquid hand cleaner designed for use in the following industrial situations: food processing plants, canteens, restaurants, kitchens, kindergartens and schools, nursing homes, effluent and waste disposal sites, janitors and industrial washrooms. Use Protecta San to clean the hands before handling food or after handling or cleaning up waste which may be microbiologically contaminated.

Part	Pack Size	Carton Qty
IHPS500	500 MI	12
IHPS500	5 Litre	4



PROTECTA WASH





SEPTONE Protecta Wash

Description: Septone Protecta Wash is a pleasantly fragranced liquid washroom hand cleaner, which produces a rich foamy lather, combined with a gentle cleansing action, to remove most household soils including dirt, mud, dust and kitchen residues. Septone Protecta Wash is pH balanced, contains no solvents and is soap free.

Product No.	Pack Size	Carton QTY.
IHPW500	500 mL	12
IHPW5	5 L	4
IHPW20	20 L	EACH
IPODPW1	1 L POD	6

Section H1

Features & Benefits:

- Pleasantly fragranced
- · Produces rich foamy lather
- · Gentle cleansing action
- · Low irritancy, soap-free, solvent free
- · Contains moisturisers

Area of Application:

- · Commercial/household use
- · Washrooms/bathrooms
- · Childcare, nursing homes, office

cwbrands.com.au



NATURE CLEAN





SEPTONE Nature Clean

Description: Septone Nature Clean is a solvent free, silicone free, water based, hand cleaner designed to remove most soils including dirt, dusts and greases. Septone Nature Clean can be used in hard water, sea and bore water. It contains natural scrubbers to gently remove dirt and with regular use can help prevent industrial dermatitis.

Product No.	Pack Size	Carton QTY.
IHNC5D	5 L P/PK	4
IHNC20	20 L	EACH

Features & Benefits:

- · Solvent free formula
- · Silicone free
- · Contains natural scrubbers
- pH controlled, low irritancy
- Helps prevent industrial dermatitis

Area of Application:

- · Trade/household use
- Mining, construction, fishing industries

LASTING EARTH LOTION SOAP



Lasting Earth Lotion Soap is a pleasantly fragranced washroom hand lotion which produces a rich dense lather combined with a gentle cleansing action. Lasting Earth Lotion Soap is ideal for use in washrooms in offices, factories, warehouses, shopping centres, public buildings and other locations, and is designed to remove most domestic and light industrial soils including dirt, mud, dust and kitchen residues.

Part	Pack Size	Carton Qty
IHPLES5	5 Litre	4



PROTECTA CARE CREAM

SEPTONE"

Protecta Care After work skin repair cream helps skin damaged by hard work to repair itself and maintain its protection from the environment. Protecta Care is designed to replace the fatty acid mantle that work and washing remove. The regular use of Protecta Care will provide long-term protection against industrial dermatitis. The pH of Protecta Care matches that of the skin and hence provides a high degree of skin compatibility. Protecta Care contains Lanolin and Allantoin which actively participate in the skin's protective mechanism by promoting and accelerating the healthy natural processes of the skin

Part	Pack Size	Carton Qty
ISPC500	500 MLS	12





PROTECTA GUARD BARRIER





SEPTONE

Protecta Guard

Description: Septone Protecta Guard is a silicone free, nongreasy, non-irritant barrier cream designed to protect skin from dry powders, dusts, oils, greases and solvents. It is insoluble from most petroleum derived solvents and provides a high degree of protection against paints, greases, adhesives, oils and fuels.

Product No.	Pack Size	Carton QTY.
ISPG500	500 mL P/PK	12

Features & Benefits:

- · Solvent resistant barrier cream
- · Silicone free
- Non-greasy, non-irritant
- · Contains moisturisers
- · Helps prevent industrial dermatitis


Area of Application:

- Trade/household use
- · Automotive, mechanical, industrial workshops
- · Mining, construction

PROTECTA PLUS BARRIER



Protecta Plus is a non-greasy, non-irritant barrier cream designed to protect the skin from water, moisture and from water-borne irritants. These irritants include acids, alkalis, electrolyte solutions and wet soils. Protecta Plus is highly water repellent, even after long periods of contact with water.











Solvol for tough dirt and grime is the heavy-duty hand cleaner that's ideal for cleaning ingrained dirt, grease, oil, paint, ink and solvents.

Part	Description	Carton Qty
71050	SOLVOL LIQUID HAND SOAP 500ML	12
71026	SOLVOL LIQUID HAND SOAP 4.5 LITRES	2

Page 1.8 cwbrands.com.au



HEAVY DUTY CLEANING & DEGREASING







TR50 Brick tile and paver cleaner

- Rapidly cleans brick & concrete, quarry and wall tiles, rubber, vinyl, plastic and metal surfaces
- Lifts and removes residual grease and stains on concrete driveways and garage floors without damage to surface
- Removes soap scum build-up in showers
- Excellent pre-treatment for concrete prior to painting or tiling
- Removes compo and slurry stains from bricks, blocks and tiles
- Cleans BBQ area and pool surrounds
- Brings bare metals such as brass and stainless steel back as new again

Product No.	Pack size	Carton Qty
TR50-1L	1 Litre	6
TR50-5L	5 Litre	4





CT82 Brick tile and paver cleaner

- Removes oil, grease and grime from concrete driveways & paths, lube bays and workshop floors
- Safe to use on coloured concrete at recommended dilution rate
- Biodegradable & non-toxic
- Water based cleaner/degreaser
- Concentrated for maximum economy
- Non flammable
- Can be diluted for general maintenance cleaning and degreasing
- Does not affect plastic, rubber, glass and most metals

Product No.	Pack size	Carton Qty
CT82-1L	1 Litre	6
CT82-5L	5 Litre	4



RUO-1L Brick tile and paver cleaner

- Effectively removes and cleans rust from all rusted metal surfaces including chrome, alloy, stainless steel, wrought ironwork, roof and gutters, machine parts, tools, nuts and bolts
- Cleans and removes red soil, bore water and water stains from concrete, pavers and terrazzo tiles
- Cleans and removes rust and rust stains from all metal, fibreglass, gel coat, rubber and timber surfaces
- For use in home and building, automotive and marine applications
- Excellent for etching concrete and new galvanising prior to over coating
- Penetrates and cleans most vanadium, magnesium and other burnt brick stains caused by commonly used acid cleaners

Product No.	Pack size	Carton Qty
RUO-1L	1 Litre	6









Blitz Aluminium Cleaner

Cleans stains and oxidation from aluminium, stainless steel and other bare metal surfaces, leaving a clean matt finish

Product No.	Pack size	Carton Qty
CBZ-1L	1 Litre	6
CBZ-5L	5 Litre	4
CBZ-20L	20 litre	Each



SEPTONE Ali Brite Aluminium Cleaner

Ali Brite is a highly effective etching type acid cleaner designed primarily for the cleaning of aluminium in industrial situations. It is most commonly used on aluminium trailer bodies (pantechnicons), aluminium tanks, aluminium bull bars and aluminium dinghies. Ali Brite is also highly effective in cleaning stainless steel. Ali Brite removes corrosion products and oxide films with minimal attack on the substrate and reduced localised pitting.

Product No.	Pack size	Carton Qty
ATA1	1 Litre	6
ATA5	5 Litre	4
ATA20	20 litre	Each



SEPTONE Hydroclean Concrete Truck Cleaner

Hydroclean is a thickened inhibited hydrochloric acid based cleaner incorporating a surfactant for reduced fuming. As a concrete cleaner, Hydroclean removes concrete residues from concrete truck bowls and associated equipment and removes excess concrete and mortar from brickwork. As a descaler, Hydroclean removes excessive scale build up from heat exchangers, boilers, condensors, radiators and associated pipework. Hydroclean may be used in conventional acid pickling operations involving mild and low carbon steels, alloys and more reactive steels. Other uses include the de-soaping of laundry machines and the descaling of coffee and tea urns. Hydroclean is safe for use on any type of steel.

Product No.	Pack size	Carton Qty
ATHC20	20 litre	Each





SEPTONE Parts wash equipment cleaner

Parts Wash is an economical solvent cleaner especially suited for use in industrial parts washers. It will degrease and clean many hard surfaces including metals of most greases, oils and light deposits of gums and varnishes, and then evaporates to dryness. Because it contains a high flash point (65 degrees Celsius minimum) hydrocarbon solvent, it meets the Australian Petroleum Institute standards for use in parts washer equipment requiring AS1940 Class C solvents.

Product No.	Pack size	Carton Qty
ADPW20	20 litre	Each



₩ACER Solvent Degreaser

Pacer Engine Degreaser is a multi-purpose, high flash point solvent degreaser. The high flash point and moderate aromatic content of the solvent base makes Pacer Engine Degreaser is ideal for use in automotive workshops including parts cleaning, drilling rigs and mining equipment, marine applications such as engine degreasing and bilge and farm equipment cleaning.

Product No.	Pack size	Carton Qty
PED20	20 litre	Each



SEPTONE Heavy duty solvent degreaser

Degreaser is a 100% active quick break solvent based emulsifiable degreasing cleaning fluid suitable for removing heavy deposits of grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges. The quick break property of Degreaser ensures that the emulsified grease and oil readily separates in a grease trap, allowing the resultant water layer to be drained to the sewer as treated trade waste.

Degreaser will not affect painted surfaces, will not cause streaking and is free-rinsing. It is safe to use on paint, steel, aluminium, glass, rubber, chrome, vinyl and most plastics.

Product No.	Pack size	Carton Qty
ADD1	1 Litre	12
ADD20	20 Litre	Each






SEPTONE Oilsolve degreaser

Oilsolve Degreaser is a 100% active quick break solvent based emulsifiable degreasing cleaning fluid suitable for removing heavy deposits of grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges.

The quick break property of Oilsolve Degreaser ensures that the emulsified grease and oil readily separates in a grease trap, allowing the resultant water layer to be drained to the sewer as treated trade waste.

Oilsolve will not affect painted surfaces, will not cause streaking and is free-rinsing. It is safe to use on paint, steel, aluminium, glass, rubber, chrome, vinyl and most plastics.

Product No.	Pack size	Carton Qty
ADO20	20 Litre	Each
ADD200	200 Litre	Each



SEPTONE Degrease It

Degrease-it is a concentrated, solvent-free, phosphate-free, biodegradable water based degreaser formulated to remove heavy deposits of grease, oil, dirt and grime from machinery, engines, concrete floors and most badly soiled substrates. The quick break property of Degrease-it ensures that the emulsified grease and oil rapidly separate in a grease trap, allowing the resultant water layer (after pH post-treatment) to be drained to the sewer as treated trade waste. The surfactants contained in this product exhibit low aquatic toxicity.

Product No.	Pack size	Carton Qty
ADDI5	5 Litre	4
ADDI20	20 Litre	Each
ADDI200	200 Litre	Each

SEPTONE Degrease All

Degrease-All is a biodegradable, phosphate-free, water based degreaser formulated to remove heavy deposits of grease, oil, dirt and grime from machinery, engines, lawn mowers, outboards, concrete floors and most badly soiled substrates. Degrease-All contains sodium hydroxide and alkaline builders to efficiently penetrate and cut through grease, and its combination of biodegradable surfactants and a water-miscible solvent help to remove the grease during the hosing-off operation. The emulsified grease then quickly breaks from the aqueous layer when collected in a grease-trap, and the aqueous layer can be safely drained to the sewer.

Product No.	Pack size	Carton Qty
ADDA5	5 Litre	4









Superclene citrus degreaser

Superclene is a heavy duty general purpose cleaner/degreaser concentrate possessing quick break properties. It's unique combination of biodegradable natural orange oil extract, anionic and nonionic surfactants and powerful builders combine to give excellent performance in almost any application. When diluted as recommended, it can be used for virtually any cleaning application, including degreasing, heavy duty vehicle washing, workshop floor cleaning and the cleaning of trawlers and oil rigs. The guick break property of Superclene ensures that the emulsified grease and oil rapidly separate in a grease trap, allowing the resultant water layer (after pH post-treatment) to be drained to the sewer as treated trade waste.

Product No.	Pack size	Carton Qty
HSS5	5 Litre	4
HSS20	20 Litre	Each
HSS200	200 Litre	Each





CT14 Engine and Bilge Degreaser

Chemtech CT14 is a concentrated water based degreaser that is a safe, environmentally friendly and an economical alternative to solvent based degreasers. It is non toxic, non flammable, biodegradable and will not promote rust. Chemtech CT14 converts oil and grease into water soluble products that do not contain the hydrocarbons associated with solvent degreasers. 1L makes up to 20L

Product No.	Pack size	Carton Qty
CT14-1L	1Litre	12
CT14-5L	5 Litre	4
CT14-20L	20 Litre	Each
CT14-200L	200 Litre	Each





Chemlech CWD workshop degreaser

Ready to use, water based, biodegradable, heavy duty degreaser that converts oil & grease into a water soluble solution. Great in the workshop or home for engines, lube bays, walls and concrete floors.

Product No.	Pack size	Carton Qty
CWD-5L	5 Litre	4
CWD-20L	20 Litre	Each
CWD-200L	200 Litre	Each





Chemiech Shock Treatment

RL Shock Treatment is a specially formulated heavy duty biodegradable degreaser. This water based, non-flammable degreaser is suitable for all types of engines, equipment parts and driveways. Safe to use on plastic, rubber, glass and most metals and alloys.

Product No.	Pack size	Carton Qty
STR-5L	5 Litre	4
STR-20L	20 Litre	Each
STR-200L	200 Litre	Each





HYGIENE & GENERAL CLEANING







EXERTIONS Lemon X-5 Commercial Grade Disinfectant

Description: Septone Lemon X-5 is a quaternary ammonium compound disinfectant cleaner, containing a lingering fresh lemon fragrance. It can be used to disinfect and clean floors, walls, sinks, baths, shower recesses, toilet bowls, urinals, tiles and for any situation which requires control of bacterial contamination of surfaces or equipment.

Product No.	Pack Size	Carton QTY.
HDLX5	5 L	3
HDLX20	20 L	EACH

Features & Benefits:

- · Concentrated commercial grade formula
- Biodegradable, pH Neutral
- · Fresh, long-lasting lemon fragrance
- · Disinfects and cleans
- · Safe on paint, polished floors and hard surfaces

Area of Application:

- · Commercial/household use
- · Hard surfaces
- · Sponge/spray/mop



SEPTONE Pinearoma

Description: Septone Pinearoma is a quaternary ammonium compound disinfectant cleaner, effective against a wide range of microorganisms. It kills organisms which cause malodours making it an effective deodoriser providing a pleasant residual pine fragrance. Septone Pinearoma will not affect paint, polished surfaces, enamel, stainless steel, glass, leather, ceramics, laminates, wood or plastics.

Product No.	Pack Size	Carton QTY.
HDP5	5 L	3
HDP20	20 L	EACH

Features & Benefits:

- · Concentrated commercial grade formula
- Biodegradable, pH Neutral
- · Disinfects and cleans
- · Effective deodoriser
- · Safe on paint, polished floors and hard surfaces

Area of Application:

- · Commercial/household use
- Hard surfaces
- · Sponge/spray/mop



SEPTONE Forest Pine

Forest Pine Disinfectant is a liquid quaternary ammonium based disinfectant cleaner which disinfects and cleans all hard surfaces and leaves the disinfected surface with a lingering clean, fresh pine fragrance. Forest Pine Disinfectant contains a powerful biodegradable surfactant capable of removing fats, oils, greases and general dirt and grime, and the disinfectant in Forest Pine Disinfectant is capable of killing most bacteria and microorganisms. Forest Pine Disinfectant has been designed to pass the TGA test for a commercial/household grade disinfectant at a dilution rate of 1:60.

Product No.	Pack size	Carton Qty
HDFP5	5 Litre	3
HDFP25	25 Litre	Each



cwbrands.com.au



SEPTONE Lemon Grass

Lavender Fresh is a quaternary ammonium compound disinfectant cleaner. Lavender Fresh can be used to disinfect and clean floors, bench tops, walls, sinks, baths, shower recesses, toilet bowls, urinals and tiles in schools, shopping centres, nursing homes, transport terminals and any situation which requires the control of bacteria contamination of surfaces and equipment. Lavender Fresh's powerful biodegradable nonionic surfactant provides the cleaning power to remove most dirt, grime, fats, oils and grease from washable surfaces when applied by brush, mop, machine or by hand.

Product No.	Pack size	Carton Qty
HDLG25	25 Litre	Fach



Spray & wipe

Septone Antibacterial Spray & Wipe removes smears, finger marks, biro and water based ink marks, smog, tobacco tar residues and other soil deposits from hard surfaces. It produces a sparkling, streak-free finish and leaves behind a zesty lingering lemon fragrance. It may safely be used on laminated surfaces, whitegoods, walls, porcelain, chrome and stainless steel surfaces, ceramic tiles and glass including windows and mirrors. Spray & Wipe will not damage paintwork, upholstery or rubber. However, prior to use on clear plastic surfaces such as Perspex, acrylic or polycarbonate, perform a spot test on an inconspicuous area in order to ascertain whether or not the Spray & Wipe attacks the plastic. Spray & Wipe does not contain ammonia, and is therefore suitable for use by people who react adversely to ammonia mists. The surfactant contained in Spray & Wipe is biodegradable. Spray & Wipe has also been designed to pass the TGA test for a commercial/household grade disinfectant when used direct from the container.

Product No.	Pack size	Carton Qty
HGSW750	750 trigger	12
HGSW5	5 litre	3
HGSW20	20 litre	Each



SEPTONE Neutral Lemon Multi Purpose Cleaner

Neutral Lemon is a non-alkaline multi-purpose cleaner and is capable of performing a wide variety of cleaning jobs. It is especially suited to the daily maintenance cleaning of polished floors, because it effectively cleans the floor without affecting the polish. Neutral Lemon is safe to use on most washable surfaces, including floors, walls, benches, vinyl, plastic, paintwork, upholstery, windows, mirrors, stainless steel and woodwork. Neutral Lemon contains a vibrant lemon fragrance.

Product No.	Pack size	Carton Qty
HFNL5	5 Litre	3
HFNL20	20 Litre	Each



SEPTONE Ultra Lime Hand Dishwashing Liquid

Septone Ultra Lime is a concentrated manual dishwashing liquid. Ultra Lime will quickly and easily remove grease, fats, oils and food residues from crockery, cutlery, glassware, utensils, plasticware, wooden articles or pots and pans without affecting the tableware or cookware

Product No.	Pack size	Carton Qty
HKUL5	5 Litre	3
HKUL20	20 Litre	Each





SEPTONE Wash Up Dishwashing Liquid

Wash Up is an economical manual dishwashing liquid. Wash Up will quickly and easily remove grease, fats, oils and food residues from crockery, cutlery, glassware, utensils, plastic ware, wooden articles or pots and pans without affecting the tableware or cookware. Wash Up may also be used as a multipurpose cleaner and is capable of performing a wide variety of cleaning jobs. It may be used on polished floors, painted surfaces, laminates, stainless steel, ceramic tiles, vinyl, glass or plastic surfaces without harming such surfaces. Due to its mild pH, it is especially suited to the cleaning of floors polished with metallic cross-linked acrylic floor polishes which can be badly affected or even removed by alkaline cleaning agents

Product No.	Pack size	Carton Qty
HKWU5	5 Litre	3
HKWU25	25 Litre	Each



Pacific Breeze anti bacterial cleaner & odour control

Pacific Breeze is specifically designed to reduce unpleasant emissions in sewage treatment plants, abattoirs, waste disposal sites, compactors, waste bins and grease traps. Unlike some odour masking compounds, Pacific Breeze, with its potent masking fragrance, not only masks malodours; but it also contains a disinfectant which eradicates the organisms that generate malodours. Pacific Breeze has been formulated using a biodegradable surfactant and may safely be used in the deodorising of septic systems. Pacific Breeze may also be used as a commercial /household grade disinfectant.

Product No.	Pack size	Carton Qty
HSPB5	5 Litre	3
HSPB20	25 Litre	Each



SEPTONE Bactrasan no rinse sanitiser

Bactrasan is a powerful liquid quaternary ammonium based product with exceptional sanitising and fungicididal properties. Bactrasan may be used in the sanitising of previously cleaned food processing equipment in the food manufacture, brewing, cordial and soft drink industries, as well as in abattoirs, restaurants and canteens. Use Bactrasan for mould control in cool rooms - treatment using Bactrasan once every six months will provide residual fungistatic activity to satisfactorily control mould growth. Bactrasan may also be used for the sterilisation of water in foot baths as a means of controlling tinea and other fungal diseases.

Product No.	Pack size	Carton Qty
HSB5	5 Litre	3





Superclene citrus degreaser

Superclene is a heavy duty general purpose cleaner/degreaser concentrate possessing quick break properties. It's unique combination of biodegradable natural orange oil extract, anionic and nonionic surfactants and powerful builders combine to give excellent performance in almost any application. When diluted as recommended, it can be used for virtually any cleaning application, including degreasing, heavy duty vehicle washing, workshop floor cleaning and the cleaning of trawlers and oil rigs. The quick break property of Superclene ensures that the emulsified grease and oil rapidly separate in a grease trap, allowing the resultant water layer (after pH post-treatment) to be drained to the sewer as treated trade

Product No.	Pack size	Carton Qty
HSS5	5 Litre	3
HSS20	20 Litre	Each



SEPTONE RL 70, Calcium, Lime & Rust remover

Septone R.C.L. 70 is a powerful acid cleaner suitable for the cleaning and descaling of surfaces such as stainless steel, steel, brass, copper, ceramic and glass. R.C.L. 70 will remove rust, calcium and lime deposits from food processing equipment found in hotels, breweries and dairies; and restaurant equipment such as hot water urns, bain maries and dishwashing machines.

Product No.	Pack size	Carton Qty
HSRCL5	5 Litre	3
HSRCL20	20 Litre	Each



SEPTONE Bright Bowl toilet bowl & urinal cleaner

Bright Bowl is a pleasantly fragranced, biodegradable, thickened acidic cleaner formulated to clean and disinfect toilet bowls, urinals and rest room floors. Bright Bowl is suitable for use on all rest room surfaces, including porcelain, stainless steel, ceramic tiles, plastic, glass and concrete, and the product when diluted as recommended is also suitable for use on painted surfaces. The phosphoric acid contained in Bright Bowl will remove rust stains and brighten stainless steel, the specialty biodegradable surfactant will remove organic matter and slime whilst simultaneously inhibiting corrosion, and the quaternary ammonium compound will disinfect the cleaned surfaces.

Product No.	Pack size	Carton Qty
HDBB5	5 Litre	3
HDBB20	20 Litre	Each





SEPTONE C Thru glass cleaner

C-Thru removes smears, finger marks, smog, tobacco tar residues and other soil deposits, leaving a sparkling, streak-free finish. It may safely be used on glass windows, windscreens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. C-Thru will not damage paintwork, upholstery or rubber.

Product No.	Pack size	Carton Qty
AVCT750	750 Trigger	12
AVCT5	5 Litre	4
AVCT20	20 Litre	Each





SEPTONE Kleengloss glass cleaner

Kleengloss is a concentrated glass and window cleaner which may be used neat or diluted with water at a ratio of up to 5:1, as required. It removes smears, finger marks, smog, to-bacco tar residues and other soil deposits, leaving a sparkling, streak-free finish; and may safely be used on glass windows, windscreens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. Kleengloss will not damage paintwork, upholstery or rubber.

Product No.	Pack size	Carton Qty
AVK20	20 Litre	Each





DISPENSERS & SPRAY BOTTLES





SPRAY APLICATOR BOTTLES





WD-40 Spray Applicator 500ml Capacity - 500 ml

Designed for WD-40 Multipurpose Liquids. Safe and easy to handle

Product Number 62111





The **500ML Inox Trigger Spray Bottle** is the perfect addition for use with Inox or Lanox 5L or 20L. This quality Spray bottle will eliminate mess and ensure you get the job completed with ease. This Spray bottle can also be used for a range of different purposes around the job or home.

Product Number MX3-A



SEPTONE

Septone 750Ml spray bottle dispenses variety of products. Made from recyclable plastic material. Coupled with Septone spray trigger.

Product Number HZPB22

Septone Spray Trigger 750ml

Product Number HZSASTD



DRUM PUMPS



SEPTONE

Septone 5 Litre drum pump is Suitable for all standard 5L Plastic Bottles. Suitable for use with hand cleaners, scrubs & pumice.

Product Number: IZ5LP

Plastic Pump to suit 20kg Pails (Suits Protecta Grit, Citra Scrub AND Protecta Pink Hand Cleaner by Septone)

Product number IZ20LP

WALL BRACKETS



SEPTONE

Metal wall bracket for 5 litre bottles

Product Number IZWB45L



Metal wall bracket for 500ml pump packs:

Product Number IZWB500

DETERGENT FOAM GUN

Spray-V Heavy Duty Foam Gun accurately mixes and sprays concentrated foaming detergents for cleaning all types of trucks, trailers, cars, canopies & other equipment Simply connect to garden hose using town water supply Economical way to clean vehicles & equipment.

Product Number: SPRAY-V







BROOMS MOPS & BRUSHES







INDOOR BROOMS

Jiffy Broom

Compact indoor broom with soft bristles for great results.

SAB2505

- Thin soft bristles with flagged ends to collect even the finest dirt & dust particles for a thorough sweep
- Soft bristles afford greater control
- Broom head length 250mm



Large area indoor broom

SAB59054

- Features a blend of soft polypropylene & natural fibres
- · Ideal for sweeping fine dirt & dust from smooth surfaces
- Excellent for large areas such as halls & gymnasiums
- Reversable head—rotate to ensure even wear





OUTDOOR BROOMS

Premium Outdoor Broom

Premium, Sturdy and durable.

- Sturdy, durable bristles to cope with outdoor sweeping needs
- Features flagged ends to collect even the finest dirt & dust particles for a thorough sweep







INDOOR BROOMS

Jiffy Broom

Compact indoor broom with soft bristles for great results.

SAB2505

- Thin soft bristles with flagged ends to collect even the finest dirt & dust particles for a thorough sweep
- Soft bristles afford greater control
- Broom head length 250mm



Large area indoor broom

SAB59054

- · Features a blend of soft polypropylene & natural fibres
- Ideal for sweeping fine dirt & dust from smooth surfaces
- Excellent for large areas such as halls & gymnasiums
- Reversable head—rotate to ensure even wear





OUTDOOR BROOMS

Premium Outdoor Broom

Premium, Sturdy and durable.

- Sturdy, durable bristles to cope with outdoor sweeping needs
- Features flagged ends to collect even the finest dirt & dust particles for a thorough sweep





OUTDOOR BROOMS



7-Tie Deluxe Millet Broom

With traditional natural fibres bristles.

SAB22010

- Made of 100% natural fibres
- · Ideal for sweeping paths, pavers and patios
- 7 rows of strong stitching for prolonged life



5-Tie Outdoor Broom

Ideal for wet & dry outdoor messes.

SAB22020

- Made from synthetic bristles that are not affected by most chemicals or bleach
- Suitable for wet or dry applications
- Less prone to mildew
- Flagged ends to sweep up the smallest of particles
- 5 rows of strong stitching for prolonged life
- · Great for use around the pool area



Domed Cobweb Broom

Easily shifts unwanted cobwebs.

SAB2326

- The domed shape 1.5m telescopic handle allows for easy removal of cobwebs from any hard to reach place
- Stores away neatly





OUTDOOR BROOMS



Premium Cobweb & Ceiling Fan Broom

Easily shifts unwanted cobwebs.

SAB2327

- Cleans ceiling fan blades plus ceilings, walls, eaves and cornices
- Extendable handle to 1.3m
- Ergonomic soft grip handle



Professional multisurface broom

Professional all purpose broom

SAB59012 - 350mm

SAB59013 - 450mm

SAB59014 - 600 mm

- Hard wearing bristles, allowing for a controlled sweep on all outdoor surfaces
- Suitable for rough areas
- Can be used in wet or dry conditions



450mm Professional Chemical Resistant broom

Professional all purpose broom

SAB59019

- Features a blend of natural bassine bristles useful for sweeping chemical solvents, without damaging the bristles
- Sturdy hard wearing bristles allowing for a controlled sweep
- Suitable for rough surfaces, such as in factories, work shops and rough concrete





OUTDOOR BROOMS



High power outdoor broom

The perfect robust commercial broom

SAB59034

- Ideal for outdoor sweeping.
- Plastic reversible broom head, rotate for an even wear - doubles life of broom head.
- Flagged pet bristles, to collect even the finest dirt & dust particles for a thorough sweep.
- Strong metal ferrule on handle.





DUST PANS AND HAND BRUSHES

Long Handled Dustpan Set

An Aussie favoirite for easy, no-bend cleanups.

SAB2125

- Long handled dustpan & brush set is designed for effective ergonomic cleaning
- Features flagged ends to collect even the finest dirt
 & dust particles for a thorough sweep
- Soft bristles afford greater control

Dustpan Set

Compact dustpan for any home or office.

SAB230221

- Strong & sturdy dustpan set
- Soft rubber lip prevents slippage
- Features flagged ends to collect even the finest dirt
 dust particles for a thorough sweep
- Zig zag edge to clean brush





DUST PANS AND HAND BRUSHES

sabco

Lifestyle Dustpan Set

Easy sweep and home essential.

SAB23028

- · Built in scraper to remove tough grime
- Premium fill for easy sweeping
- Soft rubber lip prevents slippage
- Features flagged ends to collect even the finest dirt
 dust particles for a thorough sweep
- Zig zag edge to clean brush
- Soft-grip handle



Big Green Dustpan Set

Solid large brush & dustpan for heavy-duty use.

SAB59040

- Solid large brush & dustpan for heavy duty use particularly in workshops and large areas
- Deep dirt retention ridge prevents debris from falling out of the pan
- Flagged ends collect even the finest dirt and dust for a more thorough sweep
- Brush cleaning zig zag edge on the sides of the pan





SMALL BRUSHWARE

Radial Dish Brush

Effortless dish cleaning.

SAB2239

cwbrands.com.au

 A handy radial dish brush with scraper to remove tough build up







Easy Clean Toilet Set

Non-absorbent, long-lasting bristles with convenient brush holder.

SAB26004

- Non-absorbent, long lasting bristles that will resist mildew
- Convenient brush holder
- Brush available: SAB26011

Coco banister brush

- Bristles can withstand extremely hot conditions
- Lacquered wood handle
- 100% natural coco bristles

This brush has 100% coco bristles and is ideal for sweeping hot coals without damaging bristles.

Grout Brush

This brush removes tough grime.

SAB28030

- · Features ergonomic soft grip handle
- Thin brush head to scrub grout and other small areas
- Scraper removes tough grime

MINI

Stainless Steel Toilet Set

No More Annoying Fingerprints!

- Stainless Steel Toilet Set with stylish design to suit any decor
- Durable & Tough bristles for a thorough, hygienic clean
- Round brush head great for tight corners







SCRUBS

Dairy Scrub Brush

For a hygienic clean.

SAB2255

- Tough & durable non-absorbent nylon bristles
- Ideal for heavy duty cleaning of food handling areas for maximum hygiene
- Features a comfortable hand grip
- Size: 6.5cm x 21cm



All Purpose Scrub

Excellent for tough jobs.

SAB2260

- Super strong bristles
- Excellent for tough jobs
- Comfortable wooden hand grip, Ideal for indoor, outdoor, marine and other applications

THE REAL PROPERTY OF THE PARTY OF THE PARTY

Tuff Scrub – Light Duty

For light-duty scrubbing jobs.

SAB2275

- Built in scraper to remove stubborn dirt
- Light duty scourer ideal for removing scuffs, wax build-up rust and corrosion



Tuff Scrub - Heavy Duty

For heavy-duty scrubbing jobs.

SAB2277

- Built in scraper to remove stubborn dirt
- Heavy duty scourer ideal for BBQ's, grills, grease, rust, and painting preperation







SCRUBS

Timber Deck Scrub

Superior quality deck scrub for better cleaning.

SAB57501

- Superior quality extra long scraper
- Extra thick, crimped bristles for a better scrub
- Slightly angled bristles for better cleaning in corners and right up against edges
- Premium quality 1250mm steel handle



Professional Deck Scrub

SAB59031

- Deluxe rubber bumpers protect surrounding objects while scrubbing
- · Tough scraper for those hard to budge marks
- · Ideal for all outdoor areas including decking
- · Excellent for kitchen and bathroom tiles





MOPPING

Lightning Mop

Absorbent cellulose sponge for the best result.

SAB30022

SAB3002 REFILL

- Premium squeeze mop with click on & off easy change sponge
- 100% cellulose sponge
- Full length scourer to assist with those stubborn marks
- · Easy pull-to-wring mechanism





MOPPING

Extra Wide Lightning Mop

Extra wide for quicker floor coverage.

SAB30023

SAB30024 REFILL

- Premium squeeze mop with click on & off easy change 30cm wide sponge
- 100% cellulose sponge
- New improved wringing action squeezes more water
- Scourer to assist with stubborn marks
- Easy pull-to-wring mechanism
- Refill available: SAB30024



Antibacterial Twister Cotton Mop

No need for wringer bucket!

SAB32025

- Antibacterial yarn prevents the growth of bacteria
- Easy wring action needs no special bucket
- Super absorbent cotton leaves your floor sparkling clean in no time



Self Wringing Cotton Mop

No need for wringer bucket!

- Featuring a screw on mop head, the Sabco self wringing cotton mop needs no special bucket
- Simply push the sleeve over the mop head to wring out all water







MOPPING

Super Swish Duo

Complete microfibre wet and dry cleaning ideal for timber floors.

SAB36029

Now in new plastic-free packaging

- Dry pad grabs dirt, dust, and particles for a thorough sweep before mopping. Wet pad cuts through grease and grime for a streak-free sparkling finish
- Extendable handle & swivel head
- · Suitable for timber, vinyl and tile surfaces
- Built in non-scratch scourer to remove stubborn grime
- Long lasting, machine washable pad
- · 100% microfibre traps and lifts dirt and grime
- Head size: 30cm W x 10cm D



Compact design, BIG on features!

Compact Spin Mop set

SAB37067

Compact design, BIG on features!

- Simple & Effortless, for greater control of water release
- Efficient Spinning System, hand operated no more foot pedals
- Easy 2 Action Spin, rinses clean and spins mop dry!
- Compact Design for easy storage





MOPPING



Contractor mop head & handle

SAB-2127

SAB-363P HEAD ONLY

- Premium textile blend
- Long lasting industrial quality
- Highly absorbent, washable
- Premium textile blend long lasting industrial quality
- Aluminium handle





AUTOMOTIVE

Suds Car Wash Brush With Built In Soap Dispenser

- Built in soap dispenser with quick change switch from suds to rinse
- Variable water control find the water pressure that suits you
- Features a unique telescopic water flow handle that extends to 1.5m in length
- Super soft flagged bristles for effective scratch free cleaning
- · Comes complete with a snap on hose connector
- Fits all standard garden/hose fittings
- Soap canister holds approx 120-130ml of detergent
- Head size length 25cm x width 9cm





AUTOMOTIVE



Professional Truck & Caravan Wash Brush

SAB59041

- Professional quality
- Super soft flagged bristles for scratch free cleaning
- Comes complete with a snap on hose connector
- Fits all standard garden hose fittings
- Features a unique telescopic water flow handle that extends to 2.3m in length
- Head size: L 25 x W 9cm





BUCKETS

Wide Mouth 16 Litre Bucket Blue

SAB37023

- · 16L capacity wringer mop bucket
- Features a unique wide mouth design which allows for ease of use with larger mops
- Castors for easy movement
- Spike design on non-slip pads for slip resistance
- Not affected by cleaning chemicals



Round Bucket 10 Litre Metal Handle

- 10 Litre capacity
- · Round plastic bucket with pourer
- Carry handle
- · Water level indications
- Size: H 250 x W 270 x D 270mm





BUCKETS



9LT Ezi-Squeeze Mop Bucket

Compact wringer bucket.

SAB37033

- 9L capacity
- · Compact for easy and convenient storage
- Quick and easy press-to-squeeze mechanism
- Non-slip base
- Ideal for use with cotton mops



12.5L Sponge Mop Bucket

Australian made with extra-wide capacity ideal for sponge mops.

SAB37040

- 12.5L extra wide capacity ideal for sponge mops
- Non-slip hand grip for comfortable and safe use
- Ideal for use with sponge mops and squeegees
- Australian Made





WINDOW CLEANING

Supreme Window Washer

Sparkling clean windows.

SAB27005

- Netted sponge to loosen stubborn dirt
- Comfortable hand grip
- Easy to store
- Suitable for windows, cars, tiles and boats etc
- Extendable handle to reach 1.3m
- 20.5cm blade



Section H5 cwbrands.com.au



WINDOW CLEANING Sabco

Soft Grip Window Squeegee

Sparkling clean showers, cars, and home.

SAB27013

- · Contemporary styling with soft grip ergonomic handle
- Soft rubber squeegee for a no-streak finish
- · Perfect for the shower, car or home
- 23.5cm blade



Window Washer with Timber Handle

Ideal for car windscreens.

SABC-W03021

- Dual action meshed sponge washer with rubber squeegee on plated metal frame with screw-in painted timber handle
- Ideal for car windscreens
- 21cm blade



HANDLES

Metal Handle With Universal Thread 25 x 1450mm White

Lightweight handle for mop heads

SAB21080


- Made from strong & durable aluminium
- Universal thread
- Withstands in-use damage
- Size: 25x1450mm







TIMBER WAXES & POLISHES







BEESWAX FILLING STICKS





These coloured sticks are used for repairing cracks and small holes in most wood surfaces. Can be buffed to a fine finish and coated with most materials

Product #	Description
BFS6XBLACK2	GILLY BEESWAX FILLER STICKS BLACK (2 PACK)
BFS6XDARK2	GILLY BEESWAX FILLER STICKS DARK BROWN (2 PACK)
BFS6XMID2	GILLY BEESWAX FILLER STICKS MID BROWN (2 PACK)
BFS6XORANGE2	GILLY BEESWAX FILLER STICKS ORANGE (2 PACK)
BFS6XPALE2	GILLY BEESWAX FILLER STICKS PALE (2 PACK)
BFS6XRED2	GILLY BEESWAX FILLER STICKS RED BROWN (2 PACK)
BFS6XMIX6	GILLY BEESWAX FILLER STICKS MIXED (6 PACK)

CREAM POLISH



Gilly Stephenson's Cream Polish is made with the finest West Australian beeswax to an old English recipe. The purity of the polish may be judged by the ease with which the cloths wash out. The Cream Polish is emulsified, making it easy to apply, whilst giving the furniture the goodness it requires. As Gilly Stephenson's Cream Polish is rich in wax, a little goes a long way. The Cream Polish is recommended for general maintenance and the best polish for French polished furniture. Cream Polish comes scented in Lavender, Rose and Lemon. The polish is also suitable for use on vinyl, leather and marble.



Product #	Description
CREAM4X200MLLAV	GILLY CREAM POLISH LAVENDER 200ML
CREAM4X200MLLEM	GILLY CREAM POLISH LEMON 200ML
CREAM4X200MLROSE	GILLY CREAM POLISH ROSE 200ML
FP4X200MLCL	GILLY FLOOR POLISH CLEAR 200ML
FP4X200MLDK	GILLY FLOOR POLISH DARK 200ML

cwbrands.com.au Page 6.1





CABINET MAKERS WAX



Cabinet Maker's Wax is a traditional type of beeswax polish with the addition of carnauba wax. It gives an added sheen and harder finish and is excellent for filling small holes, defects and hairline cracks. Cabinet Maker's Wax is marvellous on oak, jarrah and other woods that have no specific finish. Used over the Restoring and New Timber Polish, Cabinet Maker's Wax produces a marvellous natural finish. In this case it is best applied with OOOO Steel Wool.

Product #	Description
CAB6X200MLCL	GILLY CABINET MAKERS WAX CLEAR 200ML
CAB6X200MLDK	GILLY CABINET MAKERS WAX DARK 200ML

CARNAUBA POLISH



Carnauba Polish is high sheen finishing polish, excellent for tabletops and other surfaces prone to 'fingering'. Made with beeswax and a high proportion of carnauba wax, it is very good on modern finishes. Carnauba Polish brings up a lovely finish on marble, tortoiseshell and is good for preventing tarnish of metal. Carnauba Polish is excellent for decoupage and chalk paint finishes.

Product #	Description
CARN200MLCL	GILLY CARNAUBA POLISH CLEAR 200ML
CARN200MLDK	GILLY CARNAUBA POLISH DARK 200ML

CARNAUBA WAX FLAKES



Carnauba wax is a hard wax and can produce a beautiful gloss like finish. Hence it is used in the manufacture of **furniture polishes**, **car waxes**, **food**, **candy/sweets,pharmaceuticals** and more. It is the hardest natural timber finish you can provide. You can mix it with your own oils, solvents and waxes to make your own finishes. Popular among woodworkers. Known as 'The Queen of Waxes', Carnauba Wax is a must have addition for your DIY experiments. It comes in flake form which makes working with it all the more easier.

Product #	Description	
CARNWAXFLK6X100G	GILLY CARNAUBA WAX FLAKES 100G	

cwbrands.com.au Page 6.2





RESTORING POLISH



This polish is designed as a starter polish for new work or furniture that has just been stripped back. Restoring Polish will bring out the natural grain of the wood, feed the timber and give a good initial sheen. Restoring & New Timber Polish is excellent for restoring moisture to furniture that has become dry or faded and is effective on leather.

Product #	Description
REST200MLCL	GILLY RESTORING POLISH CLEAR 200ML
REST200MLDK	GILLY RESTORING POLISH DARK 200ML

SCRATCH COVER



Scratch Cover for Furniture & Floors is ideal for colouring over scratches and is also useful for reviving timber that isn't in bad enough condition to merit stripping back. May also be used as a stain on raw timber to darken it.

Product #	Description
SCFF6X100MLDK	GILLY SCRATCH COVER FOR FURNITURE & FLOORS DARK
SCFF6X100MLPL	GILLY SCRATCH COVER FOR FURNITURE & FLOORS CLEAR

CHOPPING BOARD OIL



Rejuvenate and protect your chopping boards with our trio of citrus-based Chopping Board Oils. Easy to use, these oils have a delightful fragrance and have the added benefit of mould-resistance. Available in three varieties, Orange, Lemon and for an extra-rich feed, Citrus and Beeswax.

Product #	Description
CBO6X100MLCB	GILLY CHOPPING BOARD OIL CITRUS/BEESWAX 100G
CBO6X100MLLEMON	GILLY CHOPPING BOARD OIL LEMON 100G
CBO6X100MLORANGE	GILLY CHOPPING BOARD OIL ORANGE 100G

cwbrands.com.au Page 6.3





FOODSAFE WAX



A rich, soft wax perfect for a natural finish on a variety of raw timber/bamboo surfaces, including children's furniture, chopping boards and food serving utensils. Made using a blend of beeswax, soy wax and carnauba wax flakes, this preparation is easy to apply and penetrates deeply into the fibres to nourish and protect. Imparts a matte sheen.

Product #	Description
FSW4X200MLCL	GILLY FOODSAFE WAX CLEAR 200ML

LIQUID BEES WAX



Liquid Beeswax Furniture Polish is an easy-to-use polish that nourishes your timber, protecting from dryness and enhancing its natural grain. Rich in Western Australian pure beeswax, it can be used on finished or unfinished surfaces and is even suitable for use on a lathe.

Product #	Description	
LB4X250ML	GILLY LIQUID BEESWAX 250ML	

ORANGE OIL & LEMON OIL



Excellent for those who prefer to oil their furniture rather than wax it. Orange Oil has great cleaning properties and is marvellous for old neglected furniture as it both cleans and restores. It is also a simple way of keeping cane and bamboo furniture in good condition and for feeding unpolished surfaces, such as drawers and undersides of tables. It gives a golden hue to pine. Apply with a soft cloth and then buff. Orange Oil is completely plant based and food safe, contains no silicon and smells wonderful

Product #	Description	
OO4X250ML	GILLY ORANGE OIL 250ML	
LO4X250ML	GILLY LEMON OIL 250ML	

cwbrands.com.au Page 6.4





GUN POLISH



Designed to keep both stock and barrel in excellent condition. This product is the same as our Carnauba Polish, which is excellent for protection of metal finishes, particularly those likely to be exposed to heat and friction.

Product #	Description
GP6X100MLCL	GILLY GUN POLISH CLEAR 100ML

LEATHER CARE



The ideal way to care for your leather goods from furniture to saddlery and bags to shoes. Containing beeswax and citrus oil it is easy to use and nourishes the leather leaving it supple and therefore more resistant to dirt and staining. This non-toxic product is also good on vinyl and is water resistant and non-staining. Wonderful wax on pigmented and protected leathers. Use sparingly as very rich in waxes. Not suitable for natural leathers such as aniline and semi-aniline.

Product #	Description	
LC4X200MLCL	GILLY LEATHER CARE 200ML	



NATIONAL PRODUCT CATALOGUE

SECTION I - TRANSPORTATION & MARINE

web: cwbrands.com.au

email: support@cwbrands.com.au



CAR & TRUCK WASH









CT18 TRUCK WASH

Australia's No 1 concentrated cleaning gel. Removes the toughest grease, grime, oil & soot for a streak free finish. Spray, foam or sponge on. Biodegradable and safe to use on any surface.

Product No	Description	Size
CT18-1L	CHEMTECH CT18 SUPERWASH	1 Litre
CT18-5L	CHEMTECH CT18 SUPERWASH	5 Litre
CT18-20L	CHEMTECH CT18 SUPERWASH	20 Litre
CT18-200L	CHEMTECH CT18 SUPERWASH	200 Litre





CT18 SUPER FOAM

Innovative high foam touchless wash car & truck wash. High foaming product for application with a pressure foam gun. Touchless wash to ensure no swirls or scratches on paint work. For quick in-between washes or as a pre-wash soak to remove excessive grit, dirt and grime. PH neutral, biodegradable, rust inhibitor formulation Safe to use on all modern vehicle finishes, polished wheels, plastic trim, fibreglass, all metal types, rubber, vinyl & glass

Product No	Description	Size
CT18SF-1L	CHEMTECH CT18 SUPERFOAM	1 Litre
CT18SF-5L	CHEMTECH CT18 SUPERFOAM	5 Litre
CT18SF-20L	CHEMTECH CT18 SUPERFOAM	20 Litre





FOAM GUN

Spray-V Heavy Duty Foam Gun accurately mixes and sprays concentrated foaming detergents for cleaning all types of trucks, trailers, cars, canopies & other equipment Simply connect to garden hose using town water supply Economical way to clean vehicles & equipment.

Product Number: SPRAY-V





CT20 WASH & WAX

Cleans, protects & shines in one easy step. Concentrated, biodegradable, freerinsing, with rust inhibitor. Spray, foam or sponge on. Leaves a lasting protective sheen.

Product No	Description	Size
CT20-1L	CHEMTECH CT20 WASH N WAX	1 Litre
CT20-5L	CHEMTECH CT20 WASH N WAX	5 Litre
CT20-20L	CHEMTECH CT20 WASH N WAX	20 Litre
CT20-200L	CHEMTECH CT20 WASH N WAX	200 Litre

Section I1







RL18 TRUCK WASH

The 'original' Super Blue Truck Wash. This biodegradable and solvent-free wash easily removes dirt, mud, oil film and road grime. Safe to use on glass, rubber, aluminium, chrome, vinyl and tarpaulins.

Product No	Description	Size
RL18-5L	RL18 SUPERBLUE TRUCK WASH	5 Litre
RL18-20L	RL18 SUPERBLUE TRUCK WASH	20 Litre
RL18-200L	RL18 SUPERBLUE TRUCK WASH	200 Litre



SEPTONE BLUE HEELER TRUCK WASH

Blue Heeler Truck Wash is a non-toxic, non-caustic, biodegradable heavy duty detergent with a neutral pH and is highly effective in removing dirt, mud, road grime, oil and exhaust soot and will not affect paint and, being free-rinsing, will not cause streaking

Product No	Description	Size
ATBH20	SEPTONE BLUE HEELER TRUCK WASH	20 Litre
ATBH200	SEPTONE BLUE HEELER TRUCK WASH	200 Litre
ATBH1000	SEPTONE BLUE HEELER TRUCK WASH	1000 Litre



SEPTONE TW20 TRUCK WASH

TW20 Truck Wash is a non-toxic, non-caustic, biodegradable heavy duty detergent with a balanced pH and is highly effective in removing dirt, mud, road grime, oil and exhaust soot. It may safely be used to clean paintwork, chrome, rubber, windscreens, fibreglass, aluminium, tarpaulins, vinyl and most washable surfaces. It will not affect paint and, being free-rinsing, will not cause streaking.

Product No	Description	Size
ATTW5	SEPTONE TW20 TRUCK WASH	5 Litre
ATTW20	SEPTONE TW20 TRUCK WASH	20 Litre
ATTW200	SEPTONE TW20 TRUCK WASH	200 Litre



SEPTONE

CAR SHAMPOO

Septone Car Shampoo is a non-toxic, non-caustic, biodegradable, high foaming car washing detergent with a neutral pH which contains no harsh detergents and yet is highly effective in cleaning all dirt, dust, mud, road grime, oil, exhaust soot and insect buildup. Car Shampoo may safely be used to clean paintwork, wind-screens and windows, mirrors, plastic, rubber, chrome, aluminium, vinyl, tarpaulins, upholstery and most washable surfaces. Car Shampoo will not affect paint and, being free-rinsing, will not cause streaking. Car Shampoo is also capable of performing a wide variety of other cleaning jobs

Product No	Description	Size
AVKS20	SEPTONE CAR SHAMPOO 20L	20 Litre



DEGREASERS & CLEANERS





PACER Solvent Degreaser



Pacer Engine Degreaser is a multi-purpose, high flash point solvent degreaser. The high flash point and moderate aromatic content of the solvent base makes Pacer Engine Degreaser is ideal for use in automotive workshops including parts cleaning, drilling rigs and mining equipment, marine applications such as engine degreasing and bilge and farm equipment cleaning.

APPLICATIONS: • Oil and grease remover • Driveways and garage floors • Motorcycle and car engines

Pr	oduct No.	No. Pack size Carton Qty	
PE	ED20	20 litre	Each



SEPTONE HD DEGREASER

Septone HD Solvent Degreaser is a 100% active quick break solvent based emulsifiable degreasing cleaning fluid suitable for removing heavy deposits of grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges.

Product No	Description	Size
ADD1	DEGREASER HD DEGREASER SOLVENT	5 Litre
ADD4	DEGREASER HD DEGREASER SOLVENT	4 Litre
ADD20	DEGREASER HD DEGREASER SOLVENT	20 Litre



SEPTONE OIL DESOLVE

Oilsolve Degreaser is a 100% active quick break solvent based emulsifiable degreasing cleaning fluid suitable for removing heavy deposits of grease, oil, dirt and grime from vehicle engines, motorbikes, lawn mowers, turbines, tools, lathes, work benches, lube floors and walls, driveways and boat bilges.

Product No	Description	Size
ADO20	SEPTONE OILSOLVE DEGREASER	20 Litre
ADO200	SEPTONE OILSOLVE DEGREASER	200 Litre



DIGGERS

DEGREASING FLUID

Diggers Degreasing Fluid is a powerful, water-soluble solvent blend specially designed to penetrate and dissolve built-up grime and grease.

Product No	Description	Size
1707761DIG	DEGREASING FLUID	1 Litre
170774DIG	DEGREASING FLUID	4 Litre
1707720DIG	DEGREASING FLUID	20 Litre





DEGREASE IT

Degrease-it is a concentrated, solvent-free, phosphate-free, biodegradable water based degreaser formulated to remove heavy deposits of grease, oil, dirt and grime from machinery, engines, concrete floors and most badly soiled substrates. The quick break property of Degrease-it ensures that the emulsified grease and oil rapidly separate in a grease trap, allowing the resultant water layer (after pH post-treatment) to be drained to the sewer as treated trade waste. The surfactants contained in this product exhibit low aquatic toxicity.

Product No	Description	Size
ADDI5	SEPTONE DEGREASE IT DEGREASER	5 Litre
ADDI20	SEPTONE DEGREASE IT DEGREASER	20 Litre
ADDI200	SEPTONE DEGREASE IT DEGREASER	200 Litre





ENGINE DEGREASER AEROSOL

A powerful solvent based degreaset suitable for parts and engine cleaning as well ad machinery, earthmoving equipment and mush more.

Product No	Description	Size	
78400	BOSTON ENGINE DEGREASER	400 GRAM	



PACER P55 BRAKE CLEAN

A highly volatile hydrocarbon solvent that performs well in situations requiring a solvent that evaporates quickly with no residue.

- Fast drying.
- Can be used as a low residue contact cleaner.
- A low flash point solvent that evaporates quickly.
- P55 has high solvency of greases and oils.

Product No.	No. Pack size Carton Qty	
PP5520	20 litre	Each



SEPTONE BRAKE CLEANER

Quickly removes brake dust, brake fluid, grease, oil and other contaminants from brake discs, drums, pads and linings. It aids in prevention of airborne asbestos particles by safely settling and removing asbestos dust from brake assemblies. It is non-staining and non-corrosive. It dries quickly, leaves no residue and has no flash point or fire point.

Product No	Description	Size
ADBC20	SEPTONE BRAKE DUST CLEANER	20 Litre





SEPTONE PARTS WASH

Septone Parts Wash is an economical solvent cleaner especially suited for use in industrial parts washers. It will degrease and clean many hard surfaces including metals of most greases, oils and light deposits of gums and varnishes, and then evaporates to dryness. Because it contains a high flash point (65 degrees Celsius minimum) hydrocarbon solvent, it meets the Australian Petroleum Institute standards for use in parts washer equipment requiring AS1940 Class C solvents.

Product No	Description	Size
ADPW20	PARTS WASH EQUIPMENT CLEANER	20 Litre





SHOCK TREATMENT

Chemtech Shock Treatment is a specially formulated heavy duty biodegradable degreaser. This water based, non-flammable degreaser is suitable for all types of engines, equipment parts and driveways. Safe to use on plastic, rubber, glass and most metals and alloys.

Product No	Description	Size
STR-5L	SHOCK TREATMENT H/D DEGREASER	5 Litre
STR-20L	SHOCK TREATMENT H/D DEGREASER	20 Litre
STR-200L	SHOCK TREATMENT H/D DEGREASER	200 Litre





CT14 DEGREASER

Chemtech CT14 is a concentrated water based degreaser that is a safe, environmentally friendly and an economical alternative to solvent based degreasers. It is non toxic, non flammable, biodegradable and will not promote rust. Chemtech CT14 converts oil and grease into water soluble products that do not contain the hydrocarbons associated with solvent degreasers

Product No	Description	Size
CT14-1L	CT14 ENGINE & BILGE DEGREASER	1 Litre
CT14-5L	CT14 ENGINE & BILGE DEGREASER	5 Litre
CT14-20L	CT14 ENGINE & BILGE DEGREASER	20 Litre
CT14-200L	CT14 ENGINE & BILGE DEGREASER	200 Litre





WORKSHOP DEGREASER

Ready to use, water based, biodegradable, heavy duty degreaser that converts oil & grease into a water soluble solution. Great in the workshop or home for engines, lube bays, walls and concrete floors.

Product No	Description	Size
CWD-5L	WORKSHOP HEAVY DUTY DEGREASER	5 Litre
CWD-20L	WORKSHOP HEAVY DUTY DEGREASER	20 Litre
CWD-200L	WORKSHOP HEAVY DUTY DEGREASER	200 Litre





SEPTONE CITRUS CLEANER

Superclene is a heavy duty general purpose cleaner/degreaser concentrate possessing quick break properties. It's unique combination of biodegradable natural orange oil extract, anionic and nonionic surfactants and powerful builders combine to give excellent performance in almost any application. The quick break property of Superclene ensures that the emulsified grease and oil rapidly separate in a grease trap, allowing the resultant water layer (after pH post-treatment) to be drained to the sewer as treated trade waste.

Product No	Description	Size
HSS5	SUPERCLENE CITRUS DEGREASER	5 Litre
HSS20	SUPERCLENE CITRUS DEGREASER	20 Litre
HSS200	SUPERCLENE CITRUS DEGREASER	200 Litre



SEPTONE WATER BASED DEGREASE ALL

Degrease-All is a biodegradable, phosphate-free, water based degreaser formulated to remove heavy deposits of grease, oil, dirt and grime from machinery, engines, lawn mowers, outboards, concrete floors and most badly soiled substrates. Degrease-All contains sodium hydroxide and alkaline builders to efficiently penetrate and cut through grease, and its combination of biodegradable surfactants and a water-miscible solvent help to remove the grease during the hosing-off operation.

Product No	Description	Size
ADDA5	DEGREASE ALL WATER BASED DEGREASE	5 Litre



Chemlech MADE TO WORK

BLITZ ALUMINIUM CLEANER

Cleans stains and oxidation from aluminium, stainless steel and other bare metal surfaces, leaving a clean matt finish.

Product No	Description	Size
ATA1	ALIBRITE ALUMINIUM CLEANER	1 Litre
ATA5	ALIBRITE ALUMINIUM CLEANER	5 Litre
ATA20	ALIBRITE ALUMINIUM CLEANER	20 Litre



SEPTONE ALI BRITE

Ali Brite is a highly effective etching type acid cleaner designed primarily for the cleaning of aluminium in industrial situations. It is most commonly used on aluminium trailer bodies (pantechnicons), aluminium tanks, aluminium bull bars and aluminium dinghies. Ali Brite is also highly effective in cleaning stainless steel. Ali Brite removes corrosion products and oxide films with minimal attack on the substrate and reduced localised pitting.

Product No	Description	Size
ATA1	ALIBRITE ALUMINIUM CLEANER	1 Litre
ATA5	ALIBRITE ALUMINIUM CLEANER	5 Litre
ATA20	ALIBRITE ALUMINIUM CLEANER	20 Litre



EXTERIOR CARE







SEPTONE TYRE REJUVENATOR

Tyre Sheen is a water-based tyre rejuvenator treatment designed for fast, easy one-step application by atomiser spray to tyres. On drying, it produces a deep, black, natural appearance to tyres and rubber mudflaps. It may also be used to revive the appearance of rubber and black vinyl bumper bars and side protection strips. The non-tacky formulation ensures that Tyre Sheen exhibits negligible dirt pick-up. Tyre Sheen is ideally suited for use in vehicle refinishing shops, where the use of non-silicone based products is preferred

Product No	Description	Size
AVTS20	SEPTONE TYRE SHEEN REJUVENATOR	20 Litre



Chemlech MADE TO WORK

TYRE SHEEN

Quality silicone for a showroom shine and maximum protection. Sheen is easy to apply, dries fast, enhances colour and won't waste off.

Product No	Description	Size
CSH-5L	CHEMTECH SHEEN TYRE SHINE	20 Litre



OTORTECH TYRE SHINE

New Improved Formula that prevents dirt and grime forming on tyres. Gives your tyres, louvres, bumpers and side mouldings a 'new' appearance.

Product No	Description	Size
MT5118	MOTORTECH TYRE SHINE	20 Litre



SEPTONE MAGIC SHINE

Magic Shine protects, revives and beautifies leather, vinyl, rubber and plastics by producing a deep wet-look long life gloss that restores the natural shine, feel and colour of the original material. Magic Shine contains a high level of silicone polymers which penetrate deeply into the surface to produce a long life finish with low dirt pick-up, excellent resistance to water and to washing and outstanding overall protection from the sun and the effects of the elements.

Product No	Description	Size
AVMS4	MAGIC SHINE VINYL REJUVENATR	4 Litre
AVMS20	MAGIC SHINE VINYL REJUVENATR	20 Litre



SEPTONE VINYL SHINE

Vinyl Shine protects, revives and beautifies leather, vinyl, rubber, acrylics and plastics by restoring the natural shine, feel and colour of the original material. Vinyl Shine contains a high level of silicone polymers which produce a long lasting high gloss finish and give excellent water repellency. .

Product No	Description	Size
AVVS5	VINYL SHINE	5 Litre
AVVS20	VINYL SHINE	20 Litre





SEPTONE C-THRU GLASS CLEANER

C-Thru removes smears, finger marks, smog, tobacco tar residues and other soil deposits, leaving a sparkling, streak-free finish. It may safely be used on glass windows, wind-screens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. C-Thru will not damage paintwork, upholstery or rubber.

Product No	Description	Size
AVCT750	C-THRU GLASS CLEANER	750 ml
AVCT5	C-THRU GLASS CLEANER	5 Litre
AVCT20	C-THRU GLASS CLEANER	20 Litre



SEPTONE KLEENGLOSS GLASS CLEANER

Kleengloss is a concentrated glass and window cleaner which may be used neat or diluted with water at a ratio of up to 5:1, as required. It removes smears, finger marks, smog, tobacco tar residues and other soil deposits, leaving a sparkling, streak-free finish; and may safely be used on glass windows, windscreens, mirrors, whitegoods, laminated surfaces, chrome and stainless steel surfaces, ceramic tiles and porcelain. Kleengloss will not damage paintwork, upholstery or rubber.

Product No	Description	Size
AVK20	KLEENGLOSS GLASS CLEANER	20 Litre



DIORTICH GLASS CLEANER

All purpose, streak - free, home & automotive glass cleaner with ammonia added for extra grease cutting.

Product No	Description	Size
MT5119	MOTORTECH GLASS CLEANER	20 Litre



SEPTONE MR BUFF CUTTING COMPOUND

Mr Buff is a premium quality paste cutting compound recommended for automotive, marine and general industrial applications. Use Mr Buff on new paints to remove overspray and orange peel or on chalked paints to remove fine scratches and oxidation and to restore the shine to dull surfaces. Mr Buff uses a unique blend of amorphous silica abrasives which provide quick cutting of the surface when first applied, and then break down into smaller particles to polish the surface. This means that Mr Buff removes surface imperfections, and then removes any swirl marks created while cutting to produce a smooth surface ready for polishing to a high gloss final finish. Because Mr Buff is in paste form, it may be diluted with up to 10% water prior to use, making it more economical to use than some cutting compounds. Note that the addition of water will reduce the rate of cut.

Product No	Description	Size
ACMB500	MR BUFF CUTTING COMPOUND	500 GRAM
ACMB5	MR BUFF CUTTING COMPOUND	5KG





The full range of Boston Maintenance aerosols can be found at section F1 of the CW Brands product catalogue


- Lubricants
- Cleaners
- Car care
- Maintenance



Product No	Description	Size
78610	BOSTON TYRE SHINE	400 GRAM
78665	BOSTON WAX & GREASE REMOVER	400 GRAM
78660	BOSTON GLASS CLEANER	400 GRAM
78691	BOSTON AIR DUSTER	285 GRAM



INTERIOR CARE & AIR FRESHENERS







SEPTONE ARMOUR COLOGNE

Armour Cologne protects, revives and beautifies leather, vinyl, rubber, acrylics and plastics by restoring the natural shine, feel and colour of the original material. Armour Cologne contains a high level of silicone polymers which produce a long lasting high gloss finish and give excellent water repellency. In automotive and boating applications, use Armour Cologne to protect vinyl and leather upholstery, dashboards and surrounds, door panels, vinyl rooftops, rubber and plastic bumper bars, tyres and rubber mudflaps.

Product No	Description	Size
AVAC750	ARMOUR COLOGNE TRIGGER PACK	750 ml
AVAC5	ARMOUR COLOGNE	5 Litre
AVAC20	ARMOUR COLOGNE	20 Litre



SEPTONE VINYL REJUVENATOR

Vinyl Shine protects, revives and beautifies leather, vinyl, rubber, acrylics and plastics by restoring the natural shine, feel and colour of the original material. Vinyl Shine contains a high level of silicone polymers which produce a long lasting high gloss finish and give excellent water repellency. .

Product No	Description	Size
AVVS5	VINYL SHINE	5 Litre
AVVS20	VINYL SHINE	20 Litre





INTERIOR CLEANER

Chemtech Detail has been specifically formulated to clean all types of plastic, vinyl, cloth, carpet, leather, and rubber surfaces in the interior of your car. Detail will remove ingrained dirt and grime quickly while leaving a pleasant vanilla fragrance. Detail is ideal for all consoles and dashboards, for a great oil & shine-free finish. You can get a professional interior detail at your home, for a fraction of the price of getting it done. Detail is also quick and easy to use, as it comes ready to use, with no dilution required.

Product No	Description	Size
CDT-500M	DETAIL INTERIOR CLEANER TRIGGER PK	500 ml
CDT-20L	DETAIL INTERIOR CLEANER	20 Litre





INTERIOR SHIELD

Chemtech Shield has been specifically formulated to freshen & protect all types of plastic, vinyl and rubber surfaces in the interior of your car while leaving a vanilla fragrance. Can also be used on the car exterior for bumper bars and trim. Shield will apply a protective and conditioning coating to help protect the surface from fading or cracking keeping it supple and looking like new. Shield is non oily leaving your dashboards, bumpers, window trims and door panels conditioned & clean.

Product No	Description	Size
SPV-500M	SHIELD INTERIOR PROTECTANT TRIGGER	500 ml
SPV-5	SHIELD INTERIOR PROTECTANT FLORAL	5 Litre
SPV-20L	SHIELD INTERIOR PROTECTANT FLORAL	20 Litre





UNPLEASANT ODOURS IN YOUR VEHICLE CAN START FROM TWO DIFFERENT SOURCES.

1st source can start from the items you place or store in your vehicle e.g. shoes, gym clothes, food wrappings, forgotten fruit, pets etc.



2nd Source is the Bacteria, mould and mildew that slowly grows and lurks in your car's air-conditioning system, causing allergic reactions and unpleasant stale



odours. When you switch your air conditioning ON, bacteria spores are pushed out from the vents and recirculated inside your vehicle cabin.

Traditional car air fresheners and scented cardboard cut outs cover up odours with a strong fragrance but the source remains untouched.

Chemtech AirCon Kleen™ does not mask odours it eliminates them right at the source in just 10 minutes!

Simply press down on the locking nozzle to release the antibacterial, deodorising fog mist with a fresh citrus fragrance.



Formulated to deodorise & disinfect the heating, ventilation and air conditioning system and freshen the vehicle's interior by eliminating bacterial and fungal growth.

FRESH Citrus Scent

Product Code: ACK-150G Size: 150G

WWW.CHEMTECH.NET.AU



Suitable for use in cars, 4WD's, trucks, vans & recreational vehicles

Chemlech MADE TO WORK

Bacteria, mould and mildew slowly grow and lurk in your car's air-conditioning system, causing allergic reactions and unpleasant stale odours. Chemtech AirCon Kleen™ does not mask odours it eliminates them right at the source in just 10 minutes! Formulated to deodorise & disinfect the heating, ventilation and air conditioning system and freshen the vehicle's interior by eliminating bacterial and fungal growth.

Suitable for use in cars, 4WD's trucks, vans & recreational vehicles. Simply press down on the locking nozzle to release the antibacterial, deodorising fog mist with a fresh citrus fragrance.





TREES FIBER CAN







Part	Description	BarCode
10101	LITTLE TREES ROYAL PINE AIR FRESHENER SINGLE PACK	076171101013
10105	LITTLE TREES VANILLAROMA AIR FRESHENER SINGLE PACK	076171101051
10155	LITTLE TREES BLACK ICE AIR FRESHENER SINGLE PACK	076171101556
10189	LITTLE TREES NEW CAR AIR FRESHENER SINGLE PACK	076171102218
10282	LITTLE TREES COTTON CANDY AIR FRESHENER SINGLE PACK	076171102824
10290	LITTLE TREES LEATHER AIR FRESHENER SINGLE PACK	076171102904
10311	LITTLE TREES WILD CHERRY AIR FRESHENER SINGLE PACK	076171103116
10312	LITTLE TREES STRAWBERRY AIR FRESHENER SINGLE PACK	076171103123
10316	LITTLE TREES GREEN APPLE AIR FRESHENER SINLE PACK	076171103161
10320	LITTLE TREES WATERMELON AIR FRESHENER SINGLE PACK	076171103208
10433	LITTLE TREES JASMI AIR FRESHENER SINGLE PACK	076171104335
10526	LITTLE TREES WOVEN WHITES AIR FRESHENER SINGLE PACK	076171105264
10601	BIG TREE ROYAL PINE AIR FRESHENER SINGLE PACK	076171106018
10655	BIG TREE BLACK ICE EXTRA STRENGTH SINGLE PACK	076171106551
10689	BIG TREE NEW CAR SCENT AIR FRESHENER SINGLE PACK	076171106896
10967	LITTLE TREES PINA COLADA AIR FRESHENER SINGLE PACK	076171109675
17118	LITTLE TREES BUBBLE BERRY AIR FRESHENER SINGLE PACK	076171171184
17142	LITTLE TREES TROPICAL SHORES AIR FRESHENER SINGLE PACK	076171171429
17152	LITTLE TREES PURE STEEL AIR FRESHENER SINGLE PACK	076171171528
17355	LITTLE TREES FRESH SURGE AIR FRESHENER SINGLE PACK	076171173553
U3S-32005	3 PACK LITTLE TREES VANILLAROMA AIR FRESHENER	076171320056
U3S-32055	3 PACK LITTLE TREES BLACK ICE AIR FRESHENER	076171320551
U3S-32089	3 PACK LITTLE TREES NEW CAR AIR FRESHENER	076171320896





Part	Description	BarCode
UFC-17811	LITTLE TREES CHERRY BLAST TIN	076171178114
UFC-17816	LITTLE TREES GREEN APPLE TIN	076171178169
UFC-17824	LITTLE TREES CARIBBEAN COLADA TIN	076171178244
UFC-17855	LITTLE TREES BLACK ICE TIN	076171178558
UFC-17874	LITTLE TREES SUMMER LINEN TIN	076171178749
UFC-17889	LITTLE TREES NEW CAR TIN	076171178893

MERCHANDISING PACKS

Part	Description	BarCode
HS-13254	24 CARDED ASSORTED LITTLE TREES AIR FRESHENER	N/A
10100-60	60 CARD ASSORTED LITTLE TREES AIR FRESHENERS	N/A
UCD-17870	LITTLE TREES TIN 12 UNIT COUNTER DISPLAY	076171922908





ACCESSORIES









SPRAY V FOAM GUN

- Spray-V Heavy Duty Foam Gun accurately mixes and sprays concentrated foaming detergents for cleaning all types of trucks, trailers, cars, canopies & other equipment
- Clinging foam increases detergent contact time
- Simply connect to garden hose using town water supply
- Spray-V has 6 dilution ratio settings: 0 Setting: 1 to 10 parts water, 1 Setting: 1 to 20 parts water, 2 Setting: 1 to 30 parts water, 3

Setting: 1 to 40 parts water, 4 Setting: 1 to 100 parts water, 5 Setting: 1 to 300 parts water

- Each setting is easily selected by a round dial on the unit
- Detach the pistol grip from the unit for use as a powerful sprayer when rinsing
- Economical way to clean vehicles & equipment

Product No	Description	Size
SPRAY-V	SPRAY V FOAM SPRAYER	



cabco Truck & Caravan Brush

A heavy-duty aluminum extendable pole with insulated handle grips. The durable brush head is densely packed with flagged and softened bristles, which are gentle on paintwork. The handle easily connects to a standard garden hose and features an on/off water control valve. Ideal for cleaning all types of vehicles, boats, around the home and in the work place. Extends to 2.3 meters

Product No	Description	Size
SAB59041	SABCO TRUCK & CARAVAN BRUSH	



SEPTONE TRIGGER SPRAY & BOTTLE

Septone High Quality Plastic Spray Trigger that suits 750ml bottles. Standard trigger with open/close twist closure.

Septone High Quality Plastic Spray Trigger that suits 750ml bottles. Standard trigger with open/close twist closure

Product No	Description	Size
HZPB22	SEPTONE LONG NECK BOTTLE	750 ml
HZSASTD	SPRAY TRIGGER FOR 750ML BOTTLE	







Plastic Pump to suit 20L Cube & 5L containers

Product No	Description	Size
IZD5LP	PLASTIC DRUM PUMP - 5L CONTAINER	
IZD20LP	PLASTIC DRUM PUMP SUIT 20 L CUBE	

SEPTONE PLASTIC DRUM TAP



Produ	ict No	Description	Size
HZBT		PLASTIC TAP SUIT 20 L CUBE	



RAIN X







Original Glass Treatment



Rain-X® Original Glass Water Repellent dramatically improves wet weather driving visibility by repelling rain. Simply apply the water beading treatment to exterior glass and watch the raindrops fly off the windshield while driving.

Size	Part No.	Ctn. Qty.
103mL	800002245	10
207mL	800002243	12
473mL Trigger	800002250	6
WIPES (25pk)	800002244	6



Glass Cleaner & Rain Repellent



Rain-X® 2-in-1 Glass Cleaner + Rain Repellent improves wet weather driving visibility and is easy to use! The Glass Cleaner applies water beading technology to enhance your driving visibility in one simple step.

Size	Part No.	Ctn. Qty.
680mL Trigger	5071268	6



Windshield Washer Additive



Simply add Rain-X® Washer Fluid Additive to water or any windshield washer fluid to apply Rain-X® technology.

Size	Part No.	Ctn. Qty.
296mL	RX11314	12



Headlight Restoration



Rain-X® Headlight Restoration Kit provides a deep clean to plastic yellowed, hazed headlights with the use of a specially designed polish and sealant. Multi step kit process provides a deeper clean than single step products.

Size	Part No.	Ctn. Qty.
Kit	800001809	6



Anti-Fog Wipes & Liquid




Rain-X® Anti-Fog eliminates and prevents interior fogging and steaming instantly. Ideal for use on mirrors and windows.

Size		Ctn. Qty.
103mL	BCAF21112	10
WIPES (25pk)	5077368	6





MAINTENANCE & REPAIR







Vital Red



- All gasket types
- ♦ Intake end seals
- Pan gaskets
- Heat resistant up to 340°C

Vital Grey

- All gasket types
- OEM specifications
- Heat resistant up to 330°C
- Suits high torque applications



Vital Copper



- Advance high performance formula
- Sensor safe
- ◆ Heat resistant up to 370°C

Vital Black & Clear



- All round performance on a range of gaskets
- Heat resistant up to 250°C
- Available in clear and black

Available in 85gm tube & 300gm cartridge

Vital pro range





- Sensor-safe.
- Silicone gasket maker (OEM material).
- For high torque, high vibration applications.
- Guaranteed no leak.



OEM Material · Sensor safe · Black or grey · 100 gram tubes





Metal Polish



All Purpose Metal Polish specially formulated using the best available materials to polish, clean and protect

- Powerful abrasive properties
- Pleasant smell
- Water dispersible

Exhaust cement





For use on exhaust systems, mufflers, tail pipes, catalytic converters, industrial kilns.

- Fast & easy repairs
- Heat resistant
- Shock resistant
- Up to 300°C

30 gm & 100 gm tube

150 gm tube








- Lock bolts & nuts up to 20 mm
- Chemical, fuel & lubricant resistant
- ◆ Formulated for medium strength

High strength threadlocker





- Chemical, fuel & lubricant resistant
- Formulated for high strength
- Suitable for high torque bolts

6ml tube & 50 ml bottle

6ml tube & 50 ml bottle



VT550

VT551

VT180

Vitalsol metal Polish

Vitalsol metal Polish

Vital Gum exhaust cement

Product Code	Description	Size	Ctn Qty	Barcode
V-TECH GASKE	T MAKERS			
VT151	Vital red RTV	85gm	12	9555202600394
VT158	Vital red RTV	300gm	24	9555202600585
VT152	Vital grey RTV	85gm	12	9555202600400
VT152P	Vital grey PRO RTV	100gm	12	9555202603098
VT163	Vital grey PRO RTV	300gm	24	9555202601315
VT153	Vital copper RTV	85gm	12	9555202600417
VT165	Vital copper RTV	300gm	24	9555202600592
VT157	Vital Black RTV	85gm	12	9555202600554
VT157P	Vital black PRO RTV	100gm	12	9555202603104
VT164	Vital clear RTV	85gm	12	9555202601353
VT170	Multipurpose RTV clear	300gm	24	9555202601322
VT171	Multipurpose RTV black	300gm	24	9555202601339
VT172	Multipurpose RTV white	300gm	24	9555202601346
V-TECH THREA	DLOCKERS			
VT8436	Threadlocker blue	6ml	12	9555202602312
VT84350	Threadlocker blue	50ml	12	9555202602251
VT8716	Threadlocker red	6ml	12	9555202602329
VT87150	Threadlocker red	50ml	12	9555202602268
V TEOU WOOT	ANEQUA PROPUES			
V-TECH MISCEL	ANEOUS PRODUCTS			

12

12

12

100gm

30gm

150gm

9555202601421

9555202601445

9555202601261







Table of Contents

Gasketing	4
— Gasket Makers	4
— Anaerobic Gasket Makers & Flange Sealants	11
— Specialty Gasket Makers	12
— Gasket Sealants	13

Lubricants	33
- Multipurpose Lubricants	33
— Specialty Lubricants - Belt Dressing	34
— Specialty Lubricants - Anti-Seize	34
— Specialty Lubricants - Brakes	35
— Specialty Lubricants	36

Thread Compounds	14
— Threadlocker Gels	15
— Anaerobic Threadlockers	16
— Thread Sealants	18
— Retaining Compounds	20
Troubling compounds	

Cleaners	3
— Cleaners	3

Adhesives & Sealants	21
— Super Glues & Instant Adhesives	21
— Epoxies	22
— Specialty Adhesives	24

Hand Care	38
— Hand Cleaners	38
— Gloves	39

Specialized Maintenance & Repair	26
— Rebuilder's Aids	26
— Auto Glass / Lens Repair	26
— Electrical System Maintenance	27
— Body, Interior & Trim	28
— Professional Repair Systems	29
— Exhaust System Repair	31
— Fuel Tank & Radiator Repair	32

References	
— Gasket Maker Selector	40
— Gasket Dressing Selector	42
— Threadlocker Selector	44
— Epoxy Guide	46
— Complete Auto Care	48
— Motorcycle Applications	50
— Heavy Duty Fleet Repair	52
— Automotive OEM Interchange	54
— OEM Interchange Heavy Equipment	58
— Index by Product Name	60
— Index by Product Number	62



Gasket Makers

Permatex Gasketing Product Recommendations		N & NORTH AMERICAN AUTOMOBILES General Motors, Ford, Chrysler		IMPORT AUTOMOBILES Acura, Audi, BMW, Daewoo, Fiat, Honda, Hyundai, Isuzu, Jaguar, Land Rover, Mazda, Mercedes-Benz, Mitsubishi, Nissan, Opel, Rover, Saab, Subaru, Suzuki, Toyota, Volvo, Volkswagen	
necommendations	Ultra Black®	Ultra Blue®	Ultra Copper®	Ultra Grey®	Ultra Copper®
GASKETING APPLICATIONS	;	STANDARD PERFORMANC	E	HIGH PERF	FORMANCE
Rear Main Bearing Cap Split Line	×	×	×	×	_
Damper Keyway Sealing	×	*	×	*	_
Differential Cover	×	*	×	*	_
Intake End Seals	*	*	_	*	_
OHC Cap	×	×	×	*	_
Oil Pan Corner Seals	×	×	×	*	_
Oil Pan Gasket	*	*	*	*	_
Side Cover Plate	×	×	×	*	_
Thermostat Housing	×	×	×	*	_
Timing Cover	×	×	×	*	_
Transmission Pan	×	×	×	*	_
Valve Cover Gasket	×	×	×	×	_
Vibration Damper	*	*	×	*	_
Water Pump Cover Gasket	_	_	×	×	_
GASKET DRESSING / ADHESIVE AF	PLICATIONS				
Exhaust Manifold	_	_	×	_	_
Intake Manifolds	×	*	×	*	*

SEALANT FEATURES	Permatex® Form-A-Gasket® No. 1	Permatex® Form-A-Gasket® No. 2	Permatex® Aviation Form-A-Gasket®	Permatex® Tack & Seal™	Permatex® Super High Tack	Permatex® Copper Spray-A-Gasket®	Permatex® Ultra Rubber Gasket Sealant & Dressing
Non-Hardening Formula	_	×	×	×	×	_	×
Hardening Formula	×	_	_	_	_	_	_
Thread Sealant	*	×	×	×	_	_	×
For Gasket Positioning	_	_	_	×	×	*	×
Gasket Sealant	*	×	*	×	_	*	×
High Pressure Resistance	*	×	*	×	×	_	*
Sensor-Safe	×	×	×	×	×	*	×



Gasket Makers — The Right Stuff® 1 Minute Gasket™



Got a 🌶 Minute?

Make Instant Gaskets to Fit Any Application...

Put vehicles back into service in just one minute with the Right Stuff® 1 Minute Gasket™!

These long-lasting, elastomeric formed-in-place rubber gasket makers are more reliable and longer lasting than cut gaskets, and at a fraction of the cost. They fit many different applications quickly and easily by allowing you to custom fit gaskets to any shape or size.

- Leak & seepage resistant protects against leaks caused by vibration & thermal expansion.
- . Superior to most OE gaskets and fleet-tested to be leak-free in more than 5 million miles of heavy commercial use.

Now packaged in handy-sized Power Cans, each contains enough material to completely replace two or three large cut gaskets!

Permatex® The Right Stuff® 1 Minute Gasket™ BLACK

The self-merchandising proprietary clamshell can stand on it's own, be hung or binned.

Item :	# Container Size	Pack
PX252	29 85 g Power Can, carded	6

Permatex® The Right Stuff® 1 Minute Gasket™ GREY

The self-merchandising proprietary clamshell can stand on it's own, be hung or binned.

Item #	Container Size	Pack
PX25238	85 g Power Can, carded	6





Item # PX25229

Item # PX25238

Section 17 cwbrands.com.au



Gasket Makers — The Right Stuff®



Permatex® The Right Stuff® BLACK Gasket Maker

Make leak-proof gaskets and return equipment to service immediately! The Right Stuff is our most advanced gasket maker. It eliminates the need to wait for the gasket maker to cure - just reassemble and go! The elastomeric "formed-in-place" material is more reliable and longer lasting than pre-cut gaskets. It is blowout resistant and protects against leaks and seepage caused by vibration and thermal expansion. Formulated to meet or exceed performance standards for long-term sealability, durability and handling. Temperature range -59°C to 232°C continuous, 260°C intermittent; resists ATF, coolant and oil. Sensor-safe.

Suggested Applications: Automotive, heavy duty, and marine gaskets, valve covers, gearbox covers, pumps, oil pans, thermostat housings, water pumps.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX25224	193 g Power Can	6
PX29208	147 mL cartridge	6
PX33694	300 mL cartridge	6
PX85224	212 g PowerBead™ pressurized can	6

Performance Scorecard			
Parameter	Cut Gaskets	the Right Stuff®	
Reliability, Durability	FAIR	EXCELLENT	
ATF/Oil /Coolant /Temp. Resistance	POOR	EXCELLENT	
Seals Consistently	FAIR	YES	
Sensor Safe	YES	EXCELLENT	
Ability to seal scored surfaces	POOR	EXCELLENT	
Ability to tighten/ re-tighten bolts without concern of over-tightening	POOR	GOOD	
Available in every possible shape	NO	YES	

Permatex® The Right Stuff® GREY Gasket Maker

Specifically designed to perform under higher torque loads associated with engines having closely spaced bolt patterns (typically import vehicles). This product is blowout resistant, allowing leakproof gaskets to be made and put into service in just one minute. Sensor-safe, The Right Stuff® GREY seals instantly, forming a reliable, long lasting elastomeric rubber gasket that outperforms precut gaskets. This material is resistant to powertrain fluids (oil, coolant, and ATF) and operates in environments to 232°C continuous; 260°C intermittent.

Suggested Applications: Automotive gaskets, valve covers, oil pans, transmission pans, thermostat housings, water pumps.

Item #	Container Size	Pack
PX85144	212 g PowerBead™ pressurized can	6

Section 17 **Page 7.8** cwbrands.com.au



Ultra Series Gasket Makers



Permatex® Ultra Black® Maximum Oil Resistance RTV Silicone Gasket Maker

Ultra Black® ensures extended drive-train warranty compliance. Fast-curing formula. Sensor-safe, low odour, non-corrosive. Retains high flexibility, oil resistant properties through use of a patented adhesion system to assist sealing during temperature cycling between dissimilar metals. Temperature range -54°C to 260°C intermittent; resists auto and shop fluids and vibration.

Suggested Applications: Valve covers, oil pans, intake manifold end seals, timing covers, and differential covers.

Item #	Container Size	Pack
PX24105	368 g cartridge	12
PX82180	95 g tube, carded	12
PX85080	269 g PowerBead [™] can	6



Permatex® Ultra Copper® Maximum Temperature RTV Silicone Gasket Maker

For high operating temperatures, turbocharger applications, and exhaust systems. The most advanced, high temp RTV silicone gasket maker available. Sensor-safe, low odour, non-corrosive. Three times more oil resistant than conventional silicones; eight times more flexible than cut gaskets. Temperature range -54°C to 371°C intermittent; resists auto and shop fluids and vibration.

Suggested Applications: Exhaust manifolds/headers, turbo charger applications, and slip-fit exhaust parts.

Item #	Container Size	Pack
PX81878	85 g tube, carded	12



Permatex® Ultra Blue® Multipurpose RTV Silicone Gasket Maker

Permatex® Ultra silicones were developed to meet today's technology changes. Sensor-safe, low odour, non-corrosive. Outstanding oil resistance and joint movement tolerance. Eight times more flexible than cork/composite gaskets; three times more oil resistant than conventional silicones. Temperature range -54°C to 260°C intermittent; resists auto and shop fluids and vibration.

Suggested Applications: Valve covers, oil pans, and timing covers.

Item #	Container Size	Pack
PX81725	368 g cartridge	12
PX81724	95 g tube, carded	12
PX85519	269 g PowerBead™ can	6



Permatex® Ultra Grey® Rigid High-Torque RTV Silicone Gasket Maker

Designed especially for high-torque and high vibration applications, where close bolt patterns require a rigid setting material. This premium RTV gasket maker exceeds manufacturers' performance requirements. Sensor-safe, low odour, and non-corrosive. Maximum vibration resistance, with outstanding resistance to oils, cooling and shop fluids. Temperature range -54°C to 260°C intermittent.

Suggested Applications: Valve covers, oil pans, automatic transmission pans, intake manifold end seals,

timing covers, water pumps, and thermostat housings.

Item #	Container Size	Pack
PX82195	368 g cartridge	6
PX89145	99 g tube, carded	12



Permatex® Ultra Synthetic Gasket Maker

Advanced formula RTV Gasket Maker designed specifically for resistance to unique synthetic motor oil chemical properties. Prevents leak paths commonly associated with full and blended synthetic motor oils. Recommended for close tolerances and high performance parts. Temperatures up to 260°C intermittent. Import/Domestic compatible. Suggested Applications: Valve covers, oil pans, oil pumps, intake manifold end seals, and timing gear covers.

Item #	Container Size	Pack
PX82135	99 g tube, carded	12

cwbrands.com.au Page 7.9

Section 17



RTV Gasket Makers



Permatex® Sensor-Safe Blue RTV Silicone Gasket Maker

The original Permatex® Blue now with low odour formula. Will not foul oxygen sensors. Replaces almost any cut gasket. Makes reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating. Coats pre-cut gaskets to increase reliability. Temperature range -54°C to 260°C intermittent; resists auto and shop fluids.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, and thermostat housings.

Item #	Container Size	Pack
PX80628	365 g cartridge	12
PX80022	85 g tube, carded	12



Permatex® High-Temp Red RTV Silicone Gasket Maker

Formulated for hi-temp applications, or heavy-duty use (such as towing). Replaces almost any cut gasket by making reliable "formed-in-place" gaskets that resist cracking, shrinking and migrating caused by thermal cycling. Coats pre-cut gaskets to increase reliability. Temperature range -54°C to 343°C intermittent; resists auto and shop fluids.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, and thermostat housings.

Item #	Container Size	Pack
PX81409	311 g cartridge	12
PX81160	85 g tube, carded	12



Permatex® Sensor-Safe High-Temp RTV Silicone Gasket Maker

The high temp first generation gasket maker formulated for oxygen sensor equipped engines. Temperature range of -54°C to 343°C intermittent; resists auto and shop fluids.

Suggested Applications: Valve covers, oil pans, timing covers, water pumps, and thermostat housings.

Item #	Container Size	Pack
PX81422	85 g tube, carded	12



Permatex® Water Pump & Thermostat RTV Silicone Gasket Maker

A non-corrosive, sensor-safe RTV silicone gasket material formulated specifically for water pumps and thermostat housings. Highest water-glycol resistance available in an RTV silicone.

Suggested Applications: Water pump and thermostat housings

Item #	Container Size	Pack
PX22071	14 g tube, carded	6



Permatex® Automatic Transmission RTV Gasket Maker

Developed with U.S. automotive OEMs and resists aging, weathering and thermal cycling without hardening, shrinking or cracking. Benefits include improved transmission oil resistance, good adhesion while retaining flexibility, sensor-safe, non-corrosive and can be used as a gasket maker or dressing. Non-flammable, non-toxic, low odour.

Suggested Applications: Automatic transmission pans, case halves, and side covers

Item #	Container Size	Pack
PX81180	85 g tube, carded	12



Permatex® Gear Oil RTV Gasket Maker

Specially formulated to withstand the harsh gear oil environment found in differentials and transfer cases. Because gear oil has friction modifiers that break down normal RTV and cause leaking, this specialty silicone has been tested to ensure a leak-proof seal.

Suggested Applications:Differentials and transfer cases.

Item #	Container Size	Pack
PX81182	85 g tube, carded	6

cwbrands.com.au Section I7 Page 7.10



PowerBead™ Dispensing System











Gasket Makers & Sealants Made Easier

Our patented PowerBead[™] Dispenser makes it easier to apply consistent, uninterrupted beads of Permatex[®] Gasket Makers and Sealants.

- · Makes application quick and easy
- · Extended, rigid nozzle gives pinpoint control
- Vertically-actuated valve design allows all material to be dispensed (NO WASTE!) and eliminates clogging
- Product flow can be regulated easily, without finger fatigue
- Permatex® branded comfort-grip

The PowerBead™ Advantage

Our patented valve opens all of the can's internal orifices, unlike standard tilt valves that only open one. Your benefit...virtually no clogging and smoother product flow with better control.



Anaerobic Gasket Makers & Flange Sealants





Permatex® Anaerobic Gasket Maker

Non-corrosive gasketing material designed primarily for use on aluminium, iron, and steel flanged mating surfaces. Ideal when a conventional gasket is unavailable (not for use with conventional gaskets). Fills gaps up to 0.38mm and cures to a solvent-resistant seal that will not tear or decay during service. Parts disassemble easily even after extended service. Old gasket material can be removed in minutes with the Permatex Safer Scraper.

Suggested Applications: For use on machined aluminium metal components; transmission pans, transmission case covers, transaxle casings, transfer cases, split crankcases, pumps, and housings.

Item #	Container Size	Pack
PX51813	50 mL tube, carded	6

Permatex® Anaerobic Flange Sealant



Flexible, gasketing material for use on rigid machined flanges with less than 0.38mm gap. Use where OE's specify "anaerobic" gasket (cures in the absence of air). Withstands temperatures to 149°C. Eliminates preformed pre-cut, paper, rubber and cork gaskets. Flexes with flanges that move in service.

Suggested Applications: Water pumps, thermostat housings, transmission pans, transmission case covers, engine cases, timing covers, and transaxle casings.

Item #	Container Size	Pack
PX51531	50 mL tube	10



Gasket Removers



Permatex® Gasket Remover - Low VOC Formula

This low VOC formulation combines powerful gasket remover strength with an innovative delivery system. Its fast-foaming action penetrates the most stubborn or baked-on, solvent-based gaskets in 15-20 minutes. The built-in brush-tip was designed for easy application and allows for scrubbing on intricate surfaces. This product is NOT for use on silicone gaskets. Level 2

Suggested Applications: Removes solvent-based gasketing and gasket sealant products including all Permatex® Form-A-Gasket ®, Spray-A-Gasket®, Indian Head®, High Tack™ Gasket Sealants and Dressings, and residual gasket material.

Item #	Container Size	Pack
PX80645	113 g Power Can with brush-tip nozzle, stand-up carded	6

Section 17 cwbrands.com.au





Specialty Gasket Makers



Permatex® MotoSeal® 1 Ultimate Gasket Maker Grey

For two and four cycle engines. Solvent-based bond fully seals within 20 minutes. Forms a tough flexible bond that is highly effective on irregular and uneven joint surfaces. Resists gasoline and 2-stroke oil mixtures. Withstands temperatures 177°C continuous, 204°C intermittent.

Suggested Applications: Transmission case halves, valve covers, centre and end covers (transmissions), crank case halves, cam covers, timing chain cases, primary drives, side covers, and clutch housings.

Ultimate Gasket Maker for all Two-Cycle and Four-Cycle Engines

Item #	Container Size	Pack
PX29132	80 mL tube, carded	6

Gasket Sealants



Permatex® PermaShield™ Fuel Resistant Gasket Dressing & Flange Sealant

Specially formulated for superior fluid resistance, this polyester urethane based gasketing compound withstands extreme temperature changes without hardening. Its non-setting, non-hardening character remains tacky even with rapid changes in temperature, enabling repeated assembly and disassembly of parts. Suitable as either a gasket maker or dressing, PermaShield™ seals surface imperfections between metal parts and is ideal in high performance applications. With an operating temperature range of -50° to 260°C, this compound resists common engine fluids, including oil, gasoline, ethanol, water and anti-freeze and prevents contamination from moisture and dust.

Suggested Applications: Axle assemblies, hydraulic parts, differential covers, oil pans (cast), water pumps, bearing caps/brackets, gearboxes, hydraulic equipment covers, intake manifold gaskets, and valve cover gaskets.

Item #	Container Size	Pack
PX85420	59 mL tube, carded	6



Gasket Sealants



Permatex® Form-A-Gasket® No. 1 Sealant

Fast-drying, hard-setting sealant designed for sealing rigid materials and flanges, or patching holes and joints where permanent assembly is desired. Temperature range -54°C to 204°C; resists common shop fluids and fuels.

Suggested Applications: Freeze plugs, threaded connections, and manifold gaskets.

Item #	Container Size	Pack	
PX80008	85 g tube, carded	12	



Permatex® Form-A-Gasket® No. 2 Sealant

Slow-drying, non-hardening sealant approved for use in aviation as well as automotive applications. Temperature range -54°C to 204°C; resists gasoline, oil and grease.

Suggested Applications: Valve cover gaskets, and oil pan gaskets.

Item #	Container Size	Pack
PX80016	85 g tube, carded	12



Permatex® Aviation Form-A-Gasket® No. 3 Sealant Liquid

Slow-drying, non-hardening brush-top sealant approved for use in aviation as well as automotive applications. Temperature range -54°C to 204°C; resists gasoline, oil and grease.

Suggested Applications: Close-fitting machined surfaces, sealing hoses, and solid gaskets.

Item #	Container Size	Pack
PX80017	473 mL bottle	12
PX80019	118 mL bottle	12



Permatex® Copper Spray-A-Gasket® Hi-Temp Sealant

Fast-drying, metallic copper sealant helps dissipate heat, prevents gasket burnout and improves heat transfer. Fills minor surface irregularities. Seals instantly. Fills hot spots and surface imperfections. Temperature range -45°C to 260°C; resists all types of automotive fluids, especially gasoline. Level 3

Suggested Applications: Cylinder head gaskets, exhaust manifold gaskets, and other high temperature applications.

Item #	Container Size	Pack	
PX80697	255 g aerosol can	12	



Permatex® Ultra Rubber Gasket Sealant & Dressing

Formulated specially for rubber gaskets, it conditions gaskets for longer life and seals potential leak paths. It also functions to hold gaskets in place during installation. The non-hardening, soft-setting formula makes gasket repositioning quick and easy. Provides outstanding oil and fluid resistance. Temperature range -54°C to 204°C.

Suggested Applications: Designed for use on all cut and formed rubber gaskets, but also great to condition and extend the life of composite, paper and cork gaskets.

Item #	Container Size	Pack
PX85409	28 g tube, carded	6



Permatex® Super High Tack™ Gasket Sealant

Non-hardening for easy disassembly. Keeps large gaskets in place during positioning and assembly. "Clean hands" formula won't stain. Temperature range -54°C to 204°C; resists engine fluids including diesel fuels and synthetic oils.

Suggested Applications: Seals rubber, cork, paper and composite gaskets, and hose connections.

Item #	Container Size	Pack
PX80060	51 mL tube, carded	12

Section I7 cwbrands.com.au



Introduction

Permatex® Threadlocker adhesives are widely accepted in a broad range of applications, from delicate fuel injection components to heavy duty transmission and engine assemblies. Suitable for use on factory assembly lines, threadlockers apply as liquids or gels, filling the space between threaded metal parts, and cure to form a tough, adhesive bond and seal.

Permatex® Threadlockers are superior to conventional lock washers, nylon inserts, and other mechanical devices because they secure the entire fastener assembly against loosening from shock and vibration, so fastener clamping forces are maintained. Threadlockers also seal the threads against leakage, preventing rust and corrosion. Available in a variety of strengths and temperature ratings, Permatex® Threadlockers are simply the most reliable way to lock and seal threaded fasteners of all shapes and sizes, either before or after assembly.

Product	Item No.	Colour	Viscosity cP	Fasteners	Torque in Nm.* Break/Prevail	Fixture** (Full Cure)	Fixture/ with Primer	Temperature Range	Use/Common Applications
Permatex® Low Strength Threadlocker Purple	24024	Purple	1,200/5,000 Thixotropic	Up to 6mm	7/3	20 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly for throttle body assembly screws, choke assembly screws, mixture adjusting screws, idle control screws, relay lock screws, body panel mounting fasteners.
Permatex® Medium Strength Threadlocker Blue	24210 24250	Blue	1,200/6,000 Thixotropic	6-20mm	13/6	20 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly for oil pan bolts, case cover bolts, shift lever nuts, alternator mounts, intake manifold, valve cover, and disc brake calliper bolts.
Permatex® Surface Insensitive Threadlocker Blue	24350	Blue	2,250/12,000 Thixotropic	6-20mm	20/7	20 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly for oil pan bolts, valve and cam cover bolts, intake bolts, disc brake calliper bolts, alternator mounting bolts, rocker studs.
Permatex® Permanent Strength Threadlocker Red	26210 26250	Red	1,800/5,000 Thixotropic	10-25mm	21/31	20 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly of air tools, cylinder block bolts, ring gear bolts, transmission shaft bolts.
Permatex® High Strength Threadlocker Red	27110	Red	500	10-25mm	26/25	20 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly for threaded and slip fit joints on cylinder block and rocker arm studs, shock absorber bolts, ring gear bolts, frame bolts.
Permatex® High Temperature Threadlocker Red	27240	Red	10,000	10-38mm	20/30	30 min. (24 hrs.)	5 min.	-54° to 232°C	Applied before assembly for camshaft sprocket bolts, crankshaft attaching bolts, idler bearings, press fit filler tubes, transmission input and output shaft threads, shock bolts, ring gear bolts.
Permatex® Large Diameter Threadlocker Red	27740	Red	7,000	25mm over	28/22	60 min. (24 hrs.)	5 min.	-54° to 149°C	Applied before assembly for frame brackets, suspension fasteners, shock absorber mount, wheel studs.

Thixotropic: resists dripping from threads during assembly



Threadlocker Gels



Permatex® Medium Strength Threadlocker Blue Gel

Gel formula provides "liquid-reliability" without drips, globs, mess or waste. The GEL TWIST™ pin-point applicator puts the Threadlocker right where you want it...on the part! All-purpose, medium strength threadlocker. Ideal for all nut and bolt applications 6mm to 20mm. Eliminates need for stocking expensive lock nuts and lock washers. Locks and seals while preventing parts loosening due to vibration. Protects threads from corrosion. Removable with hand tools for easy disassembly. Conforms to ASTM D 5363 AN0321 (Mil-S-46163A, Type II, Grade N).

Suggested Applications: Valve cover bolts, water pump bolts, oil pan bolts, drive shaft bolts, rocker arm adjustment nuts, carburettor studs; also ideal for vertical applications.

Item #	Container Size	Pack
PX24010	10 g GEL TWIST™ applicator, carded	6



Permatex® High Strength Threadlocker Red Gel

Gel formula provides "liquid-reliability" without drips, globs, mess or waste. The GEL TWIST™ pin-point applicator puts the Threadlocker right where you want it...on the part! High strength threadlocker for heavy-duty applications 10mm to 25mm. Especially well-suited for permanently locking studs and press fits. Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. May require heat or special tools for removal. Conforms to ASTM D5363 AN0221 (Mil-S-46163A, Type I, Grade K).

Suggested Applications: Cylinder block and rocker arm studs, ring gear bolts, frame bolts, and shock absorber bolts.

Item #	Container Size	Pack	
PX27010	10 g GEL TWIST™ applicator, carded	6	

Gel Twist™ Application Directions:



1. Remove protective cap.



2. Turn dial to expose 3mm to 6mm of material beyond tip.



3. Apply Threadlocker to engagement area of male fitting.



4. Assemble parts and tighten to recommended torque.

True
Innovation....
No drips.
No globs.
No mess.
No waste.



Section 17

cwbrands.com.au Page 7.16



Anaerobic Threadlockers



Permatex® Low Strength Threadlocker Purple

Low strength threadlocker designed for fasteners under 6mm that require occasional adjustment. Removable with hand tools for easy disassembly. Non-corrosive. Conforms to ASTM D 5363 AN0311 (Mil-S-46163A, Type II, Grade M).

Suggested Applications: Carburettors, relay locks, headlamps, throttle body assembly, choke assembly and fuel injection set screws, body panel mounting fasteners, and fine threads.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX24024	6 mL tube, carded	6



Permeter Permeter Insulate in Control

Permatex® Surface Insensitive Threadlocker Blue

Medium/high strength threadlocker for generalpurpose applications. Especially well-suited for 6mm to 20mm fasteners that have a slight oil film. Prevents vibration loosening. Oil resistant. Removable with hand tools for easy disassembly.

Suggested Applications: Rocker studs, rocker adjustment bolts and bolts on valve and cam covers, oil pans, disc brake calipers, intakes, alternators, and pulley assemblies.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX24350	50 mL bottle	6



Permatex® Large Diameter Threadlocker Red

A high strength adhesive for locking and sealing large bolts and stud 25mm or larger in diameter. Heat may be required to weaken bond before parts can be disassembled. Conforms to ASTM D5363 ANO211 (Mil-S-46163A, Type I, Grade L).

Suggested Applications: Frame brackets, suspension fasteners, shock absorber mounts, wheel studs

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack	
PX27740	36 mL bottle, carded	6	



Permatex® Medium Strength Threadlocker Blue

All-purpose, medium strength threadlocker. Ideal for all nut and bolt applications 6mm to 20mm. Eliminates need for stocking expensive lock nuts and lock washers. Locks and seals while preventing parts loosening due to vibration. Protects threads from corrosion. Removable with hand tools for easy disassembly. Conforms to ASTM D 5363 AN0321 (Mil-S-46163A, Type II, Grade N).

Suggested Applications: Valve a holts, oil pan holts, drive shaft

Nonfood Compounds Program Listed (P1) (1345526)

cover bolts, water pump bolts, oil pan bolts, drive shaft bolts, rocker arm adjustment nuts, and carburettor studs.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX24210	10 mL bottle, carded	12
PX24250	50 mL bottle	6



Permatex® Permanent Strength Threadlocker Red

A permanent, high strength product that is applied to fasteners 10mm to 25mm in size before assembly. Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions. Localized heating and hand tools are required to separate parts. Conforms to ASTM D5363 AN0331 (Mil-S-46163A, Type II, Grade 0).

Suggested Applications: Assembly

with air tools, cylinder block bolts, ring gear bolts, and transmission shaft bolts.

OEM INTERCHANGE, see pgs. 54-59

NSF
Nonfood Compounds
Program Listed (P1)
(134524)

Item #	Container Size	Pack
PX26210	10 mL bottle, carded	12
PX26250	50 mL bottle	6

cwbrands.com.au Section I7 Page 7.17



Anaerobic Threadlockers





Permatex® High Strength Threadlocker Red

High strength threadlocker for heavy-duty applications 10mm to 25mm. Especially well-suited for permanently locking studs and press fits. Adds 3,000 PSI holding power on slip and press fit assemblies. Replaces set screws and snap rings. Locks against vibration loosening. May require heat or special tools for removal. Conforms to ASTM D5363 AN0221 (Mil-S- 46163A, Type I, Grade K).

Suggested Applications: Cylinder block and rocker arm studs, ring

gear bolts, frame bolts, and shock absorber bolts.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack	
PX27110	10 mL bottle, carded	12	



Permatex® High Temperature Threadlocker Red

High temperature/high strength threadlocker for heavy-duty applications. Prevents bolts and press fits 10mm to 38mm from loosening due to shock, severe vibration and heat stress. Exclusive formulation for newer engines and high performance applications that require extreme temperature resistance. Suited for temperatures up to 232°C. Removable with heat and hand tools.

Suggested Applications: Camshaft sprocket bolts, crankshaft bolts, idler bearings, press fit filler tubes, transmission

input and output shaft threads, ring gear or shock bolts.

OEM INTERCHANGE, see pgs. 54-59

Item # Container Size		Pack	
PX27240	36 mL bottle, carded	6	









Thread Sealants

Permatex® Thread Sealants seal and secure metal pipes and fittings. By filling the space between threaded metal parts, Thread Sealants cure to a pliable seal to prevent leakage caused by vibration loosening, tape shredding, solvent evaporation, damaged threads, and temperature cycling. Designed for low and high pressure applications, Thread Sealants seal instantly for on-line low pressure testing. When fully cured, they seal to the burst strength of most piping systems. The high lubricating properties of Permatex® Thread Sealants ease assembly and prevent galling of the threads. For system repairs, parts may be disassembled with basic hand tools.

Product	Item No.	Colour	Viscosity cP	Seal to Operating Pressure	Temperature Range	Use/Common Applications
Permatex® Pneumatic/ Hydraulic Sealant	PX54540	Purple	14,000	4 hrs.	-54° to 149°C	Pneumatic/Hydraulic sealant designed to cure more reliably on oily surfaces. Will not contaminate fine filter systems.
Permatex® High Performance Thread Sealant	PX56521	White	300,000	4 hrs.	-54° to 149°C	Superior to PTFE tape, ensures leak-proof seal under harsh treatment. Head bolts into through holes, vacuum valves, oil pressure switches and sensors, transmission oil and coolant lines, intake manifold switches, rear axle fill plug fuel fittings, brake and power steering lines.
Permatex® High Temperature Thread Sealant	PX59235	White	350,000	4 hrs.	-54° to 204°C	Head bolts into through holes, vacuum valves, oil PSI switches and sensors, transmission oil and coolant lines, intake manifold switches, rear axle fill plug, fuel fittings, brake and power steering lines.



Thread Sealants



Permatex® High Performance Thread Sealant

Formulated specifically for metal, tapered pipe thread fittings, it replaces Teflon® tape and pipe dopes. Cures rapidly to withstand up to 10,000 PSI. Prevents galling and protects mated threaded areas from rust and corrosion. Contains PTFE.

Suggested Applications: Stainless steel fittings, head bolts into through holes, oil PSI sending units/ sensors, oil and coolant lines, intake manifold switches, rear axle fill plug, and fuel fittings.

OEM INTERCHANGE, see pgs. 54-59



Item #	Container Size	Pack
PX56521	50 mL tube, carded	6



Permatex® High Temperature Thread Sealant

Locks and seals threaded fittings. Resists leakage, vibration loosening, moisture, hydraulic fluids and diesel fuels. Lubricates threads for easy assembly and disassembly. Won't shred or wear like Teflon® tape. Parts may be repositioned up to 4 hours after application. Temperature range -54°C to 204°C. Contains PTFE.

Suggested Applications: Head bolts into through holes, oil PSI sending units and sensors, oil and coolant lines, fuel fittings, rear axle fill plug, brake, and power steering fittings.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX59235	50 mL tube, carded	6



Permatex® Pneumatic/Hydraulic Sealant

Designed for locking and sealing high pressure hydraulic and pneumatic systems. Contains no fillers or particles which could contaminate system fluids, foul valves, or clog fine filters and screens. Reliably cures on "as received" fasteners and controlled locking strength affords easy disassembly.


Suggested Applications: Hydraulic line fittings, brake fittings, transmission fluid fittings, and PTO fittings.

Item #	Container Size	Pack
PX54540	36 mL bottle, carded	6





Retaining Compounds





Product	Item No.	Colour	Max Gap Fill (Diametral)	Viscosity cP	Shear Strength	Temperature Range	Cure - Steel Fixture (Full)	Use/Common Applications
Permatex® Bearing Mount For Close Fits	PX60950	Green	0.13mm	125	3,000 PSI	-54° to 149°C	10 min. (24 hrs.)	Bushings, bearings, oil seals, ring gear bolts, differential lock pins.
Permatex® Bearing Mount For Relaxed Fits	PX68050	Green	0.38mm	1,250	2,800 PSI	-54° to 149°C	10 min. (24 hrs.)	Replaces set screws, replaces clamp rings, replaces snap ring, wheel bearings, idler shaft, press fit bearings



Permatex® Bearing Mount for Close Fits

A low viscosity, rapid-curing adhesive that augments the strength of press fit assemblies up to .005" in diameter. Adds up to 3,000 PSI holding power. Conforms to ASTM D5363 AN0411 (Mil-R-46082, Type I).

Suggested Applications: Bushings, bearings, oil seals, ring gear bolts, and differential lock pins.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX60950	50 ml bottle	6



Permatex® Bearing Mount for Relaxed Fits


High strength, medium viscosity anaerobic adhesive for slip fit assemblies. Provides 2,800 PSI shear strength on steel. Fixtures in 10 minutes at room temperature.



Suggested Applications: Replaces set screws, replaces clamp rings, replaces snap rings, wheel bearings, idler shaft, and press fit bearings.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX68050	50 mL bottle	6



Section 17



Introduction

Super Glues and Instant Adhesives

From the world leader in cyanoacrylate, or super glue, technology comes a complete line of adhesives designed to cover the vast majority of common automotive repairs and materials. From the revolutionary Ultra Bond™, a high performance super glue, to Dr. Bond™ adhesive, Permatex® offers a wide range of instant adhesives to meet your many needs.

Epoxies

Permatex® epoxies offer convenient solutions for a wide range of bonding applications. Available in many packaging configurations, Permatex® epoxies are versatile and easy-to-use. From general-purpose to material-specific, Permatex® offers a formulation that will work in virtually any environment.

Specialty Adhesives

Permatex® specialty adhesives offer ideal solutions for many automotive bonding jobs. As complements to a full line of super glues, these products make a more complete adhesive set, while the tried and true formulas guarantee consumer satisfaction.

Sealants

There is a trusted Permatex® sealant for virtually any automotive sealing application, from windshields to vinyl tops to electrical connections. These well-known general-purpose and job specific sealants are cornerstones in the Permatex® line.

Super Glues & Instant Adhesives

Permatex® Super Glue

This formulation was specially designed for a faster, long-lasting bond. It is easily applied and works on non-porous materials including metal, plastics, rubber, vinyl, paper, wood, and textiles. Permanent, transparent bond fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX49450	28 g bottle, carded	10
PX82190	2 g tube, carded	12



Permatex® Super Glue Gel

This no drip gel formula "stays put" for precise application on hard-to-reach, overhead, or vertical surfaces. This permanent, transparent bond is easily applied and works on both porous and non-porous materials including metal, rubber, glass, aluminium, vinyl, ceramics, alloys, and plastics. Fills gaps to 0.101mm.

Suggested Applications: Automotive trim, logos, knobs, gear shift logos, and minor interior repairs.

	Permatex
ı	Non-Drip Formats
	Super Glue Gel
Ī	San co Aurence A. San France Sarkers
ĺ	
1	
	-
E	ere ere

Item #	Container Size	Pack
PX82191	2 g tube, carded	12

Section 17



Epoxies



Permatex® Steel Weld™

A two part, hand kneadable, putty type industrial strength, steel-reinforced epoxy in stick form, which is used to bond and repair metallic materials that will be exposed to high temperatures up to 260°C. Sets in 5 minutes and cures in 1 hour to a metallic steel grey colour. When fully cured it can be drilled, tapped, machined, filed, and painted. This epoxy is NSF Certified safe for repairs that come in contact with drinking water and is a non-rusting, non-shrinking, non-flammable, moisture resistant, and no VOC formulation. This epoxy is NSF Certified safe for repairs that come in contact with drinking water

Suggested Applications: Automotive and machine parts, stripped threads, rust damage, steel components, anchors, and cracks or voids in metal. Do not use on polyethylene or polypropylene materials.

Item #	Container Size	Pack
PX84332	56 g carded	12



Permatex® Steel Weld™ Epoxy

Versatile, easy-to-use, multi-metal epoxy adhesive is two-part adhesive and filler system that eliminates the need for welding or brazing. Sets in four minutes, no clamping needed. Dark grey appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 149°C. Permanent strength up to 4500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including aluminium, brass, chrome, copper, iron, stainless steel, steel. Use to seal welded seams, fills metal cracks, and mount metal components.

Item #	Container Size	Pack
PX84109	25 mL dual syringe, carded	12
PX84209	2 x 28g tubes, carded	12





Permatex® Cold Weld Bonding Compound

A 15-minute, two-part adhesive and filler system that eliminates the need for welding or brazing. It repairs, fills and bonds to iron, steel, brass, bronze, aluminium and copper. Once cured, it can be drilled, tapped, threaded, filed, sanded and painted. Resists most automotive, shop and cleaning fluids. Withstands temperatures to 149°C intermittent. Over 3,000 PSI shear strength on steel.

Suggested Applications: Aluminium, steel, brass, bronze, castings and stampings.

Item #	Container Size	Pack
PX14600	2 x 28g tubes, carded	12

Permatex® 1 Minute General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in one minute, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 2500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including, ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.

Item #	Container Size	Pack
PX84160	25 mL dual syringe, carded	12





Epoxies

Item #

Permatex® 5 Minute Gap Filling Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in five minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3400 PSI. Self-mixing dual syringe (84164) blends the adhesive and filler as it dispenses, eliminating the need for manual mixing.

Suggested Applicat multi-piece assemblie including, ceramic, ch glass, hard plastic, ar

PX84101 25 mL dual syringe, carded





Container Size	Pack		Easy-To-
Applications: Ideal for complex, assemblies. Bonds rigid materials eramic, chrome, fabric, fibreglass, plastic, and metal and rubber.	EST AT E	Day S A R. M. 1000 at 100 at	Form To

Permatex® 30 Minute High Strength General Purpose Epoxy

Versatile, easy-to-use, general purpose epoxy adhesive is two-part adhesive and filler system. Sets in thirty minutes, no clamping needed. Clear appearance. Fills gaps and will not shrink. When cured, can be drilled, sanded, threaded or filed. Resistant to water and solvents. Temperature range -51°C to 82°C. Permanent strength up to 3500 PSI.

Suggested Applications: Ideal for complex, multi-piece assemblies. Bonds rigid materials including ceramic, chrome, fabric, fibreglass, glass, hard plastic, and metal and rubber.

Item #	Container Size	Pack
PX84107	25 mL dual syringe, carded	12



Permatex® Plastic Welder™ Epoxy

A structural adhesive designed for general purpose bonding of a wide variety of material such as hard and soft plastics to specified surfaces. Forms a tough, durable bond to most plastics, composites, ceramics, wood in any combination. Fast curing product with gelling of mixed adhesive in 5 – 6 minutes and fixturing in 9 – 10 minutes. NOTE: Will not bond most polyethylene or polypropylene plastics. Bonds hard and soft plastics to specified surfaces. Requires no primers, sets in five minutes at room temperature. Cream appearance. Gap filling to 3.175mm. Water resistant and good chemical resistance. Temperature range -51°C to 121°C. Permanent strength up to 3500 PSI.

Suggested Applications: Bonds rigid materials including ABS, acrylic, fibreglass, FRP, glass, PVC, SMC, steel, styrene, vinyl, and wood. Use for interior trim, fills cracks, bonds most plastics, and bonds plastic to vinyl.

Item #	Container Size	Pack
PX84115	25 mL dual syringe, carded	12





Specialty Adhesives



Permatex® Contact Cement

Makes a tough, permanent bond on contact. Instantly bonds metal, wood, ceramic, leather, rubber and many other surfaces. Instantly bonds rubber to glass and metal. Heat and water resistant. Easy-to-use. Requires no clamping.

Suggested Applications: Weather stripping.

Item #	Container Size	Pack
PX25905	44 mL tube, carded	12



Permatex® Clear RTV Silicone Adhesive Sealant

General-purpose, clear RTV indoor/ outdoor sealant. Seals, bonds, repairs, mends, and secures glass, metal, plastics, fabric, vinyl, weather stripping, and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -75°F to 400°F (-59°C to 204°C); resists water, weather, and vibration. Not recommended for windshield installation.

Suggested Applications: Door

frames, electrical connections, vinyl tops, seams and roofs. (Not recommended for engine gasket applications).

Item #	Container Size	Pack
PX80050	85 g tube, carded	12
PX80855	311g cartridge	12



Permatex® Liquid Metal Filler

Easy-to-use filler can be drilled, filed, sanded and painted. Forms a long-lasting, metaltough bond. Works on metal, wood, and concrete. Excellent adhesion to galvanized metal. Repairs cracks or porosity leaks in cast metal parts. Fills small holes, cracks, and perforations. Resists water, oil and gasoline.

Suggested Applications: Oil pans, stake bed holes, door panels, and cast metal parts.



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX25909	99 g tube, carded	12

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

Permatex® Self-fusing Silicone Tape

A self-fusing silicone repair tape that has been used by the Military for years! An all purpose repair tape that is made out of specially formulated silicone rubber. Contains no adhesives, yet chemically bonds to itself upon contact. Simply stretch and wrap for an airtight, waterproof seal in seconds. Replaces duct tape and electrical tape.

Suggested Applications: Use to seal, insulate and stop vibration on just about anything you are able to get a couple of wraps around. Seal electrical connections, make emergency fuel or water hose repairs, insulate wiring and hoses, repair leaking pipes and hoses, repair damaged wires and wrap hand tools and grips. Use on connector wires and cables, all kinds of hoses such as garden hoses, vacuum hoses, appliance cords, and radiator hoses.

Item #	Container Size	Pack
PX82112	2.54cm x 3.04m Roll carded	6





Specialty Adhesives



Permatex® Spray Sealant Leak Repair

A sprayable sealer that forms a durable rubber barrier that stop leaks in minutes. The wicking action seals hard-to-reach leaks without the need for disassembling or removing parts. Designed specifically to target low pressure leaks in hoses, oil pans, differentials, transmission pans, fluid reservoirs as well as plastic, PVC and metal pipes, their connections and much more!. Eliminates the need for liquid additive sealers that can swell and foul internal seals. Resists common shop fluids. Note: In many cases, more than one coat will be needed to solve the problem. Level 3

Suggested Applications: Engine and transmission leaks, hoses, oil pans, differentials, transmission pans, cooling systems, thermostats, water pumps, valve covers, tubing connections, electrical harness connectors, plastics, and PVC.

Item #	Container Size	Pack
PX82099	255 g aerosol	6



Permatex® Black Silicone Adhesive Sealant

Low odour formula! General-purpose, black RTV indoor/outdoor sealant. Seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather stripping and vinyl tops. Protects and repairs electrical wiring. May be applied to horizontal or vertical surfaces. Waterproof and flexible. Temperature range -59°C to 232°C; resists water, weather, and vibration.

Suggested Applications: Door frames, electrical connections, seams and roofs, vinyl tops, weather stripping (Not recommended

for engine gasket applications or windshield installations).

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81158	85 g tube, carded	12
PX81173	365 g cartridge	12



Permatex® Flowable Silicone Windshield & Glass Sealer

Wicking action silicone "seeks the leak." Flows into hidden and hard-to-reach areas. Forms a tough, waterproof, durable, clear seal that is resistant to weather, extreme temperatures, vibration, shock, and most shop chemicals. Fills surface voids and irregularities. Temperature range -62°C to 204°C.

Suggested Applications: Windshields, sunroofs, windows, headlamp assemblies, marine glass, RV vents and windows.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX81730	42 g tube, carded	12


cwbrands.com.au Page 7.26



Specialised Maintenance & Repair

Whether it's sealing a hole in a tailpipe, attaching a rearview mirror or mending a tear in upholstery, there's a Permatex® product that offers the solution. These problem-solving products are formulated and tested to deliver optimum results for specific maintenance and repair needs.

- · Rebuilder's Aids
- Auto Glass Repair
- Electrical System Maintenance
- Body, Interior & Trim
- Professional Repair Systems
- Fabric and Vinyl Repair



- Brake Maintenance & Repair
- Radiator & Fuel Tank Repair

Rebuilder's Aids



Permatex® Valve Grinding Compound

Aids valve grinding and seating operations to remove burrs, surface defects, carbon, gum and corrosion. Can be used for lapping and grinding chromium. Mixes with water to form an easy-to-use paste.

Suggested Applications: Seat valves, sharpen reel type lawn mowers.

Item #	Container Size	Pack
PX80036	42.5 g tube, carded	12



Permatex® Prussian Blue

Aids precision-fitting of machined surfaces. Locates high spots on bearings, valves, gears and other close-to-tolerance components. Non-drying. Easy clean-up.

Suggested Applications: Bearings, valves, gears, other close tolerance or machined assemblies.

Item #	Container Size	Pack
PX80038	22 mL tube	36

Auto Glass / Lens Repair



Permatex® Extreme Rearview Mirror Professional Strength Adhesive

2-part (towelette & pipette) professional strength rearview mirror adhesive & activator. Patent pending medical grade towelette helps to minimize application messes, improves application accuracy and also provides a safer package for general consumers and professional installers. This product incorporates a professional strength formula which ensures that it works! NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications:

Mounting rearview mirrors to windshields.

Item #	Container Size	Pack
PX81840	2 part kit - 0.3 mL adhesive vial / 0.6 mL activator towelette, carded	12



Permatex® Professional Strength Rearview Mirror Adhesive

Approved and used by GM, Ford and Chrysler. Permanently remounts mirrors to windshields. Achieves handling strength in seconds; mirror-mounting strength in 15 minutes. Single use only. ODC-free. NOT DESIGNED FOR PLASTIC BUTTONS.

Suggested Applications: Mounting rearview mirrors to windshields.

Item #	Container Size	Pack
PX81844	2-part kit, carded	12

Section 17 cwbrands.com.au Page 7.27



Auto Glass / Lens Repair



Permatex® Rear Window Defogger Electrically Conductive Tab Adhesive

Quickly and easily bonds defogger tab to grid on rear window. Provides a low-cost, high-quality repair for damaged rear window defogger tabs. Complete kit for a quick repair.

Suggested Applications: Rear window defogger tabs.

Item # Container Size		Container Size	Pack
	PX21351	2-part kit, carded	6



Permatex® Bullseye™ Windshield Repair Kit

The first one-component windshield repair system designed to be used by the car owner. May be used to make air-tight repairs of bullseye damage up to 31.75mm in diameter on most laminated windshield glass. Safe and easy to use. Requires no mixing, no heat. Makes the repair virtually undetectable.

Suggested Applications: Bullseyes on laminated windshield glass.

Item #	Container Size	Pack
PX16067	0.74 mL syringe, carded	12

*See also Permatex® Professional Repair Systems Windshield Repair Kit

Electrical System Maintenance



Permatex® Dielectric Tune-Up Grease

Protects electrical connections and wiring from salt, dirt, and corrosion. Extends the life of bulb sockets. Prevents voltage leakage around any electrical connection. Also prevents spark plugs from fusing to boots. Required for modern, high-energy ignition systems.

Suggested Applications: All electrical connections, spark plug boots, and trailer hitches.

Item #	Container Size	Pack
PX22058	85 g tube, carded	6
PX81150	9 g tube, carded	12



Permatex® Liquid Electrical Tape

Weatherproof protectant for wiring and electrical connections. Goes on as a liquid and dries to a vinyl polymer that resists dirt, dust, chemicals, moisture, ensuring that connections stay intact. Brush-top applicator allows coverage without gaps and enables access to tight spaces that roll tape and shrink tubing can't get to.

Suggested Applications: Ignition wires, underground wiring, outdoor lighting fixtures, bilge pumps, terminal blocks, and exposed wires.

Item #	Container Size	Pack
PX85120	118 mL brush-top bottle, carded	6

cwbrands.com.au Section 17 Page 7.28



Electrical System Maintenance



Permatex® Battery Protector & Sealer

Seals and coats battery terminals eliminating the formation of acid salt corrosion typically found when terminals are untreated. Prevents terminal corrosion and battery drain. Increases battery life and improves electrical flow. Spray on batteries, battery terminals, and cables, in or out of storage. Aerosol - Level 3*

Suggested Applications: Automotive, marine, farm machinery, and motorcycle batteries.

Item #	Container Size	Pack
PX80370	141 g aerosol can	12



Permatex® Battery Cleaner

Spray it on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt, and grime instantly. Cleans all types of storage batteries and attachments in emergency power supply systems. Level 1

Suggested Applications: Automotive, marine, farm machinery and motorcycle batteries, cables, and terminal connections.

Item #	Container Size	Pack
PX80369	163 g aerosol can	12

Body, Interior & Trim



Permatex® Body Shop® Heavy Duty Headliner & Carpet Adhesive

High-strength spray adhesive designed for repairing interior parts that have become detached or loosened. Resistant to extreme weather conditions. Water-resistant. Dries clear for neat appearance. High temperature formula maintains high strength at temperatures up to 77°C. Level 3

Suggested Applications: Headliners, carpets, trunk linings, and inside door panels.

Item #	Container Size	Pack
PX27828	474 g aerosol can	6



Permatex® All Purpose Spray Adhesive

An all-purpose, pressure sensitive, spray adhesive that allows both permanent and re-positionable bonding. Won't bleed through leaving surfaces unstained, dries clear. Unique formula resists water and humidity. Will not shrink. Adheres to porous and non-porous materials. Level 3.

Suggested Applications: Excels at attaching upholstery cloth, carpeting, floor mats, insulation, and kick and silencer pads to metal, wood, or KB board.

Item #	Container Size	Pack
PX82019	297 g aerosol can	12



Permatex® Weatherstrip Cement

A translucent all-purpose cement and sealer that bonds in minutes and dries to a tough, strong bond. Waterproof and durable. It provides a flexible, vibration-resistant bond that adheres rubber to glass and metal.

Suggested Applications: Bonds glass, rubber, and metal; door and windshield weatherstripping.

Item #	Container Size	Pack
PX80328	59 mL tube, carded	12



Permatex® Super Weatherstrip Adhesive

A superior adhesive ideal for many applications including rubber, metal, auto or van carpeting, and fabric-backed vinyl upholstery and automotive gaskets. Allows for repositioning parts after contact is made. Withstands extreme temperatures. Water resistant. Resistant to gasoline, kerosene, antifreeze and most solvents.

Suggested Applications: All types of weather stripping, door and trunk mouldings.

Item #	Co	ntainer Size	Pack
PX8063	38 59	mL tube, carded	12

cwbrands.com.au Page 7.29

Section 17



Body, Interior & Trim



Permatex® Heavy-Duty Rubberized Undercoating

Rubberised for maximum durability; seals, protects and insulates. Excellent professional blend all-purpose coating. Ideal for home or shop use. Level 3

Suggested Applications: Automotive frames, rocker panels and wheel wells. Other uses include sealing gutters, roofs, drain systems, and tree pruning. Sound deadening applications.

Item #	Container Size	Pack
PX81833	454 g aerosol can	12



Professional Repair Systems



Premium Repair Kits for Professionals and Do-It-Yourselfers!

These premium repair kits contain everything required for making professional-quality repairs in just a few minutes. State-of-the-art components and easy-to-follow instructions with photographs are common to all kits.

Permatex® Windshield Repair Kit

Make permanent air-tight repairs of bullseye damage up to 31.75mm on most laminated windshield glass. This state-of-the-art delivery system with advanced spring-lock feature, allows you to make professional-quality repairs with no mixing required, and it cures by natural daylight. This complete kit provides everything needed for the repair including easy-to-follow instructions with photographs. See video demo online at permatex.com.

Suggested Applications: Repairs bullseyes (up to 31.75mm long) in laminated automotive windshields

Item #	Container Size	Pack
PX09103	1 kit, clamshell	6





Professional Repair Systems

Permatex® Complete Rear Window Defogger Repair Kit

Complete kit contains everything required for making professional-quality repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Provides a low-cost, high-quality repair for damaged rear window defogger grids and tabs. Quick $\operatorname{Grid}^{\mathsf{TM}}$ is the result of a joint research project with the General Motors Research Centre.

Suggested Applications: Rear window defogger grids and tabs.

Item #	Container Size	Pack	
PX09117	1 kit, clamshelled	6	





Permatex® Vinyl & Leather Repair Kit

A complete DIY repair kit for home, automotive, and marine vinyl and leather upholstery. Contains: heat transfer tool, 7 colours of repair compound, clear vinyl adhesive and filler (net. 10 mL), grain pattern paper, plastic spatula, and instruction sheet with colour matching chart.

Suggested Applications: Vinyl and leather upholstery, infant car seats, chairs, stools, and luggage.

Item #	Container Size	Pack
PX80902	1 kit, clamshelled	6



Permatex® Plastic Tank Repair Kit

Complete kit contains everything required for making professional-quality permanent repairs in just minutes. State-of-the-art components and easy-to-follow instructions with photographs. Repairs all types of plastic tanks. The repair resin is designed to harden within 8 – 10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10°C to 24°C. Repairs cracks up to 10 cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, trucks, boats and RV's; windshield washer reservoirs,

radiator overflow tanks, coolant reservoirs, water tanks, and waste tanks.

Item #	Container Size	Pack
PX09100	1 kit, clamshelled	6



Permatex® Fuel Tank Repair Kit

Eliminates dangerous welding. Complete kit contains everything required for making professional-quality permanent repairs in just minutes. Includes state-of-the-art components and easy-to-follow instructions with photographs to make quick permanent repairs to leaks in all types of metal fuel tanks. It repairs cracks up to 4" (10cm) long and holes up to 3/8" (9mm) in diameter. Repair will be complete when the resin cures in 30 minutes. Tank may be refilled after 30 minutes or when the repair is tack free. The repair resin is designed to harden within 8-10 minutes and cure in 30 minutes. Repairs can be made ideally at temperatures from 10° C to 24° C. Repairs made at lower temperatures will take longer to cure. Repairs can be made on slow leaking cracks up to 10cm in length and holes up to 9.5 mm in diameter. (THIS PRODUCT IS NOT FOR USE ON PLASTIC FUEL TANKS).

Suggested Applications: Ideal for cars, light trucks and commercial vehicles; portable metal fuel tanks, and metal car fuel tanks.

Item #	Container Size	Pack
PX09101	1 kit, clamshelled	6



Exhaust System Repair



Permatex® Muffler & Tailpipe Bandage

Epoxy-impregnated fibreglass bandage chemically welds mufflers and tailpipes. Permanently repairs holes and leaks in exhaust systems saving costly part replacement. Seals out poisonous fumes to temperatures of 426°C.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors and farm equipment.

Item #	Container Size	Pack
PX80331	5 cm x 106 cm bandage, carded	12



Permatex® Muffler & Tailpipe Putty

Permanently repairs holes and leaks in exhaust systems. Seals out fumes at temperatures up to 1000°C. Safe for catalytic converters. 2-pouch bonus pack.

Suggested Applications: Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80333	113 g net wt. (2 foil pouches, carded)	12



Permatex® 1000° Plus™ Exhaust Repair Kit

Complete kit for repairing cracks and splits in mufflers, tailpipes and exhaust pipes. Withstands temperatures over 540°C. Kit contains ready-to-use foil-packed bandage and support wire.

Suggested Applications: Mufflers and tailpipes on automobiles, trucks, tractors, and farm equipment.

Item #	Container Size	Pack
PX80334	1 bandage, 1 support wire, carded	12




Permatex® Muffler & Tailpipe Sealer

Seals holes and leaks in mufflers, tailpipes and around joints. Makes new installations more secure. Resists temperatures to 1000°C . **Suggested Applications:** Mufflers, tailpipes, joints, and catalytic converters.

Item #	Container Size	Pack
PX80335	85 g tube, carded	12

cwbrands.com.au Section I7 Page 7.32





Fuel Tank & Radiator Repair



Permatex® Fuel Tank Repair

A two part, hand kneadable, putty type epoxy stick used for repairing metal gas tanks and containers. Contrasting coloured materials are mixed together to form a uniform colour to indicate thorough mixing. The resulting cured adhesive can be drilled, sanded, threaded or filed and it is resistant to fuels and most solvents after full cure.

Suggested Applications: Gas tanks and gas cans.

Item #	Container Size	Pack
PX84334	28 g carded	12

Note: Permatex® Fuel Tank Repair is not intended for repairing Polyethylene and Propylene tanks or for structural bonding.



Permatex® Fuel Tank and Radiator Repair Kit

A two-component stick that when kneaded together, it can seal holes, seams or cracks on metal tanks, radiators or gas cans. It provides excellent chemical and moisture resistance and is non-flammable.

Suggested Applications: Fuel tank, metal tanks, and radiators. Not recommended for use on PLASTIC gas tanks.

Iter	n #	Container Size	Pack
PX0	9116	1 kit, clamshelled	6

cwbrands.com.au Page 7.33

Section 17





Multipurpose & Specialty Lubricants

Widely known and trusted, these tried and true Permatex® lubricants work to protect and lubricate virtually every automotive part and component.

From special-mission, job-specific lubricants, protectants and dressings, to the rigors of heavy-duty needs, count on Permatex® to bring you reliability and problem-solving solutions that extend the life of your equipment.

Multipurpose Lubricants



Permatex® Fast Break® Super Penetrant

Heavy-duty penetrant for rusted and frozen assemblies. Works quickly to penetrate and loosen rust, tar, grease, dirt, carbon deposits and corrosion from metal parts. Frees frozen nuts, bolts and fittings in all types of assemblies. Level 3*

Suggested Applications: Lubricates to free any corroded or seized part. Penetrates rust, scale, paint, varnish, carbon, or gum.

Item #	Container Size	Pack
PX80052	340 g aerosol can	12



Permatex® White Lithium Grease

All-purpose white lubricant is designed to reduce friction between load bearing metal-to-metal and metal-to-plastic applications. Protects against rust and makes surfaces friction-free. Stainless and long-lasting formula. Contains no ODCs. Withstands moisture and high temperature. Level 3*

Suggested Applications: Door hinges, hood latches, trunk latches, hatchback struts, sliding seat mechanisms, interior window mechanisms, radio antennas garage door, and delivery truck door tracks.

Item #	Container Size	Pack	
PX81981	304 g aerosol can	12	



Permatex® Silicone Spray Lubricant

Lubricates and waterproofs all types of mechanical equipment. Stops friction and squeaks. Prevents locks, doors, and windows from binding. High silicone formula does not attract dust or dirt. Protects and renews rubber mountings, bushings and weatherstripping. Prevents binding, sticking and deterioration. Non-gumming. Will not mar paint, rubber or plastic surfaces. Waterproofs. Level 1*

Suggested Applications: Lubricates door locks, trunk lids, brake cables, and rubber moulding.

Item #	Container Size	Pack
PX80070	290 g aerosol can	12



Permatex® Chain Lube

Cleans, lubricates, extends life, and protects all types of roller chains, gears and cables that operate under exposed conditions. Easy-to-apply foaming action assures effective application. Repels dirt, sand, dust. Minimal "throw-off". Contains no ODC's. Level 3*

Suggested Applications: Ideal for any chaindriven tool or vehicle such as motorcycles, mopeds, chainsaws, lawnmowers, and bicycles.

Item #	Container Size	Pack
80075	141 g aerosol can	12



Specialty Lubricants - Belt Dressing



Permatex® Belt Dressing & Conditioner

Extends belt life. Penetrates the cord fibres of "V" belts to restore pliability and flexibility. Prevents belt slippage due to heat, cold, dampness, dust, and glazing. Eliminates squeaking and slipping. Level 1*

Suggested Applications: Fan belts, water pumps, power steering, sewing machines, washing machines, air conditioners, lawn mowers, and power tools.

Item #	Container Size	Pack
PX80073	340 g aerosol can	12

Specialty Lubricants - Anti-Seize



Permatex® Anti-Seize Lubricant

A highly refined blend of aluminium, copper, and graphite lubricants. Use during assembly to prevent galling, corrosion, and seizing due to weathering or chemicals. Anti-Seize assures easier disassembly. Temperature range: -51°C to 871°C. Salt, corrosion, and moisture resistant – ideal for marine use. Non-aerosol version meets Mil Spec #907E. Aerosol - Level 3*

Suggested Applications: For easy removal of spark plugs, cylinder head and exhaust head bolts; apply to anchor pins on brake assemblies, u-bolts and spring bolts, hinges, gears, chain, sprockets, and rollers.

OEM INTERCHANGE, see pgs. 54-59

Item #	Container Size	Pack
PX80078	236 mL brush-top bottle	12
PX81343	28 g tube, carded	12
PX81464	240 g aerosol can.	12



Permatex® Copper Anti-Seize Lubricant

A premium quality copper anti-seize and thread lubricant that may be used to prevent seizing, corrosion and galling where high temperature conditions exist. Contains a high percentage of micro-fine copper flakes in a semi-synthetic grease carrier and is fortified with high quality rust and corrosion inhibitors. Temperature range: -34°C to 982°C. Provides good electrical conductivity. Meets Mil Spec #907E.

Suggested Applications: Spark plug threads installed in aluminium, exhaust manifold bolts, engine bolts, oxygen sensors, knock sensors, thermostat housing bolts, and fuel filter fittings.

Item #	Container Size	Pack
PX09128	226 g brush-top bottle	6
PX31163	453.6 g brush-top bottle	12



Permatex® Nickel Anti-Seize Lubricant

Protects metal parts from seizing and galling at temperatures up to 1316°C. It is recommended where copper contamination must be avoided, under conditions of extreme pressure and temperature, and with stainless steel, titanium, and nickel alloys.

Suggested Applications: Exhaust manifold bolts, exhaust system bolts, muffler clamps and tailpipe assemblies.

Item #	Container Size	Pack
PX77124	227 g brush-top bottle	12
PX77164	454 g brush-top bottle	10

cwbrands.com.au Section 17 Page 7.35



Specialty Lubricants - Brakes



Permatex® Ultra Disc Brake Caliper Lube

An environmentally-friendly, green, non-melting, synthetic lubricant. It is formulated to lubricate under the most adverse brake conditions, assuring that critical caliper pins, sleeves, bushings, and pistons remain lubricated throughout pad life.

Suggested Applications: Caliper pins, sleeves, bushings, and pistons.

Item #	Container Size	Pack
PX20356	10 g (2 x 5 g pouches), carded	6
PX85188	14 g carded	6



Permatex® Disc Brake Quiet

Stops brake squeal by dampening vibration at caliper/brake pad interface. Provides tighter fit and allows for easier disassembly. Protects against corrosion. Compatible with anti-lock brake systems. This product contains an elastomeric polymer for use with brake pads not having anti-squeal shims. Aerosol - Level 3*

Suggested Applications: Automotive disc brakes, out board and inboard pads for disc braking systems, disc brake pads without anti-squeal shims.

Item #	Container Size	Pack
PX80077	255 g aerosol can	12





Permatex® Silicone Ceramic Extreme Brake Parts Lubricant

Permatex Silicone Ceramic Extreme Brake Parts lubricant is an environmentally safe lubricant that prevents disc brake squeal and chatter while protecting caliper pins, sleeves, bushings and pistons against seizing and galling. Its silicone, non-petroleum based formula makes it excellent on sliding surfaces.

Non-melting, 100% silicone based formula, fortified with ceramic solids.

Temperature range -46° C to 1649° C.

Lasts longer than ordinary caliper greases and disc brake quiet products.

100% compatible with internal/external brake rubber and plastic hardware, including ethylene-propylene rubber and metal components.

Suggested Applications: Sleeve, Bushings, Outboard pad backing plate, Inboard pad backing plate, Caliper pins, Disc brake calipers, Caliper Pistons, Abutment clips.

Item #	Container Size	Pack
PX80653	236 mL brush-top bottle	6





Specialty Lubricants



Permatex® Dielectric Tune-Up Grease

Protects electrical connections and wiring from salt, dirt, and corrosion. Extends the life of bulb sockets. Prevents voltage leakage around any electrical connection. Also prevents spark plugs from fusing to boots. Required for modern, high-energy ignition systems.

Suggested Applications: All electrical connections, spark plug boots, and trailer hitches.

Item #	Container Size	Pack
PX22058	85 g tube, carded	6
PX81150	9 g tube, carded	12



Permatex® Ultra Slick™ Engine Assembly Lube

Proper lubrication of metal mating surfaces is essential prior to starting a new or rebuilt engine. Ultra Slick™ adheres to component surfaces to prevent scuffing and galling during initial start-up. This high quality formulation meets or exceeds performance specs for engine assembly lubricants.

Suggested Applications: Engine bearings, camshafts, lifters, valves, guides, and rocker shaft assemblies.

Item #	Container Size	Pack
PX81950	118 mL bottle	12

Permatex® Fifth Wheel Lubricant

Effectively and conveniently lubricates fifth wheel top plates of trailer. Pre-measured grease comes in handy pouch, requires no tools, creates no mess. Packaging disintegrates leaving no waste. Graphite lubricant designed for heavy duty applications and effective at extreme temperatures and environmental conditions.

Suggested Applications: All Fifth Wheel applications, sliding and oscillating to all vehicle types.

Item #	Container Size	Pack
PX01010	60pk display carton	4





An easy way to maintain your 5th wheel. Designed by a trucker for a trucker. Simply place one envelope on each side of king pin on trailer or on each side of fifth wheel plate near the base. Lubricant pouch will burst upon engagement between tractor and trailer.



Cleaners & Specialty Cleaners,

Designed to meet the needs of the professionals and DIY'ers alike, our automotive cleaners have gained wide acceptance as the highest quality products of their kind.

To dissolve rust, clean plastic, or remove gum and deposits from parts, there is a Permatex® specialty cleaner that will do the job. Permatex® offers a complete line of professional strength cleaners that meet the highest standards and quality.



Permatex® Decal & Adhesive Remover

This fast-acting formula quickly removes adhesive residue, decals, bumper & window stickers, tape, tar, sap, bugs, grease, and other sticky substances. This versatile adhesive remover contains no acetone and is safe for use on virtually any surface including windows, auto body paint, bumpers, vinyl, leather, fabric, metal, plastic, and wood. VOC compliant, its pleasant citrus scent is safe for indoor use. Level 1

Suggested Applications: Use on cars, trucks, motorcycles, trailers, snowmobiles, waverunners, atvs, boats, helmets, tools, equipment, and appliances to remove: adhesive residue, bumper stickers, parking stickers, dealer logos, pinstripes, vehicle advertisements & company logos, racing graphics & sponsorship logos, and bar code labels.

Item #	Container Size	Pack
PX80025	141 g aerosol can	12

Ideal for use with Permatex® SaferScraper.™



Permatex® Battery Cleaner

Spray it on and wash corrosion off. Works in just three minutes. Penetrates and removes corrosion, dirt, and grime instantly. Cleans all types of storage batteries and attachments in emergency power supply systems. Level 1

Suggested Applications: Automotive, marine, farm machinery and motorcycle batteries, cables, and terminal connections.

Item #	Container Size	Pack
PX80369	163 g aerosol can	12



Permatex® Non-Chlorinated Brake & Parts Cleaner

Penetrates, dissolves and removes dirt and oil from brake systems and metal parts. Safer for aluminium. Leaves no contaminant-attracting residue or chlorinated solvent run-off. Helps manage EPA halide limits.

Suggested Applications: All brake systems, C.V. joints, machinery, tools, and farm equipment.

Item #	Container Size	Pack	
PX82220	410 g aerosol can	12	

cwbrands.com.au Page 7.38

Section 17



Hand Cleaners

Permatex hand cleaners are the choice for working hands — offering a wide variety of solutions including, lotions, creams, pastes, soaps, and wipes.

If you need a waterless hand cleaner that really cleans without turning your hands into sandpaper, brands such as the #1 selling Fast Orange, Ultra Cherry, Blue Label, Painter's Clean, and Grease Grabber have the strength to remove grease, grime, paint, adhesives, and all other soils your working hands get into – plus conditioners to prevent your hands from drying out and cracking.

For over 50 years, Permatex® has offered high-quality hand cleaners and has maintained a leadership position through innovation and a concern for users' needs.

Wherever hands are getting dirty, there's a place for Permatex® hand cleaners. To meet your growing needs, Permatex® offers a broad selection of product formulations and sizes.

For the most difficult to remove soils...Permatex® has the best products for your working hands.





Cleaning Requirements	Recommended Permatex Product	Type Of Grit	Cream/Lotion	Biodegradable	Type Of Solvent
Heavy Duty Soils					
	Fast Orange® Xtreme	Pumice	Lotion	No	Natural Citrus/ Petroleum
Heavy to Medium Duty S	Heavy to Medium Duty Soils				
**	Fast Orange® Pumice Hand Cleaner	Pumice	Cream/Lotion	Yes	Natural Citrus



Permatex® Fast Orange® Xtreme

A new professional grade formulation delivering superior cleaning power, fast, with less residue, and without a lingering petroleum odour. Contains a concentrated odour neutraliser that counteracts the smell of gasoline, oil, and other common odours. Advanced skin restoration formula with premium skin conditioners: aloe vera, glycerin, lanolin, vitamin E, jojoba oil.

Suggested Applications: Removes grease, grime, tar, adhesives, asphalt, carbon, epoxies, tile cement, oil, paint, odours, ink, and much more!

Item #	Container Size	Pack
PX25618	3.78 L bottle w/pump	4



Hand Cleaners

Permatex® Fast Orange® Fine Pumice Lotion Hand Cleaner

The #1 selling, biodegradable, waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, petroleum solvents, or ammonia that can sting cuts or abrasions. Pure, fresh-smelling natural citrus power does the cleaning. Fortified with aloe, lanolin, glycerin, and other skin conditioners to soothe raw, rough hands. Fine Pumice deep cleans the toughest dirt. Works great on laundry stains (smooth lotion only), scuff marks, tile floors, pet odours, and many other household cleaning needs.

Suggested Applications: Resins, oil, grease, tar, grime, soil, printer's ink, epoxies, paint, rubber cement, gasket and tile cements.

Item #	Container Size	Pack
PX25217	1.8 L w/pump	6
PX25218	3.78 L w/pump	4
PX25122	443 mL Rocker Cap™	12
PX95185	20L Cube	1

^{*} Readily Biodegradable according to OECD Method 301E



Gloves

Everyday, technicians' hands come in contact with a variety of harsh chemicals, petroleum based-products, and other tough soils. Over time, exposure to these materials can cause serious skin damage and other health problems. Technicians also need protection against nicks, cuts while maintaining finger dexterity and feel. Permatex Nitrile gloves will safeguard technicians hands against harmful substances.



Permatex® Black 5 mil Nitrile Disposable Gloves

Nitrile gloves are made from a 100% synthetic rubber that provides superior resistance to a wide range of solvents and hazardous chemicals.* Nitrile gloves are suitable for users with natural rubber latex sensitivity. They feature textured fingers that provide a secure grip on dirty parts and tools. Our powder-free 5 mil black Nitrile gloves provide increased durability and protection. When superior chemical resistance is required, Black Nitrile Disposable Gloves provide mechanics with ideal heavy-duty hand protection.

Suggested Applications: Excellent protection from greases, oil, diesel fuel, acids, and many petroleum-based products.

Item #	Container Size	Pack
PX08186	100-ct. Box – X-Large	10 boxes

^{*} This product is not intended to protect against all chemical compounds.



Permatex® Blue 4 mil Nitrile Disposable Gloves


Nitrile gloves are made from a 100% synthetic rubber that provides superior resistance to a wide range of solvents and hazardous chemicals.* Nitrile gloves are suitable for users with natural rubber latex sensitivity. They feature textured fingers that provide a secure grip on dirty parts and tools. Our gloves are lightly powdered, which makes them easier to put on and take off. When superior chemical resistance is required, Permatex® Nitrile Disposable Gloves provide mechanics with ideal heavy-duty hand protection.

Suggested Applications: Excellent protection from greases, oil, diesel fuel, acids and many petroleum-based products.

Item #	Container Size	Pack
PX09185	100-ct. Box – Large	10 boxes


^{*} This product is not intended to protect against all chemical compounds.








Gasket Maker Selector





Gasket Dressing Selector







Gasket Dressing Selector



Permatex® Super High Tack™ Gasket Sealant PX80060 Page 13



Permatex® Form-A-Gasket® No. 1 Sealant PX80008 Page 13



Permatex® Form-A-Gasket® No. 2 Sealant PX80016 Page 13



Permatex® Copper Spray-A-Gasket® Hi-Temp Sealant PX80697 Page 13




Permatex® Aviation Form-A-Gasket® No. 3 Sealant Liquid PX80017 Page 13



Threadlocker Selector











Threadlocker Selector





Permatex®
Permanent
Strength
Threadlocker
Red
PX26210
Page 16



Permatex® High Temperature Threadlocker Red PX27240 Page 17



Permatex® Large Diameter Threadlocker Red PX27740 Page 16



Permatex® Surface Insensitive Threadlocker Blue PX24350 Page 16






Permatex® Low Strength Threadlocker Purple PX24024 Page 16

Gel Twist™ Application Directions:







2. Turn dial to expose 3mm to 6mm of material beyond tip.



3. Apply Threadlocker to engagement area of male fitting.



4. Assemble parts and tighten to recommended torque.



Epoxy Guide	Pet mode	Permote 5 Minute Epoxy	Permote 39 Minut Epury
	Sept.	EF SOM	SANTA SANTA
	PX84160	PX84101	PX84107
Performance Characteristic	s		
Bond Strength (lbs./sq. inch)	Up to 2500 psi	Up to 3400 psi	Up to 3500 psi
Set Time	1 min.	5 mins.	30 mins.
Epoxy Color	Clear	Clear	Clear
Temp Range	-51° to 82°C	-51° to 82°C	-51° to 82°C
Water Resistant	Υ	Υ	Υ
Chemical Resistant	Υ	Υ	Υ
Drillable/Sandable/ Paintable	Υ	Υ	Υ
Gap Filling	Υ	Υ	Υ
Bonding Surfaces			
ABS			
Acrylic			
Aluminum			
Brass			
Bronze			
Cast			
Ceramic	×	×	×
Chrome	×	×	
Concrete			×
Copper			
Enamel			
Fabric	×	×	×
Fiberglass	×	×	
Glass	×	×	×
Iron			
Leather	×	×	×
Metal	×	×	×
Pewter			
Plastic	×	×	
Porcelain			
PVC			
Rubber	×	×	×
Stainless Steel			
Steel			
Styrene			
Vinyl			
Wood			









Automotive OEM Interchange

	Acura	Audi	BMW	Chrysler		Daewoo	Fiat	Ford		General	Motors
Permatex® the Right Stuff® Gasket Maker				4883971 MSGF44B	GF-44-A 04883971	PS 9120016		WSE-M4G-323-A6 TA30		12378479 998-5990 12346286	10953472 998 5675 12345997
Permatex® Ultra Black® Gasket Maker				4206070 04883971	MSGF44B			F1AZ-19562-A E6AZ-19562-A WSE-M4G323-A6 E8AZ-19562-A F7AZ-19554-EA	D6AZ-19562-B WSK-M4G320-AZ WSE-M4G323-A4 F6AZ-19562-AA TA-30	12345739 12345997 998 5990	12345997 998 5675 10953472
Permatex® Ultra Grey® Gasket Maker	8718-550030 E			82300234 82300235		AA 1204020		WSE-M4G-323-A5, 1	A29	12346240	
Permatex® Blue RTV Silicone Gasket			07-58-9-062-376 11-21-1-262-571								
Permatex® Anaerobic Flange Sealant				M5CD98A 7778404	2654871 J4570650		WSK-M2G-348-A4 TA16			105 2756 1703	1702 998 5361
Permatex® Anaerobic Gasket Maker			0127784	4318083 MSCD 98-D		Gasket Sealant		WSK-M2G348-A5 F8AZ-19B508-AB	ESK-M4G-269-A TA16	105 2942 105 2943	998 5460
Permatex® Gear Oil RTV Gasket Maker				05013477AA MSGF46							
Permatex® Automatic Transmission RTV Gasket Maker				05010884AA MSGF41B							
Permatex® Low Strength Threadlocker PURPLE							639428500	WSK-M2G351-A4 ESE-M492204-A1		998 5436 1234 5382	
Permatex® Medium Strength Threadlocker BLUE		AMV197500	07-58-9-056-031 0121874	2654392 MS CC75	4318031 04057989		639147100 976173410 639197110	E0AZ-19554-AA WSK-M2G351-A5		12345382 998 5283	1700 9985436
Permatex® Surface Insensitive Threadlocker BLUE			0133789 07-58-9-056-031				886305000	ESK-M4G-247-A2 WSK-M29G351-A2	WSK-M2G351-A7 TA25		
Permatex® Permanent Strength Threadlocker RED		AMV197300	0126374					E2FZ-19554-B WSK-M2G351-A6	TA26	9985300 1234593	998 5773
Permatex® High Strength Threadlocker RED			81229400086 (Specified as 270)	4318032 MSCD 96-A	4057987		976033480	EOAZ-19554-BA ESEM4148A	WSK-M2G351-A3 SEEM4203A2	1773 9985259	998 5300
Permatex® High Temperature Threadlocker RED				0 5014205 A 8800619	A J4570669 5356 779	Hi-Temp Thread Sealant				12345493 998 5399	
Permatex® Large Diameter Threadlocker RED				2654427 MSCD 96-A				WSK-M2G351-A7 ESE-M4G-203A2 TA27		7200 998 5266 1773	1773 1700 12345493
Permatex® Penetrating Grade Threadlocker GREEN				4186369 MSCC-77	4187099			SSM-4G-9520-A ESE-M4G203-A1	WSK-M2G351-A1	998 5306	
Permatex® High Temperature Thread Sealant				4318034 J4570588 4267247	4318044 2654648 MSCD- 95A			XW7Z-19554-A D8AZ-19554-A WSK-M2G350-A2		12346004 105 2080 998 5253	
Permatex® High Performance Thread Sealant				4187257 MSCD-95B		High Performance Thread Sealant		WSK-M292350-A2 ESE-M492-194-8		12346004 998 5427	
Permatex® Bearing Mount for Close Fits			07-58-9-056-030 (Specified as 638)	2654484 MSCD97A	4187443 MSCD97-B			E0AZ-19554-BA WSK-M2G349-A5	WSK- M2G349-A1	1651343 9985262	9985299 12377901
Permatex® High Temperature Sleeve Retainer		AMV185100 AMV185101		28044924 MSCD 97-B	4856852			ESE-M492-167-A1 WSK-M2G349-A10		998 5299 12377901	998 5345 998 5409
Permatex® Stripped Thread Repair				4467725							
Permatex® Super Glue			0125342				639997540	WSK-M2G402-A2	TA19	998 5413	1052621
Permatex® Rearview Mirror Adhesive				4293039 05015983AA	MSCC73 4054099	PS 9120006		D9AZ-19954-CA ESB-M2G176-A	TA17	1052369	
Permatex® Black Super Weatherstrip Adhesive				4773774 MS-CC223				E8AZ19552-A ESB-M2G14-A TA14	COAZ19552-AA F6AZ9L494AA	12345096 12345097	
Permatex® Anti- Seize Lubricant			18219062-599			133 K		XL2			

Section 17

Page 7.50



cwbrands.com.au

Automotive OEM Interchange

	Honda	Hyundai	Isuzu	Jaguar	Jeep	Land Rover	Maxion
Permatex® the Right Stuff® Gasket Maker						LRNA-25223	
Permatex® Ultra Black® Gasket Maker					RTV SEALER		
Permatex® Ultra Grey® Gasket Maker	296380 08718-0001 296381 HC2963817 08718-5000040E 08718-0009 08740-99986 08718-0004 08718-0003	231-13800 4C116-21000	1215 1216 1207D				0710129
Permatex® Blue RTV Silicone Gasket			1-8844-36-0				
Permatex® Anaerobic Flange Sealant			1-8844-0145-0 1-8844-6376-0				0710105 70490279 0710125 15060008
Permatex® Anaerobic Gasket Maker			1-8844-222-0			LRNA-51831	
Permatex® Low Strength Threadlocker PURPLE						LRNA-22231	
Permatex® Medium Strength Threadlocker BLUE		242 Blue	1-8844-9032-0 1322 1338 1-8844-9033-0 1324 1364 9-8893-2601-0 1333 1370-137 9-8893-2605-0				15060003
Permatex® Surface Insensitive Threadlocker BLUE	08718-0009		JVSCDS0922 JVSCDS0921	1031240 JVS CDS0921		LRNA-24078	
Permatex® Permanent Strength Threadlocker RED			1-8844-6372-0				
Permatex® High Strength Threadlocker RED			1-8844-6373-0 9-8893-2601-0 9-8893-2602-0	1120333		LRNA-21436 (Specified as 270) LRNA-27131	1506033 0710115
Permatex® High Temperature Threadlocker RED		272 Red				LRNA-27240	
Permatex® Large Diameter Threadlocker RED			1-8844-6374-0				0710108
Permatex® High Temperature Thread Sealant		565 White					
Permatex® High Performance Thread Sealant						LRNA-21456	
Permatex® Bearing Mount for Close Fits				113072			
Permatex® Bearing Mount for Close Fits				113083		LRNA-21448	
Permatex® Super Glue				301054			0710104
Permatex® Rearview Mirror Adhesive		1.1067-2					
Permatex® Anti-Seize Lubricant		82				LRNA-76732	



Automotive OEM Interchange

	Mazda	Mercedes-Benz	Mits	subishi	Nissan	Opel	Rover	Saab	Saturn
Permatex® the Right Stuff® Gasket Maker		A0029897320	3M8663 3M8678 3M8661	3M8672 3M8679					21019581
Permatex® Ultra Black® Gasket Maker			31/	Л 8660					
Permatex® Ultra Grey® Gasket Maker	77-300C-30		MD997740 MD970389 ACH1ZC1X02 3M8678 3M8672	MD997110 3M8704 ACH1ZC1X03 3M8679	999MPAM003 999MP-A7007 KPS51000150				
Permatex® Anaerobic Flange Sealant					C1335-31X25				21005993
Permatex® Anaerobic Gasket Maker					C1335-31X25 999MPAM001			02449790 815373 9321795	
Permatex® Medium Strength Threadlocker BLUE	105177743	A00398931710011 A00398931710002 A00398931710004 A00398931710005	38	И4177	999MPAM005	L0010184 L0020184		7990963 7496268	21485277
Permatex® Surface Insensitive Threadlocker BLUE							5H4830		
Permatex® Permanent Strength Threadlocker RED	LA1249111 77-300E-10					L0010153 L0020153			21005994
Permatex® High Strength Threadlocker RED		A3459890271 A3459890171	MZ100360 3M8730	3M4170 3M8731	999MPAM004				21005994
Permatex® High Temperature Threadlocker RED			3M8659 3M8731	3M8730	999MPAM004			0245761	
Permatex® High Temperature Thread Sealant									21485278
Permatex® High Performance Thread Sealant	77-300E-01		999N	MPAM002	999MPAM002				21485278
Permatex® Super Glue	77-310C-10	A00398925710001 A00398925710002 A00398925710012					GF044		
Permatex® Rearview Mirror Adhesive	77-310C-01				999MPAM000				21007653
Permatex® Black Super Weatherstrip Adhesive				И8001 10011					
Permatex® Anti- Seize Lubricant									21485279



Automotive OEM Interchange

	Scania	Subaru	Suzuki	Toyota	Valmet	Volvo	Volkswagen
Permatex® Uitra Black® Gasket Maker				00001-01001 00295-00102 00001-01002 00295-01208 00295-01282 00295-01281 004403007 TB1215 TB1207 TB1217B 3MT3#08670			
Permatex® Ultra Grey® Gasket Maker		004403007 TB1215 TB1207 TB1217B 3MT3#08670	99104-31140 (TB1207B specified) 99104-31160 (TB1216 specified)	00001-01008			
Permatex® Anaerobic Flange Sealant	378183			00001-01007			
Permatex® Anaerobic Gasket Maker				00001-01005			
Permatex® Medium Strength Threadlocker BLUE	814283		99000-32020	00001-01003	78723013	591255 8701007 1161054-0	AMV197500
Permatex® Surface Insensitive Threadlocker BLUE				00001-01003			
Permatex® Permanent Strength Threadlocker RED	814284 L0020153						AMV197300
Permatex® High Strength Threadlocker RED	814282		99000-32030	00001-01004	078723001	591093 1161070	
Permatex® High Temperature Threadlocker RED		TB1303					
Permatex® Large Diameter Threadlocker RED					07873002	078723001	
Permatex® Rearview Mirror Adhesive						1161375-9	
Permatex® Black Super Weatherstrip Adhesive		3M08011					

Section 17 Page 7.52



cwbrands.com.au

OEM Interchange Heavy Equipment

	Case	Caterpillar	Cummins	Detroit Diesel	Fiat Allis	Ford
Permatex® Ultra Black® Gasket Maker		4C9612		23509603		
Permatex® Ultra Blue® Gasket Maker	ZPX81724	8T9022		23509543		
Permatex® High Temp Silicone Gasket Maker		8T9013 4C9614				
Permatex® Anaerobic Flange Sealant	ZPX51550 ZPX51530	515	LT-51531		73127654	E2AZ-19562-A
Permatex® Anaerobic Gasket Maker	ZPX51850			23514188 23513509		
Permatex® Form-A-Gasket® No. 1 Sealant		8T9015 4C9501				
Permatex® Form-A-Gasket® No. 2 Sealant	ZPX31389	8T9016 4C9502				
Permatex® Aviation Form-A- Gasket® No. 3 Sealant	ZPX18130	8T9012 4C9505				
Permatex® Medium Strength Threadlocker BLUE	ZPX24210	9S3263 4C4030	3375067 3824040 3824041 3375068	23509535 23509536	75000776	D5AZ-19554-A D5AZ-10544-A
Permatex® Permanent Strength Threadlocker RED	ZPX26210 ZPX26236			23509537 23509538	75000776	
Permatex® High Strength Threadlocker RED	ZPX27136 ZPX27110	7M7456	3824038 3875068		75000779	E0AZ-19554-B
Permatex® Large Diameter Threadlocker RED	ZPX27736				75000779	
Permatex® High Temperature Thread Sealant	ZPX59250	SP3413	3375065 3375066		75000777	D8AZ-19554-C
Permatex® Bearing Mount For Close Fits	ZPX60936	7M7456 4C4032	3824037 3823718			
Permatex® Bearing Mount For Relaxed Fits	ZPX68036					
Permatex® Super Glue Adhesive	ZPX82196	404 495	404 495		404 495	D7AZ-19554-C
Permatex® Anti-Seize Lubricant	ZPX76716	767	767	23509545	75000781	767
Permatex® Black Silicone Adhesive Sealant	ZPX81158	3\$6252				
Permatex® Clear Silicone Adhesive Sealant	ZPX80855 ZPX80050 ZPX30562	8T9014 4C9613				



OEM Interchange Heavy Equipment

	GMC	John Deere	Kenworth	Komotsu/ Dresser	Mack	International	Volvo GM
Permatex® Ultra Blue® Gasket Maker					5166-58730	1653885C1	V1111015
Permatex® High Temp Silicone Gasket Maker	1052434					554204C1	
Permatex® Anaerobic Flange Sealant	1052357 1052756	TY6304	KW515-50ML	1232272H1	5166-51517	474517C2 1813034C1	
Permatex® Anaerobic Gasket Maker						1693855C1 1693856C1	V1111010
Permatex® Form-A- Gasket® No. 1 Sealant						554206C1	V1111011
Permatex® Form-A- Gasket® No. 2 Sealant				554206C1			
Permatex® Aviation Form- A-Gasket® No. 3 Sealant		TY15934				577588C1 577589C1 577905C1	V1111003 V1111004
Permatex® Medium Strength Threadlocker BLUE	1052279	T43512 TY9370 AT52853	KW242-10ML KW242-50ML		5166-2114 5166-24200 5166-2126		V1111005 V1111006 06479-5002
Permatex® Permanent Strength Threadlocker RED				634017C1	5166-26200	576016C1 576017C1 554210C1	06479-5003 20-700-1460
Permatex® High Strength Threadlocker RED	271	T43513 TY9371	KW271-10ML		5166-2223 5166-27121		
Permatex® Large Diameter Threadlocker RED	277	TY9373					
Permatex® High Temperature Thread Sealant	1052080	TY9374 TY9375	592	634016C1	5166-59214 5166-59231	554209C1 554211C1	20-707-6088 20-700-1462 06479-5004
Permatex® Bearing Mount For Close Fits	609			634018C1		554210C1	V1111007 V1111008
Permatex® Bearing Mount For Relaxed Fits	680	TY15969			5166-68035		
Permatex® Super Glue Adhesive	1052283 1052621	404, 495	404, 495	(495) 634228C1	5166-49411	554208C1	V1111896
Permatex® Anti- Seize Lubricant	767	767	767	844234C1	5166-76759 5166-76764	991441C1 991442C1	
Permatex® Black Silicone Adhesive Sealant				VS7493		991443C1	V1111020
Permatex® Clear Silicone Adhesive Sealant		TY15130		638896C1	5166-66BR	554204C1	V1111014



TOYO GREASE




MULTI PURPOSE EP GREASE

Toyo Multi purpose EP grease is a extreme pressure lithium grease which is recommended for automotive chassis lubrication, industrial ball and roller bearings under load. It is engineered to provide a long service life in a broad range of applications. It is fortified with multifunctional polymer rust and corrosion inhibitors to give protection for a wide range of application and service conditions.

- NLGI 2 Multi purpose Lithium EP
- Excellent water & load protection
- Long service life
- Dropping Point: 210°C
- Timken Ok Load: Approx. 55lbs/25kgs
- Operating temperature range: -20°C to 168°C

Product code: 7000EPC





PREMIUM TRUCK & FARM GREASE

Toyo Premium grade Truck & Farm grease is a superior multi purpose lithium complex grease suitable for a wide range of farming and agricultural applications, This includes tractors, trucks, machinery and 4X4's. It is also ideal for general automotive chassis greasing, CV joints and other bearing applications.

- High temperature, load and water resistance
- NLGI 2 Lithium Complex EP grease
- Colour Red
- Dropping Point: 260°C
- Timken Ok load: Approx 60Lbs / 27Kgs
- Operating temperature range –20°C to 210°C

Product code: 7002EPC





Chemlech MADE TO WORK

DIESEL POWER DIESEL FUEL ADDITIVE





FEATURES & BENEFITS

Chemtech Diesel Power is a New & Improved diesel fuel additive based on the latest technology in additives and designed to meet the requirements of new generation diesel engines.

Cleans injectors and keeps them clean.

Improves diesel fuel stability (oxidation and thermal stability) thus reducing the formation of gums and insoluble deposits that block filters.

Handles water more effectively for greater engine protection, by facilitating the break-up of stable fuel-water emulsions.

Boosts engine performance — resulting in more dependable power and acceleration.

Improves fuel economy.

Reduces exhaust emissions.

Engine corrosion protection.

Inhibits growth of algae and bacteria.

300ml treats up to 300 litres.

CODE SIZE CDP-300M 300ml

CDP-1L 1 Litre CDP-5L 5 Litres

CDP-20L 20 Litres

CDP-200L 200 Litres

Section 17

cwbrands.com.au Page 7.56





As an alternative to mechanical repairs, many of your vehicle's problems can be resolved or prevented without the dismantling of parts using Wynn's treatments that are efficient, affordable and easy-to-use.

Wynn's treatments are designed to meet the specific requirements of modern engines, while optimizing and protecting older vehicles.











Petrol Injector Cleaner

Wynn's Petrol Injector Cleaner moves through the fuel system quickly to safely remove deposits. It cleans the injectors and restores the ideal injector spray pattern creating more power and better acceleration. Wynn's Petrol Injector Cleaner protects against rust and corrosion while being catalytic converter, oxygen sensor and E10 safe.

- Cleans injectors as you drive for up to 5000km
- Increases engine power & fuel economy
- Smooths idling & cold starting
- Easy to use, one shot treatment
- Protects against rust and corrosion
- Formulated using European technology
- Catalytic converter, oxygen sensor & E10 safe
- Capless fuel system compatible
- Treats up to 80 litres of petrol

Wynn's Petrol Injector Cleaner is suitable for use with all grades of petrol fuels. It is also suitable for conventional and direct injection systems including Turbo Charged.

Product number	Pack Size
77218	325mL



Section 17







Complete Petrol Fuel System Cleaner

Wynn's Complete Petrol Fuel System Cleaner cleans and protects the entire fuel system to keep the heart of your vehicle operating at peak performance.

With its easy-to-use one-shot treatment, and backed by European technology, Wynn's Complete Petrol Fuel System Cleaner works as you drive to improve engine performance, lower fuel consumption and prevent new deposits from forming for up to10,000km.

- Features and Benefits:
- Cleans and lubricates entire fuel system
- Easy starting and enhanced power
- Protects fuel system components
- Protects and cleans for up to 10,000km's
- Easy-to-use, one-shot treatment
- Catalytic converters, oxygen sensors, turbochargers and E10 fuel safe
- Capless fuel system compatible
- Treats up to 80 Litres

Wynn's Complete Petrol Fuel System Cleaner is suitable for conventional and direct injection Petrol and Hybrid engines, including Turbo Charged.



Product Number	Pack Size
72018	325 mL

cwbrands.com.au Section I7 Page 7.58







Race Formula Octane Boost

Engines with higher compression require higher octane number fuels. The higher the octane number, the more compression the fuel can withstand before detonating. When you can control the point at which the fuel ignites, the maximum & improved performance of the engine can be achieved with the elimination of power robbing knocking and pinging due to low octane fuel.

- Boosts octane rating by up to 7 (RON) units
- Maximises engine horsepower & performance
- Combustion catalyst improves engine combustion, fuel efficiency and increases power
- Upper cylinder lubricant protects against valve seat recession

Wynn's Race Formula Octane Boost is suitable for conventional and direct injection petrol systems, including Turbo Charged



Product Number	Pack Size
43905	325 mL

cwbrands.com.au Page 7.59







Power Boost

Wynn's Power Boost is the smart solution to deliver both high-octane performance and valve-seat recession protection. Modern engines are designed with higher and higher compression ratios which demand higher Octane Number fuel.

Today's unleaded fuels don't provide the same level of lubrication for engine valves which can cause wear of the valve seating — or valve-seat recession (VSR) and lead to increased exhaust emissions, poor idling, and a loss of power. The potential for valve-seat recession increases with smaller engines running at higher speeds.

- Increases the octane number (RON) by up to 5 units
- Provides upper cylinder lubrication for up to 5,000km
- Increases horsepower & protects valves
- Prevents valve seat recession by forming a shielding layer on the valve seats, replicating the effect of leaded fuel
- Overcomes pinging or knocking noise in the engine
- Catalytic converter, oxygen sensor & E10 safe



Product Number	Pack Size
43818	325 mL

cwbrands.com.au Section I7 Page 7.55







Diesel Injector Cleaner

Wynn's Diesel Injector Cleaner's fast-acting formulation cleans dirty injectors and continues to prevent new deposits from forming for up to 5000km. With its easy-to-use one-shot treatment and backed by European technology, Wynn's Diesel Injector Cleaner brings your engine back to life for smoother idling, increased power and better fuel economy. Wynn's Diesel Injector Cleaner protects against rust and corrosion while being safe for DPF and other emission controls.

Increases engine power & fuel economy

Smooths idling & cold starting

Protects against rust and corrosion

Easy-to-use, one-shot treatment

Reduces black exhaust emissions

Fast acting and cleans as you drive for up to 5,000km

Safe for DPF and other emission controls

Capless fuel system compatible



Product Number	Pack Size
35318	325mL

cwbrands.com.au Section I7
Page 7.60







Complete Diesel Fuel System Cleaner

Wynn's Complete Diesel Fuel System Cleaner cleans and

protects the entire fuel system to keep the heart of your vehicle operating at peak performance.

With its easy-to-use one-shot treatment and backed by European Technology, Wynn's Complete Diesel Fuel System Cleaner works as you drive to improve engine performance, lower fuel consumption and helps prevent new deposits from forming for up to 10,000kms.

- Cleans and lubricates entire fuel system
- Protects fuel system components
- Prevents engine knocking
- Reduces black smoke
- Cleans and protects for up to 10,000km's
- Easy-to-use, one-shot treatment
- Safe for DPF and other emission controls
- Capless fuel system compatible
- Treats up to 80 Litres

Wynn's Complete Diesel Fuel System Cleaner is suitable for all diesel common rail and indirect injection systems, and bio diesel.

Product Number	Pack Size
35018	325mL









DPF & Turbo Cleaner

Wynn's DPF & Turbo Cleaner is a two-in-one additive designed to clean and regenerate DPF's whilst cleaning variable turbos and freeing sticking vanes.

With its easy to use one shot treatment and backed by European technology, simply add Wynn's DPF & Turbo Cleaner to the diesel tank to help prevent LIMP mode or DPF replacement occurring.

- Avoid costly & DPF & Turbo failure
- Cleans & regenerates restricted DPF's
- Cleans & frees sticking turbo vanes
- Maximises life of DPF & turbo charger
- 2-in-1 treatment
- Continues to clean for up to 3,000km
- Can be used as a turbo only cleaner on Diesel Engines without DPF's
- Capless fuel system compatible
- Easy-to-use one-shot treatment
- Treats up to 80 Litres

Wynn's DPF & Turbo Cleaner is for all diesel vehicles with DPF or Turbo. Wynn's DPF & Turbo Cleaner can also be used as a Turbo only Cleaner on Diesel Engines without DPF's.

Product Number	Pack Size
82911	325mL



Section 17







Engine Oil Flush

Wynn's Engine Oil Flush cleans the engine prior to oil change, removing gums and varnish to ensure any new oil is not contaminated. With its solvent-free formulation,

Wynn's Engine Oil Flush can be left for up to 24 hours in particularly dirty systems, without damaging seals.

- Dissolves varnish, sludge and other contaminants from vital engine parts
- Prepares engine to optimise new oil and filter life
- Keeps new motor oil and filter cleaner for longer
- Solvent free and will not damage seals
- Easy to use one shot treatment
- Can be left in for up to 24 hrs
- Treats up to 8L

Wynn's Engine Oil Flush is recommended for both new and old petrol, diesel or LPG engines



Product Number	Pack Size
51621	325mL

Section 17 cwbrands.com.au







Ultimate Engine Anti-Wear

Wynn's Ultimate Engine Anti-Wear with patented Wynn's Friction Proofing technology improves any engine oil to make it even better. Wynn's Ultimate Engine Anti-Wear provides a protective layer on metal parts that minimises engine wear, especially in cold start and stop/start driving conditions.

- Provides excellent wear and corrosion control
- Provides first-class cold start protection
- Offers optimum engine protection
- Improves viscosity of engine oil
- Protects engine oil against premature deterioration
- Reduces engine sludge and varnish build up
- Ideal for stop start driving
- Recommended for all oil types
- Easy to use, one shot treatment
- Treats up to 8L

Wynn's Ultimate Engine Anti-Wear is compatible with all passenger & commercial engine types, including both naturally aspirated or turbo-charged engines. It is especially suitable for those employing the latest stop/start technology or require cold start protection.



Product Code	Pack Size
82912	325mL

cwbrands.com.au Page 7.64

Section 17







Engine Oil Stop Smoke

Wynn's Engine Oil Stop Smoke stops oil burn and reduces exhaust smoke by stopping oil leaking past piston rings and valve guides, reducing oil burning and exhaust smoke. Wynn's Stop Smoke also improves oil viscosity and is compatible with all mineral and synthetic oils.

- Features and Benefits:
- Reduces oil loss and burning
- Reduces exhaust smoke
- Improves oil viscosity
- Amplifies oil pressure
- Reduced spark plug fouling in Petrol engines
- Easy to use one-shot treatment
- Compatible with all mineral & synthetic oils
- Safe for Catalytic Converters, DPF & other emission controls
- Treats up to 6L

Wynn's Engine Oil Stop Smoke is recommended for all Petrol, Diesel & LPG engines and is compatible with all mineral and synthetic oils.



Product Number	Pack Size
50024	325mL

Section 17 cwbrands.com.au Page 7.65







Engine Stop Leak

Wynn's Engine Stop Leak softens and conditions oil gaskets and rubber seals, causing them to swell again to prevent further leaking. It also increases the temperature viscosity index to reduce oil loss and burning.

- Stops & prevents leaks
- Reduces oil loss and burning
- Rejuvenates hardened or shrunken rubber seals, gaskets & O-rings
- Increases temperature viscosity index
- Easy to use one shot treatment
- Safe for Catalytic Converters, DPF & other emission controls
- Compatible with all mineral & synthetic oils
- Treats up to 6L

Wynn's Engine Stop Leak is recommended for all Petrol, Diesel & LPG engines and is compatible with all mineral & synthetic oils. Note: Wynn's Engine Stop Leak is a temporary solution until the seals can be replaced.



Product Number	Pack Size
50610	325mL







Engine Stop Noise

Wynn's Engine Stop Noise cleans and frees up sticky lifters to quieten them and reduce ticking noise on start up. Wynn's Engine Stop Noise prevents formation of black sludge and deposits to improve cylinder compression and keep your engine oil clean.

- Quietens noisy valve lifters
- Reduces ticking noise on start-up
- Provides friction and wear protection
- Prevents formation of black sludge and deposits
- Prevents oxidation and premature thickening of the oil
- Compatible with all mineral & synthetic oils
- Safe for Catalytic Converters, DPF & other emission controls
- Suitable for Diesel Engines to extend oil life
- Easy to use one shot treatment
- Treats up to 6L of engine oil

Wynn's Engine Stop Noise is recommended for Petrol, Diesel & LPG engines, and is compatible with all mineral and synthetic oils



Product Number	Pack Size
51523	325mL

cwbrands.com.au Section I7 Page 7.67







Radiator Flush

Wynn's Radiator Flush is a fast-acting alkaline based cooling system cleaner that aids cleaning and pre-conditioning of the cooling system to remove oil, sludge, rust & scale. Wynn's Radiator Flush is compatible with both conventional and O.A.T cooling systems, and will not harm cooling system components.

- Prepares cooling system to optimise new coolant life
- Removes oil, sludge, rust & scale
- Improves cooling system efficiency
- Easy to use one shot treatment
- Compatible with both conventional and O.A.T. coolant systems
- Compatible with cooling system components
- Treats up to 10L

Wynn's Radiator Flush is suitable for all 4, 6 or 8-cylinder engines (1 dose treating a standard passenger or light commercial vehicle).

Product Number	Pack Size
65332	325mL









Radiator Stop Leak

Wynn's Radiator Stop Leak prevents and seals minor external leaks in the cooling system and prevents head gasket seepage. It helps prevent corrosion and lubricates the water pump to improve cooling system efficiency and prolong pump life.

Stops & prevents leaks

Seals leaks in radiator & heater cores

Prevents head gasket seepage

Will not clog radiator waterways nor affect temperature sensors

Suitable for all 4, 6 or 8 cylinder vehicles

Compatible with both conventional and O.A.T. coolant systems

Compatible with cooling system components

Easy to use one shot treatment

Treats up to 12L

Wynn's Radiator Stop Leak is suitable for all 4, 6 or 8 cylinder vehicles and is compatible with both conventional & O.A.T. coolant systems. Wynn's Radiator Stop Leak should only be used as a temporary repair for leaks. Wynn's Radiator Stop Leak can also be used as a once-a-year preventative measure to ensure your cooling system operates without any damaging leaks.


Product Number	Pack Size
68650	325mL



Section 17

cwbrands.com.au Page 7.69







The Tectaloy brand has been providing quality coolants for vehicles Australia wide since 1952 and now also throughout New Zealand, giving you peace of mind when travelling or running a fleet. With the extensive availability of Tectaloy Coolants, you can ensure product conformance and compatibility, and avoid the pitfalls of mixing different coolants.

Now part of ITW AAMTech, Tectaloy products are manufactured in state of the art facilities with the technical support of ITW's global resources.

Tectaloy manufacture quality anti-freeze concentrates, Pre-mix Ready to Use coolants, and corrosion inhibitor concentrates to suit passenger & performance vehicles, light truck, heavy duty and stationary engines.

Tectaloy are committed to remaining the leader in developing and delivering quality, innovative cooling system solutions, for the Australian and New Zealand Automotive Aftermarkets.



The Range



TECTALOY 60 PLUS - The best conventional coolant on the market, perfect for early year vehicles.



Australia's best range of Ready to Use Pre-mix and concentrate coolants. With The Tectaloy ULMTD range, you can really go the distance, lasting 10 years or up to 1,000,000 kms.



The TECTALOY PLUS range offer the Xtra Cool and Xtra Cool Gold corrosion inhibitors as well as radiator additives to help you repair or completely flush your vehicle.







Tectaloy UNLMTD Coolant Concentrate

Tectaloy Unlmtd Concentrate is the latest development in extended life technology, offering maximum Anti Freeze/Anti Boil & corrosion protection for your cooling system. Recommended for all vehicles to current model manufacturing standards including petrol, diesel, gas, supercharged, turbocharged and stationary engines.

Typical Applications

The unique formula of Tectaloy UnImtd Concentrate is designed to meet the everyday demands of petrol and diesel vehicles. Its unique formula allows extra cooling system protection when required, such as four-wheel driving, towing heavy trailers or caravans.

Advantages:

- Silicate, phosphate & amine free.
- An excellent choice for high-performance multi-valve engines.
- 100% Corrosion protection when used as directed.
- +129°C Anti Boil Protection.
- -37°C Anti-Freeze Protection.
- 10 Years or 1,000,000km.
- Concentrate.

Specifications

- Contains ethylene glycol 1065g/Litre.
- Type A coolant.
- OAT corrosion inhibitors.
- 1L concentrate makes up to 4L of coolant (25% Ethylene Glycol).
- Available in Green, Red and Blue to suit your OEM requirements.
- Exceeds Australian Standards AS2108-2004 Type

Product Code	Size	Colour	Barcode
TUG1L	1L	Green	9312924007265
TUG5L	5L	Green	9312924007289
TUG20L	20L	Green	9312924007272
TUR5L	5L	Red	9312924007364
TUR20L	20L	Red	9312924007357

cwbrands.com.au Page 7.71





Anti-freeze / Anti-boil

Corrosion Protection



Tectaloy UNLMTD Ready to Use Pre-Mix

Tectaloy Unlmtd Ready to Use Pre-Mix is an Organic Acid Technology (OAT) radiator coolant, pre-mixed to 33% glycol concentrate. This is the perfect choice of coolant for applications where an extra load is placed on the engine.

TYPICAL APPLICATIONS

Tectaloy Unlmtd Ready to Use Pre-Mix is designed to meet the everyday demands of petrol and diesel vehicles. Its unique formula allows extra cooling system protection when required, such as four-wheel driving, towing heavy trailers or caravans.

ADVANTAGES

- Ready to Use.
- 10 Years or 1,000,000km
- -19°C Anti-Freeze Protection.
- +125°C Anti Boil Protection.
- 100% Corrosion protection when used as directed.
- An excellent choice for high-performance multi-valve engines

SPECIFICATIONS

- Contains 33% ethylene glycol.
- Type A Coolant.
- OAT corrosion inhibitors.
- Silicate, phosphate & amine free.
- Available in Green, Red and Blue to suit your OEM requirements
- Exceeds Australian Standards AS2108-2004

Product Code	Size	Colour	Barcode
TUPG1L	1L	Green	9312924007302
TUPG5L	5L	Green	9312924007326
TUPG20L	20L	Green	9312924007319
TUPR1L	1L	Red	9312924007333
TUPR5L	5L	Red	9312924007340

cwbrands.com.au Page 7.72







Tectaloy 60PLUS General Purpose Coolant

Tectaloy 60 Plus is a conventional pre-mixed radiator coolant designed for general purpose use. Formulated to protect against overheating, aluminum corrosion, general rust & heat transfer loss and rubber hose breakdown.

TYPICAL APPLICATIONS

60 Plus is designed to meet the demands of normal passenger vehicles under light to normal driving conditions.

ADVANTAGES

- Ready to Use
- 4 Years or 120,000km
- -2°C Anti-Freeze Protection
- +122°C Anti Boil Protection
- 100% Corrosion protection when used as directed
- Silicate, phosphate & amine free

SPECIFICATIONS

- Conventional
- Contains ethylene glycol 65g/Litre
- Exceeds Australian Standard AS2018-2004

Product Code	Size	Colour	Barcode
T6oPG1L	1L	Green	9312924007234
T6oPG ₅ L	5L	Green	9312924007241





100% Corrosion Protection

Makes up to 15 Litres

3 Years / 100,000 km



XTRA Cool Gold Corrision Inhibitor Concentrate

XTRA COOL GOLD is formulated using the latest inhibitor technology to provide optimum long life corrosion protection to aluminium alloys & all other metals used in the modern cooling system. XTRA COOL GOLD is suitable for use in all vehicles not requiring anti-freeze protection, both petrol and diesel.

Typical Applications

The unique formula of Tectaloy Unlmtd Concentrate is designed to meet the everyday demands of petrol and diesel vehicles. Its unique formula allows extra cooling system protection when required, such as four-wheel driving, towing heavy trailers or caravans.

Advantages

- Concentrate
- Makes up to 15 litres
- 3 years / 60,000 km lifespan if diluted with tap water
- 3 years / 100,000 km lifespan if diluted with demineralised water
- Type B, Organic
- Radiator Corrosion Inhibitor
- Australian Made

Specifications

- Contains Ethylene Glycol 280g/Litre
- 100% Corrosion Protection
- Minimal or nil AFAB protection
- Exceeds Australian Standard AS 2108-2004 Type B
- Silicate, phosphate & amine free

Product Code	Size	Colour	Barcode
TEXG ₁ L	1L	Green	9312924005056
TEXGR ₁ L	1L	Red	9312924005063

Also available in 20 litre pails TEXG20L—TEXGR20L





Tectaloy PLUS Radiator Additives

MUKOWT Radiator Flush



Tectaloy Mukowt is an ideal cooling system cleaner and pre-conditioner designed for use prior to filling with your preferred Tectaloy Coolant or Corrosion Inhibitor. It is suitable for use with all radiator cooling systems.

- · Cooling system cleaner
- · Alkaline-based
- · Assists in the removal of oil & sludge
- · Gentle action alkaline solution
- · Ideal for use when attempting to remove oil & sludge from the cooling system
- Recommended between flushes to clean & pre-condition system

Product Code	Size	Barcode
TE610	500ML	9312924006008

Radiator Stop Leak



Tectaloy Stop Leak is an emergency fix designed specifically to be compatible with the complete Tectaloy range of coolants and inhibitors. It will quickly seal leaks in radiators, heaters, thermostat housings, water pumps and is effective at controlling gasket seepage.

- · Seals leaks in the cooling system
- · Effective at controlling gasket seepage
- · Designed as a temporary repair & not intended as a permanent fix
- · Compatible with the Tectaloy coolant range
- · Enables system to operate until repairs can be made
- Stop leak can be added to the existing radiator fluid & will take effect in a short period of running time

Product Code	Size	Barcode
TESL500	500ML	9312924005131

HD2 Heavy Duty Radiator Flush



Safe to use in all vehicles, HD2 is a fast-acting heavy duty acid based radiator flush which is effective in removing rust, scale, oil & sludge from the cooling system. This results in improved cooling system efficiency & will maximise the performance of organic-based coolants in your system.

- Heavy-duty cooling system cleaner
- · Specifically developed for trade use
- · Acid based formula
- Professional strength
- · Ideal for use when attempting to remove rust, scale, oil & sludge from the cooling system
- Recommended between flushes to clean & pre condition the cooling system

Product Code	Size	Barcode
TEHD21L	1L	9312924007005

Section 17

cwbrands.com.au Page 7.75



PAINT & PANEL









PREPARE

rust repair ● abrasives ● degreasers● wax and grease
 remover ● cleaning solvents ● paint stripper

by our committed sales and technical support teams.

REPAIR

- body filler seam sealer primers spray putty
- abrasives reinforced fillers windscreen sealer

FINISH

- under body paint chassis painter 1K top coat
- 2K finishes solvents wheel paint acrylic top coats

SHIELD

cavity rust inhibitor ● sound deadener ● stone shield

PREPARE





RUST REMOVAL & PROOFING





Pacer Rust Converter contains a built in primer/sealer. In one step it chemically reacts with rust, converting it to a hard inert organic compound, and then seals the surface with an impervious coating. This coating is a suitable base for a variety of paint systems including most single pack acrylics and enamels, 2 pack coatings and water based paint.

Product No.	Pack Size	Carton City
NC400	Pacer PD4 Bust converter 400gm serosol	6

This product is part of the PACER automotive refinish range

PREPARE
 REPAIR
 FINISH
 SHIELD



SEPTONE

Rust Converter

Rust Converter is a concentrated phosphoric acid based rust converter and is used as a pre-painting treatment for converting surface rust (Iron oxide) into Iron phosphate, which forms an ideal base for further protective coatings. Rustsolve Rust Converter may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel, automotive panels, or rusted nuts and bolts and hand tools.

Product No.	Pack Size	Carton Qty.
AURSOD	500 ML	12
ALRESL	5 Littre	4



Rust Prime

Septone Rust Prime is a water based chemical that converts rust to an inert black compound and simultaneously primes and seals the metal surface so that it is ready for subsequent priming and topcoating. Rust Prime may be used on rusted galvanised roofs or surfaces, ornamental ironwork, fencing, structural steel, gutters, sheds, rusted nuts and bolts and hand tools. It can also be used in a number of marine applications. Rust Prime will provide temporary protection against rust, but should not be considered as a corrosion resistant coating. Primer coats and top coats should be applied as soon as possible after the surface has been treated with Rust Prime (and within 4 weeks) .

Product No.	Pack Size	Carton Oty
AURC500	500 ML	12
AURC1	1 Litre	6
AURC4	4 Litre	4



RUST REMOVAL & PROOFING



SEPTONE

Rust Proof

Rust Proof is a heavy duty corrosion preventative coating formulated to comply with AS2602, Part 1 - 1983 - Corrosion Inhibition (Rust Proofing) - Motor Vehicles. It is designed to inhibit the formation of rust in Internal box sections, door cavities, sills and pillars of motor vehicles. Rust Proof dries to a soft brown waxy protective coating. It is rheology controlled to give excellent atomisation with a fogging attachment, particularly with low pressure systems, and has excellent seam penetration with negligible sag and run.

Note: This product is NOT a rust converter. Do not use this product as an undercoat for paint. Rust Proof is not recommended on exposed areas such as the underbody or wheel arches because the film could become damaged, preventing complete protection.

Product No.	Pack Size	Carton Qty
AURP1T	1 Litre	6
AURP4	4 Litre	4
AURP20	20 Litre	1

Chemiech

Rust Treatment



Chemtech Fertan is a new generation, safe, non-toxic and non-flammable rust converter that penetrates deep into rust to convert it into ferric tannate and also creates a zinc phosphate layer deep below the rust surface to protect the base metal. Chemtech Fertan treated metal can be overcoated immediately or alternatively provide a "painting window" giving total protection for up to six months. Continuous protection can be achieved with regular retreatment and provides an alternative to sand blasting and painting. Non toxic & Non Flammable Provides an ideal painting surface

Product No.	Pack Size	Carton Qty.
FER-250M	250 ML	12
FER-1L	1 Litre	6
FEK-SL	5 Litre	4



PAINT STRIPPER



PACER P04 Paint Stripper

Pacer Paint Stripper is a fast acting paint and varnish remover. It will completely remove most paint and varnish from most surfaces. Suitable for removal of 2 pack and single pack paints including automotive 2 pack epoxy, automotive acrylic, water based acrylics, archetectual, automotive and industrial enamels, nitrocellulose lacquers, single and 2 part polyurethanes, varnishes and numerous other coatings.

Product No.	Pack Stre	Carton Qty.
Q5400	400 gram	12
Q51	1 Litre	6
Q54	4 Litre	4

PREPARE • REPAIR • FINISH • SHIELD

ANCHOR Paint Stripper



Super powerful for rapid results. A unique blend of solvents that work quickly to break down and blister the bonds that hold the paint film together, thus getting an effective stripping action. It is clear in colour.

Product No.	Pack Size	Carton Oty
AP5250	250 gram	12
AP5300	500 gram	6
APS010	1 Litre	6
AP5040	4 Litre	4
AP5020	20 Litre	1



Paint Stripper

Paint Stripper is a phenolic based heavy duty paint remover designed especially for the stripping of specialist automotive coatings. Note: Septone Paint Stripper is not recommended for the removal of paint from wooden surfaces where the surface is then going to be clear lacquered, because this product will cause irreversible staining of the wood. This product can adversely affect chrome, perspex, rubber and plastic components. Not recommended on fibreglass gelcoats

Product No.	Pack Size	Carton Oty
AQPS500	300ML	12
AQP51	1 Libro	6
AQPS4	4 Litre	4



SURFACE CLEANERS





Wax & Grease remover

A pre painting solvent based cleaning fluid, ideal for the removal of silicone, tar, bitumen, waxes, grease, glue residues, automotive polishes and other surface contaminants prior to refinishing operations. Safe to use on most painted surfaces, rubber, plastic trims and non tinted automotive glass

Product No.	Pack Size	Carton Oty.
78665	400 gram	12





P08 Wax & grease remover

Product No.	Pack Size	Carton Qty
PWD#1	I Litre	6
PWG84	4 Litre	4
PW0M20	20 Litre	1
PW08200	200 Litre	1

Pacer Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar and road grime from a vehicle's exterior paintwork. It is applied before and after all sanding operations, and prior to painting operations, during the refinishing of a vehicle's paintwork. Its correct use will prevent the occurrence of fish eyes in the applied paint film.

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



SURFACE CLEANERS



ECPTONES Wax & Grease remover

Septone Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar and road grime from a vehicle's exterior paintwork. It is applied before and after all sanding operations, and prior to painting operations, during the refinishing of a vehicle's paintwork. Its correct use will prevent the occurrence of fish eyes in the applied paint film.

Product No.	Pack Size	Carton Qty.
ASW01	1 Litre	12
ASW04	4 Litre	4
ASSR20	20 Litre	6





A high quality. Acetone is effective clean-up solvent for difficult resins, waxes and adhesives.

Product No.	Pack Size	Carton Oty
PA1	1 Littre	6
PA4	4 Litre	- 4
PA20	20 Litre	1
PA200	200 Utre	1

This product is part of the ACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



SEPTONE Acetone



Acetone is an extremely versatile solvent and has excellent solvency power for resins, gums, fats, oils, waxes, rubber, plastics, nitrocellulose, paints, lacquers, varnishes, adhesives and rubber cements. It is ideal for a number of solvent and extraction applications

Product No.	Pack Size	Carton Qty.
ASA1	1 Litre	6
ASA4	4 Litre	4
ASA20	20 Litre	1



REPAIR







EZI FILLER



Auto Body Sealant & Adhesive

VTECH VT 638 Autobody sealant & adhesive is a one component, high performance sealant & adhesive formulated based on advanced MS polymer technology. Ideal for making permanent elastic seals of high bonding strength on interior & exterior auto body seams & joints. It is also suitable in construction and industrial applications.

- · High strength and elasticity
 - astrcity
- Fast Drying
 Paintable

- · Primerless bonding to most substrates
- · Isocyanate free No air bubbling
- · Solvent free No shrinkage

Product No.	Pack Size	Carton Oty.
VT6388	290ML	12
VT6388E	290ML	12
VT638W	290ML	12





ZI FILLER

Pacer EZI Filler is a two-part, super smooth multi-purpose filler suitable for all autobody repairs with excellent adhesion to aluminium, fibreglass, masonry and wood surfaces. It cures in minutes providing an easy to sand, touch repair that can be drilled or tapped if required.

Product No.	Pack Size	Carton Qty.
EF500	5000M	
EFI	160	
EF2	280	4
£F4	460	4



Pacer Reofill is a high strength 2 part fibreglass reinforced filler for the structural repair of dents, holes, cracks, tears and other large damage. Ideal for the repair of rust holes in auto panels. Suitable in automotive, industrial, domestic and marine applications, on metal, fibreglass, suitable plastics and timber substrates



Product No.	Pack Stre	Carton Qty.
MF750	750ML	
MF15	1.503	4
RF3	380	4
RFS	560	4

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD





Body filler

Car Filler is a high quality lightweight polyester body filler designed for trade or handyman use in the filling of dents, cracks, holes or gaps. It is ideal for repairs to motor vehicles, boats, trailers, caravans, brickwork, concrete, guttering, furniture and hundreds of other repairs around the house. Its creamy texture makes it easy to apply with no drag and no sag even at high build levels. It is manufactured under vacuum to substantially reduce the incidence of pinholing; and the viscosity, gel and cure are strictly controlled to provide consistent quality. Car Filler exhibits minimal surface tack, easy sanding and good featheredging, and it provides excellent adhesion over mild steel, stainless steel, aluminium, fibreglass, wood, concrete, cement and fibro.

Product No.	Pack Size	Carton City.
ABCF500	500 Gram	12
ABCF1	1 Lttre	12
ABCF25	2.5 Litre	8

Metal tech Body filler



Metal Tech is a stainless steel and fibreglass reinforced patching compound designed for use in the repair of holes, cracks, dents and rust outs in motor vehicles, caravans, trailers, boats and guttering. It is dependable and easy to use and adheres strongly to metal and aluminium panels, fibreglass, wood, plaster, masonite etc. It is fast setting with excellent resistance to stress or shrinkage and is waterproof when fully cured. It is formulated to bridge holes up to 50mm in diameter, a mender patch of fibreglass mat should be used in conjunction with Metal Tech. Metal Tech may be moulded to any shape or contour, and it is easy to cheese grate, file or sand to roughly the finished shape. Final shaping of filled holes should be performed with a standard lightweight body filler, which is much easier to sand and shape to the final contour required.

Product No.	Pack Stre	Carton City.
ABMT500	500 Gram	12
ABMT1	1 Litre	6

SEPTONE Blade Putty



Septone Blade Putty is a heavy bodied single pack nitrocellulose based putty for automotive and industrial use. Suitable for use under acrylic paints. It is designed to fill scratches and minor indentations and smooth out surface flaws in vehicle bodywork. It exhibits excellent adhesion and featheredging whilst sanding; and it is compatible with Septone Primer Surfacer or Primer Filler. Septone Blade Putty is supplied ready for use, and is applied using a glazing knife or plastic putty bat.

Product No.	Pack Size	Carton Qty.
ARBP373	375 Ciram	12





Edge Rapid Sand is a premium quality lightweight body filler. It has been formulated for easy application and a self-levelling smooth finish reducing panel repair time and abrasive costs. Rapid Sand provides excellent adhesion across a wide range of substrates, including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only)

Edge Ultra Sand represents the next generation in superior quality body fillers, formulated using the latest technology. It provides unparalleled sanding qualities using 80 grit and due to its exceptional self-levelling ultra smooth finish it eliminates the need for putty from the repair process, increasing productivity through lower panel repair cycle time. It provides ultra superior adhesion over a wide range of substrates including steel, galvanised & zinc coated steel, SMC, aluminium and fibreglass (cosmetic repairs only).

QUALITY BODY FILLER RANGE





RAPID SAND 3 LITRE

Product code: ABERS3

- Easy application & self leveling smooth finish.
- Superior adhesion across a wide range of substrates

ULTRA SAND 3 LITRE

Product code: ABEUS3

- Unparalleled sanding qualities using 80 grit
- Eliminates need for putty repair process

Product No.	Description	Carton Qty.
ABERSS	Septone Edge Rapid sand Body Filler 3L	4
ABEUS3	Septone Edge Ultra sand Body Filler 3L	4





Scerones Glass fibre filler

Glass Fibre Filler (Fibre Tough) is a high quality fibre reinforced polyester putty designed for trade use. Glass Fibre Filler is dependable and easy to use and is formulated to bridge holes up to 50mm in diameter in rusted metal panels in motor vehicles, caravans, trailers and boats and in guttering. Glass Fibre Filler is fast setting, exhibits maximum adhesion to metal with excellent resistance to shrinkage and is waterproof when fully cured.

Product No.	Pack Stre	Carton Oty.
ABOF500	300 Gram	12
ABOF1	1 Littre	6
ABOF3	3 Litre	4
ABGF55	5.5 Litre	4

Fibreglass repair



Fibreglass repair kit

Automotive: Rusted panels, dents and holes in vehicles, caravans and trailers. Marine: Fibreglass and plywood boats, surfboards, water skis and surfcraft. Uses include binding split or damaged booms, spars, spinnaker poles and oars and repairs to transom

Product No.	Pack Size	Carton Qty.
ABER	250 MLS	12

Fibreglass resin



Segrone Catalyst



Product No.	Pack Size	Carton Qty.
MFR250	250 Mh	12
MFR500	500 Mb	12

Product No.	Pack Size	Carton Qty.
ММЕРК20	20 MLS	12



Primer fillers and primers



R45 Primer surfacer & R47 Primer filler

R47 Pacer Primer Filler is a high build, easy-to-sand primer filler for use under acrylic and enamel paints. It is designed for priming and filling in one over bare metal, polyester body filler and fibreglass. Ideal for filling nicks, scratches, stone chips and minor surface imperfections.

R45 Pacer Acrylic Primer Surfacer Is a single pack automotive primer surfacer, designed to be compatible with all existing single pack acrylic paint systems



Product No.	Description	Carton Qty.
AP\$400	Pacer 845 Primer surfacer 400 GM aerosol	12
APSO1	Pacer 845 Primer surfacer 1 Litre	6
AP504	Pacer 645 Primer surfacer 4 Litre	4
OH400	Pacer 8.47 primer filler 400 GM	12
OH1	Pacer 847 Primer filler 1 Litre	6
OH4	Pacer 847 Primer filler 4 Litre	4





1K Plastic primer

Pacer Plastic Primer is a fast drying transparent 1 pack primer with strong adhesion. Suitable for various car plastic parts to increase adhesion of subsequent coatings. Easy to apply. No need to thin down for use.

Product No.	Description	Carton Qty.
PPAP	Pacer plastic primer 1 Litre	6





This is a two pack system comprising a pigmented base co-reacted with an isocyanate hardener yielding a high build filler with excellent adhesion and corrosion resistance. This product is characterised by exceptional ease of application, flow and sanding.

Product No.	Description	Carton Qty.
PPF	Pacer Primer Filler 4:1 4Lt	4
PPH	Pacer 4:1 Hardener 1Ut	6
PPFK	Pacer 2K Hs Primer Filler 5 Lt Kit	1

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



Primer fillers and primers





Pacer Spray Putty is a quick drying putty designed to be applied over Pacer Primer Surfacer. It displays high build properties permitting easy filling of small indentations sand paper marks scratches and file marks. Pacer Spray Putty has superb resistance to shrinkage and can be sanded with ease.

Product No.	Description	Carton Qty.
SP400	Pacer spray putty 400 Gram	6



Primer

Product No.	Description	Carton Qty.
AAPPE400	Plastic primer filler grey 400gram	12
AAPS400	Acrylic primer filler grey 400 gram	12
AAEP400	Super etch primer 400 gram	12
AAPP400	Plastic adhesion primer clear 400 gram	12
AAPF4D0	Primer filler beige 400 gram	12
AASP400	Acrylic spray pully blue 400 gram	12



FINISH





Top coats





Pacer 2 Pack Colour is suited for the refinishing and repair of, trucks, cars and buses or whenever a high quality, high gloss finish is required. To be used with the Pacer 2K 2:1 hardener. Offers a tough durable coating

Product No.	Description	Carton Qty
PFB4	Pacer 2K Factory Black 4 Litre	4
PFW4	Pacer 2K Factory White 4 Litre	4



Pacer 2 Pack Platinum MS Clear is a versatile, user friendly high productivity medium solids 2 pack clear coat for professional automotive refinish.

Offers a tough, durable coating with excellent gloss and film clarity.

Product No.	Description	Carton Oty
PCC	Pacer Clear Coat 2:1 4Lt	12
PCH	Pacer 2:1 Hardener 1Lt	12
PCDK	Pacer 2K Ms Clear Coat Kit 6Lt	12





F69 & F72 1K Top coat - volumetric

Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This results in an extremely durable gloss finish. Available in Jet Black and Hi Opacity White.

Product No.	Description	Carton Qty
181	Pacer F69 Jet black acrylic 1 litre	6
184	Pacer F69 Jet black scrylic 4 litre	6
HOW1	Pacer F72 Hi Opacity white acrylic 1 litre	4
HOW4	Pacer F72 Hi Opacity white acrylic 4 litre	4







F73 1K Clear coat - volumetric

Pacer Acrylic Top Coat Clear is a premium quality acrylic lacquer for automotive Clear over Base refinish. Pacer Acrylic Top Coat Clear is based on top quality raw material components, including special UV absorbing additives. This results in an extremely durable gloss finish.

Product No.	Description	Carton Qty.
TCC1	Pacer F75 Top coat clear acrylic 1 litre	6
TCC4	Pacer F73 Top cost clear acrylic 4 litre	4

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



Top coats



Acrylic topcoat aerosols



Pacer Acrylic is a premium quality acrylic lacquer for automotive refinish. Pacer Acrylic are based on top quality pigments and raw material components, including special UV absorbing additives. This

Product No.	Description	Carton Qty
08400	Pacer F69 Gloss Black acrylic 400 Gram Aerosol	6
OW/400	Pacer F69 Gloss White acrylic 400 Gram Aerosol	6
MI8400	Pacer F69 Matt Black acrylic 400 Gram Aerosol	6
58400	Pacer F69 Satin Black acrylic 400 Gram Aerosol	6
TCC400	Pacer F69 Gloss Clear acrylic 400 Gram Aerosol	6





Pacer Subframe Black is a quick drying, semi gloss, black enamel paint with excellent coverage designed for painting subframes, chassis and interior panels such as luggage areas, quarter panels and other automotive components

Product No.	Description	Carton Qty
SF400	Pacer F75 Sub Frame Black 400 Gram Aerosol	6
PSF1	Pacer F75 Sub Frame Black 1 Litre	6
PSF4	Pacer F75 Sub Frame Black 4 Litre	4
P5F20	Pacer F75 Sub Frame Black 20 Litre	1





F68 Roll bar & Chassis Black

Pacer Roll Bar & Chassis Satin Black Paint is a one-step coating that does not require a primer. It gives the appearance of a tough baked-on, porcelain-like finish that provides excellent corrosion resistance. It is suitable for use on roll bars, grill guards, frames, suspension, trailers and equipment

Product No.	Description	Carton Qty
R858400	Pacer F68 Koll bar & Chassis satin black	6

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



Top coats





Pacer Wheel Silver is a premium quality silver metallic finish with excellent durability and weathering properties. Developed especially for metal wheels and plastic wheel

trim covers.

Product No.	Description	Carton Qty.
W5L400	Pacer F74 Wheel silver 400 Gram Aerosol	6



Pacer GMH Flat Black is a fast drying, low gloss nitrocellulose acrylic lacquer that provides good coverage and is ideally used for subframes, radiators, engine bays, differentials, tail shafts, interior panels and luggage areas. May be used for covering overspray around subframes and under mudguards, and it is ideal as a guide coat for sanding primers and putties. May be applied to bare, freshly primed and previously painted surfaces



Product No.	Description	Carton Qty.
GMH1	Pacer F65 GMH black 1 Litre	6
GMH4	Pacer F65 GMH black 4 Litre	4
OMH20	Pacer F65 OMH black 20 Litre	1

This product is part of the PACER automotive refinish range

• PREPARE • REPAIR • FINISH • SHIELD



SEPTONE ACTYLICS

Product No.	Description	Carton Qty.
AAGB400	Acrylic gloss black 4000	12
AAGW400	Acrylic gloss white 4000	12
AAMB400	Acrylic gloss malf black 4000	12
AA5A8400	Acrylic gloss safin black 4000	12
AAAC400	Acrylic topcoat clear 4000	12



Top coats & underbody

ANCHOR

Hammer finish

Anchor Shield Hammer Finish is a durable, protective finish that can be applied to a wide range of metal and pre-painted substrates. Anchor Shield Hammer Finish is ideal for restoring metal surfaces and hiding surface imperfections such as scratches and joints. When sprayed produces a uniform and attractive hammer pattern



Product No.	Pack Size	Size
60100	ANCHOR HAMMER FINISH CHARCOAL	400 Gram
601001	*	1 Libre
601004		4 Litre
6010020		20 Litre
60105	ANCHOR HAMMER FINISH BLACK	400 Gram
601051		1 Libre
603054		4 Litre
6010520		20 Litre
60110	ANCHOR HAMMER FINISH SILVER	400 Gram
601101	***************************************	1 Libre
601104		4 Litre
60115	ANCHOR HAMMER FINISH BLUE	400 Gram
601151		1 Litre
601154		4 Litre



Eserons Hammer finish

Finish is a self-priming, rapid drying hammered metal look paint. It is suitable for interior and exterior applications on both metal and timber surfaces. Once applied, it provides a tough, durable, anti-corrosive finish that is both decorative and hides surface imperfections.

Septone

Hammer

Product No.	Description	Carton Qty.
AAHFC400	Hammer Finish Paint Charcoal 400 Gram	12
AAHFS400	Hammer Finish Paint Silver 400 Gram	12



Subframe black

Subframe Black is a rapid drying satin black enamel paint designed for painting subframes, chassis, radiators, springs, axels and other automotive components that are normally finished in satin black. Subframe Black offers excellent adhesion to both primed and unprimed metal surfaces.

Product No.	Description	Carton Qty
AFSB1	Septone Subframe Black 1 Litre	6
AFS84	Septone Subframe Black 4 Litre	4



Chassis black

Septone's Chassis Black is a simple black coating perfect for application on the undercarriage of caravans and motor vehicles. Chassis black is not just a paint, but is actually a bituminous coating, which is chip resistant, and can help muffle and reduce road and tyre noise. This product is also anti-corrosive, and creates a waterproof finish wherever it is applied. This product is perfect for Iron roofs, guttering and other metal structures.

Sec. of		
BLACK	- E	
	CHANGE	
	BLACK	la l

Product No.	Description	Carton Qty.
AUCB1	Septone Chassis Black 1 Litre	0
AUC84	Septone Chassis Black 4 Litre	4



Dupli-Color

CALIPER PAINT

Duplicolor caliper paint is a durable, protective coating resistant to chipping, brake dust, and automotive chemicals. Formulated with ceramic resins, this high gloss coating resists temperatures up to 250°C.

East touch nozzle

Fast drying durable finish

Touch dry in 30 minutes

Resistant to chemicals and brake dust

RED

BCP100

YELLOW

BCP101

GLOSS BLACK

BCP102

SILVER

BCP103

BLUE

BCP104

SATIN BLACK

BCP105

CLEAR

BCP120

GOLD

BCP121

Dupli-Colo Withstands Temperature Ue To 500 · Brake Dust Resistan Fast Drying, Durable Finish · For use on caliper, drun



Dupli-Color Engine enamel



DE1601

FORD LIGHT

DE1602

UNIVERSAL WHITE

DE1604

UNIVERSAL GOLD

DE1605

FORD RED

DE1606

FORD DARK BLUE

DE1607

CHEVY RED

DE1611

NEW FORD GREY

DE1612

GREY PRIMER

DE1613

GLOSS BLACK

DE1615

ALUMINIUM

DE1620

CHEV ORANGE

DE1621

FORD OLD BLUE

DE1634

CHRYSLER LOW GLOSS BLACK DE1635

FORD SEMI GLOSS BLACK

DE1636

GLOSS CLEAR

DE1641

LIME GREEN

DE1650

CAST IRON ALLOY

DE1651

CAST IRON

DE1653

RED



Dupli-Color

Dupli-color High Heat with Ceramic

- Temperatures up to 1093°C
- Dry to touch in 30 minutes

Dupli-Color

HIGH

BLACK

DH1602

- Resistant to oil and other automotive fluids
- Will not blister, flake. Crack or peel

SILVER

DH1620

BLACK

DH1602

ALUMINIUM

DH1606

CAST IRON

DH1618

RED

DH1608

ORANGE

DH1610

BLUE

DH1612

WHITE

DH1604


CLEAR

DH1616

Section 18

Extreme High Heat Applications









STAINLESS STEEL PAINT

Duplicor Automotive metallics provide a brilliant metallic finish to automotive trim and accessories. Ideal for interior and exterior use.

Stainless steel coating provides the brilliant look of stainless steel to automotive accessories such as trim, grills and bumpers. Stainless steel coating dries quickly to a durable finish and resists temperatures up to 250°F allowing for under bonnet applications. Excellent adhesion to metal, wood, iron, glass and most other surfaces.



CHROME

CS101

GOLD

GS100

STAINLESS STEEL SS100



<u>Dupli-Color</u>

METAL CAST



cwbrands.com.au Section I8 Page 8.25



Dupli-Color Wheel coating

Customise or dress up worn out wheels with Duplicolor Wheel coating. This advanced track tested acrylic enamel formula restores original wheel appearance and protects against brake dust, chemicals, heat and chipping. Duplicolor Wheel Finish features a highly durable finish with superior adhesion to steel, aluminium and plastic wheel covers.



High performance Gold HWP107 High performance Matt clear **HWP106** High Performance Silver HWP101 High Performance Graphite HWP102 High Performance Clear HWP103 High Performance Satin Black HWP104 High Performance Bronze HWP105

Section 18







Bed Armor

Dupli-Color® BED ARMOR® Do-It-Yourself Truck Bed Coating is a water-based, rubberized polyurethane coating that's ideal for protecting truck beds and a variety of automotive surfaces including metal, aluminum, fiberglass and wood.

BED ARMOR® is formulated with ground up rubber particles to provide uniform texture and help prevent your cargo from moving around. This special formula won't chip, fade, or flake and has a textured, black satin finish that provides the ultimate in truck bed protection. BED ARMOR® Truck Bed Coating is available in aerosol and in kit form

BLACK BAA2010 Kit: BAK2010

Trim & Bumper paint

Dupli-Color® Trim & Bumper Paint features Fade-X™ Technology to ensure a long-lasting finish for exterior and interior applications. This specialty formulation restores trim & bumper surfaces back to their original factory look.



Features & Benefits:

- Features EZ Touch 360°* Fan Spray Nozzle
- Renews and protects discoloured bumpers
- Superior adhesion
- . Dry to touch in 30 Minutes / Handle in 1 Hour
- Provides a uniform solid colour
- · For use on thermoplastic and polyurethane bumpers

BLACK TB101

CLEAR

TB100

CHARCOAL

TB102







Wrinkle finish

Duplicolor Wrinkle finish combines strong colors with a deep rich texture for a custom look. It is temperature resistant to 350F (177C) and is ideal for adding a touch of personal styling to almost any metal surface. Duplicolor wrinkle finish resists color fading, grease, degreasers and severe weather conditions. This tough durable finish is extremely re-

BLACK WF201

> RED WF204



Ruberised undercoat

Dupli-Color® Undercoating products are ideal for protecting wheel wells, gas tanks, frames and supports, weld joints, floor pans, doors, and quarter panels. Dupli-Color Undercoat (UC101) offers economical protection plus paintablity, moisture resistance, corrosion resistance, and a durable rubberized finish.

Product # UC101



Rust fix black

Dupli-Color® Rust Fix® Coating destroys rust on contact by bonding and transforming it into a sandable and paintable surface. Sprays on clear and transforms into a black, metal protecting coating that prevents future rust from forming. Rust Fix saves you the time of sanding all the way down to bare metal and can be used with body filler and fiberglass.

Product # RF129

Section 18



SHIELD





Stone shield & body deadeners





Pacer S80 Cavity Rust inhibitor is a heavy duty, rust and corrosion preventive wax coating, designed for use on concealed internal surfaces of cars, trucks, trailers, caravans, 4WDs, tractors, farm machinery, equipment and tools. Inhibits the formation of rust inside internal box sections, chassis, door cavities, sills, side panels and pillars. Dries to a flexible, non sticky film that is water repellent. Formulated to AS2662

Product No.	Description	Carton Oty.
CRI400	Pacer S80 Cavity rust inhibitor 400 gram seresol	6



Pacer Stone Shield Anti-Chip Coating is a flexible textured underbody coating for stone chip and general road abrasion protection. Suitable topcoats are acrylic lacquer, 2 pack colour and basecoat, and 2 pack iso-free acrylic finish

Product No.	Description	Carton Qty.
50/58400	PACER SES STONE SHIELD 4000M BLACK	6
50581	PACER SES STONE SHIELD BLACK SLT	6
50501	PACER SES STONE SHIELD GREY SLT	6
505W1	PACER SES STONE SHIELD WHITE 1L	





SOUND DEADER
ST7
ST7

Pacer Sound Deadener Spray On is a quick drying bitumen base that creates a flexible coating for sound deadening and protection against corrosion, dust, moisture, stone chips and abrasion. Ideal for underbody parts such as mudguards, subframes, bonnets, boots, spare wheel tubs, underneath floor panels, and inside door panels. Requires no primer or topcoat

Product No.	Description	Carton Oty.
50400	PACER 577 SOUND DEADENER 4000M	6
50115	PACER 577 SOUND DEADENER 1LT	6

cwbrands.com.au Page 8.30

Section 18



Stone shield & body deadeners



Stone Shield

Stone Shield is a heavy bodied, solvent based elasticised coating which provides excellent resistance against stone chip damage to the lower body sections of motor vehicles. Once dry, Stone Shield forms a durable, flexible coating with a high opacity stippled coloured surface finish which is ready to be top coated with the appropriate finish coats.

Stone Shield is designed to be used on areas such as front aprons and air dams, stone guard panels, wheel arches, etc. Luggage compartments and other areas subject to damage may also be applied with Stone Shield prior to top coating. Stone Shield is designed to be used to repair textured finishes on both local and imported vehicles.

Product No.	Description	Carton Qty.
AASB400	Stoneshield Anti Chip Coaling Black 4000	12
AA50400	Stoneshield Anti Chip Coating White 4000	12
AUSBIT	Stoneshield Anti Chip Coaling Black Tall tin	6
AUSWIT	Stoneshield Anti Chip Coating White Tall tin	6



EXPRORE Body Deadener Flexcoat

Flexcote is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by spray to the underside of motor vehicles.

Flexcote may also be used as a coating for iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Flexcote is also suitable for damp-proofing concrete and masonry walls, above and below grade, where no hydrostatic pressure exists.

Product No.	Description	Carton Oty
AUFIT	Flescote Spray Body Deadener Tall Tin Black	6
AUF4	Flexcote Spray Body Deadener Black 4 Litre	4
AUF20	Flexcote Spray Body DeadenerBlack 20 Litre	1



Body Deadener Brushcoat

Brushcote Body Deadener is a waterproof, anti-corrosive, noise suppressing black bituminous compound designed for application by brush to the underside of motor vehicles.

Brushcote Body Deadener may also be used as a coating for Iron roofs, fibre roofs, inside guttering, downpipes, water tanks and on metal structures. Brushcote Body Deadener is also suitable for damp-proofing concrete and masonry walls, above and below grade, where no hydrostatic pressure exists.

Product No.	Description	Carton Qty.
AABD400	Body Deadener Black 400 gram serosol	6
AUBD1	Brushcote Body Deadener Black 1 Litre	6
AUBD4	Brushcote Body Deadener Black 4 Litre	4

cwbrands.com.au Page 8.31

Section 18



BOAT & VAN







Septone® Boat & Van Hull Cleaner & Stain Remover



Description: Septone Boat and Van Hull Cleaner & Stain Remover is a biodegradable surfactant which cleans & revives fibreglass gelcoat, painted timber surfaces and steelwork. Ideal for de-yellowing gelcoats/fibreglass, its phosphoric acid formula is most effective at removing rust stains, converting rust and inhibiting its reformation.

Features & Benefits:

- · Concentrate formula
- Removes rust and waterline stains
- De-yellows gelcoat, 2-Pack paint surfaces
- · Converts and inhibits rust
- Safe on paint, steel, glass, rubber, chrome, vinyl & tarpaulins

Area of Application:

- · Marine Trade/DIY use
- Gelcoat, 2-Pack, painted timber, stainless steel surfaces
- Fishing trawlers, recreational boats
- Stainless steel food preparation equipment

Product No.	Pack Size	Carton QTY.
MCD1	1 L	6
MCD5	5 L	4
MCD20	20 L	EACH



Septone® Boat & Van Cut & Prepare Fibreglass Polish



Description: Septone Boat and Van Cut & Prepare Fibreglass Polish for weathered or chalky surfaces requiring restoration. Septone Boat and Van Cut & Prepare Fibreglass Polish is a premium quality compound that restores and rejuvenates weathered fibreglass gelcoats and painted surfaces.

Features & Benefits:

- Restores degraded surfaces
- Easy to use
- Hand or machine application

- Trade or Handyman use
- Marine fibreglass gel-coat
- Weathered paintwork

	Product No.	Pack Size	Carton QTY.
Γ	MPFE500	500 mL	12
	MPFE1	1 L	6





Septone® Boat & Van Rust & Stain Remover



Description: Septone Boat and Van Rust Stain Remover Cleans, De-Oxidises and removes rust stains from fibreglass gelcoat, painted timber surfaces and from steelwork. A powerful cleaner, de-oxidiser and Rust-Stain remover ideally suited to Fibreglass gelcoat (Hulls) but also highly effective on painted timber surfaces and steelwork.

Features & Benefits:

- · Fast acting concentrate
- De-yellows Gelcoat and Fibreglass

Area of Application:

- Fibreglass gelcoat surfaces
- Fishing trawler, recreational boat hulls
- · Stainless steel
- · Painted surfaces

Product No.	Pack Size	Carton QTY.
MCRSR750	750mL	12



Septone® Boat & Van Fibreglass Polish & Protect



Description: Septone Boat and Van Fibreglass Polish & Protect for use on surfaces in good to slightly faded condition to restore a showroom shine. Septone Boat and Van Fibreglass Polish & Protect with Carnauba wax and high molecular weight silicone polymers provides a long-lasting shine and protective barrier for outstanding visual appeal and protection from the elements.

Features & Benefits:

- Polishes and removes fallout from Marine gel-coat
- Produces long-life high shine
- Protects surface from the elements
- Very easy wipe on, wipe off application

- Trade or Handyman use
- Marine fibreglass gel-coat
- New or maintained paintwork

Product No.	Pack Size	Carton QTY.
MPFRW500	500 mL	12
MPFRW1	1 L	6







🜌 📴 Гертопе 🖼 Wash & Wax

Description: Septone Boat & Van Wash & Wax is a concentrated heavy-duty cleaner that rapidly dispels washable surfaces of oil, grime, soot, dirt and industrial fallout and leaves a shiny protective wax layer. Despite its powerful concentration, its pH neutral formula is safe to use on gelcoat, fibreglass, paint, steel, aluminium, glass, rubber, chrome, vinyl, canvas and tarpaulins.

Product No.	Pack Size	Carton QTY.
MCWW1	1L	6
MCWW5	5L	4

Features & Benefits:

- · Heavy duty cleaner
- · High shine finish
- · Proactive wax layer

Area of Application:

- · Fibreglass Gelcoat
- Paintwork
- · Steel, aluminium and chrome
- · Canvas and tarpaulins



SEPTONE Gelcoat Repair Filler

Description: Septone Boat & Van Gelcoat Repair Filler is a lightweight polyester body filler used to repair chips, scratches and cracks in polyester gelcoats on fibreglass boats etc. It is simple to $% \left\{ 1,2,\ldots ,n\right\}$ apply, exhibits excellent adhesion, easy sanding and good feather-edging. Gelcoat Repair Filler cures to a white finish when used with the supplied hardener.

Product No.	Pack Size	Carton QTY.
ABG400	400 g	12

Features & Benefits:

- · No sag application at high build levels
- · Easy sanding
- · Excellent adhesion to fibreglass
- · Cures to a white finish

Area of Application:

- Not suitable for use below the water line unless the surface is sealed with appropriate
- Trade or Handyman use
- Marine craft, boats, jet-ski's, paddle and surf boards
- · Fibreglass pools



SEPTONE Fibreglass Polyester Resin

Description: Septone Boat & Van Fibreglass Polyester Resin used in conjunction with Septone Boat & Van Fibreglass Matting will repair cracks and holes in fibreglass, wood, steel, iron, masonry and other inflexible material. Repairs can be made to fibreglass and wooden boats, trailers, kayaks, surfboards and vehicles.

Product No.	Pack Size	Carton QTY.
MFR250	250 mL	12
MFR500	500 mL	12

Features & Benefits:

- High quality · Light weight
- · Easy to apply

Area of Application:

- · Repairs can be made to Fibreglass and wooden boats, trailers kayaks and vehicles
- · Repairs cracks in Fibreglass, wood, steel, iron and other inflexible material



ΣΕΡΤΟΛΕ Fibreglass Matting

Description: Septone Boat & Van Fibreglass Matting used in conjunction with Septone Boat & Van Fibreglass Resin will repair cracks and holes in fibreglass, wood, steel, iron, masonary and other inflexible material.

	Product No.	Pack Size	Carton QTY.
Γ	MFM.5	0.5M	12

Features & Benefits:


- · High quality
- · Light weight
- Easy to apply

Area of Application:

· Repairs cracks in Fibreglass, wood, steel, iron and other inflexible material



WORKSHOP CLEANING AND CONSUMABLES





→ACER Solvent Degreaser

Pacer Engine Degreaser is a multi-purpose, high flash point solvent degreaser. The high flash point and moderate aromatic content of the solvent base makes Pacer Engine Degreaser is ideal for use in automotive workshops including parts cleaning, drilling rigs and mining equipment, marine applications such as engine degreasing and bilge and farm equipment cleaning.

Product No.	Pack size	Carton Qty
PED20	20 litre	Each





PACER P55 BRAKE CLEAN

A highly volatile hydrocarbon solvent that performs well in situations requiring a solvent that evaporates quickly with no residue.

- Fast drying.
- Can be used as a low residue contact cleaner.
- A low flash point solvent that evaporates quickly.
- P55 has high solvency of greases and oils.

Product No.	Pack size	Carton Qty
PP5520	20 litre	Each



Chemtech® CT14 Engine & Bilge Degreaser



Description: Chemtech CT14 is a powerful water based degreaser that converts oil and grease into a water soluble product. It is excellent for use on engines, engine parts, machinery, tools, benches, bikes, motor mowers and bilges. Chemtech CT14 is non-toxic, non-flammable and does not contain hydrocarbons.

Features & Benefits:

- · Concentrated formula
- Removes oil, grease, dirt & grime
- Hydrocarbon solvent free
- · Won't promote rust
- Safe on plastic, rubber, glass, most metals & alloys

Area of Application:

- · Trade or DIY use
- · Automotive and marine
- Engine parts and tools
- Driveways

Product No.	Pack Size	Carton QTY.
CT14-1L	1 L	12
CT14-5L	5 L	4
CT14-20L	20 L	EACH
CT14-200L	200 L	EACH



Chemtech® Shock Treatment



Description: Chemtech Shock Treatment is an economical, biodegradable, water based, concentrate degreaser. It is suitable for all types of engines, equipment parts and driveways and is safe to use on plastic, rubber, glass and most metals and alloys.

Features & Benefits:

- Concentrate formula
- Biodegradable
- Non-flammable, solvent free
- Won't promote rust
- Safe on plastic, rubber, glass, most metals & alloys

- Trade or DIY use
- \bullet Engine parts and tools
- Driveways
- Brush, sponge, spray, degreasing gun, high pressure washer

Product No.	Pack Size	Carton QTY.
STR-5L	5 L	4
STR-20L	20 L	EACH
STR-200L	200 L	EACH





Chemtech® Workshop Heavy Duty Degreaser



Description: Chemtech Workshop Heavy Duty Degreaser is a ready to use, water based, biodegradable, degreaser that converts oil & grease into a water soluble solution. Great in the workshop or home for engines, lube bays, walls and concrete floors.

Features & Benefits:

- Ready to use
- · Water based formula
- Biodegradable, Quick Break
- Dilute 1:10 with water for light degreasing

Area of Application:

- · Trade or DIY use
- · Engine parts and lube bays
- · Walls & concrete floors
- · Brush/Spray on, hose off

Product No.	Pack Size	Carton QTY.
CWD-5L	5 L	4
CWD-20L	20 L	EACH
CWD-200L	200 L	EACH



Septone® Degrease-It



Description: Septone Degrease-It is a heavy duty, concentrated, water based degreaser. Its solvent free formulation removes heavy deposits of grease, oil and grime from machinery, engines, concrete floors and most badly soiled substrates.

Features & Benefits:

- Concentrated formula
- Removes oil, grease & grime
- Hydrocarbon solvent free
- Biodegradable, non-toxic
- Safe on plastic, rubber, glass, most metals & alloys

- Trade or DIY use
- Automotive and marine
- Engine parts and tools
- Driveways

	Product No.	Pack Size	Carton QTY.	
	ADDI5	5 L	4	
	ADDI20	20 L	EACH	
	ADDI200	200 L	EACH	







SEPTONE Ali Brite Aluminium Cleaner

Description: Septone Ali Brite is an etching acid type cleaner designed primarily for cleaning of aluminium in industrial situations. It removes corrosion and oxide films with minimal attack on the substrate and it effectively cleans stainless steel. Septone Ali Brite is commonly used to clean aluminium trailer bodies, tanks, bull bars and dinghies.

Product No.	Pack Size	Carton QTY.
ATA1	1 L	6
ATA5	5 L	4
ATA20	20 L	EACH

Features & Benefits:

- · Concentrate formula
- · Acid etch cleaner
- · Removes corrosion & oxide film
- · Leaves surface clean for polishing

Area of Application:

- · Transport/marine use
- · Aluminium & stainless steel surfaces
- Apply by spray, broom, sponge



SEPTONE Degrease All

Description: Septone Degrease-All is a heavy duty, ready to use biodegradable, water based degreaser, formulated to penetrate and cut through and remove grease, oil, dirt and grime from machinery, engines, lawn mowers, outboards, concrete and floors.

Product No.	Pack Size	Carton QTY.
ADDA5	5 L	4

Features & Benefits:

- · Ready to use
- · Water based formula
- · Biodegradable, Quick Break
- · Hydrocarbon solvent free
- · Safe on most surfaces excluding alloy and aluminium

Area of Application:

- · Trade or DIY use
- Engine parts, machinery, tools
- · Lawn mowers, outboard motors
- · Brush/Spray on, hose off



SEPTONE Oilsolve Degreaser

Description: Septone Oilsolve Degreaser is a heavy duty, 100% rapid emulsion break, solvent based degreasing cleaning fluid. It emulsifies and removes grease, oil dirt and grime from vehicle engines, motorbikes, tools, turbines, lube floors and wall, driveways and boat bilges. Oilsolve will not cause streaking and is free-rinsing.

Product No.	Pack Size	Carton QTY.
ADO20	20 L	EACH
ADO200	200 L	EACH

Features & Benefits:

- · Ready to use
- · Emulsifies and removes oil, grease & grime
- · Free-rinsing
- · Rapid emulsion Break
- · Safe on paint, steel, aluminium, chrome, vinyl, rubber, glass and most plastics

Area of Application:

- Trade or DIY use
- · Automotive and marine
- Engine parts and tools
- Driveways
- · Brush/Spray on, hose, pressure clean off



Superclene Citrus Cleaner / Degreaser

Description: Septone Superclene is a heavy duty general purpose, citrus cleaner/degreaser. Its combination of biodegradable natural orange oil extract, surfactants and powerful builders provide excellent cleaning performance for almost any application, including degreasing and as a heavy duty wash, for vehicles, workshop floors and trawlers.

Product No.	Pack Size	Carton QTY.
HSS5	5 L	3
HSS20	20 L	EACH
HSS200	200 L	EACH

Features & Benefits:

- · Concentrate formula
- · Citrus based
- · Biodegradable.
- · Caustic free
- · Versatile cleaner and degreaser

- Trade or DIY use
- · Vehicle, Workshop floors, trawler, hard surface wash
- · Hard surface degreasing
- · Brush/Spray on, hose, pressure clean off







SEPTONE HPH-11 Degreaser

Description: Septone HPH-11 Degreaser is a non-toxic, noncaustic, biodegradable, heavy-duty degreasing detergent with a pH of 11. It removes dirt, grime, oil and exhaust soot and rinses easily without causing streaking. Septone HPH-11 Degreaser safely cleans most metallic surfaces including chrome and aluminium, glass, fibreglass, rubber, tarpaulins, vinyl and most washable surfaces.

Product No.	Pack Size	Carton QTY.
DHPHD200	200 L	EACH
DHPHD1000	1000 L	EACH

Features & Benefits:

- · Concentrate formula
- · Biodegradable,
- · Non-toxic, non-caustic
- · Cleans and degreases
- · Rinses easily

Area of Application:

- · Trade/Professional use
- · Mining, agriculture
- Heavy equipment, trucks, vehicles, machinery
- Sponge/mop/high pressure clean off



SEPTONE Wax & Grease Remover

Description: Septone Wax & Grease Remover is a unique blend of solvents which effectively removes silicone, wax, polish, grease, oil, tar, bugs and road grime from a vehicle's exterior paintwork. It may also be used to remove gum and adhesive tape residue from vehicles and other solvent resistant surfaces.

Product No.	Pack Size	Carton QTY.
AAWG400	400 g	12
ASWG1	1 L	12
ASWG4	4 L	4
ASSR20	20 L	Each

Features & Benefits:

- · Ready to use
- · Automotive pre-painting cleaner
- · Prevents fish eyes
- · Removes gum and adhesive
- · Hard surface cleaning solvent

Area of Application:

- · Trade or DIY use
- Automotive paint refinish preparation
- · Hard surfaces





SEPTONE All Purpose Thinner

Description: Septone All Purpose Thinner is formulated for thinning Acrylic and Nitrocellulose Lacquers, Primer Surfacers and other products requiring an acrylic or lacquer thinner. It can also be used for cleaning, paint equipment and brushes.

Product No.	Pack Size	Carton QTY
ASAP4	4 L	4
ASAP20	20 L	Each

Features & Benefits:

- · General purpose thinner
- Acrylic, Nitrocellulose lacquers, primers, spray putties
- · Paint remover and spot cleaner
- · Cleans brushes & equipment

Area of Application:

- · Trade or DIY use
- · Automotive single pack paints
- · Spot cleaning



SEPTONE Parts Wash

Description: Septone Parts Wash is an economical solvent cleaner with a high flash point, especially suited for use in industrial parts washers. It will degrease and clean many hard surfaces including metals of most greases, oils and light deposits of gums and varnishes, and then evaporates to dryness.

Product No.	Pack Size	Carton QTY.
ADPW20	20 L	Each


Features & Benefits:

- High Flash Point 65°C
- · Air dries
- Removes grease, oils, gums & varnish
- · Safe on all metals

- Immersion Tanks/Parts washer



TYRE REPAIR & **ACCESSORIES**





Pump my Ride



Emergency Tyre Sealer and Inflator

- The 'get-you-home' tyre repair
- Instantly repairs punctures & inflates tubeless tyres
- Australian made and owned

Product No.	Pack Size	Carton QTY.
PMR01	350 GRAM	12



Slime® Tube Sealant



Description: Slime Tube Sealant seeks out and instantly seals tread area punctures up to 3mm diameter using Fibro-Seal® technology. Its non-toxic, non-corrosive, water soluble formula won't dry out and remains liquid to create a protective layer that will repair punctures as they occur, for up to two years.

Features & Benefits:

- Instantly seals punctures up to 3mm diameter
- Seals multiple repairs repeatedly
- Non-toxic, non-hazardous
- Easy-to-use
- · Water soluble

Area of Application:

 Bicycles, dirt bikes, wheelbarrows, ride-on mowers, prams

Product No.	Pack Size	Carton QTY.
10003	237 mL	6
10004	473 mL	6





Slime® Tyre Sealant



Description: Slime Tyre Sealant is a tubeless automotive tyre sealant for all tyres. Using Fibro-Seal® technology, it instantly and repeatedly repairs tread area punctures up to 6mm in diameter, for up to 2 years. Tyre Sealant, easy-to-use, non-toxic, non-corrosive and water soluble.

Features & Benefits:

- · Seals multiple repairs for up to 2 years
- · Repairs tread area punctures up to 6mm diameter
- · Non-toxic, non-corrosive

Product No.

10011

10008

10009

· Water soluble

Area of Application:

- · Automotive, 4WD, motorcycle, bicycle
- · Wheelbarrows, Prams





Slime® 2X Heavy Duty Tyre Inflator slime



Description: Slime 2X Heavy Duty Tyre Inflator is a high performing inflator with a dual piston motor to deliver maximum power for rapid inflation. It inflates a standard car tyre in 2 minutes and has a direct drive motor and thermal break feature to prevent over-heating.

473 mL

710 mL

946 mL

Features & Benefits:

- · Inflates standard tyres in 2 minutes
- · Dual cylinder inflator for maximum power inflation
- · Direct drive inflator connects directly to the battery
- · Dial gauge in-line on the hose
- 9 Metre total reach with LED light and rigid carry case

Area of Application:

· Automotive, 4WD, motorcycle, van tyres

Product No.	Pack Size	Carton QTY.
40026	N/A	2









Digital Flat Tyre Repair Kit

Description: Slime Digital Flat Tyre Repair Kit combines tire sealant with a fast, push button inflator for emergency tyre repairs in 4 simple steps. The inflator connects to 12v accessory power, while the sealant seeks out and seals tread area punctures up to 6mm diameter with repair and inflation complete in 8 minutes.

Product No.	Pack Size	Carton QTY.
50123	KIT	2
10179	450 mL Refill	4

Features & Benefits:

- Repairs & inflates standard tyre in 8 minutes
- · Digital display gauge
- · Pressure release valve
- · Sealant cartridge refill available

Area of Application:

- · Standard automotive tyre
- Emergency/temporary repair

Note: Treated tyres require repair within 3 days or 160km.





Smart Spair Emergency Flat Tyre Repair Kit

Description: Slime Smart Spair Flat Tyre Repair Kit combines tire sealant with an inflator as a two-step, emergency tyre repair system. The sealant seeks out and seals tread area punctures up to 6mm in diameter and the inflator uses 12v accessory power to inflate the tyre in 8 minutes.

Product No.	Pack Size	Carton QTY.
50107	KIT	3

Features & Benefits:

- · Repairs & inflates standard tyre in 15 minutes
- Seals & repairs tread area punctures up to 6mm diameter
- Valve core removal tool included in cap of bottle
- Includes multi-purpose air adaptors

Area of Application:

- · Standard automotive tyre
- · Emergency/temporary repair

Note: Treated tyres require repair within 3 days or 160km.





Mini Dial Magnet

Description: Slime Mini Dial Magnet is a standard tyre gauge designed as a compact unit to store easily inside the fuel tank door. Measure 0 to 60 psi. Mini gauges are supplied in a counter top display containing 12 gauges, ready for sale separately.

Product No.	Pack Size	Carton QTY.
20055	12PK	12

Features & Benefits:

- Counter top display contains 12 gauges
- Gauge magnetically stores inside a fuel tank door
- 0 to 60 psi

Area of Application:

Suits most standard tyres





Large Face Dial Gauge

Description: Slime The Large Face Dial Tyre Gauge is made of sturdy chrome, it is easy to read and easily fits onto a standard Schrader valve. It is equipped with a pressure release valve for quick adjustments to suit any driving situation.

Product No.	Pack Size	Carton QTY.
20049	1 pc	6

Features & Benefits:

- · Read psi & bar
- · Large face dial 56mm
- Maintaining proper tire pressure reduces fuel consumption and maximizes tyre life
- Features a pressure release button for quick adjustments
- 5 to 60 psi

Area of Application:

· Suitable for Schrader Valves







Digital Tyre Gauge

Description: Slime Digital Tyre Gauge is easy to use and measures from 5 to 150 psi. It has an automatic shut off for longer battery life, is tyre sensor safe, and has a lighted tip to make checking tyre pressure at night fast and easy.

Product No.	Pack Size	Carton QTY.	
20017	1 pc	4	

Features & Benefits:

- · Easy to read display
- · Measures in psi, kPa and bar
- · Automatic shut off
- · Illuminated tip for night use
- 5 to 150 psi

Area of Application:

· Suits automotive tyres





Ultimate Digital Gauge

Description: Slime Ultimate Digital Gauge measures from 0 to 100 psi and features a programmable pressure setting, making it easy to inflate tyres to their optimum level. It connects easily with a flexible 15cm hose, is tyre sensor safe, and has an easy to read backlit display.

Product No.	Pack Size	Carton QTY.
20202	1 pc	6

Features & Benefits:

- · Easy to read display with bright LED light
- · Programmable pressure setting
- · Flexible hose
- · Dynamic bleeder valve
- 0 to 100 psi

Area of Application:

· All automotive tyres





High Pressure Gauge

Description: Slime High Pressure Gauge measures from 10-160 psi and features a tough rubber housing for maximised grip. It also includes a built in reset button and bleeder valve. Ideal for checking tyre pressure on cars, trucks and SUV's.

Product No.	Pack Size	Carton QTY.
20186	1 pc	6

Features & Benefits:

- Dial face reads psi, kPa and bar
- Dual function pressure release and reset button
- Rugged rubber housing for maximized grip
- Shaft length: 40mm
- 10 to 160 psi

Area of Application:

• High pressure tyres found on cars, trucks and SUV's





Dually RV Dial Gauge

Description: Slime Dually RV Dial Gauge is a dual head tyre gauge housed in shock resistant rubber and measures from 10 to 160 psi. The dial face is easy to read and its long body and convenient air hose allows for easy reach through wheel wells.

Product No.	Pack Size	Carton QTY.
2020-A	1 pc	6

Features & Benefits:

- Dual head gauge with bleeder valve
- Reads psi, kPa and bar
- Easy reach braided air hose (228mm)
- Fits Schrader valve stem
- 10 to 160 psi

Area of Application:

• Trucks, SUV's, RV's & 4WD's







Heavy Duty Single Barrel Foot Pump

Description: Slime Heavy Duty Foot Pump, with its easy glide action and built in dial gauge, is the fast and easy way to inflate bike tyres, balls and other inflatables.

Product No.	Pack Size	Carton QTY.
2063	1 pc	8

Features & Benefits:

- Inflates faster than a standard hand pump
- · Built with easy glide action
- · Easy-to-use
- Designed with a heavy-duty single barrel

Area of Application:

- · Bicycle, pram, lawn mower tyres
- Inflatables





Super Thick Self Sealing Tubes

Description: Slime Super thick self-sealing tubes pre-filled with puncture seeking sealant, provide extra protection against punctures. They seal punctures up to 3mm, are environmentally safe and seals repeatedly for up to 2 years.

Product No.	Pack Size	Carton QTY.
30081	1 pc	4

Features & Benefits:

- Seals multiple punctures for up to 2 years
- Treats tread area punctures up to 3mm
- · Non-toxic, non-flammable
- Cleans up with water
- Size 26" x 1.75-2.125" Schrader

Area of Application:

Bicycle tyres – Suit 26" x 1.75-2.125"
 Schrader Valve





Tire SKABS Peel & Stick Patches

Description: Slime Tyre SKABS make patching a tyre easy, no glue or cement is required, just scuff up the area around the puncture and stick on the patch. Patches and scuff are packed in a plastic compact for easy storage in a bike bag.

Product No.	Pack Size	Carton QTY.
20027	KIT	4

Features & Benefits:

- 6 x Pre-glued 25mm patches
- Metal Scuffer
- 2 x Tire Levers
- Compact package for easy storage

Area of Application:

- Tubeless off-road tyres
- · ATV's, wheelbarrows, lawn mowers





Deluxe Tyre Plug Kit

Description: Slime Deluxe Tyre Plug Kit includes everything required to plug up tyre punctures. The ergonomic, pistol-grip handle reamer and plugger tool cleans the hole and inserts the heavy-duty tyre strings. Ideal for ATV's, wheelbarrows, lawn mowers and other tubeless off-road tires.

Product No.	Pack Size	Carton QTY.
2040-A	KIT	6

Features & Benefits:

- Reamer & Plugger tools reach 68mm depth
- Includes heavy duty & extra long strings
- Odourless plugs
- · Includes rubber cement

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers







Tyre Repair Plugs

Description: Slime Tyre Repair Plugs are standard size repair plugs for repairing tubeless off-road tyres, such as ATV's, wheelbarrows, lawn mowers, trailers and more. Use as supplied or as a refill for Tyre Plug Kits.

Product No.	Pack Size	Carton QTY.
1031-A	PK30	6

Features & Benefits:

- · Pack contains 30 black 7 ply repair strings
- Length 101.6mm each
- Odourless
- · No glue needed

Area of Application:

- · Tubeless off-road tyres
- · ATV's, wheelbarrows, lawn mowers





Tyre Tackle Kit

Description: Slime Tyre Tackle Kit is a large 9-piece kit, containing every tool needed for flat tyre repairs on cars or trucks, packed in a handy compartmentalized case, to keep tools and accessories organized and accessible. Fits easily in the glove box or boot.

Product No.	Pack Size	Carton QTY.
20133	KIT	4

Features & Benefits:

- 9 Piece Kit in carry box
- T-Handle Reamer
- T-Handle Plugger
- Pencil Gauge (5 to 50 psi)
- 6 x Tyre Plug strings 7 ply

Area of Application:

- Tubeless off-road tyres
- · ATV's, wheelbarrows, lawn mowers





Tyre Plug Kit

Description: Slime Tyre Plug Kit is an 8-piece kit including the ergonomic T-handle reamer and plugger tools to clean the hole and insert the heavy-duty tyre strings. Ideal for ATV's, wheelbarrows, lawn mowers and other tubeless off-road tyres.

Product No.	Pack Size	Carton QTY.	
1034-A	KIT	6	

Features & Benefits:


- · 8 Piece Kit
- T-Handle Reamer
- T-Handle Plugger
- 5 x Tyre Plug Strings
- · Rubber Cement

- Tubeless off-road tyres
- ATV's, wheelbarrows, lawn mowers



SLIME BASICS

Since 1989, Slime has been the world's safest and most effective sealant. When a puncture occurs, our patented sealant is carried directly to the puncture. The pressure of the escaping air forces the Fibro-Seal® particles into the opening, where they build up and intertwine to form a long-lasting, flexible plug. Instantly, air loss is blocked and a flat tire is prevented.



With a low freezing point of -35° F (-37° C) and a high separation point of 182° F (82° C), our sealants will remain effective under the most extreme temperatures. Slime tube and tire sealants are non-toxic, non-flammable and clean up easily with water. Our sealant is specially designed to be non-corrosive, making it safe for tires and rims. It can be safely removed from the tire, enabling the permanent application of an RMA (Rubber Manufacturers Association) approved plug/patch.

HOW TO USE SLIME		PREVENT FLATS	REPAIR FLATS
\bigcirc	CAR	•	✓
	TRUCK		✓
	SUV		✓
	MOTORCYCLE/SCOOTER		✓
	ATV/GOLF CART/TRAILER	✓	✓
	WHEELBARROW/MOWER/TRACTOR	~	✓
	BICYCLE/DIRT BIKE	✓	✓

TPMS COMPATIBILITY (1)

In order for a tire sealant to be accepted by leading sensor manufacturers, it must pass three product tests. After each test, the sensor is reinstalled on the vehicle and checked for proper functionality. A sensor must be functional after all three tests in order for the sealant to be endorsed by TPMS (Tire Pressure Monitoring Systems) manufacturers.

THE INSTALLATION TEST



PASSED

In this test, sealant must pass freely through the sensor without clogging the device. In order to pass, the sensor must show no evidence of clogging.

THE SUBMERSION TEST



PASSED

During this test, the sensor is fully submerged in the sealant, simulating exposure to the sealant inside a tire. In order to pass, the sensor must remain fully functional and show no evidence of damage.

THE VAPOR TEST



PASSED

In this test, the sensor is exposed to the sealant, then heated to 158°F (70°C), a temperature within the operating specifications of the tire and tire sensor. This simulates the high operating temperature of a tire in use. In order to pass, no evidence of sensor damage may be present.



Transport straps









Fasty buckles are made of steel, which has many advantages over cast zinc buckles:

- A larger opening makes the strap much easier to thread through the buckles, especially if work gloves are worn.
- The buckles are both considerably stronger and lighter than a zinc buckle.
- They are treated with one of the market's best and most environmentally friendly anticorrosive coatings, which meets the automotive industry's strict anti-corrosion requirements.

Product C	ode Description	Size	Ctn Qty	Darcoge
FASTY TR	ANSPORT STRAPS			
120	Display assorted colours CTN - 40	25mm x 40	1	7394253000034
127	Display bucket CTN 60	25mm x 60	1	7394253001277
121-1	Strap 1M X 25MM WHITE - 10PK	1m x 10	1	7394253001215
122-1	Strap 1.5M X 25MM YELLOW - 10 PACK	1.5m x 10	1	7394253001222
123-1	Strap 2M X 25MM BLUE - 10PK	2m x 10	1	7394253001239
124-1	Strap 2.5M X 25MM RED - 10PK	2.5m x 10	1	7394253001246
125-1	Strap 3.55M X 25MM BLACK - 10 PK	3.5 x 10	1	7394253001253
180	Ratchet strap 5M X 25MM 1000KG	5m x 25mm	1	7394253255007
181	Ratchet strap 5M X 25MM 2PC LOOP	5m x 25mm	1	7394253255021
182	Ratchet strap 5M X 25MM 2PC HOOK	5m x 25mm	1	7394253255038
186	Ratchet strap 5M X 25MM 2000KG	5m x 25mm	1	7394253001864
187	Ratchet strap turnbuckle with hooks	pkt of 2	1	7394253001871
188	Ratchet straps, hooks 2500KG	5m x 35mm	1	7394253001888
189	Ratchet strap, hooks 4000KG	10m x 50mm	1	7394253001895
189	Ratchet strap, hooks 4000KG	10m x 50mm	1	7394253001895



NATIONAL PRODUCT CATALOGUE

SECTION J - ICE BOXES

web: cwbrands.com.au

email: support@cwbrands.com.au







Big chill ice boxes are manufactured from A grade polyethylene and both the box and lid are insulated with high density polyurethane foam.

The clasps are quality stainless steel and the lid is fitted with a quality air tight seal.

There is a range of sizes from 50 litre to 270 litre.



Product Code	Size	Dimensions
BC50L	50 Litre	740L x 380W x 360H
BC70L	70 Litre	810L x 460W x 400H
BC100L	100 Litre	960L x 460W x 460H
BC100M	100 Litre Mackerel	1140L x 410W x 360H
BC150L	150 Litre	1040L x 510W x 500H
BC210L	210 Litre	1250L x 530W x 560H
BC210M	210 Litre Mackerel	1350L x 570W x 560H
BC270L	270 Litre	1650L x 600W x 530H

Section J





The perfect tradies lunch box. Injection moulded for that classic look.

Stainless steel clasps , available in 3 sizes.

Product Number	Size	Dimensions
CP12	12 LITRE	380L x 250W x 285H
CP18	18 LITRE	425L x 280W x 320H
CP28	28 LITRE	580L x 315W 360H

cwbrands.com.au Page 1.2



NATIONAL PRODUCT CATALOGUE

SECTION K - MISCELLANEOUS

web: cwbrands.com.au

email: support@cwbrands.com.au



ABRASIVES





Klingspor abrasives



Abrasive Technology

Prod Code

Description

Ctn Qty

Barcode

Flap discs · Cutting discs · Sand paper · Belts · Wet & dry



SUPRA FLAP DISCS				
221181	Supra Flap Disc 115MM X 22MM - 40 grit	10	4014855045990	
221183	Supra Flap Disc 115MM X 22MM - 60 grit	10	4014855046027	
221184	Supra Flap Disc 115MM X 22MM - 80 grit	10	4014855046034	
222107	Supra Flap Disc 125MM X 22MM - 40 grit	10	4014855046720	
222109	Supra Flap Disc 125MM X 22MM - 60 grit	10	4014855046768	
222110	Supra Flap Disc 125MM X 22MM - 80 grit	10	4014855046775	
224470	Supra Flap Disc 100MM X 16MM - 40 grit	10	4014855049264	
224472	Supra Flap Disc 100MM X 16MM - 60 grit	10	4014855049288	
224473	Supra Flap Disc 100MM X 16MM - 80 grit	10	4014855049295	

13402	Supra Grinding Disc 125 X 6 X 22	10	4014855143788
188465	Extra Grinding Disc 115X6X22	10	4014855026524
188466	Extra Grinding Disc 125X6X22	10	4014855026531
189004	Extra Grinding Disc 100X6X16	10	4014855026593
194071	Cutting Disc 100 X 1.6 X 16	25	4014855027866
187170	Cutting Disc 115 X 1.6 X 22	25	4014855063605
187171	Cutting Disc 125 X 1.6 X 22	25	4014855053612
221161	Cutting Disc 180 X 1.6 X 22	25	4014855045969
224084	Cutting Disc 230 X 1.9 X 22	25	4014855025220
322185	Z960TX Cutting Disc 125MM X 1MM	25	4014855206582
202402	Inox Thin Cutting 100 X 1 X 16	25	4014855029730
202400	Inox Thin Cutting 115 X 1 X 22	25	4014855029716
202401	Inox Thin Cutting 125 X 1 X 22	25	4014855029723



Klingspor abrasives



Abrasive Technology

Prod Code

Description

Ctn Qty

Barcode

Flap discs · Cutting discs · Sand paper · Belts · Wet & dry



SANDING BELTS				
321268	Sanding Belts LS309XH - 75X610 - 40 Grit	10	4014855059751	
321269	Sanding Belts LS309XH - 75X610 - 60 Grit	10	4014855059768	
321270	Sanding Belts LS309XH - 75X610 - 80 Grit	10	4014855059775	
321271	Sanding Belts LS309XH - 75X610 - 120 Grit	10	4014855059799	
321273	Sanding Belts LS309XH - 100X610 - 40 Grit	10	4014855016976	
321274	Sanding Belts LS309XH - 100X610 - 60 Grit	10	4014855016990	
321275	Sanding Belts LS309XH - 100X610 - 80 Grit	10	4014855017003	
321276	Sanding Belts LS309XH - 100X610 - 100 Grit	10	4014855016891	
321277	Sanding Belts LS309XH - 100X610 - 120 Grit	10	4014855016907	



NO FILL ADALOX ROLLS - WHITE				
158947	No Fill Rolls 115MM X 50MTR - 40 Grit	1	4014855133635	
155815	No Fill Rolls 115MM X 50MTR - 60 Grit	1	4014855065028	
147575	No Fill Rolls 115MM X 50MTR - 80 Grit	1	4014855035212	
153398	No Fill Rolls 115MM X 50MTR - 120 Grit	1	4014855035236	
153177	No Fill Rolls 115MM X 50MTR - 150 Grit	1	4014855035243	
149480	No Fill Rolls 115MM X 50MTR - 180 Grit	1	4014855027309	
147055	No Fill Rolls 115MM X 50MTR - 240 Grit	1	4014855057818	
148891	No Fill Rolls 115MM X 50MTR - 320 Grit	1	4014855057832	
145520	No Fill Rolls 115MM X 50MTR - 400 Grit	1	4014855957849	



Klingspor abrasives



Abrasive Technology

Prod Code

Description

Ctn Qty

Barcode

Flap discs · Cutting discs · Sand paper · Belts · Wet & dry



MASTER PAINTERS ROLLS - YELLOW				
174086	Painters Rolls 115MM X 50MTR - 40 Grit	1	4014855053117	
174088	Painters Rolls 115MM X 50MTR - 60 Grit	1	4014855053124	
174089	Painters Rolls 115MM X 50MTR - 80 Grit	1	4014855049066	
174091	Painters Rolls 115MM X 50MTR - 120 Grit	1	4014855049080	


NO FILL SANDPAPER SHEETS				
320686	No Fill Paper Sheets - 80 Grit	50	4014855019854	
320688	No Fill Paper Sheets - 120 Grit	50	4014855019786	
320690	No Fill Paper Sheets - 180 Grit	50	4014855019809	
320691	No Fill Paper Sheets - 240 Grit	50	4014855019823	
320692	No Fill Paper Sheets - 320 Grit	50	4014855019847	
320693	No Fill Paper Sheets - 400 Grit	50	4014855061815	



WET & DRY CUT SANDPAPER SHEETS				
320667	Wet & Dry Sandpaper - 80 Grit	50	4014855018734	
320669	Wet & Dry Sandpaper - 120 Grit	50	4014855018659	
320671	Wet & Dry Sandpaper - 180 Grit	50	4014855018918	
320673	Wet & Dry Sandpaper - 240 Grit	50	4014855018932	
320675	Wet & Dry Sandpaper - 320 Grit	50	4014855018925	
320677	Wet & Dry Sandpaper - 400 Grit	50	4014855018949	
320678	Wet & Dry Sandpaper - 600 Grit	50	4044855018956	
320679	Wet & Dry Sandpaper - 800 Grit	50	4014855018741	
320681	Wet & Dry Sandpaper - 1200 Grit	50	4014855018666	
320682	Wet & Dry Sandpaper - 1500 Grit	50	4014855051212	
320683	Wet & Dry Sandpaper - 2000 Grit	50	4014855061617	



TRANSPORT STRAPS









Fasty buckles are made of steel, which has many advantages over cast zinc buckles:


- A larger opening makes the strap much easier to thread through the buckles, especially if work gloves are worn.
- The buckles are both considerably stronger and lighter than a zinc buckle.
- They are treated with one of the market's best and most environmentally friendly anticorrosive coatings, which meets the automotive industry's strict anti-corrosion requirements.

1	7394253000034
1	7394253001277
1	7394253001215
1	7394253001222
1	7394253001239
1	7394253001246
1	7394253001253
1	7394253255007
1	7394253255021
1	7394253255038
1	7394253001864
1	7394253001871
1	7394253001888
1	7394253001895
1	7394253001895
	1 1 1 1 1

Section K



PEST CONTROL







Prod C	ode	Description	Size	Ctn Qty	Barcode
BIN KIL	L				
BKILL	Bin kill 16gm		16gm	10	9369999046590



Fly spray



An effective fly, mosquito, & insect killer utilising highly refined ingredients to deliver the effectiveness needed with minimal chemical smell.

Available in Fragrance free and Fast acting

Fly spray				
EX2001	Fast acting fly & insect killer	200gm	12	9315363002990
EX2002	Fragrance free fly & insect killer	200gm	12	9315363003003

cwbrands.com.au Section K Page 4.1



NATIONAL PRODUCT CATALOGUE

SECTION L - FERTILISERS & GARDEN

web: cwbrands.com.au

email: support@cwbrands.com.au



FERTILISERS







Naturally better Fertiliser



Natural Mineral Fertiliser

Proudly Australia owned and operated, GROlife is creating an environmentally aware community by providing natural fertiliser products for plants, food and resource production.

Our world is a collaboration of complex and delicate eco systems being degraded through traditional methods of agricultural practices and the increased demand of resources from an ever-increasing global population.

By providing 100% natural solutions free of synthetic chemicals, we are rebuilding the right environment to restore the natural systems of plant growth while nurturing the health of its inhabitants. Our products effectively provide a balanced source of nutrition to build healthy soil ecology which is known to result in increased cellular health, increased pest and disease resistance and increased plant growth and yield.















GROlife is a very unique blend of minerals that are derived from highly available mineral sources. We suggest that **GROlife** is more of a **nutritional product** than just another fertiliser.

An ingredient of our special mineral blend is sourced from what was once a huge seabird rookery. The resultant bi-product is a mineralised form of seabird guano. We have access to this very dense mineral ore, created in a pristine environment that was teaming with sea life and bird life, located in Java, Indonesia.

These minerals are very unique as they have been gathered together through biological processes and when powdered, pelletised and introduced into the soil are highly available to soil microbial life, this enables plants to access and readily take up nutrients that no longer exist in balance or are not available at all in our various soil types.










Superior All Purpose, Slow Release Fertiliser tablets

WHERE TO USE:

Indoor and Outdoor Potted Plants, or where targeted feeding is required

- Superior Ingredients Contains over 60 High Quality Essential Minerals.
- **Environmental Friendly.** Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Convenient Size. No big bags of fertiliser that take up space.
- All-Purpose. Use on indoor and outdoor potted plants!
- Sustained Release. Goes longer and lasts longer than common fertilisers.
- ✓ Visual Results. Increases visual appearance and cellular health of plants.
- Set & Forget. Replace when fully absorbed into soil.
- Increased Health benefits. Indoor plants filter air for healthier indoor areas.





Section L1









Superior All Purpose Fertiliser for the whole garden.

WHERE TO USE:

All Purpose formula. Vegetables, Fruit Trees, Shrubs and Flower beds Exceptional results on lawns

- The Superior Fertiliser. Contains over 60 High Quality minerals.
- Environmental Friendly. Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. Increases soil health and supports water retention.
- All-Purpose. Use on fruit, vegetables, lawns, flowers, indoor plants and more!
- Slow Release. Goes longer and lasts longer than common fertilisers.
- Visual Results. Increases visual appearance and cellular health of plants.
- Use all year round. Will not burn like common synthetic chemical fertilisers.
- Increases Nutrition. Increases nutritional content of edible plants for healthier people!











Superior All Purpose Fertiliser for Fruiting Trees

WHERE TO USE:

All Purpose formula. Use as directed on Citrus and Fruiting trees Exceptional results on Citrus.

- The Superior Fertiliser. Contains over 60 High Quality minerals.
- Environmental Friendly. Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. Increases soil health and supports water retention.
- All-Purpose. Use on a wide range of in-ground or potted fruiting trees.
- Slow Release. Goes further and lasts longer than common fertilisers.
- Improves Disease Resistance. Increases visual appearance and cellular health of plants.
- Use all year round. Will not burn like common fertilisers.
- Increases Nutrition. Increases nutritional content of edible plants for healthier people!











Superior Fertiliser for Sensitive Native Plants.

WHERE TO USE: Use on Native Flowers, Shrubs and trees.

- The Superior Fertiliser. Contains over 60 High Quality minerals.
- **Environmental Friendly.** Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. Increases soil health and supports water retention.
- High Carbon level. Improves soil ability to hold nutrients in poor soil structure.
- Slow Release. Goes longer and lasts longer than common fertilisers.
- Visual Results. Allows microbiology to supply nutrients when plants need them.
- Use all year round. Will not burn like common synthetic chemical fertilisers.
- Suitable for Phosphorus sensitive plants. Unique formula for sensitive plants.











Superior Fertiliser for Roses & Flowers

WHERE TO USE:

All Purpose formula.

Use as directed on Roses, neutral and acid pH plants.

- The Superior Fertiliser. Contains over 60 High Quality minerals.
- Environmental Friendly. Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. Increases soil health and supports water retention.
- All-Purpose. Use on a wide range of flowers alkaline, neutral and acid loving.
- Slow Release. Goes longer and lasts longer than common fertilisers.
- Visual Results. Increases visual appearance and cellular health of plants.
- Use all year round. Will not burn like common synthetic chemical fertilisers.
- Added Key Nutrients. Features Iron and Magnesium.











Superior Natural Fertiliser for Vegetable and Herb gardens.

WHERE TO USE: All Purpose formula. Use as directed on All Vegetables and herbs.

- The Superior Fertiliser. Contains over 60 High Quality minerals.
- Environmental Friendly. Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. High carbon level increases soil health and supports water retention.
- All-Purpose. Use on a wide range of Vegetables and Herbs.
- Slow Release. Goes longer and lasts longer than common fertilisers.
- Visual Results. Increases visual appearance and cellular health of plants.
- **Use all year round.** Will not burn like common synthetic chemical fertilisers.
- Increases Nutrition. Increases nutritional content of edible plants for healthier people!











Unique soil improving formula with Essential minerals for Healthy plant life

WHERE TO USE:

Preparation of new garden beds prior to planting Soil conditioning of clay based soils, or soils with clay underpans.

- The Superior Soil Conditioner Contains over 60 High Quality Essential Minerals.
- Environmental Friendly. Does not hurt soil microbes like common fertilisers.
- Non Toxic. Safer to handle, Safer for Children, Safer for Animals
- Saves Water. Increases soil health and supports water retention.
- All-Purpose. Use on fruit, vegetables, lawns, flowers, indoor plants and more!
- Sustained Release. Goes longer and lasts longer than common fertilisers.
- Visual Results. Increases visual appearance and cellular health of plants.
- Use all year round. Will not burn like common fertilisers.
- Increases Nutrition. Increases nutritional content of edible plants for healthier people!



Page 1.9





Naturally better Fertiliser

Part	Description	PackSize	BarCode
LG40506	Grolife Premium All Purpose Fertiliser 1 kg	6	9355685000014
LG40507	Grolife Premium All Purpose Fertiliser 500 gram	6	9355685000007
LG40508	Grolife Grow Stars Fertiliser Tablets 10 pack	12	9355685000038
LG40542	Grolife Bio-Rock Dust Soil Conditioner 1 kg	6	9355685000052
LG40543	Grolife Bio-Rock Dust Soil Conditioner 500 gram	6	9355685000045
LG90521	Grolife Citrus & Fruit Trees 500 gram	6	9355685000106
LG90522	Grolife Citrus & Fruit Trees 1 kg	6	9355685000113
LG90541	Grolife Roses & Flowers 500 gram	6	9355685000120
LG90542	Grolife Roses & Flowers 1 kg	6	9355685000137
LG90561	Grolife Native Nutrients 500 gram	6	9355685000144
LG90562	Grolife Native Nutrients 1 kg	6	9355685000151
LG90581	Grolife Vegetables & Herbs 500 gram	6	9355685000168
LG90582	Grolife Vegetables & Herbs 1 kg	6	9355685000175

cwbrands.com.au



MAINTENANCE







Part	Description	PackSize	BarCode
91001	WD-40 Specialist Lawn & Garden Powerful Foaming Cleaner 400g	6	9312240910010
91002	WD-40 Specialist Lawn & Garden General Use Lubricant 400g Smart Straw	6	9312240910027
91003	WD-40 Specialist Lawn & Garden Water Protective Silicone 300g Smart Straw	6	9312240910034
91004	WD-40 Specialist Lawn & Garden Tool Protectant Grease 300g	6	9312240910041

Section L2



GARDEN PEST CONTROL







Aphid Spray

Natural pyrethrum insect spray controls aphids, caterpillars, thrips, leafhoppers and other pests. Active constituents 0.25g/kg pyrethrins, 1g/1kg Piperonyl Butoxide.

Part	Description	PackSize	BarCode
TF1001	Export Aphid spray 400 gram aerosol	12	9315363003843



White oil

White Oil Aerosol: Plant Insecticide & leaf shine is a traditional and popular spray used on citrus trees, ornamentals, roses, and shrubs, including indoor plants

Part	Description	PackSize	BarCode
EX1001	White oil 400 gram aerosol	12	9315363002631



Steriprune

Easy to apply, Steri-Prune seals trees and shrubs after pruning or when damaged.

- Suitable for graft sealing and wound dressing after pruning or damage
- Apply by brushing or aerosol
- Active constituents: Petroleum Asphalts 402g/L. Aliphatic Petroleum Solvent 491g/L

Part	Description	PackSize	BarCode
AM001	Steriprune 250 gram aerosol	12	9312300025869
AM002	Steriprune brush on 250 ml	12	9312300025876

cwbrands.com.au Page 3.1

Section L3