




INOX

inox®



inox

There is an INOX Product for everything! If you are looking for the right INOX product to suit your customers commercial application or domestic situation, the INOX range is set out in the following pages.



It appears that INOX lubricants are living up to their motto of
"Its Simply The Best, Put It To The Test".

SECTION F - AEROSOL MAINTENANCE

MX2 BATTERY CONDITIONER

INOX MX2 is in a class of its own, the only product of its kind that keeps giving outstanding results year in, year out! Approximately 70% of lead-acid batteries over a period of time stop operating because of sulfation on the plates. Charging the battery does not stop this sulfation from happening. INOX MX2 Battery Conditioner can be added at any time during the life cycle of a lead acid battery, but for the best results and longest life for the battery, it is best to add the INOX MX2 Battery Conditioner when the battery is brand new.

- Dissolves battery killing sulfation
- Better & faster cold morning starts
- Constant brighter lights
- Rapid power recovery & recharge
- Holds charge longer between use
- Increases battery efficiency up to 18%
- Up to 2 – 3 times longer use
- Up to 12 months additional warranty with 92ml bottle purchase when added to a brand new battery. *conditions apply*
- For use in cars, motorcycles, boats, trucks, buses, aviation, farm & earth moving equipment, industrial, solar & stationary batteries



MX3 LUBRICANT

The only lubricant in the world with the special MX3 anti-corrosion, anti-moisture formula for the twenty – first century. MX3 is an anti-corrosion anti-moisture lubricant designed to be sprayed on surfaces and between moving parts. The lubricant is made with a high grade white oil, rust inhibitors and other components to give lasting protection from corrosion and oxidation. MX3 will penetrate through bolts and parts that are stuck together to help loosen and easily free up without causing damage.

Over the years INOX MX3 has become known as the “Supreme Lubricant” and the go to product when the highest of quality is needed. The special MX3 formula is now sought after all around the globe making it one of the leading lubricants in the world today. These qualities make it safe for almost every market out there including: Automotive, aviation, commercial, domestic, electrical & electronics, engineering, farming & mining, firearms, fishing, hobbies, manufacturing, marine, motorcycles, sports

- Displaces, penetrates, lubricates and protects.
- INOX-mx3 contains no silicon, acid, kerosene or dieselene.
- INOX-mx3 will not harm metal points or surfaces, hard plastics, paints, enamels, fibre-glass, formica or neoprene seals
- INOX-mx3 doesn't dry out, gum up, become gooey or sticky or wash off with water.
- INOX-mx3 is non-conductive, non-static, non-toxic, non-corrosive and non-staining.





MX3FG LUBRICANT "FOOD GRADE"

INOX MX3FG Food Grade Lubricant is a multi-purpose oil based spray designed for use on food processing and handling equipment. Spraying on surfaces creates an anti-rust film to protect from any corrosion or moisture that can occur. It penetrates between moving parts to eliminate any binding or sticking, while keeping them well lubricated.

INOX MX3FG was released to cater specifically for the food and beverage industry. INOX-MX3FG holds the NSF, class H1 food grade approval which is the highest approval available for incidental contact with food for lubricants. As a result, this lubricant is recognised worldwide and therefore allows INOX-MX3FG to be used in all food applications all over the world.

INOX-MX3FG is similar to the original formula with some changes to comply with the NSF H1 criteria. INOX-MX3FG has undergone stringent testing and stands strong among the other INOX products and even stronger with its competitors.

- Displaces, penetrates, lubricates and protects
- Contains no silicon, acid, kerosene, dieselene or toxic compounds
- Will not harm metal points or surfaces, plastics, paints, enamels, fibreglass, formica or neoprene seals
- Doesn't dry out, gum up, become gooey or sticky or wash off with water
- Non-toxic, non-static, non-corrosive non-conductive and non-staining
- Odourless, no dye or masking agents added



MX4 LANOX LANOLIN LUBRICANT

LANOX Lanolin Lubricant is a heavy duty, anti-moisture, anti-corrosion lubricant made with a high grade oil and lanolin base, with specialised chemical compounds. LANOX is created with Lanolin, a natural wax found in animal wool, especially the wool from sheep, commonly referred as 'WOOL FAT' or 'WOOL GREASE'. Lanolin has widespread uses, ranging from cosmetics, soaps and medical products to rust proofing and lubrication. Lanolin has been used in skin care and cosmetics as far back as 700BC, but in the late nineteenth century it was refined at a new level, giving us lanolin with an extremely high quality. Although we make INOX, a quality anti-corrosion lubricant, there are areas where a lanolin based anti-corrosion lubricant like LANOX is sometimes better suited for the application at hand. Our product LANOX MX4 has ideal applications in the Marine industry. It designed to stop electrolysis between different metals and prevent oxidation and rust from forming on the surface. The lanolin base helps to prolong the protection between applications, as it is a natural anti-corrosion compound that is not soluble in water and leaves a protective film behind.

- LANOX is a heavy duty anti-moisture, anti-corrosion lubricant made with a high grade lubricating oil and lanolin base with specialized chemical compounds.
- LANOX contains no silicon, kerosene, acids or dieselene.
- LANOX is harmless to metal points & surfaces, plastics, painted & enamel finishes, fibreglass, formica or neoprene seals.
- LANOX doesn't become sticky, gooey or gum up.
- LANOX is non-conductive, non-static & non-corrosive.
- LANOX has neutral properties, low flammability (NON-AEROSOL)
- Lanox doesn't dry out or wash off with water



MX4G LANOX LANOLIN GREASE

LANOX MX4G Grease is a non-toxic, Food Grade Approved Lanolin grease. It is made from a pure high technical grade anhydrous lanolin, food grade approved additives and anti-oxidants. It has been especially designed to remain pliable at very low temperatures with the right amount of gripping tackiness (non-fling) to hang on and still have flexibility for the user. LANOX MX4G Grease is waterproof, non-conductive and safe to use on all surfaces. It is highly suitable for anti-corrosion, rust proofing and anti-fouling coatings for all metals used in Automotive, Aviation, Commercial, Construction, Earthmoving, Farming, Industrial, Marine, Mining and Transport applications. Waterproofs and protects leather. Preserves timber from water, cracking and dry rot. (Do not use on green timber). Anti-seize for bolts, nuts and threaded rod. Stops electrolysis between dissimilar metals.

- LANOX MX4G Grease is Non-carcinogenic, bio-degradable, highly resistant to salt and acid corrosion, provides lasting protection.
- LANOX MX4G Grease is environmentally and user friendly.
- LANOX MX4G Grease looks like creamed honey and has no lanolin odour
- LANOX MX4G Grease holds the NSF H1 food grade registration approval




MX5 PLUS PTFE LUBRICANT

INOX MX5 PLUS has been designed for applications where a superior extreme pressure, anti-corrosion, anti-moisture, liquid lubricant or an industrial-quality machine cutting oil is required. INOX MX5 PLUS is the ultimate formula that takes the original INOX MX3FG and adds the high grade friction modifier Polytetrafluoroethylene (PTFE) for an even higher, super-slick standard of lubrication in demanding environments. It's even NSF H1 registered for incidental food contact. If you need to handle high speed, high loads, constant friction and extreme pressure, INOX MX5 PLUS with added PTFE is the ultimate lubricant to get the job done. Dissolves corrosion, oxidation and salt buildup. Lubricates constant-friction parts for longer. Protects from wear in extreme conditions. Non-tacky, super slick formula.

- INOX MX5 Plus has been designed for applications where a superior extreme pressure, anti-corrosion, anti-moisture liquid lubricant, a high grade penetrating oil or an industrial quality machine cutting lubricant is required (Safe to use in saw, lathe & milling reservoirs).
- INOX MX5 Plus will not harm metal points or surfaces, fibreglass, formica, painted or enamel finishes, plastics or neoprene seals.
- INOX MX5 Plus will not become tacky, alter surface tolerances, dry out or wash off with water
- INOX MX5 Plus is non-toxic, non-conductive, non-corrosive and non-staining.
- Polytetrafluoroethylene (PTFE) is premium grade extreme pressure anti-friction medium which gives increased lubrication between the contact surfaces. This reduced friction environment also lowers operating temperatures and extends life.






MX6 FOOD GRADE GREASE

INOX MX6 is a synthetic PAO base extreme pressure grease which uses an organo clay thickener formulated to give premium performance and food grade purity. This grease is composed entirely of ingredients which meet the requirements of section 178.3570 of the US FDA regulations and have been cleared for use within registered establishments by the US Department of Agriculture and will not deleteriously affect meat, meat products, or any food products. INOX MX6 is a smooth light tan grease made from polyalphaolafins and a special bentone thickener. It contains additives to protect against corrosion and oxidation. It has a temperature range of -30 C to an extremely high temperature. It will operate non stop to 240 C all day with short bursts up to 270 C without breaking down. INOX MX6 is safe on rubber, and is ideally suitable for all plumbing O-rings & seals, Food machinery O-rings & seals, Pneumatic control valve O-rings & seals, Diving gear O-rings & seals, anywhere rubber or synthetic O-rings and seals are used. Polytetrafluoroethylene (PTFE) is a premium grade anti-friction medium which gives increased lubrication ability between the contact surfaces. This reduced friction environment also lowers operating temperatures and extends life.

- INOX MX6 holds the NSF, class H1 food grade approval.
- INOX MX6 is a synthetic extreme pressure grease containing bentone, PTFE and polyalphaolafins.
- INOX MX6 will work at high temps and has excellent resistance to water washout.
- INOX MX6 is highly suitable for all bearings, bushes, chains, hinges, sprockets, slides, splines & couplings, universals and ball joints used in all Food processing Machinery, Beverage Filling Lines, Food Conveyor Lines, Food Packaging Equipment, Freezers and Cold Rooms.
- Ovens - Outside only for hinges and external parts (do not put inside oven)



MX7 PTFE ASSEMBLY LUBE

INOX mx-7 is a specially formulated Extreme Pressure Lithium based grease containing a high percentage of Polytetrafluoroethylene (PTFE) designed for Ultra Extreme Pressure applications and where tough thread anti-seize applications are required. INOX-MX7 is typically used in applications where two surfaces cannot be lubricated once assembled.

- INOX mx-7 is a specially formulated Extreme Pressure Lithium based grease containing a high percentage of Polytetrafluoroethylene (PTFE) designed for Ultra Extreme Pressure Lubrication and where tough Thread Anti-Seize applications are required.
- INOX mx-7 provides high film strength, protects against start up damage in new and reconditioned machinery after long down periods before initial startup.
- INOX mx-7 gives long term lubrication to parts and machinery that are difficult or impossible to lubricate after assembly.
- INOX mx-7 allows for more even torque pressures and faster breakouts of joints, gaskets and threads.
- INOX mx-7 contains anti-corrosion additives.



MX8 EXTREME PRESSURE GREASE

The extreme pressure and anti-wear properties of INOX MX8 grease gives long service life under high loading and shock loading conditions from very low to very high temperature environments. These special characters of shear stability, combined with the inclusion of effective rust, oxidation and corrosion inhibitors and tackiness adhesives, ensures this grease to perform in almost any application. INOX MX8 is a lithium complex grease, which means that it will hold together extremely well under high pressure and variable temperatures.

- INOX-mx8 has the ability to prevent scuffing and reduce wear under high load and shock load conditions, together with its excellent high shear stability and high temperature operation, makes INOX-mx8 the preferred choice over other extreme pressure greases.
- INOX-mx8 resists 'SQUEEZE OUT' from surfaces requiring lubrication under load conditions.
- INOX-mx8 has excellent resistance to water and water wash out even at elevated temperatures. Effective lubrication is maintained and in these situations it also gives protection against rusting and corrosion.
- INOX-mx8 will not thin out because it is shear resistant or thicken because it resists oxidation.
- PTFE – Polytetrafluoroethylene is a premium grade anti-friction medium which gives increased lubrication and reduces operating temperatures to bearings, bushes, shafts, gears, chains, splines, PTO's, turntables, cables, universals, CV and ball joint.
- Suitable for: Automotive, aviation, bearings, commercial, earthmoving, electrical, farming, fishing, industrial, marine, mining, shipping, wharves & slips and transport.



MX9 NO CHUKKA CHAIN LUBE

Originally designed for the super-bike industry, INOX- MX9 No Chukka Chain Lube is now in high demand for numerous applications such as, hoists, harvesters, forklifts, conveyors and dirt bikes. The perfect blend of PTFE and tackifiers allow this chain lube to not only hold on but at the same time give you smooth effortless transmission in any application. Demand is particularly high in the harshest of farming conditions as INOX-MX9 is one of the most robust, durable and reliable chain lubes on the market today.

- INOX-MX9 No Chukka Chain Lube is a superior grade, high speed, extreme pressure chain lube formulated with special tackifiers, coagulants, anti-corrosion and water proofing compounds to make it stay on the chain, hence the name 'No Chukka Chain Lube'.
- INOX-MX9 No Chukka Chain Lube contains the extreme pressure friction modifier PTFE (polytetrafluoroethylene) which gives increased lubrication, reducing wear and also helps in reducing operating temperatures.
- INOX-MX9 No Chukka Chain Lube is highly resistant to salt, chemicals, water wash out and drying.
- INOX-MX9 No Chukka Chain Lube will not harm motorcycle chain 'O' rings



MX11 CHAIN & BRAKE CLEANER

INOX MX11 Chain & Brake Clean readily dissolves oil, grease and grime and can be used as a degreaser for car, motorbike, truck, boat, industrial, mining, farming equipment parts, gears, cables, engines or on any equipment where there is contamination from any oil, grease or oil/grease dirt mixtures.

INOX MX11 Chain & Brake Clean is a fast acting degreaser for removing brake fluid, oil, grease or oil/grease dirt contaminants from chains and brake assemblies (including linings and pads) before or after disassembly, leaving them bone dry and squeaky clean in a matter of minutes with no residue. In instances where the oil/grease and dirt is caked on, a second application maybe required and at the same time it is advisable to use a firm non-metallic bristled cleaning brush to help loosen any caked on contaminant.

- INOX MX11 Chain & Brake Clean is a solvent based cleaner that dries in minutes and leaves no residue.



MX12 PTFE SUPA GLIDE

INOX-M12 PTFE SUPA GLIDE is a fast drying, resin bonded polytetrafluoroethylene dry film lubricant for the coating of timber, metal, plastic, rubber, glass and most other surfaces.

It is designed for low-friction, light load repetitive stresses that allows moving parts to wear longer, work harder and require less maintenance and has applications where other conventional sintered PTFE coatings cannot be considered.

- Excellent lubrication qualities
- Good surface adhesion
- Hard abrasion-resistant surface
- Clean and easy to apply
- Thin film
- Longer wear life than pure PTFE coatings
- Cures at room temperature
- Inhibits corrosion
- Doesn't wash off with water
- Resists contamination from dirt and dust
- Life-long lubrication in many applications





Product Code	Description	Size	Ctn Qty	Barcode
MX2-92	MX2 Battery Conditioner	92ml	20	9317550000024
MX2-1	MX2 Battery Conditioner	1 litre	6	9317550000062
MX2-5	MX2 Battery Conditioner	5 litre	4	9317550000079
MX2-20	MX2 Battery Conditioner	20 litre	1	9317550000093
MX3-60	MX3 Lubricant Injector Bottle	60ml	12	9317550000109
MX3-100	MX3 Lubricant- Aero	100gm	24	9317550000031
MX3-125	MX3 Lubricant - Pump Bottle	125ml	12	9317550000086
MX3-300	MX3 Lubricant Aero	300ml	12	9317550000017
MX3-A	MX3 Applicator Spray Bottle	500ml	20	9317550003049
MX3-750	MX3 Lubricant Pump	750ml	12	9317550000147
MX3-5	MX3 Lubricant	5 litre	4	9317550000048
MX3-20	MX3 Lubricant	20 litre	1	93175500000055
MX3-205	MX3 Lubricant	205 litre	1	N/A
MX3FG-300	MX3 Food Grade Lubricant Aero	300ml	12	9317550000116
MX3FG-5	MX3 Food Grade Lubricant	5 litre	4	9317550000123
MX3FG-20	MX3 Food Grade Lubricant	20 litre	1	9317550000130
MX3FG-205	MX3 Food Grade Lubricant	205 litre	1	N/A
MX4-300	MX4 Lanox Lubricant Aero	300ml	12	9317550001014
MX4-750	MX4 Lanox Lubricant Pump	750ml	12	9317550001076
MX4-5	MX4 Lanox Lubricant	5 litre	4	9317550001021
MX4-20	MX4 Lanox Lubricant	20 litre	1	9317550001038
MX4-205	MX4 Lanox Lubricant	205 litre	1	N/A
MX4G-500	MX4 Lanox Grease	500gm	12	9317550001045
MX4G-2.5	MX4 Lanox Grease	2.5kg	4	9317550001052
MX4G-20	MX4 Lanox Grease	20kg	1	9317550001069
MX5-30	MX5 Plus PTFE Lub. Injector Bottle	30ml	12	9317550005029
MX5-300	MX5 Plus PTFE Lubricant Aero	300ml	12	9317550005012
MX5-5	MX5 Plus PTFE Lubricant	5 litre	4	9317550005036
MX5-20	MX5 Plus PTFE Lubricant	20 litre	1	9317550005043
MX6-30	PTFE	30gm	16	9317550004053
MX6-BP30	MX6 Food Grade Grease Blister Pack	30gm	16	9317550004060
MX6-250	MX6 Food Grade Grease	250gm	12	9327550004090
MX6-450	MX6 Food Grade Grease Cartridge	450gm	12	9317550004046
MX6-2.5	MX6 Food Grade Grease	22.5kg	4	9317550004022
MX6-20	MX6 Food Grade Grease	20kg	1	9317550004039
MX7-125	MX7 EXtreme Pressure PTFE Paste	125gm	12	9317550007016
MX7-18	MX7 EXtreme Pressue PTFE Paste	18kg	1	9317550007023



Product Code	Description	Size	Ctn Qty	Barcode
MX8-300	MX8 PTFE Spray Grease Aero	300gm	12	9317550002059
MX8-400	MX8 PTFE Grease	400gm	12	9317550002066
MX8-450	MX8 PTFE Grease - Cartridge	450gm	12	9317550002011
MX8-500	MX8 PTFE Grease	500gm	12	9317550002028
MX8-2.5	MX8 PTFE Grease Tub	2.5kg	4	9317550002035
MX8-20	MX8 PTFE Grease	20kg	1	9317550002042
MX9-150	MX9 No Chukka Chain Lube Aero	150gm	12	9317550006019
MX9-300	MX9 No Chukka Chain Lube Aero	300gm	12	9317550006026
MX11-500	MX11 Chain & Brake Clean Aero	500ml	12	9317550006033
MX11-20	MX11 Chain & Brake Clean	20 litre	1	N/A
MX12-175	MX12 Supa Glide With PTFE Aero	175gm	12	9317550006040