




mayohardware
australia
supplier of value



**Master
Lock®**

**TOUGH
UNDER
FIRE**



Locksmith Catalogue

Effective from November 1, 2012

First established in 1928, Mayo Hardware Pty Limited is proudly recognised as a supplier of value to the retail, trade, government and commercial markets. We hold a market leading position in the covers, outdoor lifestyle, security and safety lockout tagout categories.

We work with our customers and end-users to create value that can be captured and shared. This is achieved through our superior product offering and customer support. We work closely with our partners to fully understand their requirements to create the best product programmes to meet their needs.

Our Mission

- With partnerships based on loyalty, trust and a successful culture, we continue to add value with innovation and excellent service.

Our Vision

- To be the preferred and first choice for the value we create!

Our Values

▪ CUSTOMER FOCUSED

The satisfaction of our customers is paramount to our business. Being available, listening and always doing our best are central to delivering value to all our customers.

▪ TEAMWORK

We strive to work together to achieve much more than we can achieve alone. Together we overcome any setbacks and together we celebrate our successes.

▪ INTEGRITY

We strive to always be fair and honest in our dealings with customers, suppliers, competitors and each other.

▪ MARKET LEADER

Through our passion and commitment we aim to be a market leader in all our key markets. To maintain our position as market leader we must continue to add value in all that we do.

Our Strategy

- To focus our internal activities on delivering value in the markets we serve.
- To have end-users select our products and to be the supplier of choice to retailers for our full service offer.
- To be recognised for the complete service we provide and the value that we create.

1909	Charles Edmund Mayo commences trading as sole trader
1928	Cecil E. Mayo Pty. Ltd. incorporated
1928	Master Lock relationship established

1982	Tarpaulin business commenced
1985	James Mayo joins the company
1989	Citronella candles imported

2001	Significantly increased warehouse capacity
2002	Waxworks brand launched
2003	Name change to Mayo Hardware Pty. Ltd.

2006	NZ business commenced
2009	Re-launch the Mayo Hardware brand with the "supplier of value" tagline

Mayo Hardware is the exclusive distributor of some of Australia's leading hardware brands.



Master Lock is the world's leading manufacturer of innovative padlocks and portable security products. Master Lock's well earned reputation for creating 'Tough' security products is embodied in the Tough Under Fire tagline.

The Master Lock retail security range includes: Brass padlocks, laminated and high security padlocks, combination locks, key storage, high security cables and chains, travel locks and cargo accessories.



Master Lock is the market leader in safety lockout and tagout solutions to mining, power generation, oil and gas and manufacturing industries. The comprehensive Safety Series range includes safety padlocks, hasps, tags and specialty accessories.



Master Lock is also recognised by commercial and industrial customers for its innovative high security solutions. The Master Lock industrial range includes high security rekeyable laminated and brass padlocks, lock engraving, locker management solutions and high security chains.



The Polytuf brand is recognised by consumers for its quality construction, toughness and reliability. The Polytuf offer includes Australia's largest range of PE tarpaulins, tarp accessories and a comprehensive offer of barbecue and outdoor furniture covers.



Durashield is recognised by its customers for its quality, durable product offer that consumers can rely on to give them years of lasting protection. The Durashield offer includes a full range of shade sails in various shapes and sizes as well as accessories.



Waxworks provides a contemporary and stylish range of citronella candles, oils and accessories. Waxworks citronella products are recognised as highly effective mosquito repellents.



Century Springs is the world's leading brand of compression and extension springs made in the USA from the highest quality materials.

The Locksmith Advantage

▪ Lock Customisation	3	▪ Hasps & Staples	
▪ Universal Door Key Compatible Locks		- General Use Hasps	19
- Weather Tough Locks	4	- Hinged Hasps	19
- High Security – Solid Iron Shroud	4	- Heavy Duty Hasps	19
- High Security – Solid Steel	5	▪ Combination & Vending Locks	
▪ Assemble OEM Cylinder & Driver References	6 - 7	- Heavy Duty Resettable Combination Locks	20
▪ Keyed Alike & Keyed To Differ Programs		- Combination Locks	20
- Diamond Brass & Stainless Steel	8	- Vending Locks	20
- Economy Brass	8	▪ Cables & Chains	
- Laminated Non-Rekeyable	9	- Cable Locks	21
- Special Application Locks	9	- Python – Adjustable Cable Locks	21
- Universal Pin Locks (Cruncher)	10	- Cables	22
▪ Pro Series® Rekeyable Padlocks With Master Lock Profiles		- Chains	22
- Weather Tough	11	▪ Key Cabinets	23
- High Security – Solid Iron Shroud	12	▪ Select Access Key Safes	24-26
- High Security – Solid Steel	12	▪ Parts Listing	
- Round Bodies – Solid Steel	13	- Shackles	27
- Hidden Shackle	13	- Tools & Gauges	27
- High Visual	14	- Cylinders	28
▪ Laminated/Solid Body – Removable Cylinder Locks		- Pinning Kits	29
- Rekeyable Laminated Steel Padlocks	15	- Spare Parts	30
▪ Locker Management Solutions		- Key Blanks	30
- Special Needs Padlocks	16	▪ Speed Index	31-32
- New Generation High Security	17		
- General Security Solutions	17		
- Long Life Fitted Locks	18		
- Padlock Eyes	18		

OPTION YOUR MASTER LOCK SECURITY SYSTEM

For Best Performance & Long Life

Ownership Identification

Prevent theft and wasted time searching for the right key or the assigned employee. You can permanently identify ownership and access rights on the padlocks themselves. Mayo Hardware will custom laser engrave text and logos to meet your needs.



Specifications

All sizes quoted in the list are nominal metric sizing for imperial measurements. For accurate & detailed imperial sizes of products please contact your Mayo Hardware representative.

Key Charting

Master Lock maintains key record information for registered commercial lock systems, so you can be assured that there is no unwanted key duplications with locks that you purchase over time. Request this special service at no charge when placing your order. *

Keying

Master Lock products, in most cases, are available in keyed alike & master keyed formats either ex-stock or built to your exclusive order requirements in our keying cell. For details on all options please contact your Mayo Hardware representative.


SCEC Products

* Conditions apply

** 6727W0 must be used with a SCEC endorsed cylinder.
0721D must be fitted with a SCEC endorsed padlock.

SCEC Endorsed Products		
Product Number	Description	Rating
6727W0**	High Security Solid Iron Shroud 67mm Wide Body – Boron Shackle – Without Cylinder	Intruder Resistant
0042DPF	1.20m x 13mm Hexagonal Boron Chain with Nylon Sleeve	Secure Area
0043DPF	1.65m x 13mm Hexagonal Boron Chain with Nylon Sleeve	Secure Area
0721D**	Single-Hinge Hasp 200mm Length	Intruder Resistant

KEY PROFILE & CYLINDER OPTIONS FOR MASTER LOCK PRO SERIES



W27 Profile - 5 pin keyway is the standard Cylinder inclusion in the Pro Series Padlock range. Key blanks are available.



W7000 offers 6 pin key security with over 260,000 key changes. Offers strong pick resistance and increased code availability.



WP6 Edge Restricted Cylinder makes unauthorised key duplication impossible.




For integration into existing C4 door key systems. Is also available in the Door compatible Pro Series range at request.

Used With Locksmith Restricted Cylinder Profile Systems

OEM Restricted Cylinders Including

BI-LOCK®, ABLOY PROTEC®, KABA®, LW TWIN®, BINARY PLUS®, J SERIES®, EVVA®, GENERATION 6®

Pro-Series® Door Key Compatible Padlocks



Pro Series® are designed for maximum flexibility and easy security system integration


- Hardened boron alloy shackles for superior cut resistance.
- Dual ball bearing locking mechanism resists pulling and prying.
- Rekeyable – replaceable cylinder and shackle.

NOTE: All locks and cylinders supplied keyed different unless otherwise specified

WEATHER TOUGH® LOCKS



- Ideal for harsh outdoor conditions
 - Exclusive cover protects lock from water, ice, dirt and grime.
 - Heavy duty steel bodies withstand physical attacks.
 - Keyway cover keeps out dust and dirt.
- Optional stainless steel and brass shackles available for increased corrosion resistance.
- Lifetime warranty.




Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6621WCS	Weather Tough 54mm Wide Body - Without Shackle - Without Cylinder	6	-	-	-
6621WO	Weather Tough 54mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	8mm	29mm	22mm
6621LFWO	Weather Tough 54mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	8mm	38mm	22mm
6621LJWO	Weather Tough 54mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	8mm	63mm	22mm
6621LNWO	Weather Tough 54mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	8mm	143mm	22mm
6621BWO	Weather Tough 54mm Wide Body - Brass Alloy Shackle - Without Cylinder	6	8mm	29mm	22mm
6621BLJWO	Weather Tough 54mm Wide Body - Brass Alloy Shackle - Without Cylinder	6	8mm	63mm	22mm
6621SSWO	Weather Tough 54mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	30mm	22mm
6621SSLJWO	Weather Tough 54mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	60mm	22mm
6627LHWO	Weather Tough 67mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	11mm	48mm	22mm
6627LJWO	Weather Tough 67mm Wide Body - Boron Alloy Shackle - Without Cylinder	6	11mm	60mm	22mm

HIGH SECURITY – SOLID IRON SHROUD



- Heavy duty steel bodies withstand physical attacks.
- Iron shroud protects shackle from cutting and prying.
- Lifetime warranty.




Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6721WO	Solid Iron Shrouded 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	19mm	22mm
6727WO	Solid Iron Shrouded 67mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	19mm	22mm

7000 SERIES HIGH SECURITY – SOLID STEEL



- Heavy case hardened steel body.
- Chrome rustproofing provides longer life.
- Stainless steel shackles available for corrosion resistance.
- Shrouded model protects against bolt cutters and prying.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
7042WCS	High Security Solid Steel 44mm Wide Body - Without Shackle - Without Cylinder	6	-	-	-
7042WO	High Security Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	30mm	23mm
7042LFWO	High Security Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	38mm	23mm
7042LJWO	High Security Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	64mm	23mm
7042LNWO	High Security Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	143mm	23mm
7042SSWO	High Security Solid Steel 44mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	30mm	22mm
7042SSLJWO	High Security Solid Steel 44mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	60mm	22mm
7052LJWO	High Security Solid Steel 51mm Wide Body - Boron Shackle - Without Cylinder	6	10mm	64mm	23mm
7047WO	High Security Solid Steel Shrouded 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	30mm	23mm



CHECK LIST

WHAT DO YOU NEED?

Q - WHAT SYSTEM ARE YOU GOING TO USE?

Component Options for 6600, 6700 and 7000 Series Padlocks

Item Code	Description
C4CYLPD	8221 PD Cylinder - C4 - 6 Pin (Includes 6mm Nut)
C4CYLPD-LB	8221 PD Cylinder Less Barrel
6121-0424	Key Retain Actuator Extension For 6100 - 6700 - 7000 (6 Pack)
C503118	Schlage Type Knurl Nut 6mm For PD After Market Cylinders
Select a Driver - Pro Series Drivers	
0298-0626	Cylinder Drivers (6 Pack) Protec, Disk Lock Pro - Recommended Driver
0298-0628	Cylinder Drivers (6 Pack) 8221 PD Drivers, Kaba pExtra®, LW Twin®, EVVA®, Generation 6®, Binary Plus® - Recommended Driver
0298-0625	Cylinder Drivers (6 Pack) Lockwood 530 - 530 Cyl. - Not Recommended
Accessories	
6621-0305	Spare Parts Kit For 6600 / 6700 / 7000 Pro Series - Contains Actuator, Ball Bearings, Cyl. Retainer & Retainer Screw
PROSTART	Pro Series® Universal Starter Kit Includes, 8221 cylinders, Drivers, Key Retaining Actuators
PROGREASE	Heavy Duty High Temperature Molybdenum Grease For Pro Lock Assembly

IMPORTANT NOTE

A high quality grease lubricant is required in the assembly of the components. We recommend a molybdenum grease for long lasting use.

UNIVERSAL, DOOR KEY COMPATIBLE LOCKS

EASY AS 1, 2, 3 ORDER ASSEMBLY

Step 1. Pick Your Lock Application



Case Hardened Steel Bodies



High Weather Protection



High Security Shrouded

Step 2. Pick Your Key System

BiLock® Galaxy, Abloy Protec®, Kaba pExtra®, LW Twin®, Binary Plus®, J Series®, Status 6®, Generation 6®, EVVA®

Step 3. Pick The Driver To Suit



0298-0628 for J Series®, Kaba pExtra®, LW Twin®, Binary Plus®, 8221 PD C4, EVVA®


0298-0626 for Abloy Protec®, Abloy Disklock Pro®, PD8221

Note: 530 Cylinders use 0625

These cylinders are not recommended in Pro Locks

All Pro Locks 66, 67 & 7000 Series

Driver	Cylinders
0298-0628 	Use 0628 Driver for PD Formats 8221 Incl. All In Line System Plugs - ie. J Series®, Binary Plus®, Kaba pExtra®, Generation 6®, LW Twin® Plus "C4" 6 pin PD 8221 cylinders
No Driver Required	BiLock® Galaxy Kaba expert® Kaba Quattro®
0298-0626 	Use 0626 Driver for PD format Protec & Disklock Pro
C503118	Schlage Type PD retainer knurl nut 6mm depth



For the best performance from your Pro Series® system we recommend using 8221 PD format cylinders. Following are OEM cylinders and in line plugs using the 8221 format and the Master Lock driver to use with Pro Series®.

Best Performance, Use the Following Cylinders & Drivers		
Cylinder Style	Manufacturer's Original Cylinder Reference Number	Master Lock Driver
Abloy Protec®	CY 406N	0298-0626
Abloy Disklock Pro®	CY 406D	0298-0626
BiLock®	SA6220	No Driver Required
BiLock® Galaxy	GXSA6220	No Driver Required
Kaba expert®	105K5	No Driver Required
Kaba Quattro®	105K4	No Driver Required
Kaba pExtra®	107P2	0298-0628
LW Twin®	8221TINE	0298-0628
CyberLock PD®	CL6P1WR	0298-0628
EVVA®	E-PD1	0298-0628
PD Cylinders®	PD Cylinder Standard	0298-0628

Restricted Plug Only - Part Numbers - for Use in PD Cylinders		
Profile	Plug Number	Master Lock Driver
Generation 6®	BG6 8221	0298-0628
Status 6®	8221-102	0298-0628
Binary Plus®	BP APL 8221	0298-0628
ML	8221-1211	0298-0628
ML-JA	8221-1711	0298-0628
ML-JB	8221-1712	0298-0628
ML-JC	8221-1713	0298-0628
ML-JD	8221-1714	0298-0628
ML-JE	8221-1715	0298-0628
ML-JM	8221-1716	0298-0628
MASION A-F	8221-634	0298-0628



CHECK LIST

WHAT DO YOU NEED?

Component Options for 6600, 6700 and 7000 Series Padlocks

Item Code	Description	
C4CYLPD	8221 PD Cylinder - C4 - 6 Pin (Includes 6mm Nut)	
C4CYLPD-LB	8221 PD Cylinder Less Barrel	
6121-0424	Key Retain Actuator Extension For 6100 - 6700 - 7000 (6 Pack)	
MKCHARGE	Master Keying Charge Per Padlock	
KACHARGE	Key Alike Charge to Specified Code per Padlock	
Pro Series Drivers		
0298-0625	Cylinder Drivers (6 Pack) Lockwood 530 Note: 530 Cylinders Not Recommended For Use In Pro Series Locks	
0298-0626	Cylinder Drivers (6 Pack) Protec, Disk Lock Pro - Recommended Driver	
0298-0628	Cylinder Drivers (6 Pack) 8221 PD Drivers, Kaba pExtra®, LW Twin®, EVVA®, Generation 6®, Binary Plus® - Recommended Driver	
C503118	Schlage Type Knurl Nut 6mm For PD After Market Cylinders	
Accessories		
6621-0305	Spare Parts Kit For 6600 / 6700 / 7000 Pro Series - Contains Actuator, Ball Bearings, Cyl. Retainer & Retainer Screw	
PROSTART	Pro Series® Universal Starter Kit Includes, 8221 cylinders, Drivers, Key Retaining Actuators	
PROGREASE	Heavy Duty High Temperature Molybdenum Grease For Pro Lock Assembly	

IMPORTANT NOTE


A high quality grease lubricant is required in the assembly of the components. We recommend a molybdenum grease for long lasting use.

Master Lock products in most cases are available in keyed alike and master keyed formats either ex-stock or built to your exclusive order requirements in our keying cell. For details on all options please contact your Mayo Hardware representative or call Mayo Hardware Customer Service on 1300 360 211.

DIAMOND BRASS



- Stylish and strong solid brass lock body.
- Standard steel and hardened steel shackles available.
- Diamond Quality - Lifetime Warranty.




Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)						
0120	Diamond Brass 20mm Wide Body - Steel Shackle	12	120K	4mm	11mm	6mm
0130	Diamond Brass 30mm Wide Body - Steel Shackle	12	130K	5mm	16mm	14mm
0140	Diamond Brass 40mm Wide Body - Steel Shackle	12	130K	6mm	22mm	21mm
0140LF	Diamond Brass 40mm Wide Body – Extd Steel Shackle	12	130K	6mm	38mm	21mm
0150	Diamond Brass 50mm Wide Body - Steel Shackle	12	150K	7mm	25mm	25mm
0640D	Nickel Plated Brass 40mm Wide Body - Stainless Steel Shackle	12	130K	6mm	22mm	21mm
Not Available Master Keyed						

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

ECONOMY BRASS



- Entry level solid brass lock body.
- Standard steel and hardened steel shackles available.
- 2 Year Warranty.



Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)						
4120	Brass 20mm Wide Body - Steel Shackle	12	120K	4mm	11mm	9mm
4130	Brass 30mm Wide Body - Steel Shackle	12	130K	5mm	14mm	15mm
4140	Brass 40mm Wide Body - Steel Shackle	12	130K	6mm	20mm	20mm
4150	Brass 50mm Wide Body - Steel Shackle	12	140K	7mm	24mm	25mm
Not Available Master Keved						

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

LAMINATED NON REKEYABLE PADLOCKS




0005D

0005DLF

0015D

0017D

- Strong laminated steel bodies for superior strength over brass locks.
- Hardened steel and boron alloy shackles for superior cut resistance.
- Pin cylinder helps prevent picking.
- Dual locking levers provide extra pry resistance.
- Proprietary rust proofing for longer life.
- Lifetime warranty.



Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)						
0003D	Laminated Steel 40mm Wide Body - Steel Shackle	4	1K	7mm	19mm	16mm
0003DLF	Laminated Steel 40mm Wide Body - Extd Steel Shackle	4	1K	7mm	38mm	16mm
0001D	Laminated Steel 44mm Wide Body - Steel Shackle	4	1K	8mm	24mm	19mm
0001LJD	Laminated Steel 44mm Wide Body - Extd Steel Shackle	6	1K	8mm	64mm	19mm
0005D	Laminated Steel 51mm Wide Body - Boron Shackle	4	1K	10mm	25mm	24mm
0005DLF	Laminated Steel 51mm Wide Body - Extd Boron Shackle	4	1K	10mm	38mm	24mm
0015D	Laminated Steel 64mm Wide Body - Boron Shackle	6	15K	11mm	32mm	30mm
0015LH	Laminated Steel 64mm Wide Body - Extd Boron Shackle	6	15K	11mm	51mm	30mm
0017D	Laminated Steel 51mm Wide Body - Boron Shackle	6	17K	11mm	25mm	19mm
0017LH	Laminated Steel 51mm Wide Body - Extd Boron Shackle	6	17K	11mm	51mm	19mm

SPECIAL APPLICATION LOCKS




0312D

- 40mm wide laminated steel body for superior strength.
- High-tech thermoplastic shell designed to withstand the elements.
- Hardened steel shackle.
- Ideal for all outdoor applications.
- Lifetime warranty.



0040D

- 70mm wide stainless steel body resists corrosion.
- Hardened steel shackle for extra cut resistance.
- Double deadbolt locking to guard against pulling.
- Key retaining feature ensures padlock is not left unlocked.
- Ideal protection against bolt cutter attacks.




Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)						
0312D	Laminated steel thermoplastic blue 40mm wide body - Steel Shackle	4	1K	10mm	25mm	13mm
0040D	Stainless steel 70mm wide body - Steel Shackle	4	1K	10mm	19mm	19mm

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

UNIVERSAL PIN LOCKS (CRUNCHER) - BOX PACK

Master Lock's range of Universal Pin (Cruncher) Locks, allows you to add extra locks to your existing key profile 1K padlock system in a matter of minutes! Minimise your customers' keys and maximise your padlock sales with this innovative solution from Master Lock.




Punch tool to set the cylinder of an uncoded "UP" padlock with the tap of a hammer.

KEYING INSTRUCTIONS:

1. Choose original Master padlock key to be used and remove from ring.
2. Insert key into Master Lock "UP" series padlock and remove several times.
3. Insert key into Master "UP" series lock and invert padlock thru the jaws of your bench vise. Do not tighten vise.
4. Place No. 0376 Keying Tool over key and tap with hammer until cylinder pins shear.
5. Remove padlock from vise and check for proper operation, turning key in lock several times.

WHEN USING ANY TYPE OF STRIKING TOOL, WEAR SAFETY GLASSES!



Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
Available Keyed Alike Or Keyed To Differ						
0003UP	Laminated Steel 40mm Wide Body - Steel Shackle	6	1K	7mm	19mm	16mm
0003UPLF	Laminated Steel 40mm Wide Body - Extd Steel Shackle	6	1K	7mm	38mm	16mm
0001UP	Laminated Steel 44mm Wide Body - Steel Shackle	6	1K	8mm	24mm	19mm
0001UPLJ	Laminated Steel 44mm Wide Body - Extd Steel Shackle	6	1K	8mm	64mm	19mm
0005UP	Laminated Steel 51mm Wide Body - Boron Shackle	6	1K	10mm	25mm	24mm
0005UPLF	Laminated Steel 51mm Wide Body - Extd Boron Shackle	6	1K	10mm	38mm	24mm
0376	Hand-Held Keying Punch Tool	1	N/A	-	-	-
0001B	Key Blanks For Universal Locks	50	N/A	-	-	-

Pro Series® Rekeyable Padlocks For Use With Master Lock Profiles

Pro Series® with Master Lock profiles offers the largest range while solving your security needs with the best value proposition.

- Hardened boron alloy shackles for superior cut resistance.
- Dual ball bearing locking mechanism resists pulling and prying.
- High security cylinder.
 - 5-pin and 6-pin cylinders provide tens of thousands of key changes
 - Spool pins are virtually impossible to pick
- Rekeyable – replaceable cylinder and shackle.


6100 SERIES WEATHER TOUGH®



6121

6127

- Ideal for harsh outdoor conditions.
- Exclusive cover protects lock from water, ice, dirt and grime.
- Heavy duty steel bodies withstand physical attacks.
- Stainless steel shackles available for corrosion resistance.
- Keyway cover keeps out dust and dirt.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6121WCS	Weather Tough 54mm Wide Body - Without Shackle - Without Cylinder	6	-	-	-
6121W0	Weather Tough 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	29mm	22mm
6121LFW0	Weather Tough 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	38mm	22mm
6121LJW0	Weather Tough 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	63mm	22mm
6121LNW0	Weather Tough 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	143mm	22mm
6121BW0	Weather Tough 54mm Wide Body - Brass Shackle - Without Cylinder	6	8mm	29mm	22mm
6121BLJW0	Weather Tough 54mm Wide Body - Brass Shackle - Without Cylinder	6	8mm	63mm	22mm
6121SSW0	Weather Tough 54mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	30mm	22mm
6121SSLJW0	Weather Tough 54mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	60mm	22mm
6125LJW0	Weather Tough 61mm Wide Body - Boron Shackle - Without Cylinder	6	10mm	63mm	22mm
6127W0	Weather Tough 67mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	35mm	22mm
6127LHW0	Weather Tough 67mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	48mm	22mm
6127LJW0	Weather Tough 67mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	63mm	22mm

Note: All locks and cylinders supplied Keyed to Differ unless otherwise specified.


6300 SERIES HIGH SECURITY – SOLID IRON SHROUD



6325

6327

- Heavy steel bodies withstand physical attacks.
- Iron shroud protects shackle from cutting and prying.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6321W0	High Security Solid Iron Shrouded 54mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	19mm	22mm
6325W0	High Security Solid Iron Shrouded 61mm Wide Body - Boron Shackle - Without Cylinder	6	10mm	19mm	22mm
6327W0	High Security Solid Iron Shrouded 67mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	19mm	22mm

7000 SERIES HIGH SECURITY – SOLID STEEL




7030

7050

7035

- Heavy case hardened steel body.
- Chrome rust proofing provides longer life.
- Stainless steel shackles available for corrosion resistance.
- Shrouded model protects against bolt cutters and prying.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
7030W0	Solid Steel 40mm Wide Body - Boron Shackle - Without Cylinder	6	6mm	27mm	20mm
7030LFW0	Solid Steel 40mm Wide Body - Boron Shackle - Without Cylinder	6	6mm	40mm	20mm
7030LTW0	Solid Steel 40mm Wide Body - Boron Shackle - Without Cylinder	6	6mm	76mm	20mm
7040WCS	High Security Solid Steel 44mm Wide Body - Without Shackle - Without Cylinder	6	-	-	-
7040W0	Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	30mm	23mm
7040LFW0	Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	40mm	23mm
7040LJW0	Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	61mm	23mm
7040LNW0	Solid Steel 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	143mm	23mm
7040SSW0	High Security Solid Steel 44mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	30mm	22mm
7040SSLJW0	High Security Solid Steel 44mm Wide Body - Stainless Steel Shackle - Without Cylinder	6	8mm	60mm	22mm
7050LJW0	Solid Steel 51mm Wide Body - Boron Shackle - Without Cylinder	6	10mm	63mm	23mm
7035W0	Solid Steel Shrouded 40mm Wide Body - Boron Shackle - Without Cylinder	6	6mm	27mm	20mm
7045W0	Solid Steel Shrouded 44mm Wide Body - Boron Shackle - Without Cylinder	6	8mm	30mm	23mm


Note: All locks and cylinders supplied Keyed to Differ unless otherwise specified.

6200 SERIES - ROUND BODIES - SOLID STEEL



6230K

- 64mm wide, hardened solid steel body.
- Hardened boron alloy shackle for superior cut resistance.
- 5 and 6 spool pin tumbler cylinder for added pick resistance.
- High security padlock resists tough abuse.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6230W0	Solid Steel 64mm Wide Body - Boron Shackle - Without Cylinder	6	11mm	28mm	22mm

PUCK LOCK - HIDDEN SHACKLE PADLOCKS



6270



0770



0730DPF

- Ideal for vans, trucks, gates and vending.
- Defeats attempts to pry and cut.
- Hardened solid steel lock body withstands forcible attacks.
- Complete with high security 6-pin Pro Series® cylinder.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
6270	Solid Steel 73mm Enclosed Shackle Complete With 7000 Cylinder	6	9mm	N/A	N/A
USE WITH FOLLOWING HASPS			Hasp Length		
0770	Enclosed Solid Steel Hasp For 6270	-	230mm		
0730DPF	Straight Bar 180mm Length	4	180mm		



CHECK LIST

WHAT DO YOU NEED?

Component Options for 6100, 6300 and 7000 Master Keyway Padlocks


Item Code	Description	Carton Qty
0296W27	5 Pin Cylinders Standard KD or Random KA or Zero Bitted	12
0296W7000	6 Pin Cylinders KD or Random KA or Zero Bitted	12
WP6	Edge™ Key Control 6-pin cylinder	12
6121-0424	Key Retain Actuator For 6100 - 6700 - 7000 (6 Pack)	6
MKCHARGE	Master Keying Charge Per Padlock	N/A
KACHARGE	Key Alike Charge to Specified Code per Padlock	N/A
0027B	Key Blanks For 27 Profile Cylinders	50
7000BB	Key Blanks For 7000 Profile Cylinders	50
Accessories		
6121-0305	Spare Parts Kit For 6100 - 6300 7000 Pro Series - Contains Actuator, Ball Bearings, Retaining Door, Retaining Screw & Nut	6
PROGREASE	Heavy Duty High Temperature Grease For Pro Lock Assembly	1

6800 SERIES - ALUMINIUM BODY REKEYABLE PADLOCKS



6835

- 40mm wide aluminum body.
- Baked on powder-coated finish stays bright.
- Ideal for corrosive and tough environments.
- High visibility colour.
- Keyed different 5-pin tumbler cylinder.
- 6-pin cylinder available.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
Keyed to Master Lock 27 Profile Cylinders					
6835BLK	Aluminium Powder Coated 40mm Wide Body - Black - Boron Shackle	6	6mm	27mm	20mm
6835BLU	Aluminium Powder Coated 40mm Wide Body - Blue - Boron Shackle	6	6mm	27mm	20mm
6835GRN	Aluminium Powder Coated 40mm Wide Body - Green - Boron Shackle	6	6mm	27mm	20mm
6835ORJ	Aluminium Powder Coated 40mm Wide Body - Orange - Boron Shackle	6	6mm	27mm	20mm
6835RED	Aluminium Powder Coated 40mm Wide Body - Red - Boron Shackle	6	6mm	27mm	20mm
6835YLW	Aluminium Powder Coated 40mm Wide Body - Yellow - Boron Shackle	6	6mm	27mm	20mm
6835LFBK	Aluminium Powder Coated 40mm Wide Body - Black - Extd Boron Shackle	6	6mm	40mm	20mm
6835LFBLU	Aluminium Powder Coated 40mm Wide Body - Blue - Extd Boron Shackle	6	6mm	40mm	20mm
6835LFGRN	Aluminium Powder Coated 40mm Wide Body - Green - Extd Boron Shackle	6	6mm	40mm	20mm
6835LFORJ	Aluminium Powder Coated 40mm Wide Body - Orange - Extd Boron Shackle	6	6mm	40mm	20mm
6835LFRED	Aluminium Powder Coated 40mm Wide Body - Red - Extd Boron Shackle	6	6mm	40mm	20mm
6835LFYLW	Aluminium Powder Coated 40mm Wide Body - Yellow - Extd Boron Shackle	6	6mm	40mm	20mm
6835LTBK	Aluminium Powder Coated 40mm Wide Body - Black - Extd Boron Shackle	6	6mm	72mm	20mm
6835LTBLU	Aluminium Powder Coated 40mm Wide Body - Blue - Extd Boron Shackle	6	6mm	72mm	20mm
6835LTGRN	Aluminium Powder Coated 40mm Wide Body - Green - Extd Boron Shackle	6	6mm	72mm	20mm
6835LTORJ	Aluminium Powder Coated 40mm Wide Body - Orange - Extd Boron Shackle	6	6mm	72mm	20mm
6835LTRED	Aluminium Powder Coated 40mm Wide Body - Red - Extd Boron Shackle	6	6mm	72mm	20mm
6835LTYLW	Aluminium Powder Coated 40mm Wide Body - Yellow - Extd Boron Shackle	6	6mm	72mm	20mm



CHECK LIST


Item Code	Description	Carton Qty
Upgrade component options for 6800 series - To the Lock		
0296W27	5 Pin Cylinders Standard - Specify Keyed Different or Keyed Alike	12
6PINCHARGE	6 Pin Cylinders Higher Security - Specify Keyed Different or Keyed Alike	-
CUTKEYCOM	Extra Cut Keys	-
ENGSAF	Engraving Logos Per Side	-
Upgrade component options for 6800 series - Keying Options		
MKCHARGE	Master Keying Charge Per Padlock	-

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

REKEYABLE LAMINATED STEEL PADLOCKS



- Double locking mechanisms provide extra pry resistance.
- Hardened boron alloy shackles - No. 25, 27 and 101.
- Hardened steel shackles - No. 21.
- Hardened steel bottom plates for extra drill resistance - No. 27, 25 and 21.
- Top and bottom bumpers for greater scratch resistance.
- Lifetime warranty.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
0021W0	Rekeyable Laminated Steel Padlock 44mm Wide Body - Without Cylinder	6	8mm	24mm	19mm
0021LJW0	Rekeyable Laminated Steel Padlock 44mm Wide Body - Without Cylinder	6	8mm	64mm	19mm
0025W0	Rekeyable Laminated Steel Padlock 51mm Wide Body - Without Cylinder	6	10mm	25mm	24mm
0027W0	Rekeyable Laminated Steel Padlock 51mm Wide Body - Without Cylinder	6	11mm	25mm	19mm
0101W0	Rekeyable Laminated Steel Padlock 83mm Wide Body - Without Cylinder	6	8mm	76mm	57mm



CHECK LIST


WHAT DO YOU NEED?

Component Options for Laminated/Solid Body Removable Cylinder Padlocks

Item Code	Description	Carton Qty
0295W27	5 Pin Cylinders Standard Specify KD, KA or Zero Bitted	12
MKCHARGE	Master Keying Charge Per Padlock	N/A
KACHARGE	Key Alike Charge to Specified Code Per Padlock	N/A
0027B	Key Blanks For 27 Profile Cylinders	50

Locker Manager® Software Solution

New Generation Programs From Master Lock



Locker Manager® is an easy-to-use software product that makes locker administration simple.

It helps by automating:

- Assigning students/employees to lockers
- Annual management of locker combinations
- Locker maintenance activities

Item Code	Description
LOCKERMANAGER	Locker Management Software



SPECIAL NEEDS PADLOCKS



2650


- Designed to assist those with limited mental or physical abilities.
- Specially selected, easy to remember combinations with key override (1525EZRC).
- Simply insert key to open – no turning (2650).

Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
1525EZRC	Simple Combination Dial Black 48mm Wide Body - Steel Shackle	100	7mm	19mm	21mm
2650	PushKey™ Portable Lock - Steel Shackle	24	7mm	19mm	21mm

2000 SERIES - NEW GENERATION HIGH SECURITY [∞]



- 55mm wide double-armored stainless steel body.
- Double ball bearing locking shackle resists prying.
- Hardened boron alloy shackle for superior cut resistance.
- 3 times stronger than No.1500 model.
- Key override for supervisory access.
- Ideal for protecting high value property such as laptop or iPod.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
2010-V697	Combination Dial Black 55mm Wide Body - Boron Alloy Shackle - Key Override	50	8mm	25mm	24mm
2010K-V697	Control Override Key For 2010 Locks	-	-	-	-

[∞] Control charts supplied on USB stick with all orders over 100 units

1500 SERIES - GENERAL SECURITY SOLUTIONS [∞]




1525LH

1525LF

1525

- 48mm wide double-armored stainless steel body.
- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
Standard					
1502MASM	Combination Dial Black 48mm Wide Body - Steel Shackle	100	7mm	19mm	21mm
1502C	Combination Dial Coloured 48mm Wide Body - Steel Shackle	100	7mm	19mm	21mm
1502LF	Combination Dial Black 48mm Wide Body - Extended Steel Shackle	100	7mm	38mm	21mm
1502LH	Combination Dial Black 48mm Wide Body - Extended Steel Shackle	100	7mm	51mm	21mm
Key Override Models					
1525	Combination Dial Black 48mm Wide Body - Steel Shackle - Key Override	100	7mm	19mm	21mm
1525C	Combination Dial Coloured 48mm Wide Body - Steel Shackle - Key Override	100	7mm	19mm	21mm
1525LF	Combination Dial Black 48mm Wide Body - Extended Steel Shackle - Key Override	100	7mm	38mm	21mm
1525LH	Combination Dial Black 48mm Wide Body - Extended Steel Shackle - Key Override	100	7mm	51mm	21mm
1525K †	Control Override Key For 1525 Locks	-	-	-	-

† Specify Key Code required

[∞] Control charts supplied on USB stick with all orders over 100 units

1600 SERIES - LONG LIFE FITTED LOCKS



1670

- End user registration and control charts provided to secure and simplify administration.
- Secure, easy-to-dial three digit combination.
- Longer useful life with five different, pre-set combinations.
- Easily changed with the touch of a button.
- Helps maintain security for new students or employees.

Item Code	Description	Carton Qty
Deadbolt Style		
1670	Built-in Combination Lock - Hinged Right	50
1671	Built-in Combination Lock - Hinged Left	50
Spring Latch, Auto Locking		
1654	Built-in Combination Lock - Hinged Right	50
1655	Built-in Combination Lock - Hinged Left	50
For Lockers with Handles & Auto Locking Rods		
1630	Built-in Combination Lock - Hinged Right	50
1631	Built-in Combination Lock - Hinged Left	50
Extensions		
1654-0320	Extension Set For 19mm Timber Doors	1



CHECK LIST

DO YOU NEED LOGOS/OWNERSHIP ID?

LOGO PRINT

Item Code	Description
PADPRINT	Logo Added To 1525 Or 1502 - Colour Dial Price
PADPRINTSETUP	Set Up Charge For Logos

PADLOCK EYES



0060



0060R


Item Code	Description	Carton Qty
0060	Lock Eyes Flat - Shackles Up To 13mm (Per Pair)	12
0060R	Lock Eyes Right Angle - Shackles Up To 13mm	6

GENERAL USE HASPS



0704D

- Hard steel bodies for strength.
- Hardened steel staples resist cutting and sawing.
- Hardened steel locking eyes for strong cut resistance.
- Tamper proof hinges help resist prying.



Item Code	Description	Carton Qty	Hasps Length	Accepts Shackle Dia. Up to:
0702D	64mm Hard Wrought Steel Body	4	64mm	7mm
0703D	89mm Hard Wrought Steel Body	4	89mm	9mm
0704D	110mm Hard Wrought Steel Body	4	110mm	13mm

HINGED HASPS



0720D




0721D



0722D

- Secure hard-to-lock property.
- Hardened boron alloy staples resist cutting and sawing.
- Hardened steel body for added strength.
- Single and double hinge styles with hidden hinge pins.
- Ideal for reaching around corners and angles.



Item Code	Description	Carton Qty	Hasps Length	Accepts Shackle Dia. Up to:
0720D	160mm Single-hinge	4	160mm	11mm
0721D	200mm Single-hinge	4	200mm	11mm
0722D	200mm Double-hinge	4	200mm	11mm

HEAVY DUTY HASP



0730DPF

- Zinc plated hardened steel for added strength and weather resistance.
- Hardened steel staple resists cutting, sawing and hammering.
- Hasp body conceals mounting hardware.
- Mounting hardware included for easy installation.
- Ideal for utility vans, trailers and vending machines.

Item Code	Description	Carton Qty	Hasps Length	Accepts Shackle Dia. Up to:
0730DPF	180mm Straight Bar	4	180mm	11mm

HEAVY DUTY RESETTABLE COMBINATION LOCKS



0175D


0176



0178

1174D

- Heavy duty grade.
- Set-your-own combination convenience.
- 4 digit dialing allows for thousands of possible combinations.
- Resettable to any of 10,000 personalised combinations.
- Change combination with change key at any time.
- Hardened steel shackle provides maximum cut resistance.
- Key override for supervisory access (0176).
- 1174D is constructed from grade 316 stainless steel and has a dial cover making this lock ideal for corrosive environments.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
0175D	Combination 51mm Brass Body - Hardened Steel Shackle	4	8mm	25mm	25mm
0175LHD	Combination 51mm Brass Body - Hardened Steel Shackle	6	8mm	57mm	25mm
0176	Combination 51mm Brass Body - Hardened Steel Shackle - Key override	6	8mm	22mm	25mm
0176K	Control Override Key for 0176 Lock	-	-	-	-
0178	Combination 51mm Die Cast Body - Hardened Steel Shackle	6	8mm	25mm	25mm
1174D	Combination 57mm Stainless Steel - Hardened Steel Shackle	4	8mm	28mm	25mm


COMBINATION LOCKS



0647D

0646D

1500D




Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
0646D	Combination Resettable 20mm Die Cast Case	4	3mm	22mm	9mm
0647D	Combination Resettable 30mm Die Cast Case	4	5mm	24mm	14mm
1500D	Combination Dial 48mm Double Armour Stainless Steel Body 3 Digit Dialing	6	7mm	19mm	21mm

VENDING LOCKS



0443

- 40mm wide laminated steel body for superior strength.
- Prevents access to vending and utility valve equipment.
- Removable hardened post for extra cut resistance.
- Multiple post lengths to fit specific applications.



Item Code	Description	Carton Qty	Key Profile	Shackle Dimensions (Metric)		
				A	B	C
0443	Laminated Steel Vending Lock 40mm Wide Body - Hardened Steel Shackle	6	1K	10mm	16mm	16mm
0443LE	Laminated Steel Vending Lock 40mm Wide Body - Extd Hardened Steel Shackle	6	1K	10mm	22mm	16mm
0443LK	Laminated Steel Vending Lock 40mm Wide Body - Extd Hardened Steel Shackle	6	1K	10mm	89mm	16mm

CABLE LOCKS



8119DPF



8154DPF

- Flexible braided steel cables for strong cut resistance.
- Keyed or combination locking mechanisms.
- Protective coating helps prevent scratching and rusting.
- Ideal for equipment, ladders and generators.
- Lifetime warranty.

Item Code	Description	Carton Qty
8119DPF	Cable Lock Combination 1.5m X 10mm Diameter	4
8154DPF	Cable Lock Bike Keyed 1.8m X 10mm Diameter	4

PYTHON ADJUSTABLE CABLE LOCKS



- Patented locking mechanism holds the cable tight at any position from 300mm to 1.8m with infinite locking positions.
- Rekeyable cylinders for keyed alike convenience or key alike to your Master Lock padlocks.
- Weather tough and rust resistant lock body and cables.
- Lifetime warranty.

Item Code	Description	Carton Qty	Key Profile
8428D	Python Contractor Cable Lock Complete With 1.8 Metre Cable	4	1K

HOW TO OPERATE

1. UNLOCK



In the "UNLOCK" position, the flexible steel cable moves freely through the Python lock.

2. CINCH



In the "CINCH" mode, the exclusive locking mechanism permits the cable to be pulled tight without back slipping.

3. LOCK



When in the "LOCK" position, the Python lock secures the cable at the perfect length for the job!

CABLES



0072DPF

0078DPF

- Braided steel wires for strength and flexibility.
- Convenient loops with rust-resistant sleeves and scratch guards.
- Galvanized steel cable resists rusting.
- Vinyl coating helps prevent scratching.
- Recommend use with laminated, solid steel and mini U-locks.
- Lifetime warranty.

Item Code	Description	Carton Qty
0065D	Cable Woven Steel Self Coiling 1.8m X 6mm	2
0072DPF	Cable Braided Steel 4.6m X 10mm	4
0078DPF	Cable Braided Steel 1.8m X 10mm	4
0085DPF	Cable Braided Steel 1.2m X 10mm	4

SECURITY CHAINS



- Hardened steel chain.
- Square link for better cut resistance.
- Vinyl thermoformed protective sleeve to prevent from scratching.

Item Code	Description	Carton Qty	Coated Chain Length	Outside Dia. of Coated Chain
8007EURD	Security Chain	8	0.60m	4mm
8008EURD	Security Chain	6	1.00m	4mm
8009EURD	Security Chain	6	1.50m	4mm
8010EURD	Security Chain	6	0.60m	6mm
8011EURD	Security Chain	6	1.00m	6mm
8012EURD	Security Chain	6	1.50m	6mm
8014EURD	Security Chain	6	0.60m	8mm
8016EURD	Security Chain	4	1.00m	8mm
8017EURD	Security Chain	4	1.50m	8mm
8018EURD	Security Chain	4	2.00m	8mm
8030EURD	Security Chain	4	0.60m	10mm
8019EURD	Security Chain	2	1.00m	10mm
8020EURD	Security Chain	4	1.50m	10mm
8021EURD	Security Chain	2	2.00m	10mm

HIGH SECURITY CHAIN



0042DPF

- Hardened steel chain reinforced with boron and titanium.
- Hexagonal shape increases the cross section – 30,000 lbs of cut strength.
- Black nylon sleeve protects equipment.

Item Code	Description	Carton Qty
0042DPF	Chain Security Hexagonal 1.2m x 12mm	1
0043DPF	Chain Security Hexagonal 1.7m x 12mm	1

KEY CABINETS



7122D

- Heavy duty steel construction with full length hinged door and built in slotted key racks.
- Durable powder coated beige finish.
- Key retaining ensures key cannot be removed until cabinet is locked.
- Includes 2 keys, key holders, cross reference chart and installation hardware.



7126D



7128D

Item Code	Description	Carton Qty	Size (Metric)		
			Height	Width	Depth
7122D	Heavy Duty Key Cabinet Holds 30 Keys	4	305mm	203mm	64mm
7125D	Heavy Duty Key Cabinet Holds 60 Keys	4	311mm	273mm	76mm
7126D	Heavy Duty Key Cabinet Holds 120 Keys	4	432mm	330mm	83mm
7127D	Heavy Duty Key Cabinet Holds 240 Keys	2	508mm	419mm	127mm
7128D	Heavy Duty Key Cabinet Holds 330 Keys	2	508mm	419mm	127mm
7129	Heavy Duty Key Cabinet Holds 500 Keys	1	641mm	457mm	140mm
7130	Heavy Duty Key Cabinet Holds 730 Keys	1	641mm	457mm	178mm
7117D	Plastic Key Holder (20 Per Bag)	10 Bags			

5400D - SELECT ACCESS PORTABLE



- Holds up to 5 keys in a convenient location.
- Portable, over the door knob mount for convenience.
- Set-your-own 4-digit combination for keyless convenience.
- Reinforced body withstands hammering and sawing.
- Hardened steel shackle resists cutting.
- Cover protects combination dials from weather, dirt and grime.
- External dimensions: 159(H) x 83(W) x 32(D)mm.




Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
5400D	Select Access Portable	4	10mm	47mm	36mm

5401D - SELECT ACCESS WALL MOUNT



- Wall mount design for permanent installation.
- Set-your-own 4-digit combination for keyless convenience.
- Holds up to 5 keys in a convenient location.
- Cover protects combination dials from weather, dirt and grime.




Item Code	Description	Carton Qty	Unit Dimensions (Metric)		
			A	B	C
5401D	Select Access Wall Mount	4	115mm	83mm	35mm

5403D - SELECT ACCESS MAXI WALL MOUNT



- Holds house keys, car keys, credit cards and other valuables.
- Wall mount design for permanent installation.
- Reinforced body withstands hammering and sawing.
- Set-your-own 4-digit combination for keyless convenience.
- Cover protects combination dials from weather, dirt and grime.



Item Code	Description	Carton Qty	Unit Dimensions (Metric)		
			A	B	C
5403D	Select Access Maxi Wall Mount	4	142mm	100mm	52mm

5406D - SELECT ACCESS COMPACT PORTABLE



- Holds 2-3 keys in a convenient location.
- Set-your-own 3-digit combination for keyless convenience.
- Flexible cover protects combination dials from weather, dirt and grime.
- External dimensions: 134(H) x 70(W) x 38(D)mm.



Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
5406D	Select Access Compact Portable	4	10mm	47mm	36mm

5408D - SELECT ACCESS MINI




- Compact portable mini safe holds keys, cash, and other personal items.
- 153mm cable loops back over the locking bar to attach mini safe.
- Combination locking mechanism for keyless convenience.
- Cable length: 160mm.

Item Code	Description	Carton Qty	Unit Dimensions (Metric)		
			A	B	C
5408D	Select Access Mini	4	73mm	44mm	19mm

5412EURD - SELECT ACCESS WALL MOUNT PUSH BUTTON



- Set-Your-Combination.
- Wall Mount Push Button Key Storage.
- Holds credit cards/swipe cards, large key rings, jewellery etc.



Item Code	Description	Carton Qty	Unit Dimensions (Metric)		
			A	B	C
5412EURD	Select Access Wall Mount; Push Button	4	131mm	96mm	60mm

5414D – SELECT ACCESS HEAVY DUTY PORTABLE



- Reinforced solid zinc alloy body for superior strength and reliability.
- Dual locking levers for extra pry resistance.
- Optimised storage capacity.
- Protective door for better weather resistance and greater discretion.
- 4-digit resettable combination.
- External dimensions: 190(H) x 105(W) x 60(D)mm




Item Code	Description	Carton Qty	Shackle Dimensions (Metric)		
			A	B	C
5414D	Select Access Heavy Duty Portable	4	10mm	47mm	36mm

5415D – SELECT ACCESS HEAVY DUTY WALL MOUNT



- Reinforced solid zinc alloy body for superior strength and reliability.
- Optimised storage capacity.
- Protective door for better weather resistance and greater discretion.
- 4-digit resettable combination.



Item Code	Description	Carton Qty	Unit Dimensions (Metric)		
			H	W	D
5415D	Select Access Heavy Duty Wall Mount	4	140mm	105mm	60mm

SHACKLES / TOOLS / GAUGES

Shackles Pro Series®		
Item Code	Description	Quantity (Per Bag)
NOTE: Univ = Universal Pro Series® Padlocks ML = For Locks Using Master Lock Profile Cylinders		
For Univ 6621, 7042, 7047 & ML 6121 & 7040		
0293S6121	Standard Shackle 29mm X 8mm - Boron	6
0293S6121LF	Extended Shackle 38mm X 8mm - Boron	6
0293S6121LJ	Extended Shackle 60mm X 8mm - Boron	6
0293S6121LN	Extended Shackle 140mm X 8mm - Boron	6
0293S6840	Standard Shackle 29mm X 8mm - Stainless Steel	6
0293S6840LJ	Extended Shackle 60mm X 8mm - Stainless Steel	6
0293S6121B	Standard Shackle 29mm X 8mm - Brass	6
0293S6121BLJ	Extended Shackle 63mm X 8mm - Brass	6
For Univ 7052 & ML 6125 & 7050		
0293S6125	Standard Shackle 35mm X 10mm - Boron	6
0293S6125LJ	Extended Shackle 60mm X 10mm - Boron	6
For Univ 6627 & ML 6127		
0293S6127	Standard Shackle 35mm X 11mm	6
0293S6127LH	Extended Shackle 48mm X 11mm	6
0293S6127LJ	Extended Shackle 60mm X 11mm	6
For ML 6230		
0293S6230	Standard Shackle Std 29mm X 11mm	6
0293S6230LH	Extended Shackle Ext 51mm X 11mm	6
For Univ 6721 & ML 6321		
0293S6321	Shackle Short 19mm X 8mm	6
For ML 6325		
0293S6325	Shackle Short 19mm X 9mm	6
For Univ 6727 & ML 6327		
0293S6327	Shackle Short 19mm X 11mm	6
For ML 6835 & 7030		
0293S6830	Standard Shackle 29mm X 6mm - 6835-7030	6
0293S6830LF	Extended Shackle 40mm X 6mm - 6835-7030	6
0293S6830LT	Extended Shackle 76mm X 6mm - 6835-7030	6
For ML 443 Vending Locks		
0292S443	Standard Shackle 16mm X 10mm For 443	6
0292S443LE	Extended Shackle 22mm X 10mm For 443	6
0292S443LK	Extended Shackle 89mm X 10mm For 443	6
Tools & Gauges		
Item Code	Description	
0290-0372	Cylinder Assembly Tool	
0290-0630	Space & Depth Keys For # 1,3,5,15,17, 27	
0027-0374	Alan Key For 27W0 & Pro Series® 7/64"	

Shackles
in Various Model & Size

0290-0372



0027-0374

CYLINDERS

Cylinders - Pro Series®

Item Code	Description	Quantity (Per Pack)
For Use In 6100, 6200, 6300, 6800 And 7000 Series Locks		
0296W1KZ	W1 Profile 4 Pin Zero-Bitted	12
0296W15KZ	W15 Profile 5 Pin Zero-Bitted	12
0296W17KZ	W17 Profile 5 Pin Zero-Bitted	12
0296W27KZ	W27 Profile 5 Pin Zero-Bitted	12
0296W27	W27 Profile 5 Pin KD	12
0296W27KA	W27 Profile 5 Pin KA	12
0296W27MK	W27 Profile 5 Pin MK	12
0296W7000KZ	W7000 Profile 6 Pin Zero-Bitted	12
0296W7000	W7000 Profile 6 Pin KD	12
0296W7000KA	W7000 Profile 6 Pin KA	12
For Use In 21, 25, 27 And 101 Series Locks		
0027-0334	W1 - 4 Pin Cyl. Extension For 21, 25, 27, 101	10
0295W1KZ	W1 Profile 4 Pin Zero-Bitted	12
0295W15KZ	W15 Profile 5 Pin Zero-Bitted	12
0295W15	W15 Profile 5 Pin KD	12
0295W17KZ	W17 Profile 5 Pin Zero-Bitted	12
0295W17	W17 Profile 5 Pin KD	12
0295W27KZ	W27 Profile 5 Pin Zero-Bitted	12
0295W27	W27 Profile 5 Pin KD	12

PINNING KITS / SPARE PARTS

Pinning Kits & Spare Parts			
Item Code		Description	Quantity (Per Bag)
Python Pinning Kit & Spare Parts			
8491	Python Keying & Service Kit (each)		-
8401-01014	Python Wafers #0		100
8401-01015	Python Wafers #1		100
8401-01016	Python Wafers #2		100
8401-01017	Python Wafers #3		100
8401-01018	Python Wafers #4		100
8401-01019	Python Wafers #5		100
8401-01020	Python Wafers #6		100
Standard Pinning Kit & Spare Parts			
0291MASM	Keying / Parts Kit All Locks (Except Python) (each)		-
P1-0360	Pins Bottom - #0 Pin		200
P1-0361	Pins Bottom - #1 Pin		200
P1-0362	Pins Bottom - #2 Pin		200
P1-0363	Pins Bottom - #3 Pin		200
P1-0364	Pins Bottom - #4 Pin		200
P1-0365	Pins Bottom - #5 Pin		200
P1-0366	Pins Bottom - #6 Pin		200
P1-0367	Pins Bottom - #7 Pin		200
P1-0368	Driver Pins - Regular		200
P1-0369	Tumbler Springs		200
P1-0391	Master Pins #1		200
P1-0392	Master Pins #2		200
P1-0393	Master Pins #3		200
P1-0394	Master Pins #4		200
P1-0395	Master Pins #5		200
P1-0396	Master Pins #6		200
P1-0397	Master Pins #7		200
P7-0368	Driver Pins - Master		200
6121-0419	Driver Pins - Spool		200
Laminated Rekeyable Spare Parts			
0021-0305	Retainer Screw	For 21, 24 & 101 Lock	10
0021-0372	Cylinder Retain Door	For 21	10
0021-0373	Locking Nut	For 21 & 101	10
0027-0305	Retainer Screw	For 25 & 27	10
0027-0334	W1 - 4 Pin Cyl Extension	For 21,24,25 & 27	10
0027-0371	Cylinder Retain Door	For 25 & 27	10
0027-0373	Locking Nut	For 25 & 27	10

SPARE PARTS / KEY BLANKS

Spare Parts

Item Code	Description	Quantity (Per Pack)
6121-0305	Spare Parts Kit	For 6100 & 6300
6121-0420	Retainer Doors	For 6100, 6200, 6300, 6840, 6850 - (Bag of 12)
6121-0421	Locking Nuts	For 6100, 6230, 6300, 6840, 6850 - (Bag of 12)
6121-0422	Retainer Screws	For 6100, 6200, 6300, 6800 - (Bag of 12)
6121-0423	Snap Shut Actuator Ext	For 6100, 6300, 6700, 6840, 6850 - (Bag of 6)
6121-0424	Key Retain Actuator Ext	For 6100, 6300, 6700, 6840, 6850 - (Bag of 6)
6121-0425	Snap Shut Actuator Ext	For 6230 - (Pkt of 6)
6121-0426	Key Retain Actuator Ext	For 6230 - (Pkt of 6)
6121-0427	Ball Bearings	For All - Except 6830, 6835 - (Bag of 12)
6621-0305	Spare Parts Kit	For 6100 - 6300 - 7000
6621-0450	Retainer Screw	For 6600, 6700, 6852 - (Bag of 6)
0298-0629	Cylinder Retainer Plugs	For Pro Series® - (Bag of 6)
6841-0421	Snap Shut Actuator Ext	For 7040 - (Bag of 6)
6831-0421	Snap Shut Actuator Ext	For 6835, 7030, 7035 - (Bag of 6)
6830-0422	Key Retain Actuator Ext	For 6830, 6835 - (Bag of 6)
6830-0420	Retainer Door	For 6830, 6835

Key Blanks

Item Code	Description	Quantity (Per Pack)
0001B	Key Blank 1, 3, 5, 40, 312, 187, 375, 377, 443, 1479D & Python	50
0007B	Key Blank For # 7 & 185	50
0015B	Key Blank For # 15	50
0017B	Key Blank For # 17	50
0022BL	Key Blank For 22 LH	50
0022BR	Key Blank For 22 RH	50
0027B	Key Blank # 27 Cyl used in 220, 230, 101,31, 21, 25 & 27	50
0105B	Key Blank For # 105	50
0120B	Key Blank For # 120	50
0130B	Key Blank For # 130 & 140	50
0150B	Key Blank For # 150	50
0175B	Change Key For # 175, 177 & 178	50
0500BL	Key Blank For # 500 LH	50
0500BR	Key Blank For # 500 RH	50
0510B	Key Blank For #510	50
0900B	Key Blank For # 911, 930, 931 & 937	50
1950B	Key Blank For #1950	50
2250B	Key Blank For # 2250	50
7000B	Key Blank For # 8293, 8296 & 6270 - 6 Pin Blank	50
8126B	Key Blank For # 8126 & 8127	25

Item Code	Page No.
60	18
120	8
130	8
140	8
150	8
176	20
178	20
376	10
443	20
770	13
1630	18
1631	18
1654	18
1655	18
1670	18
1671	18
2650	16
4120	8
4130	8
4140	8
4150	8
6270	13
7129	23
7130	23
8491	29
66210305	5,7
0001B	10, 30
0001D	9
0001LJD	9
0001UP	10
0001UPLJ	10
0003D	9
0003DLF	9
0003UP	10
0003UPLF	10
0005D	9
0005DLF	9
0005UP	10
0005UPLF	10
0007B	30
0015B	30
0015D	9
0015LH	9
0017B	30
0017D	9

Item Code	Page No.
0017LH	9
0021-0305	29
0021-0372	29
0021-0373	29
0021LJWO	15
0021WO	15
0022BL	30
0022BR	30
0025WO	15
0027-0305	29
0027-0334	28, 29
0027-0371	29
0027-0373	29
0027-0374	27
0027B	13, 15, 30
0027WO	15
0040D	9
0042DPF	22
0043DPF	22
0060R	18
0065D	22
0072DPF	22
0078DPF	22
0085DPF	22
0101WO	15
0105B	30
0120B	30
0130B	30
0140LF	8
0150B	30
0175B	30
0175D	20
0175LHD	20
0176K	20
0290-0372	27
0290-0630	27
0291MASM	29
0292S443	27
0292S443LE	27
0292S443LK	27
0293S6121	27
0293S6121B	27
0293S6121BLJ	27
0293S6121LF	27
0293S6121LJ	27

Item Code	Page No.
0293S6121LN	27
0293S6125	27
0293S6125LJ	27
0293S6127	27
0293S6127LH	27
0293S6127LJ	27
0293S6230	27
0293S6230LH	27
0293S6321	27
0293S6325	27
0293S6327	27
0293S6830	27
0293S6830LF	27
0293S6830LT	27
0293S6840	27
0293SLJ6840	27
0295W15	28
0295W15KZ	28
0295W17	28
0295W17KZ	28
0295W1KZ	28
0295W27	15, 28
0295W27KZ	28
0296W15KZ	28
0296W17KZ	28
0296W1KZ	28
0296W27	13, 14, 28
0296W27KA	28
0296W27KZ	28
0296W27MK	28
0296W7000	13, 28
0296W7000KA	28
0296W7000KZ	28
0298-0625	5, 7
0298-0626	5, 7
0298-0628	5, 7
0312D	9
0443LE	20
0443LK	20
0500BL	30
0500BR	30
0510B	30
0640D	8
0646D	20
0647D	20

Item Code	Page No.
0702D	19
0703D	19
0704D	19
0720D	19
0721D	19
0722D	19
0730DPF	13, 19
0900B	30
1174D	20
1500D	20
1502C	17
1502LF	17
1502LH	17
1502MASM	17
1525C	17
1525EZRC	16
1525K-V15	17
1525LF	17
1525LH	17
1525-V69	17
1654-0320	18
1950B	30
2010K-V697	17
2010-V697	17
2250B	30
298-0629	30
5400D	24
5401D	24
5403D	24
5406D	25
5408D	25
5412EURD	25
5414D	26
5415D	26
6121-0305	13, 30
6121-0419	29
6121-0420	30
6121-0421	30
6121-0422	30
6121-0423	30
6121-0424	5, 7, 13, 30
6121-0425	30
6121-0426	30
6121-0427	30
6121BLJWO	11

Item Code	Page No.
6121BW0	11
6121LFW0	11
6121LJW0	11
6121LNW0	11
6121SSLJW0	11
6121SSW0	11
6121WCS	11
6121W0	11
6125LJW0	11
6127LHW0	11
6127LJW0	11
6127W0	11
6230W0	13
6321W0	12
6325W0	12
6327W0	12
6621-0305	30
6621-0450	30
6621BLJW0	4
6621BW0	4
6621LFW0	4
6621LJW0	4
6621LNW0	4
6621SSLJW0	4
6621SSW0	4
6621WCS	4
6621W0	4
6627LHW0	4
6627LJW0	4
6721W0	4
6727W0	4
6830-0420	30
6830-0421	30
6830-0422	30
6831-0421	30
6835BLK	14
6835BLU	14
6835GRN	14
6835LFBK	14
6835LFBLU	14
6835LFGRN	14
6835LFORJ	14
6835LFRED	14
6835LFYLW	14
6835LTBLK	14

Item Code	Page No.
6835LTBLU	14
6835LTGRN	14
6835LTORJ	14
6835LTRED	14
6835LTYLW	14
6835ORJ	14
6835RED	14
6835YLW	14
6841-0421	30
6PINCHARGE	14
7000B	30
7000BB	13
7030LFW0	12
7030LTW0	12
7030W0	12
7035W0	12
7040LFW0	12
7040LJW0	12
7040LNW0	12
7040SSLJW0	12
7040SSW0	12
7040WCS	12
7040W0	12
7042LFW0	5
7042LJW0	5
7042LNW0	5
7042SSLJW0	5
7042SSW0	5
7042WCS	5
7042W0	5
7045W0	12
7047W0	5
7050LJW0	12
7052LJW0	5
7117D	23
7122D	23
7125D	23
7126D	23
7127D	23
7128D	23
8007EURD	22
8008EURD	22
8009EURD	22
8010EURD	22
8011EURD	22

Item Code	Page No.
8012EURD	22
8014EURD	22
8016EURD	22
8017EURD	22
8018EURD	22
8019EURD	22
8020EURD	22
8021EURD	22
8030EURD	22
8119DPF	21
8126B	30
8154DPF	21
8401-01014	29
8401-01015	29
8401-01016	29
8401-01017	29
8401-01018	29
8401-01019	29
8401-01020	29
8428D	21
C4CYLPD	5, 7
C4CYLPD-LB	5, 7
C503118	5, 7
CUTKEYCOM	14
ENGSAF	14
KACHARGE	7, 13, 15
LOCKERMANAGER	16
MKCHARGE	7, 13, 14, 15
P1-0360	29
P1-0361	29
P1-0362	29
P1-0363	29
P1-0364	29
P1-0365	29
P1-0366	29
P1-0367	29
P1-0368	29
P1-0369	29
P1-0391	29
P1-0392	29
P1-0393	29
P1-0394	29
P1-0395	29
P1-0396	29
P1-0397	29

Item Code	Page No.
P7-0368	29
PADPRINT	18
PADPRINTSETUP	18
PROGREASE	5, 7, 13
PROSTART	5, 7
WP6	13

**mayo ecooffice**

MAYO GROUP ECO OFFICE

The Mayo Group (incorporating Mayo Healthcare and Mayo Hardware) recognises the need to respond to the issue of global warming and is committed to taking action to reduce our corporate footprint on the environment.

We have created an environmental awareness group to look at changes we can make to our office practices, daily routines and personal activities to make our company and our employee's more environmentally aware and responsible.

Below are just some of the initiatives implemented so far:

- ✓ A comprehensive recycling program for paper, cardboard, printer cartridges and other co-mingled recycling.
- ✓ Significantly reduced paper consumption by moving customers and suppliers onto electronic trading, double sided printing, and staff education about on screen editing.
- ✓ Benchmarked our carbon footprint from electricity consumption.
- ✓ Reduced power consumption through energy saving light globes and more efficient work practices.
- ✓ Switched part of our power over to Green Power accredited renewable energy sources.
- ✓ Ongoing education program to inform staff of ways to minimise their environmental impact in both their work practices and at home.




CUSTOMER SERVICE CONTACTS

Phone: 1300 360 211

Fax: 1300 360 484

Website: www.mayohardware.com.au

Orders: customerservice@mayohardware.com.au



MAYO HARDWARE BRANCHES

HEAD OFFICE

4 Secombe Place, Moorebank NSW 2170

VICTORIA

Units 2 & 3, 18-22 Lexia Place
MULGRAVE VIC 3170

QUEENSLAND

3/55-61 Holdsworth Street, COORPAROO QLD 4151

SOUTH AUSTRALIA

206 Gilles Street, ADELAIDE SA 5000

WESTERN AUSTRALIA

3/8 Belmont Avenue, BELMONT WA 6104

NEW ZEALAND

41A William Pickering Drive, ALBANY AUCKLAND 0632



AS/NZS ISO 9001:2008
P3 545106

The contents of this catalogue are the exclusive copyright of Mayo Hardware Pty Ltd and may not be reproduced without written permission. © Copyright 2012. Whilst every care was taken in preparation of this catalogue, Mayo Hardware Pty Ltd accepts no responsibility for the accuracy of the information supplied.