



mayohardware
supplier of value

PRODUCT & SERVICES CATALOGUE



SAFETY & SECURITY

edition **5-I**

mayohardware.com.au

Celebrating 92 YEARS of experience and service.

Dear Valued Customers

In 2018, we Mayo Hardware celebrated our ninety-year anniversary of successful trading since our grandfather Cecil Mayo's chance first meeting with the founder of Master Lock recognising the opportunity to market and sell those products in Australia. A lot has changed in that time, the company has grown and evolved to meet the ever-changing needs of the marketplace, but James and I are most proud that the relationship forged those 90 years ago remains true with Mayo's being the exclusive distributor of Master Lock products today!

We remain proud that as we grow, we endeavour to remain consistent with the core values of loyalty, teamwork, and customer service.

As we entered our tenth decade, we are grateful to our existing customers for being part of our journey and thank you for your ongoing support. Your trust in our service and products drives us to continue to innovate and challenge our way of thinking. As we strive to meet your needs, take note of your feedback, and mutually face the demands of an ever-changing business environment. Not only have you made us your supplier of choice you have also engaged with us to continually improve.


















We take this moment to thank you for your support over the years. We plan to keep our business partnerships growing by working together collaboratively. With your support, we can continue to grow our businesses together.



Sarah Mayo
CEO



James Mayo
Director

Charles Edmund Mayo commences trading as sole trader	1909	
Cecil E. Mayo Pty. Ltd. incorporated Master Lock relationship established	1928	 
JD Mayo joins the company	1945	
Tarpaulin business commenced	1982	
Citronella candles imported	1984	
James Mayo joins the company	1985	
Significantly increased warehouse capacity	2001	
Waxworks brand launched	2002	
Name change to Mayo Hardware Pty. Ltd.	2003	
NZ business commenced	2006	
Re-Launched the Mayo Hardware brand with the "supplier of value" tagline	2009	
Durashield brand launched	2011	
New head office & warehouse distribution centre	2013	
Acquired distribution of Sentry Safes and DEWALT workwear	2015	
Acquired distribution of Thermacell	2016	
Acquired distribution of DEWALT Pressure Washers & Generators	2017	
Mayo celebrates 90 years	2018	
Acquired distribution of Gorilla Glue & Tape, ATG Gloves	2019	 
Acquired distribution of Graham & Brown	2020	
Acquired distribution of Charlie Carp & Unilever Professional	2021	 

SAFETY LOCKOUT TAGOUT

09

INDUSTRIAL SECURITY


45



We understand that every business is different.

Mayo Hardware delivers the mining, power generation, manufacturing, food and beverage, utilities, transport and oil & gas industry customised lockout/tagout solutions that are designed to meet the specific needs of the site.

Let us help you develop a
**LOCKOUT/TAGOUT
SOLUTION** that works
best for your workplace.






SECURITY SOLUTIONS

Custom Built. Commercial Quality. Complete Security.

Our custom build capabilities allow us to create made-to-order security solutions for your unique challenges, with products that work.

Choose from a range of body widths and materials, shackle diameter and lengths, as well as multiple keying options to secure your property.



Who Has The Keys To Your Business?

The tools don't make the tradie, but it is impossible to do the job without them.

Replacing tools and equipment is disruptive, costly and stops you from getting the job done.

Nearly half of all metropolitan industrial and construction sites at some point are subject to theft - often because keys aren't controlled properly, making it very easy for thieves.

Mayo Hardware can provide an obligation free security assessment to find modern, cost effective ways to better protect your workplace - backed by Master Lock's Lifetime Warranty and full Locksmith service.

The Pro Series® range of padlocks from Master Lock comprehensively cover all corrosion and security requirements.

Pro Series® padlocks have extensive options for shackle heights, materials and full keying flexibility, including master keying and Master Lock EDGE™, our proprietary high security fully restricted key system.




RECOGNISED by key
partners for **EXCELLENCE**
in customer service,
innovation and growth.



Award Winning Service

Mayo Hardware is regularly recognised by key industrial partners and state industry associations for its excellence in customer service, innovation and growth. This is achieved through a culmination of market-leading brands supported by excellent customer service, and continually challenging ourselves and our partners to find better ways of doing things; to innovate, to question the status quo and to continually improve in order to provide better outcomes for our customers and end users.

SAFETY LOCKOUT TAGOUT



SAFESITE PROGRAM.....	11
SAFETY PADLOCK ORDERING PROCEDURES	12
KEYING OPTIONS	13
SAFETY PADLOCKS	14
PADLOCK ACCESSORIES & ID	17
LOCKOUT HASPS	19
ELECTRICAL LOCKOUT.....	20
VALVE LOCKOUT.....	25
CABLE LOCKOUT & GROUP LOCKOUT	29
LOCKOUT KITS	33
PADLOCK/LOCKOUT STATIONS.....	37
TAGS & TAG STATIONS.....	40
CONFINED SPACE CONTROL COVERS	44

Lockout / Tagout **SAFETY** solutions designed to **PROTECT** employees from risks.

DANGER

Never operate switch with door open.

Always use a properly rated voltage sensing device at line and load side fuses to confirm switch is off.

● Turn off power supplying switch doing any other work on or inside.

Failure to follow these instructions will result in or serious injury.

DANGER

DO NOT OPERATE

This lock/tag may only be removed by:

Name : _____

Dept. : _____

Expected Completion : _____

Master Lock. SAFETY SERIES™

Model No. 402A



Master Lock®

Master Lock is the global market leader in safety lockout/tagout solutions to mining, power generation, oil and gas, food and beverage, and manufacturing industries.

Master Lock safety padlocks and accessories are designed to protect employees from risks by ensuring that a piece of equipment cannot be inadvertently activated while someone is working on it.

The comprehensive Master Lock range includes: safety padlocks, hasps, tags, group lockout and specialty accessories.

THE SAFESITE PROGRAM BY MAYO HARDWARE INCLUDES:



Introduce Standardisation – Reduce Downtime – Increase Productivity
– Create Ownership – Safer People & Workplace

THE KEY TO WORKPLACE SAFETY

Implementing a lockout/tagout system does not have to be daunting and time consuming. The SafeSite Program by Mayo Hardware delivers industry leading lockout/tagout solutions with ease and efficiency.



LOCKOUT / TAGOUT


WHAT IS LOCKOUT/TAGOUT?

- Lockout/tagout is an important safety procedure that involves shutting off the power to industrial machines or equipment during maintenance or repair. This procedure protects employees from risks caused by power sources. Used properly in conjunction with a well-planned lockout process, safety padlocks help ensure that employees can not inadvertently activate a piece of equipment while someone else is working on it.
- 1 Employee / 1 Padlock / 1 Key – this means all employees carry a unique key and no one else's key can open another colleague's safety padlock.



SAFETY PADLOCK ORDERING PROCEDURES

IS YOUR CUSTOMER A REGISTERED END USER ON THE MASTER LOCK ORACLE KEY CHARTING SYSTEM?



REGISTERED END USER SPECIAL ORDERING REQUIREMENT

How do I Register my End User?

Simply arrange for your end user to complete the "MASTER LOCK KEY CHARTING REGISTRATION FORM" and forward with your official purchase order to Mayo Hardware Pty Ltd. A unique ID number will be assigned to your end user and sent via email to the nominated email address *(Please keep end user ID number on record for re-ordering purposes)*.

Re-ordering for a Registered End User:

Clearly identify on the purchase order the following information "REGISTERED END USER, <<INSERT COMPANY NAME, END USER ID NUMBER>>".

If you are placing an order for a Registered End User with an existing Master Key System, please include the Master Key Number on your order.

For additional information please contact your Mayo Hardware representative.

KEYING OPTIONS

▪ KEYED TO DIFFER (KD):


Each lock is opened by its own unique key that does not open any other lock in the set. Keyed to Differ is the standard keying on all Master Lock Safety Padlocks.

▪ KEYED ALIKE (KA):

This option provides the “same key” convenience and eliminates the need for multiple keys where numerous padlocks are used. Keyed Alike is ideal for situations where employees have more than one safety padlock.


▪ MASTER KEYED (MK):

In a Master Keyed System, a master key opens all the locks in the system although each lock has its own unique key. This permits overriding master key systems along departmental or other functional lines, to allow supervisory access.



SAFETY LOCKOUT PADLOCK MAINTENANCE

- Over time, dust, particles and chemicals in the air settle on and in the padlock. They can create friction inside the precision locking and keying components and impede the opening and closing of the padlock.
- Annual cleaning is recommended. In particularly dusty or corrosive environments clean every three months.
- Clean the padlock body, then use pressurised air to blow out dust.
- Apply a greaseless ‘dry’ lubricant such as Selleys Eze-Glide.
- A very light spray of lubricant is recommended. Do not apply a heavy coat. Less is better. Insert key, open and close padlock several times to distribute lubricant. Wipe excess off key.
- NEVER use an oil or graphite for lubricant. Oil attracts dust. Oil can also interfere with the movement of the pins in the locking mechanism. Graphite is often applied in excess, which then interferes with part movement. ONLY use a ‘dry’ lubricant for best results.
- Regular cleaning and lubrication of your safety padlock will extend and ensure years of long life.



Average Number Of Times Opened Per Day	Dry Lubricant Application Schedule (Normal Environment)
1 to 50	Once Per Year
51 to 100	Twice Per Year

SAFETY PADLOCKS

410 ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



- Tough, lightweight, dielectric Zenex™ body withstands chemicals and performs effectively in extreme conditions.
- 6mm metal shackle for corrosion resistance.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on “Danger” and “Property of” labels in English, French and Spanish.
- Laser engrave on up to 4 sides.

Item Code	Description	Carton Qty	Shackle Opening Height(mm)	Shackle Dia.(mm)
0410	Keyed Different	6	38mm	6mm
0410LT	Keyed Different – Extra Length Shackle	6	76mm	6mm
0410KA	Keyed Alike	6	38mm	6mm
0410KALT	Keyed Alike – Extra Length Shackle	6	76mm	6mm
0410MK	Keyed Different – Master Keyed	6	38mm	6mm
0410KAMK	Keyed Alike – Master Keyed	6	38mm	6mm



- Eight colour options for easy padlock identification. Add desired colour suffix to the end of the item code.



406 ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



- All components are non-magnetic plastic, copper and brass.
- Ideal for electrical lockout, confined spaces and mining.
- Tough, lightweight, dielectric Zenex™ body withstands chemicals and performs effectively in extreme conditions.
- Nylon shackle withstands over 136kg pull.
- Key-retaining ensures padlocks are not left unlocked.
- Includes write-on “Danger” and “Property of” labels in English, French and Spanish.
- Laser engrave on up to 4 sides.

Item Code	Description	Carton Qty	Shackle Opening Height(mm)	Shackle Dia.(mm)
0406	Keyed Different	6	38mm	6mm
0406KA	Keyed Alike	6	38mm	6mm
0406MK	Master Keyed	6	38mm	6mm
0406KAMK	Keyed Alike – Master Keyed	6	38mm	6mm



- Eight colour options for easy padlock identification. Add desired colour suffix to the end of the item code.




S31 COMPACT ZENEX™ THERMOPLASTIC SAFETY PADLOCKS



- Marine grade 316 stainless steel shackle provides superior corrosion resistance.
- 4.76mm shackle fits smaller lockout points.
- Durable padlock weighs just 76g, making it easy to carry more.
- Tough, lightweight, dielectric Zenex™ body withstands chemicals and performs effectively in extreme conditions.
- Key-retaining ensures padlocks are not left unlocked. (non-key retaining model available by special order if required).
- Includes write-on “Danger” and “Property of” labels in English, French and Spanish.
- Laser engrave on up to 4 sides.
- Padlock supplied with a weather tough cover that seals at the shackle and keyway keeping out dust, dirt and grime.

Item Code	Description	Carton Qty	Shackle Opening Height(mm)	Shackle Dia.(mm)
S31	Keyed Different	6	38mm	4.76mm
S31KA	Keyed Alike	6	38mm	4.76mm
S31MK	Master Keyed	6	38mm	4.76mm
S31KAMK	Keyed Alike – Master Keyed	6	38mm	4.76mm
S30COVERS	Weather Tough Cover For S31/ S32/ S33 – 72pk	-	-	-



- Nine colour options for easy padlock identification. Add desired colour suffix to the end of the item code.



WEATHER TOUGH SAFETY PADLOCK COVERS



S30COVERS

- Durable weather tough covers seal at the shackle and keyway keeping out dust, dirt and grime.
- Suitable for Master Lock S31 safety padlocks.

Item Code	Description	GTIN	Carton Qty
S30COVERS	Weather Tough Covers Suit S31 Padlocks	071649168888	72

SAFETY PADLOCKS

S1100 ANODISED ALUMINIUM PADLOCKS




S1105

S1106

S1107

- Anodised finish suitable for use in food processing facilities.
- 38mm wide anodised aluminum body with 6mm diameter chrome plated, boron alloy shackle.
- Three shackle lengths available.
- Combines high visibility colours with high security.
- Corrosion resistant finish for tough environments.
- Laser engrave on up to four sides.

Item Code	Description	Carton Qty	Shackle Opening Height(mm)	Shackle Dia.(mm)
S1105	Keyed Different	6	25	6
S1106	Keyed Different - Extra Length Shackle	6	38	6
S1107	Keyed Different - Extra Length Shackle	6	76	6
S1105KA	Keyed Alike	6	25	6
S1106KA	Keyed Alike - Extra Length Shackle	6	38	6
S1107KA	Keyed Alike - Extra Length Shackle	6	76	6
S1105KAMK	Keyed Alike Master Keyed	6	25	6
S1106KAMK	Keyed Alike Master Keyed - Extra Length Shackle	6	38	6
S1107KAMK	Keyed Alike Master Keyed - Extra Length Shackle	6	76	6



- Nine colour options for easy padlock identification. Add desired colour suffix to the end of the item code.



PHOTO IDENTIFICATION PADLOCK LABELS



- Identification labels allow you to permanently personalise the safety padlocks in your facility to make the user immediately recognisable.
- Supplied as a laminated pocket.
- User seals picture of the employee under the laminate.

Item Code	Description	GTIN
S142	Photo ID Labels For S31, S32, S33, 406 & 410 (6pk)	071649160356
6835-5700	Photo ID Labels For A1100 (6pk)	071469207730

LASER ENGRAVING




- Laser engraving permanently marks your safety padlocks so that important information needed for your business is always visible.
- Mayo Hardware can laser engrave your safety padlocks within five working days.
- Engrave your company name and logo to reduce padlock theft, key number to increase key selection speed or employee name to identify padlock owner.

Item Code	Description
ENGSAF	In-House Laser Engraving – Safety Lockout

Note: For all engraving orders, please ensure a completed engraving spreadsheet accompanies your purchase order. Contact your Mayo Hardware representative for more details.

SAFETY PADLOCK ACCESSORIES




- Chains keep padlocks close to equipment requiring safety lockout.
- Chain attaches to safety padlocks with shackle collars.

Item Code	Description	GTIN
0071CS	Steel Chain – 22.9cm Long, Light Weight Zinc Plated: Fits All Master Lock Shackle Collars (Sold Separately) (12Pk)	071649510007
0071CH	Steel Chain – 22.9cm Long, Heavy Duty Zinc Plated: Fits All Master Lock Shackle Collars (Sold Separately) (12Pk)	071649510106
0071SC8	Shackle Collar – Fits 6.35mm Diameter Shackles And Smaller; For 410, 411, & A1100 Safety Padlocks	071649510304

PADLOCK & ISOLATION POINT ID

CUSTOM TRAFFOLITE LABELS & TAGS



- Durable traffolite material can be laser engraved and cut to a variety of shapes and sizes.
- Ideal for projects that require long-term durability, wear, impact and fade resistance as well as cleanability.
- A range of contrasting colours available.

Item Code	Description
TL1	Traffolite Adhesive Engraved 25 x 30.5mm
TL2	Traffolite Adhesive Engraved 73 x 36mm
TL3	Traffolite Adhesive Engraved 109 x 66mm
TT1	Traffolite Non-Adhesive Engraved 25 x 30.5mm
TT2	Traffolite Non-Adhesive Engraved 73 x 36mm
TT3	Traffolite Non-Adhesive Engraved 109 x 66mm

Contact your Mayo Hardware representative for more information on Custom Traffolite Labels & Tags. Other sizes available on request.

RFID ISOLATION POINT LABELLING



- Wide range of LF, HF and UHF RFID tags available.
- Integrate into your electronic permit to work systems.
- Increase efficiencies by ensuring the correct isolation point is selected and locked off.
- Available in a range of shapes and sizes best suited to your application.
- Can be supplied engraved.

Contact us for more information on how RFID isolation point labelling can work with your lockout and permit to work system.

SAFETY LOCKOUT HASPS



0416

0417

0420

0421

- Attach hasp to energy disconnect switch.
- Designed for multiple worker lockout.
- Keeps equipment inoperative while maintenance or repairs are being undertaken.
- Multiple styles available to fit most needs including spark resistant aluminium, dielectric plastic, dual jaw aluminium and stainless steel.



S430



0418



0419



0427



0428



0429

Item Code	Description	GTIN	Carton Qty	Inside Jaw Diameter	Padlock Capacity
0416	Aluminium Hasp 25mm	071649216602	12	25mm	6
0417	Aluminium Hasp 38mm	071649216619	12	38mm	6
0418	Heavy Duty Steel Hasp – 4 Lock	071649216626	12	25mm	4
0419	Heavy Duty Steel Hasp – 8 Lock	071649217180	12	25mm	8
0420	Steel Hasp 25mm	071649442407	12	25mm	6
0421	Steel Hasp 38mm	071649613876	12	38mm	6
0427	Aluminium Snap On Hasp – Red	071649216787	6	44 x 54mm	5
0428	Nylon Hasp	071649218293	12	25 x 63mm	6
0429	Dual Jaw Aluminium Hasp	071649218309	12	44 x 54mm	8
S430	4mm Shackle Hasp	3520190933232	12	25mm	2
S440B*	Aluminium Hasp – 12 Hole	071649257858	6	27mm	12
S450B*	Aluminium Hasp – 24 Hole	071649257841	6	27mm	24



S440B



S450B

* Non Master Lock products

ELECTRICAL LOCKOUT

GRIP TIGHT™ PLUS CIRCUIT BREAKER LOCKOUTS



S3821



S3822



- Compatible with a wide variety of circuit breaker handles.
- Lightweight one-piece design for easy carrying, storage and use.
- No tools required for installation.
- Durable thermoplastic and nylon construction with stainless steel components for durability in harsh environments.
- Efficient and easy to use.
- Accept all Master Lock safety padlock shackle and lockout hasp diameters.



S3823



Item Code	Description	GTIN	Carton Qty
S3821	Grip Tight™ Plus Miniature Circuit Breaker Lockout	071649335679	6
S3822	Grip Tight™ Plus Moulded Case Circuit Breaker Lockout	071649335686	6
S3823	Grip Tight™ Plus Oversized Handle Circuit Breaker Lockout	071649335693	6

GRIP TIGHT™ CIRCUIT BREAKER LOCKOUTS



0493B



0491B

- Secure and simple mounting for a solid lockout. Grips tight with simple thumb turn and clamping handle.
- Exclusive design accommodates virtually all styles of breaker toggles.
- Narrow profile permits side-by-side breaker lockout.
- Compact devices are easy to carry and easy to store.
- Devices accept all Master Lock safety padlock shackle and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

Item Code	Description	GTIN	Carton Qty
0491B	Grip Tight Circuit Breaker Lockout – Tall & Wide Toggles	071649229718	6
0493B	Grip Tight Circuit Breaker Lockout – Standard Single & Double Toggles	071649229725	6
0506	Set Of Each Device – 1 x 0491B and 1 x 0493B	071649229732	6


MINIATURE CIRCUIT BREAKER & FUSE LOCKOUTS



- Effectively lockout miniature circuit breakers and fuse holders.
- The miniature circuit breaker lockouts are quick and easy to apply.
- Works with all Master Lock safety padlocks and lockout hasps.



S2390



S2391



S2392



S2393



S2394

Item Code	Description	GTIN	Carton Qty
S2390	Miniature Circuit Breaker Lockout <11mm	071649096136	144
S2391	Miniature Circuit Breaker Lockout 11mm-13mm	071649096297	144
S2392	Miniature Circuit Breaker Lockout With Pin-In Toggles	071649140877	144
S2393	Universal Miniature Circuit Breaker Lockout	071649140860	144
S2394	Miniature Circuit Breaker Lockout Universal – Tool Free	071649198809	144
CBL-2*	Circuit Breaker Lockout – Small	9316861179788	1
FL1*	Fuse Blocker Lockout	9316861008774	1

* Non Master Lock products



CBL-2



FL1

CIRCUIT BREAKER SWITCH PADLOCK



0007C5RED

- 5mm diameter cable shackle allows padlock to properly lock all types of circuit breaker lockout devices.
- Flexible cable allows the compact lock body to be positioned so that the control panel door closes properly.
- Fits the tight space constraints within circuit breaker shutoff boxes.
- Numerous key changes are available to minimise the possibility of unwanted key duplication.

Item Code	Description	GTIN	Carton Qty
0007C5RED	Circuit Breaker Switch Padlock	071649213809	6

ELECTRICAL LOCKOUT

UNIVERSAL WALL SWITCH LOCKOUT



0496B

- Patent-pending design ensures switch can be locked on or off.
- Hinges open for unobstructed normal operation of switch.
- Includes English/Spanish and English/French labels.



Toggle Switch



Paddle Switch



Item Code	Description	GTIN	Carton Qty
0496B	Universal Wall Switch Lockout	071649225550	6

ROTATING ELECTRICAL PLUG LOCKOUTS



0487



- Surrounds the electrical plug preventing accidental reconnection.
- Rotating design allows for easier installation in applications with restricted space.
- Tough, lightweight, dielectric Zenex™ thermoplastic body withstands chemicals and performs effectively in extreme conditions (temperature range -46°C to +177°C).
- Complete with highly visible permanent safety labels (English, French and Spanish). Labels can be written on to identify the responsible person, then erased for the next job.



0488

Item Code	Description	GTIN	Carton Qty	Dimensions
0487	Plug Lockout Small – 120 & 240 Volt Plugs	071649216794	6	100 x 110 x 70mm
0488	Plug Lockout Large – 240 & 250 Volt Plugs	071649216800	6	190 x 130 x 90mm

PUSH BUTTON & ROTARY SWITCH COVERS



S2151



S2153



- S2151 includes one cover, one new install base and one retrofit base with double-sided adhesive tape.
- S2152AST includes 12 new install bases, allowing one S2151 to service multiple switches.
- S2153 is fixed in place to ensure instant availability.
- Fits both 30.5mm and 22.5mm diameter switches.
- Clear base and cover allows visibility of nameplates and labels.
- Horseshoe-shaped retrofit base allows use with raised nameplates and off-centre installation to accommodate rotary switch knobs.
- Accommodates buttons up to 50mm diameter and 45mm tall.

Item Code	Description	GTIN	Carton Qty
S2151	Removable Push Button Cover	071649170980	6
S2152AST	Pack of 12 Bases For S2151	071649170997	24
S2153	Fixed Push Button Cover	071649171000	6
S2154AST	Pack of 12 Adhesive Bases For S2151	071649179921	24

OVERSIZED PLUG & HOIST CONTROL COVERS



- Flexible and durable rip-stop nylon bag can be rolled up or folded for easy storage in safety tool boxes.
- Lockout with up to six padlocks or hasps.
- Offers broad application solutions.

Item Code	Description	GTIN	Carton Qty	Dimensions
0453L	Large Nylon Oversized Plug & Control Lockout	071649225420	6	158 x 431mm
0453XL	Extra Large Nylon Oversized Plug & Control Lockout	071649100543	6	254 x 660mm

PNEUMATIC LOCKOUT

PNEUMATIC LOCKOUT



- Prevents pneumatic fitting from being connected to pressurised air sources.
- Fits virtually all male pneumatic fittings found in manufacturing facilities.
- Stainless steel construction for corrosion resistance.
- Works with all Master Lock safety padlocks and lockout hasps.

Item Code	Description	GTIN	Carton Qty	Dimensions
S3900	Stainless Steel Pneumatic Lockout	071649239649	6	35 x 197 x 3mm

PRESSURISED GAS VALVE LOCKOUT



- Surrounds the valve operating handle to protect against accidental valve opening.
- Design works with valve guard in place.
- Fits virtually all pressurised valves up to 76mm diameter.
- Compact size is easily stored when not being used.
- Includes danger labels in English, French and Spanish.

Item Code	Description	GTIN	Carton Qty
S3910	Pressurised Gas Valve Lockout	071649088612	6

ADJUSTABLE BALL VALVE LOCKOUT



- Easy to use device prevents accidental activation of a closed ball valve.
- Adjustable design fits 12.7mm to 50.8mm valves.
- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments.
- Removable insert accommodates a wide range of handle designs and dimensions.
- Can be used in conjunction with a S806 cable lockout device for the most secure fit.

Item Code	Description	GTIN	Carton Qty
S3080	Adjustable Ball Valve Lockout	071649188008	6

VALVE LOCKOUT

SEAL TIGHT™ BALL VALVE LOCKOUT



- Clamps tight on handle stop to prevent handle movement.
- Fits a wide range of ball valve sizes (6.35mm to 100mm).
- Works on insulated pipes and in close quarters.
- Durable aluminium and steel construction defies corrosive environments and temperatures up to 532°C.
- Lightweight and compact for easy carrying and storage.
- Includes danger labels in English, Czech, French, Spanish, Flemish/Dutch, German, Italian, Japanese, Mandarin Chinese, Polish and Portuguese.

Item Code	Description	GTIN	Carton Qty
S3068	Seal Tight Handle-On Lockout	071649130021	6

STEEL BALL VALVE LOCKOUTS



S3476



S3477

- Heat resistant powder-coated steel body.
- Two sizes to fit most valves.
- Easy to use, single piece design locks ball valves in the 'off' position.
- Compact size easily stored when not being used.
- Two rows of lockout points for more accuracy.

Item Code	Description	GTIN	Carton Qty
S3476	Handle-On Lockout – Fits 6-25mm	3520190933256	6
S3477	Handle-On Lockout – Fits 32-76mm	3520190933263	6

HANDLE-OFF SEAL TIGHT™ BALL VALVE LOCKOUT



- Device encloses the valve stem with the handle removed to make accidental reactivation virtually impossible.
- Works in almost all valve installations – metal and PVC valves, insulated pipes, pipes mounted close to the wall or ceiling, and valves with tight access due to close proximity of other valves or pipes.
- Lightweight, flexible device is easily carried to the job and then folded for compact storage in safety toolboxes.
- Includes write-on labels in English, French and Spanish.
- Constructed of durable PVC polyester fabric and HDPE plastic. The Seal Tight™ Valve Lockout withstands corrosive environments and operates in temperature extremes from -40°C to 121°C.

Item Code	Description	GTIN	Carton Qty
0468L	Seal Tight™ Handle-Off Lockout	071649229749	6

BUTTERFLY VALVE LOCKOUT



S3920



S3921

- Durable, lightweight thermoplastic material is chemical resistant and performs effectively in extreme environments.
- Stainless steel rivet allows device to smoothly pivot open and closed to ensure proper fit.
- Adjustable design fits the majority of butterfly valves.
- Directional application arrows allow for ease of installation and minimise user error.
- Compact design allows device to be applied in tight applications.

Item Code	Description	GTIN	Carton Qty
S3920	Butterfly Valve Lockout Without Cable	071649188008	24
S3921	Butterfly Valve Lockout With 4 x 900mm Cable	071649198441	24

VALVE LOCKOUT

ROTATING GATE VALVE LOCKOUTS



- Tough lightweight, dielectric Zenex™ thermoplastic bodies withstand chemicals and perform effectively in temperature extremes from -46°C to +177°C.
- Surrounds the valve operating handle to protect against accidental valve opening.
- Unique, rotating design allows for easier installation in applications in restricted spaces.
- Centre knockout can be removed for rising stem gate valves.
- Each size rotates into itself and nests within the next larger size to save space while in storage.
- Multiple workers can apply their safety padlocks.
- Complete with highly visible permanent safety labels (English, French and Spanish) that can be written on to identify the responsible person, then erased for the next job.

Item Code	Description	GTIN	Carton Qty
0480	Fits 25mm-76mm Diameter Valve Handles	071649216732	6
0481	Fits 50mm-127mm Diameter Valve Handles	071649216749	6
0482	Fits 101mm-165mm Diameter Valve Handles	071649216756	6
0483	Fits 152mm-254mm Diameter Valve Handles	071649216763	6
0484	Fits 203mm-330mm Diameter Valve Handles	071649216770	6
0485	Set Of 5 (0480-0484)	071649218668	1

BLIND FLANGE LOCKOUTS



- Adjustable device provides secure fit on a variety of flange widths.
- Fully conceals flange bolts preventing access to blind till work complete.
- Four lockout holes for multiple workers.
- Durable powder-coated aluminium and hardened steel construction withstands conditions indoors and out.
- Three sizes available to cover and lockout nuts ranging from 19mm to 69mm diameter.

Item Code	Description	GTIN	Carton Qty
S3922	Blind Lockout Device Small – Suit 19-29mm Nut Dia.	071649274374	6
S3923	Blind Lockout Device Medium – Suit 33-48mm Nut Dia.	071649274381	6
S3924	Blind Lockout Device Large – Suit 52-69mm Nut Dia.	071649274398	6

RETRACTABLE CABLE LOCKOUTS



- Rugged Zenex™ thermoplastic housing stores unused cable, making the device more manageable – whether in use or in storage.
- Ergonomic take-up wheel retracts the cable and deep pockets allow for easy operation, even with gloves.
- Four lockout holes for multiple workers
- 2.7m colour coded cable for easy identification and improved visibility in the work environment.
- Red steel core cable for general applications.
- Yellow nylon core cable for dielectric applications.
- Colour coded labels allow users to quickly identify the devices designed for general or electrical applications.
- Internal ratcheting mechanism allows users to add tension, even after safety padlocks have been applied.

Item Code	Description	GTIN	Carton Qty
S856	Retractable Cable Lockout 2.7m x 3.3mm Steel Core	071649299568	6
S866	Retractable Cable Lockout 2.7m x 3.3mm Nylon Core	071649299650	6
PKGP52709	Replacement Cable 2.7m x 3.3mm Steel Core (Suits S856)	071649301650	12
PKGP52711	Replacement Cable 2.7m x 3.3mm Nylon Core (Suits S866)	071649301667	12

CABLE LOCKOUTS



- Integrated safety hasp and cable is ideal for multiple circuit breaker panel and side-by-side gate valve lockouts.
- Tough lightweight thermoplastic body withstands chemicals and performs effectively in extreme conditions (-47°C to +149°C).
- Tough, flexible multi-stranded steel cable is insulated with a clear plastic coating.
- Feed the cable through the points to be locked out, and then back through the lockout body. Cinch it tight to remove any slack with the patented locking feature.
- Other cable lengths available on request.

Item Code	Description	GTIN	Carton Qty
S806	Adjustable Cable Lockout 1.8m x 4mm	3520190934970	6
S806CBL3	Adjustable Cable Lockout 900mm x 4mm	071649147715	6
S806CBL15	Adjustable Cable Lockout 4.5m x 4mm	071649147715	6

GROUP LOCKOUT

PORTABLE GROUP LOCK BOXES WITH WINDOW



- 430-grade stainless steel construction maximises corrosion resistance.
- Clear, impact-resistant window provides visibility to secured keys.
- Side window to view unused locks (S601).
- 18 numbered lockout holes for easy lock identification.
- Latch with lock hole on front for supervisor lock.
- Flanged design on sides offers easy application of locks.
- Drain holes on bottom to limit liquids from accumulating inside.
- Gasketed key slot to drop keys into removable cup.
- Stackable design facilitates storage and simplifies transporting multiple boxes.

Item Code	Description	GTIN	Carton Qty	Dimensions
S601	Group Lock Box w/ Window 30 Lock Capacity	071649290114	1	144 x 286 x 163mm
S602	Group Lock Box w/ Window 55 Lock Capacity	071649290121	1	203 x 286 x 163mm

LATCH TIGHT™ GROUP LOCK BOXES



- Secure each lockout point on a piece of equipment with a single padlock. Place the keys in the group lock box and then each authorised employee places their personal padlock on the lock box.
- When work is complete, each employee takes their personal padlock off the lock box, freeing the keys inside.
- All Master Lock group lock boxes feature an exclusive, Latch Tight locking mechanism that prevents keys from being accessed until the last employee removes their padlock.
- Durable powder coated finish with stainless steel handle.
- 0498A is a portable solution. Available in red, it accepts 12 padlocks or hasps.
- 0503RED and 0503YLW can be mounted or carried from job to job and accept 14 padlocks or hasps.

Item Code	Description	GTIN	Carton Qty	Dimensions
0498A	Portable Group Lock Box	071649218415	1	152 x 235 x 95mm
0503RED	Group Lock Box – Red	071649227745	1	324 x 89 x 162mm
0503YLW	Group Lock Box – Yellow	071649227752	1	324 x 89 x 162mm

WALL MOUNT GROUP LOCK BOX



- 430-grade stainless steel construction with red powder coating offers increased durability and corrosion resistance.
- 15-lock internal storage capacity.
- Locking mechanism allows box to be locked to a wall bracket, preventing unwanted removal.
- Rewritable tags on lock box and bracket help verify the status of group lockouts.
- Four key hooks to keep keys visible.
- Clear, impact-resistant window provides line of sight to secured keys.
- Eight lockout holes for multiple personal padlocks or hasps.
- Carry handle enables easy portability.
- Drain holes in bottom of the lock box limits accumulation of liquid and moisture inside.

Item Code	Description	GTIN	Carton Qty	Dimensions
S3650	Wall Mount Portable Group Lock Box	071649318719	1	175 x 212 x 100mm

STEERING WHEEL COVERS



- Two sizes available for various wheel diameters.
- Trilingual warning notifies employees not to start or move vehicle.
- Lock in place with a 0421 hasp and safety padlock.
- For added security, use a Master Lock S806 lockout cable around steering wheel and foot pedals.

Item Code	Description	GTIN	Carton Qty
4716 *	406mm Diameter Steering Wheel Cover	071649225291	6
4720 *	508mm Diameter Steering Wheel Cover	071649225307	6
4724 *	609mm Diameter Steering Wheel Cover	071649225314	6

* Non Master Lock products



4724



4720



4716

GROUP LOCKOUT

GROUP LOCKOUT & PERMIT CONTROL STATION



S3500

S3501

S3502

- 430-grade stainless steel construction maximises corrosion resistance.
- A single location to display and protect paperwork and padlocks for group lockout.
- Modular design allows endless options for placement and use.
- Can be fixed to wall, or used as portable.
- Impact-resistant polycarbonate windows make it easy to view permits, procedures, padlocks or secured key(s) inside.

PERMIT DISPLAY CASE

- Carry handle enables easy portability when not wall mounted.
- Tension clip holds multi-page permits or procedures securely in place.
- Rewritable tag provides area to write temporary, job-specific information.
- Closed-cell rubber (EPDM) gasket protects paperwork from water damage in outdoor applications or during wash downs.

GROUP LOCK BOX

- Latch hole creates identifiable, designated place for control or operations lock.
- 12 flanged and numbered lock holes for easy lock on and identification of locks.
- Removable key cup captures key(s) inserted through the key slot and allows for easy retrieval of key(s).
- Key slot allows equipment key(s) to be added after the lockout has been initiated.
- Removable lock caddy helps transport up to 12 equipment locks to energy isolation points.
- Key hooks display equipment key(s) individually during lockout.

Item Code	Description	GTIN	Carton Qty	Dimensions
S3500	Permit Control Station Complete (S3501 & S3502)	071649301537	1	787 x 308 x 119mm
S3501	Permit Display Case	071649299810	1	440 x 308 x 57mm
S3502	Wall Mount Group Lock Box	071649299827	1	347 x 308 x 119mm

PERMIT HOLDER



PH1

- Heavy duty PVC is strong and durable.
- Hook and loop top ensures water, dirt and grime is kept out.
- Reflective strap on both sides.
- Eyelets to hang from machinery.
- Ideal for storing permits and isolation documents, fits A4.
- Apply safety padlock to lock permit and key inside.
- Other colours available on request, MOQs apply.

Item Code	Description	GTIN	Carton Qty	Internal Storage Area (H x L)
PH1*	Permit Document Holder – Yellow	9316861183136	100	355 x 225mm

* Non Master Lock product

CUSTOM LOCKOUT KITS

- Customise lockout kits to meet the specific safety lockout needs of each end user.

1. SELECT A POUCH OR TOOLBOX



SAFETypoUCH



1456



S1010



S1017



1458

2. SELECT SAFETY PADLOCKS



0410



0406



S31

PADLOCK
ENGRAVING
AVAILABLE

3. SELECT LOCKOUT/TAGOUT ACCESSORIES



Hasps & Tags



Electrical Lockout



Valve Lockout



Multi-Point Lockout &
Group Lockout

– Contact your Mayo Hardware representative for more information on Custom Lockout Kits. –

LOCKOUT KITS

MINI LOCKOUT POUCHES



- Safety lockout pouch holds up to six padlocks.
- Clear PVC anti-cracking window ideal for identification tag.
- Hook and loop closure with quick release buckle.
- Compact lockout pouch features hook and loop straps on back allow pouch to be easily applied or removed from a belt.
- Two standard kits available, or ask your Mayo Hardware representative to "Build Your Own Kit".



S1010



KEYCHAIN



14556

Item Code	Description	Carton Qty
PEKS31REDKA6	Contains: 6 x S31 Padlocks Keyed Alike, 1 x 0420 Hasp, 1 x Retractable Key Chain	1
SAFETypoUCH	Safety Padlock Pouch (Unfilled)	1
S1010	Compact Lockout Pouch (Unfilled)	1
KEYCHAIN	Retractable Key Chain	1
1456	Zippered Pouch (Unfilled)	1

PERSONAL LOCKOUT POUCH KITS



1456P410KA

- Zippered pouch is easy to carry or wear with adjustable waist/shoulder strap.
- Two standard kits available, one designed with an electrical focus, the other for general maintenance, or ask your Mayo Hardware representative to "Build Your Own Kit".

Item Code	Description	Carton Qty
1456E410	Electrical Lockout Focus. Contains: 1 x Padlock, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 2 x 0493B Circuit Breaker Lockouts, 1 x 0491B Circuit Breaker Lockout and 1 x 0497A (12/pack) Do Not Operate Tags	1
1456P410KA	Padlocks & Tags. Contains: 3 x Padlocks Keyed Alike, 1 x 0420 Hasp and 1 x 0497A (12/pack) Do Not Operate Tags	1

PERSONAL LOCKOUT KITS



1457E410KA



1457V410KA



1457VE410KA

- Safety lockout carry case keeps lockout devices and padlocks together.
- Kits include high-use components, satisfying most lockout applications.
- Personal kits are for an individual worker; padlocks are supplied keyed-alike for added worker convenience.
- Three standard kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices.

Item Code	Description	Carton Qty
1457E410KA	Electrical Lockout Focus. Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate Tags	1
1457V410KA	Valve Lockout Focus. Contains: 3 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 1 x 0497A (12/pack) Do Not Operate Tags	1
1457VE410KA	Electrical & Valve Lockout Focus. Contains: 3 x Padlocks, 1 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 3 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 1 x 0496B Universal Wall Switch Lockout and 1 x 0497A (12/pack) Do Not Operate tags	1
S1017	Toolbox, Unfilled – 420 x 230 x 216mm	1
S1023	Toolbox, Unfilled – 571 x 254 x 254mm	1

- Custom lockout kits available, Contact your Mayo Hardware representative for more details. -

LOCKOUT KITS

GROUP LOCKOUT KITS



1458E410

- Lightweight safety lockout carry case (381 x 241 x 178mm) with modular, translucent storage compartments for improved organisation and fast component selection.
- Separate compartments for effective grouping of (1) padlocks & hasps, (2) valve lockouts and (3) electrical lockout components.
- Group kits are for multiple workers; padlocks are supplied keyed-different to ensure that no employee can open a colleague's padlock.
- Three kits available, one designed with an electrical focus, one with a valve focus and one combining both electrical and valve lockout devices.



1458V410



1458VE410

Item Code	Description	Carton Qty
1458E410	Electrical Lockout Focus. Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0487 & 1x 0488 Plug Lockouts, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1
1458V410	Valve Lockout Focus. Contains: 6 x Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate tags	1
1458VE410	Electrical & Valve Lockout Focus. Contains: 6 x Padlocks, 2 x 0007C5RED Breaker Switch Padlock, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0487 & 1 x 0488 Plug Lockouts, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts 6 x 0493B Circuit Breaker Lockouts, 3 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate tags	1
1458	Carry Case, Unfilled – 381 x 171 x 241mm	1

- Custom lockout kits available, Contact your Mayo Hardware representative for more details. -

PADLOCK STATIONS



1484BP410

- Integrated, one-piece moulded construction eliminates loose parts.
- Resilient polycarbonate material provides incredible heat resistance and impact strength.
- Exclusive translucent cover protects contents.
- Lockable to prevent loss of valuable safety padlocks.
- Secure with a combination lock for simple access control (sold separately).
- Innovative hinge holds cover open for easy product selection.



1482BP410



1483BP410

Item Code		Description	Carton Qty
With Accessories	Without Accessories		
1482BP410	1482B	4 Lock Station. Contains 4 x Padlocks, 2 x Lockout Hasps, 12 x Do Not Operate Danger Tags (1pk)	1
1483BP410	1483B	10 Lock Station. Contains 10 x Padlocks, 2 x Lockout Hasps, 24 x Do Not Operate Danger Tags (2pk)	1
1484BP410	1484B	20 Lock Station. Contains 20 x Padlocks, 4 x Lockout Hasps, 48 x Do Not Operate Danger Tags (4pk)	1

HEAVY DUTY PADLOCK RACKS



S1506

S1518

- Heavy gauge steel with durable powder coated finish ensures long life.
- Includes labels in English, Spanish/English and French/English.
- Safety padlocks sold separately.

Item Code	Description	GTIN	Carton Qty
S1506	Heavy Duty Padlock Rack – 6 Padlocks	071649239670	1
S1518	Heavy Duty Padlock Rack – 18 Padlocks	071649239687	1

PADLOCK CADDY




- Ideal for storing padlocks near lockout points or can be conveniently carried.
- Holds up to 12 padlocks (sold separately).
- Key chain/lanyard included.

Item Code	Description	GTIN	Carton Qty
S125	Padlock Caddy	071649118869	24

LOCKOUT STATIONS


DELUXE LOCKOUT STATION




- Durable construction ensures long life in your facility.
- Covered compartments protect devices and keep dust and grime out.
- Upper and lower sections lockable to ensure devices are there when needed for lockout. Add a combination lock for simple access control.
- 16 hanger clips hold 2 padlocks or lockout hasps each.
- Moveable dividers in top and bottom trays help organise devices.
- Holes provided along the bottom for optional peg hook hangers to hang large, bulky devices.

Item Code		Description	Carton Qty
With Accessories	Without Accessories		
S1900VE410	S1900	Contains: 6 x 0410 Padlocks, 2 x 0420 Hasps, 1 x 0427 Hasp, 1 x S806 Adjustable Cable Lockout, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481, 1 x 0482 & 1 x 0483 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts, 6 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockouts, 2 x 0496B Universal Wall Switch Lockouts and 2 x 0497A (12/pack) Do Not Operate Tags.	1

LOCKOUT STATIONS



S1850E410



S1850V410

Item Code		Description	Carton Qty
With Accessories	Without Accessories		
S1850E410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 0488 Plug Lockout, 4 x 0493B Circuit Breaker Lockouts, 2 x 0491B Circuit Breaker Lockout, 2 x 0496B Universal Wall Switch Lockout and 2 x 0497A (12/pack) Do Not Operate Tags.	1
S1850V410	S1850	Contains: 6 x 0410 Padlocks, 1 x 0420 Hasp, 1 x 0427 Hasp, 1 x 0488 Plug Lockout, 1 x 0480, 1 x 0481 & 1 x 0482 Gate Valve Lockout, 1 x 0468L and 1 x S3068 Ball Valve Lockouts and 2 x 0497A (12/pack) Do Not Operate Tags.	1

COMPACT LOCKOUT STATIONS



S1705P410



S1720E410

- Compact lockout stations hold machine specific lockout devices and padlocks near lockout point.
- Four hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English, or French/English.
- Available filled or unfilled.
- Measures 248 x 197 x 86mm.



S1700



S1745E410

Item Code		Description	Carton Qty
With Accessories	Without Accessories		
S1705P410	S1700	Contains: 1 x 0410 Padlock, 1 x 0421 Hasp, and 1 x 0497A (12/pack) Do Not Operate Tags.	1
S1720E410	S1700	Contains: 2 x 0410 Padlocks, 2 x 0420 Hasps, 2 x 0491B & 2 x 0493B Circuit Breaker Lockouts and 1 x 0497A (12/pack) Do Not Operate Tags.	1
S1745E410	S1700	Contains: 1 x 0410 Padlocks, 1 x 0488 Plug Lockout and 1 x 0497A (12/pack) Do Not Operate Tags.	1

TAGS – REUSABLE

GUARDIAN EXTREME™ TAGS

- Made from rugged industrial grade polypropylene, Guardian Extreme™ tags are designed to withstand the most demanding conditions.
- Tags withstand over 30 chemicals and resist UV radiation, grease, oil, humidity and frequent wash downs.
- Re-usable, tags can be written on and erased.
- Six tags per pack.
- Tags manufactured from metal detectable material also available, ideal for food processing plants.



S4002

S4036

S4054

GUARDIAN EXTREME™ CUSTOM TAGS

- Enhance your safety message with custom (S90001) and photo ID (S90001PH) tags (minimum order quantities apply).
- Tags can include any image, graphic, colour photo, text, colour, logo or drawing.

S90001
(Example)S90001PH
(Example)

SAFETY TAGS



0497A



S597

- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy duty construction withstands over 22.7kg of pull force.
- Customise with name, department and expected completion time.
- 12 tags with ties per pack.

Item Code	Description	GTIN	Carton Qty
0497A	Do Not Operate Danger Tags (12pk)	071649218408	1
S597	Information Tags (12pk)	071649273582	1

SELF-LAMINATING PHOTO IDENTIFICATION TAGS



S4801



- 146 x 79mm heavy duty tags.
- Clear adhesive overlay allows tags to be personalised onsite.
- 9.5mm diameter brass grommet withstands over 22.7kg of pull force.
- Durable polyester laminate resists water, grease and extreme temperatures.
- Customise with name, department, expected completion.
- 12 tags and ties per pack.

Item Code	Description	GTIN	Carton Qty
S4801	Do Not Operate Self Laminating Photo Tags (12pk)	071649189180	6

Step 1 >



Step 2 >



Step 3 >



TAGS – DISPOSABLE

SAFETY MAINTENANCE FLAGS



S297

- Compact 140 x 32mm size allows for application in virtually any area.
- Durable laminated material withstands extreme environments.
- Features write-on area for employee identification and project completion date.
- Easy to attach to your personal padlock – no zip tie needed.
- Accepts all Master Lock Safety padlock shackle diameters.

Item Code	Description	GTIN	Carton Qty
S297	Do Not Operate Maintenance Flags (100pk)	071649268045	1

DISPOSABLE SAFETY TAGS



TAGINFO



TAGOOS

- Disposable tags with 'Out of Service' and 'Information' messaging.
- 150 x 75mm tags supplied with string ties.
- Durable 200gsm waterproof non-tear material suitable for indoor and outdoor applications.
- 8mm brass eyelet.

Item Code	Description	GTIN	Carton Qty
TAGINFO	Information Tag (25pk)	9316861011385	1
TAGOOS	Out Of Service Tag (25pk)	9316861011378	1

COMPACT TAG STATIONS



S1601

S1601A

- Three hanger clips for safety padlocks or hasps.
- Includes face labels in English, Spanish/English and French/English.

Item Code	Description	GTIN	Carton Qty	Dimensions
S1601	Tag Station (Unfilled)	071649239656	1	97 x 146 x 38mm
S1601A	Tag Station with 12 English Tags	-	1	97 x 146 x 38mm

DELUXE TAG CENTRE



- Two tip-out drawers with dividers to create 2,3,4,5, or 6 compartments.
- Each compartment holds 25 tags, 150 tag capacity.
- Compartments can also be used for lockout devices.
- Eight hanger clips along bottom for safety padlocks or hasps.
- Upper tray for cable ties and small lockout devices.
- Durable construction for years of use in corrosive environments.
- Lockable. Use combination padlock to limit access to unauthorised employees.
- Also suitable for ear plugs and eyewear.

Item Code	Description	GTIN	Carton Qty	Dimensions
S1800	Tag Centre (Unfilled)	071649080579	1	279 x 559 x 105mm

CONFINED SPACE CONTROL COVERS

Confined Space Control Covers (CSCC) fit most size entry and egress points on man-ways, heater doors, nozzles, broken pipe work and vessel skirts. The lockable and adjustable CSCC is fitted over the existing flange and is secured by installing a Master Lock safety padlock, giving plant safety personnel 100% control of the confined space. Custom sizes available on request.

LOCKABLE WATER RESISTANT CONFINED SPACE COVERS



- Excellent resistance against oils and hydro-carbons.
- Excellent water/dust/pest barrier.
- Fire and chemical resistant coating: (silicone rubber) can withstand 232°C.
- Fabric can withstand 537°C.

Item Code	Description	Carton Qty
S203CSS	CS Cover Solid – Small (Fit standard 508mm (20") entry points)	1
S203CSM	CS Cover Solid – Medium (Fit standard 610mm (24") entry points)	1
S203CSL	CS Cover Solid – Large (Fit standard 762mm (30") entry points)	1
S203CSXL	CS Cover Solid – X-Large (Fit standard 914mm (36") entry points)	1

LOCKABLE VENTILATED CONFINED SPACE COVERS



- Excellent resistance against oils and hydro-carbons.
- Excellent water/dust/pest barrier.
- Fire and chemical resistant coating: (silicone rubber) can withstand 232°C.
- Fabric can withstand 537°C.
- 38mm (1½") test port included.

Item Code	Description	Carton Qty
S202CSS	CS Cover Ventilated – Small (Fit Standard 508mm (20") Entry Points)	1
S202CSM	CS Cover Ventilated – Medium (Fit Standard 610mm (24") Entry Points)	1
S202CSL	CS Cover Ventilated – Large (Fit Standard 762mm (30") Entry Points)	1
S202CSXL	CS Cover Ventilated – X-Large (Fit Standard 914mm (36") Entry Points)	1

ELASTIC CONFINED SPACE COVERS



- Designed for high traffic confined spaces.
- Constructed from treated polyester mesh.
- 25mm elastic band runs the entire diameter of the cover for a secure fit.
- Bright red fabric for visual warning.

Item Code	Description	Carton Qty
S201CSS	CS Cover Elastic Red Mesh – Small (Fit Standard 508mm (20") Entry Points)	1
S201CSM	CS Cover Elastic Red Mesh – Medium (Fit Standard 610mm (24") Entry Points)	1
S201CSL	CS Cover Elastic Red Mesh – Large (Fit Standard 762mm (30") Entry Points)	1
S201CSXL	CS Cover Elastic Red Mesh – X-Large (Fit Standard 914mm (36") Entry Points)	1

Note: Minimum order quantities may apply.

INDUSTRIAL SECURITY



LOCK CUSTOMISATION	47
KEY OPTIONS	48
EDGE™ RESTRICTED KEY CONTROL.....	49
PRO SERIES® REKEYABLE PADLOCKS.....	50
PRO SERIES® HIGH VISUAL PADLOCKS	54
LAMINATED PADLOCKS	55
HASPS AND STAPLES	56
BRASS/LAMINATED PADLOCKS	57
KEYED ALIKE CRUNCHER PADLOCKS.....	59
COMBINATION PADLOCKS	60
LOCKER MANAGEMENT SOLUTIONS.....	61
BLUETOOTH ENABLED SOLUTIONS	64
KEY STORAGE SAFES.....	66
CABLES & CHAINS	68
KEY CABINET	70



CUSTOMISED security solution
programs designed with **END**
USER'S NEEDS in mind.

**Master
Lock** **TOUGH
UNDER
FIRE** 

Master Lock offers a wide range of specifically designed, high quality security padlocks allowing end users the ability to develop customised security solutions for specific applications.

The Master Lock industrial/commercial product offer includes: Brass, steel and Weather Tough®, high security, hidden shackle, coloured bodies, laminated steel, hasps and staples, custom keying, special application locks, combination locks, Bluetooth locks, cables, chains, padlock engraving and key storage.

WHO IS THE MASTER LOCK INDUSTRIAL/COMMERCIAL PROGRAM FOR?

The Master Lock Industrial/Commercial Program is specifically designed with the high volume commercial end user's needs in mind. The Master Lock Industrial/Commercial Program offers security solutions that can be customised for end user specific applications. The products offered allow you to choose the best width, material, shackle diameter and length along with the right design for your application and fast delivery for your job.

Multiple keying options and custom marking programs add value to the "Built-To-Order" program.

SECURITY ENHANCEMENTS

Edge™ Restricted Key Control System

Enhance the security of your facility with the exclusive Edge™ Restricted Key Control System. The patented Edge™ system makes key-controlled security a cost-effective possibility for virtually any facility and application.

Keys are completely restricted and are available only via Master Lock, making unauthorised duplication impossible.



BlockGuard® Anti-Shim Technology

Continuing to lead the market with innovative security solutions, Master Lock now offers the patent-pending BlockGuard® Anti-Shim Technology.

These enhanced combination locks deter shimmying, a method of compromising a lock by inserting a shim tool into its latch mechanism. Master Lock exclusive BlockGuard™ Anti-Shim Technology is now available on combination padlock models 1500(boxed), 1502 and 1525 with supervisory key control.



OPTION YOUR MASTER LOCK SECURITY SYSTEM

For Best Performance & Long Life

OWNERSHIP IDENTIFICATION

Prevent theft and wasted time searching for the right key or the assigned employee. You can permanently identify ownership and access rights on the padlocks themselves. Master Lock will custom engrave text and logos to meet your needs.



SPECIFICATIONS

All sizes quoted in the list are nominal metric sizing for imperial measurements. For accurate & detailed imperial sizes of products please contact your Mayo Hardware representative.

KEY CHARTING

Master Lock maintains key record information for registered commercial lock systems so you can be assured that there are no unwanted key duplications with locks that you purchase over time. Request this special service at no charge when placing your order. ^Δ

KEYING


Master Lock products, in most cases, are available in keyed alike & master keyed formats either ex-stock or built to your exclusive order requirements in our keying cell. For details on all options please contact your Mayo Hardware representative.

^Δ Conditions apply

KEYING OPTIONS

BASIC STANDARD KEYING OPTIONS

Note: KEYED TO DIFFER is the standard keying on all locks.



Lifetime Warranty

- **KEYED TO DIFFER (KD)** – Each lock is opened by its own unique key that does not open any other lock in the set. Keyed to differ is the standard keying on Master Lock padlocks.
- **KEYED ALIKE (KA)** – This option provides "same key" convenience and eliminates the need for multiple keys where numerous padlocks are used. All padlocks in the set are opened by the same key.
- **MASTER KEYED (MK)** – In a Master Keyed System, a master key opens all the locks in the system although each lock has its own unique key. This permits overriding master key systems along departmental or other functional lines, to allow supervisory access.

More options on keying and system integration are available. Please contact your Mayo Hardware representative for full details.

KEY PROFILE & CYLINDER OPTIONS FOR MASTER LOCK PRO SERIES

MASTER LOCK PROFILE

27B
W27



W27 Profile – 5 pin keyway is the standard Cylinder inclusion in the Pro Series® Padlock range. Key blanks are available.

KWP6
WP6




WP6 Edge Restricted Cylinder makes unauthorised key duplication impossible.

DOOR KEY COMPATIBLE PROFILE

LW5
C4



For integration into existing C4 door key systems. Is available in the Door compatible Pro Series® range on request.



Edge™ KEY CONTROL



Padlocks are an important, effective and often overlooked cornerstone of security. Edge™ Control System gives companies confidence and control over the integrity of their padlock security network.

- Control and eliminate unauthorised key duplication.
- Keys available only from Master Lock
 - copies cannot be made at stores.
- Implement a keying system across all padlock security applications.

BUILD YOUR MASTER LOCK EDGE™ PADLOCK

1. SELECT BASE MODEL

2. SELECT KEYING FORMAT

KD = Keyed Differ (Standard)

KA = Keyed Alike

MK = Master Keyed†

KAMK = Keyed Alike Master Keyed†

3. SELECT NO. OF KEYS REQUIRED PER LOCK

NK = 0 keys per lock

1K = 1 key per lock

2K = 2 keys per lock



Example:

1. Base Model: 6121LFWP6

2. Keying: KD

3. No Of Keys: 1K

Finished Product Code: 6121LFWP6KD1K

† Note: Extra cost per Master Keyed Padlock

PRO SERIES® REKEYABLE PADLOCKS

Pro Series® Rekeyable Padlocks For Use With Master Lock Profiles

Pro Series® with Master Lock profiles and various shackle sizes offer a large range to solve your security needs.

- Hardened boron alloy shackles for superior cut resistance.
- Dual ball bearing locking mechanism resists pulling and prying.
- High security cylinder.
 - 5-pin and 6-pin cylinders provide tens of thousands of key changes.
 - Spool pins are virtually impossible to pick.
- Rekeyable – replaceable cylinder and shackle.
- Available with Edge restricted cylinder.

6100 SERIES - HIGH SECURITY WEATHER TOUGH® PADLOCKS



6121

6125

6127

- Ideal for harsh outdoor conditions.
- Exclusive cover protects lock from water, ice, dirt and grime.
- Heavy duty steel bodies withstand physical attacks.
- Keyway cover keeps out dust and dirt.
- Coloured covers available via special order on 6121.
- Keyed to W27 5-pin cylinder as standard.
- Lifetime warranty.

TIP

To prevent unauthorised key duplication upgrade your padlocks to the Master Lock Edge Restricted profile – Item Code: WP6

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
6121	Weather Tough® 54mm Wide Body - Boron Shackle	6	1	8mm
6125	Weather Tough® 61mm Wide Body - Boron Shackle	6	1	10mm
6127	Weather Tough® 67mm Wide Body - Boron Shackle	6	1	11mm

Note: All locks and cylinders supplied Keyed to Differ unless otherwise specified.



6121- Six different colour options available on request.



CHECK LIST

Component & Upgrade Options

Item Code	Description
B	Brass Shackle
LF	Extra Length Shackle - 40mm Clearance
LJ	Extra Length Shackle - 61mm Clearance
LN	Extra Length Shackle - 143mm Clearance
SS	Stainless Steel Shackle
6PINCHARGE	6-Pin W7000 Profile
WP6	Edge Restricted Cylinder

6300 SERIES – HIGH SECURITY SOLID IRON SHROUDED PADLOCKS



6321

6325

6327

- Heavy steel bodies withstand physical attacks.
- Iron shroud protects shackle from cutting and prying.
- Lifetime warranty.

TIP

To prevent unauthorised key duplication upgrade your padlocks to the Master Lock Edge Restricted profile – Item Code: WP6

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
6321	High Security Solid Iron Shrouded 54mm Wide Body – Boron Shackle	6	1	8mm
6325	High Security Solid Iron Shrouded 61mm Wide Body – Boron Shackle	6	1	10mm
6327	High Security Solid Iron Shrouded 67mm Wide Body – Boron Shackle	6	1	11mm

7000 SERIES – HIGH SECURITY SOLID STEEL PADLOCKS



7030

7050

7045

- Heavy case hardened steel body.
- Chrome rust proofing provides longer life.
- Shrouded model protects against bolt cutters and prying.
- Lifetime warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
7030	Solid Steel 40mm Wide Body - Boron Shackle	6	1	6mm
7040	Solid Steel 44mm Wide Body - Boron Shackle	6	1	8mm
7045	Solid Steel 44mm Wide Body - Shrouded Boron Shackle*	6	1	8mm
7050	Solid Steel 51mm Wide Body - Boron Shackle	6	1	10mm

*7045 Only Available With 8x30mm Boron Shackle



CHECK LIST

Component & Upgrade Options

Item Code	Description
LF	Extra Length Shackle - 40mm Clearance
LJ	Extra Length Shackle - 61mm Clearance
LN	Extra Length Shackle - 143mm Clearance
SS	Stainless Steel Shackle
6PINCHARGE	6-Pin W7000 Profile
WP6	Edge Restricted Cylinder

PRO SERIES® REKEYABLE PADLOCKS

6800 SERIES – HIGH SECURITY SOLID BRASS PADLOCKS



6840K

6840LJK

- Solid brass body provides resistance in caustic, corrosive and salty environments.
- Extended length boron and stainless steel shackles available.
- Lifetime warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
6830	Solid Brass 40mm Wide Body – Boron Shackle	6	1	6mm
6840	Solid Brass 44mm Wide Body – Boron Shackle	6	1	8mm

Note: All locks and cylinders supplied Keyed to Differ unless otherwise specified.

6200 SERIES – ROUND BODY SOLID STEEL PADLOCKS



6230K

- 64mm wide, hardened solid steel body.
- Hardened boron alloy shackle for superior cut resistance.
- 5 and 6 spool pin tumbler cylinder for added pick resistance.
- High security padlock resists tough abuse.
- Lifetime warranty.

TIP

To prevent unauthorised key duplication upgrade your padlocks to the Master Lock Edge Restricted profile – Item Code: WP6

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
6230	Solid Steel 64mm Wide Body – Boron Shackle	6	1	11mm



CHECK LIST

Component & Upgrade Options

Item Code	Description
LF	Extra Length Shackle - 40mm Clearance
LJ	Extra Length Shackle - 61mm Clearance
LN	Extra Length Shackle - 143mm Clearance
SS	Stainless Steel Shackle
6PINCHARGE	6-Pin W7000 Profile
WP6	Edge Restricted Cylinder

PUCK LOCK – HIDDEN SHACKLE PADLOCKS



- Ideal for vans, trucks, gates and vending machines.
- Defeats attempts to pry and cut.
- Hardened solid steel lock body withstands forcible attacks.
- Complete with high security 6-pin Pro Series® cylinder.
- Lifetime warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
A2010	Solid Steel 72mm Enclosed Shackle Complete With 7000 Cylinder	6	1	9mm
SUITABLE FOR USE WITH THE FOLLOWING HASPS				Hasp Length
0770	Enclosed Solid Steel Hasp For A2010	-	1	230mm
730DPFAU	Straight Bar Hasp 180mm Length	4	4	180mm



CHECK LIST

Component & Upgrade Options

Item Code	Description
LF	Extra Length Shackle - 40mm Clearance
LJ	Extra Length Shackle - 61mm Clearance
LN	Extra Length Shackle - 143mm Clearance
SS	Stainless Steel Shackle
CUTKEYCOM	Extra Cut Keys
HSK	Hard Stamp Numbering On Keys
KACHARGE	Keyed Alike to Specific Key Code Per Padlock
MKCHARGE	Master Keying Charge Per Padlock
KRCHARGE	Key Retaining Charge Per Padlock
ENGCOM	Engraving Per Side
WP6DBCUTKEY	Extra Cut Keys Suit Edge Padlock
6PINCHARGE	6-Pin W7000 Profile
WP6	Edge Restricted Cylinder

PADLOCK EYES



Item Code	Description	Pack Qty	Min. Order Qty
0060	Padlock Eyes Flat – Shackles Up To 13mm (Per Pair)	12	1
0060R	Padlock Eyes Right Angle – Shackles Up To 13mm	6	1

PRO SERIES® HIGH VISUAL PADLOCKS

A1100 ANODISED ALUMINIUM PADLOCKS



A1105

A1106

A1107

- 38mm wide anodised aluminum body with 6mm diameter chrome plated, boron alloy shackle.
- Three shackle lengths available.
- Combines high visibility colours with high security.
- Corrosion resistant finish for tough environments.
- Laser engrave on up to four sides.

TIP

To prevent unauthorised key duplication upgrade your padlocks to the Master Lock Edge Restricted profile – Item Code: WP6

Base Model	Description	Pack Qty	Shackle Opening Height(mm)	Shackle Dia.(mm)
A1105	Keyed Different	6	25	6
A1106	Keyed Different - Extra Length Shackle	6	38	6
A1107	Keyed Different - Extra Length Shackle	6	76	6
A1105KA	Keyed Alike	6	25	6
A1106KA	Keyed Alike - Extra Length Shackle	6	38	6
A1107KA	Keyed Alike - Extra Length Shackle	6	76	6
A1105KAMK	Keyed Alike Master Keyed	6	25	6
A1106KAMK	Keyed Alike Master Keyed - Extra Length Shackle	6	38	6
A1107KAMK	Keyed Alike Master Keyed - Extra Length Shackle	6	76	6

- Nine colour options for easy padlock identification. Add desired colour suffix to the end of the item code.



CHECK LIST

Component & Upgrade Options

Item Code	Description
LF	Extra Length Shackle - 40mm Clearance
LJ	Extra Length Shackle - 61mm Clearance
LN	Extra Length Shackle - 143mm Clearance
SS	Stainless Steel Shackle
CUTKEYCOM	Extra Cut Keys
HSK	Hard Stamp Numbering On Keys
KACHARGE	Keyed Alike to Specific Key Code Per Padlock
MKCHARGE	Master Keying Charge Per Padlock
KRCHARGE	Key Retaining Charge Per Padlock
ENGCOM	Engraving Per Side
WP6DBCUTKEY	Extra Cut Keys Suit Edge Padlock
6PINCHARGE	6-Pin W7000 Profile
WP6	Edge Restricted Cylinder

REKEYABLE LAMINATED STEEL PADLOCKS



0021

0025

- Double locking mechanisms provide extra pry resistance.
- No. 25 features a hardened boron alloy shackle, No. 21 features a hardened steel shackle.
- Hardened steel bottom plates for extra drill resistance.
- Top and bottom bumpers for greater scratch resistance.
- Lifetime warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
0021	Rekeyable Laminated Steel Padlock 44mm Wide Body – Hardened Steel Shackle	6	1	8mm
0025	Rekeyable Laminated Steel Padlock 51mm Wide Body – Boron Alloy Shackle	6	1	10mm

Note: All locks are supplied Keyed To Differ using Master Lock 5-pin #27 profile unless otherwise specified.



CHECK LIST

Component & Upgrade Options

Item Code	Description
CUTKEYCOM	Extra Cut Keys
KACHARGE	Keyed Alike to Specific Key Code Per Padlock
MKCHARGE	Master Keying Charge Per Padlock


HASP & STAPLES

GENERAL USE HASPS



704DPFAU

- Hard-wrought steel bodies for strength.
- Hardened steel staple resists cutting and sawing.
- Hardened steel locking eyes for strong cut resistance.
- Tamper proof hinges help resist prying.



Item Code	Description	Pack Qty	Min. Order Qty	Hasp Length	Accepts Shackle Dia. Up to:
702DAU	64mm Hard Wrought Steel Body Hasp	4	4	64mm	7mm
703DAU	89mm Hard Wrought Steel Body Hasp	4	4	89mm	9mm
704DPFAU	110mm Hard Wrought Steel Body Hasp	4	4	110mm	13mm

HINGED HASPS



720DPFAU




721DPFAU



722DPFAU

- Secure hard-to-lock property.
- Hardened steel body for added strength.
- Hardened boron alloy staple resists cutting and sawing.
- Single and double hinge styles with hidden hinge pins.
- Ideal for reaching around corners and angles.



Item Code	Description	Pack Qty	Min. Order Qty	Hasp Length	Accepts Shackle Dia. Up to:
720DPFAU	160mm Single-Hinge Hasp	4	4	160mm	11mm
721DPFAU	200mm Single-Hinge Hasp	4	4	200mm	11mm
722DPFAU	200mm Double-Hinge Hasp	4	4	200mm	11mm

HEAVY DUTY HASP



730DPFAU

- Zinc-plated hardened steel for added strength and weather resistance.
- Hardened steel staple resists cutting, sawing and hammering.
- Hasp body conceals mounting hardware.
- Mounting hardware included for easy installation.
- Ideal for utility vans, trailers and vending machines.

Item Code	Description	Pack Qty	Min. Order Qty	Hasp Length	Accepts Shackle Dia. Up to:
730DPFAU	180mm Straight Bar Hasp	4	4	180mm	11mm

Master Lock products in most cases are available in keyed alike and master keyed formats either ex-stock or built to your exclusive order requirements in our keying cell. For details on all options please contact your Mayo Hardware representative or call Mayo Hardware Customer Service on 1300 360 211.

DIAMOND BRASS PADLOCKS



- Stylish and strong solid brass lock body.
- Standard steel and hardened steel shackles available.
- Diamond Quality – Lifetime Warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Key Profile	Shackle Dia. (Metric)
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)					
0120	Diamond Brass 20mm Wide Body – Steel Shackle	12	1	120K	4mm
0130	Diamond Brass 30mm Wide Body – Steel Shackle	12	1	130K	5mm
0140	Diamond Brass 40mm Wide Body – Steel Shackle	12	1	130K	6mm
0150	Diamond Brass 50mm Wide Body – Steel Shackle	12	1	150K	7mm
640DAU §	Nickel Plated Brass 40mm Wide Body – Stainless Steel Shackle	12	1	130K	6mm
Not Available Master Keyed					

§ Available Keyed Differ Only

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

ECONOMY BRASS PADLOCK



4140

- Entry level solid brass lock body.
- Steel shackles.
- 2 Year Warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Key Profile	Shackle Dia. (Metric)
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)					
4140	Brass 40mm Wide Body – Steel Shackle	12	1	130K	6mm
Not Available Master Keyed					

Please specify Keyed To Differ (KD) or Keyed Alike (KA) on your order.

LAMINATED PADLOCKS

LAMINATED NON REKEYABLE PADLOCKS



- Strong laminated steel bodies for superior strength over brass locks.
- Hardened steel and boron alloy shackles for superior cut resistance.
- Pin cylinder helps prevent picking.
- Dual locking levers provide extra pry resistance.
- Proprietary rust proofing for longer life.
- Lifetime warranty.

Item Code	Description	Pack Qty	Min. Order Qty	Key Profile	Shackle Dia. (Metric)
Available Keyed Alike (Box Pack) Or Keyed To Differ (Hang Sell)					
3DLFAU	Laminated Steel 40mm Wide Body – Extd Steel Shackle	4	4	1K	7mm
1DAU	Laminated Steel 44mm Wide Body – Steel Shackle	4	4	1K	8mm
1DLJAU	Laminated Steel 44mm Wide Body – Extd Steel Shackle	6	1	1K	8mm
5DAU	Laminated Steel 51mm Wide Body – Boron Shackle	4	4	1K	10mm

STAINLESS STEEL LAMINATED PADLOCKS




- Stainless steel lock body and shackle delivers maximum weather resistance.
- Brass pin tumbler cylinder for increased weather and pick resistance.
- Double locking levers for increased pry resistance.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
1SSDLFAU	Stainless Steel 44mm Wide Body – Stainless Steel Shackle	6	1	8mm
1SSTLFAU	Stainless Steel 44mm Wide Body – Stainless Steel Shackle – 2pk KA	6	1	8mm
1SSQLFAU	Stainless Steel 44mm Wide Body – Stainless Steel Shackle – 4pk KA	6	1	8mm

UNIVERSAL PIN (CRUNCHER) LOCKS – BOX PACK

Master Lock's range of Universal Pin (Cruncher) Locks, allows you to add extra locks to your existing key profile 1K padlock system in a matter of minutes! Minimise your customers' keys and maximise your padlock sales with this innovative solution from Master Lock.




Punch tool to set the cylinder of an uncoded "UP" padlock with the tap of a hammer.

KEYING INSTRUCTIONS:

1. Choose original Master Lock padlock key to be used and remove from ring.
2. Insert and remove key into Master Lock "UP" series padlock several times.
3. Insert key into Master "UP" series lock and invert padlock through the jaws of your bench vise. Do not tighten vise.
4. Place No. 0376 Keying Tool over key and tap with hammer until cylinder pins shear.
5. Remove padlock from vise and check for proper operation, turning key in lock several times.

WHEN USING ANY TYPE OF STRIKING TOOL, WEAR SAFETY GLASSES!



0005UP

Item Code	Description	Pack Qty	Min. Order Qty	Key Profile	Shackle Dia. (Metric)
Available Keyed Alike Or Keyed To Differ					
0003UP	Laminated Steel 40mm Wide Body – Steel Shackle	6	1	1K	7mm
0003UPLF	Laminated Steel 40mm Wide Body – Extd Steel Shackle	6	1	1K	7mm
0001UP	Laminated Steel 44mm Wide Body – Steel Shackle	6	1	1K	8mm
0001UPLJ	Laminated Steel 44mm Wide Body – Extd Steel Shackle	6	1	1K	8mm
0005UP	Laminated Steel 51mm Wide Body – Boron Shackle	6	1	1K	10mm
0005UPLF	Laminated Steel 51mm Wide Body – Extd Boron Shackle	6	1	1K	10mm
0376	Hand-Held Keying Punch Tool	1	1	N/A	N/A
0001B	Key Blanks For Universal Locks	50	1	N/A	N/A

COMBINATION LOCKS

HEAVY DUTY RESETTABLE COMBINATION PADLOCKS



175DAU



0178



0176



1174D

- Heavy-duty grade.
- Set-your-own combination convenience.
- 4 digit dialing allows for thousands of possible combinations.
- Resettable to any of 10,000 personalised combinations.
- Change combination with change key at any time.
- Hardened steel shackle provides maximum cut resistance.
- 0176 features key override.
- 1174D is constructed from grade 316 stainless steel and has a dial cover making this lock ideal for corrosive environments.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
175DAU	Combination 51mm Brass Body – Hardened Steel Shackle	4	1	8mm
175DLHAU	Combination 51mm Brass Body – Hardened Steel Shackle	6	1	8mm
0176	Combination 51mm Brass Body – Hardened Steel Shackle	6	1	8mm
0178	Combination 51mm Die Cast Body – Hardened Steel Shackle	6	1	8mm
1174D	Combination 57mm S/Steel Body – S/Steel Shackle	4	1	8mm

COMBINATION PADLOCKS



1500DAU



620DAU



630DAU



604DAU



651DAU

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
1500DAU	Combination Dial 48mm Double Armour Stainless Steel Body 3 Digit Dialing	6	1	7mm
620DAU	Aluminium 20mm Wide Body – Nickel Plated Steel Shackle – Resettable Combination	4	1	3mm
630DAU	Brass Plated Aluminium 30mm Wide Body – Nickel Plated Steel Shackle – Resettable Combination	6	1	5mm
604DAU	Brass 40mm Wide Body – Steel Shackle – Resettable Combination	4	1	6mm
651DAU	Brass 50mm Wide Body – Steel Shackle – Resettable Combination	4	1	9mm

2000 SERIES – HIGH SECURITY PADLOCKS



2010

- 55mm wide double-armoured stainless steel body.
- Double ball bearing locking shackle resists prying.
- Hardened boron alloy shackle for superior cut resistance.
- 3 times stronger than 1500 series combo locks.
- Key override for supervisory access.
- Ideal for protecting high value property such as laptop or iPad.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
2010	Combination Dial Black 55mm Wide Body – Boron Alloy Shackle – Key Override	50	1	8mm
2010K	Control Override Key For 2010 Lock	-	-	-

1500 SERIES – GENERAL SECURITY PADLOCKS



1525LH

1525LF

1525

- 48mm wide double-armoured stainless steel body.
- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
STANDARD				
1502	Combination Dial Black 48mm Wide Body – Steel Shackle	100	1	7mm
KEY OVERRIDE MODELS				
1525	Combination Dial Black 48mm Wide Body – Steel Shackle – Key Override	100	1	7mm
1525K	Control Override Key For 1525 Locks	-	-	-



CHECK LIST

Component & Upgrade Options

Item Code	Description
C	Coloured Dial
LH	Extra Length Shackle
LF	Extra Length Shackle - 40mm Clearance

Ask Us About Laser Engraving or Coloured Dials



Applies to select Master Lock models

LOCKER MANAGEMENT SOLUTIONS

SPECIAL NEEDS PADLOCKS



1525EZRC



2650



1588DAU

- Designed to assist those with limited mental or physical abilities.
- Specially selected, easy to remember combinations with key override (1525EZRC).
- Simply insert key to open – no turning (2650).
- Optical-grade magnification lens and tactile dial feedback at each number for precise dialing (1588DAU).

Item Code	Description	Pack Qty	Min. Order Qty	Shackle Dia. (Metric)
1525EZRC	Simple Combination Dial Black 48mm Wide Body – Steel Shackle	100	1	7mm
2650	PushKey™ Portable Lock – Steel Shackle	24	1	7mm
1588DAU	Wide Magnification Combination Dial Lock	24	1	7mm

1600 SERIES – LONG LIFE FITTED LOCKS



1670

- End user registration and control charts provided to secure and simplify administration.
- Secure, easy-to-dial three digit combination.
- Longer useful life with five different, pre-set combinations.
- Easily changed with the touch of a button.
- Helps maintain security for new students or employees.

Item Code	Description	Pack Qty	Min. Order Qty
Deadbolt Style			
1670	Built-in Combination Lock – Hinged Right	50	1
1671	Built-in Combination Lock – Hinged Left	50	1
Extensions			
1654-0320	Extension Set For 19mm Timber Doors	1	1



CHECK LIST

LOGO PRINT

Item Code	Description
ENGFACORY	Logo Engraved on 1502 or 1525 Dial Face

ELECTRONIC BUILT-IN LOCKER LOCK



3685



1566

- Large icons clearly show locker vacancy status
- High-visibility display provides interactive feedback
- Option to switch between single-user and multi-user settings and set code length to 4, 5 or 6 digits
- Long lasting CR123A 3V lithium battery lasts minimises maintenance
- Low-battery alert notifies administrator when it's time to replace the battery
- 9V battery backup jump port can temporarily power the lock if battery dies
- Sensors provide visual and audible alerts to signal if locking mechanism is blocked
- Unique Backup Master Code or Administration Key (Model number: 1566) allow for administrative access to locker
- 1566 Designed for fast, easy lock setup and programming
- 1566 Accommodates bulk loading of locks' unique Backup Master Codes
- 1566 Allows staff to quickly open locks, clear/reset lock codes, and modify lock settings

Item Code	Description	Pack Qty	Min.Order Qty
3685	Electronic Built-In Locker Lock	6	1
1566	Administration Key	1	1

Note: Minimum order quantity may apply.

BLUETOOTH ENABLED SOLUTIONS

BLUETOOTH ENTERPRISE SMART CONNECTED PRODUCTS

Bluetooth™ Advanced Security and Access Management System

Master Lock, the industry's security leader for more than 95 years, is changing the way businesses of all sizes securely manage access to many doors and locks across a single team or an entire enterprise. The new Master Lock Vault Enterprise software, designed for commercial use, and suite of Bluetooth® enabled hardware provide the most convenient way to control access, manage assets and improve accountability. This proven security innovation eliminates the cost, security risk and complexity of physical key management.

- Integrated software platform enables you to grant access to individuals, multiple users and user groups – temporarily or on an ongoing basis.
- User-friendly interface and Bluetooth technology provide fast and easy access.
- Real-time access control optimises scheduling and enhances security.
- Efficiently manage access to ensure the right users have the right access.
- Simplify security set-up with bulk user and lock uploads.
- Map lock, lock box and door locations via smartphone.
- No keys to lose, no combinations to forget. No unauthorised key duplication.
- Confidently provide back-up access entry method for locks and lock boxes with manual, directional or numeric code.

The Master Lock Vault Enterprise suite of Bluetooth enabled products can be mixed and matched to meet your facility's security application needs. Administrators experience the convenience of simplified access management and authorised users open assigned locks and doors with their smartphone.

BLUETOOTH PADLOCKS



- Secure access — only authorised users can enter using the app or manual code.
- Grant or revoke access quickly — efficiently ensure the right users have the right access.
- Valuable audit capabilities — easily monitor access and access history with robust data and audit trails.
- The new ProSeries® 6400 range offers improved security, enhanced weatherability, an area for custom marking and can be operated via mobile app or numeric code.



Item Code	Description	Pack Qty	Min. Order Qty	Dimensions				Shackle Dimensions (Metric)		
				Full H	Body H	Body W	Body D	Dia	H	W
4400ENT	INDOOR – Bluetooth Padlock	2	1	80mm	50mm	47mm	27mm	7mm	22mm	20mm
4401DLHENT	OUTDOOR – Bluetooth Padlock	2	1	135mm	74mm	56mm	28mm	9mm	51mm	23mm
6400ENT	ProSeries® – Bluetooth Padlock	2	1	138mm	104mm	62mm	43mm	9mm	34mm	23mm
6400SHENT	ProSeries® – Shrouded Shackle	2	1	138mm	104mm	62mm	43mm	9mm	20mm	23mm
6400LJENT	ProSeries® – Long Shackle	2	1	164mm	104mm	62mm	43mm	9mm	60mm	23mm

BLUETOOTH ENTERPRISE SMART CONNECTED PRODUCTS

BLUETOOTH KEY SAFES



5440ENT

5441ENT

- Includes Master Lock Vault Enterprise iOS and Android app, and web interface, designed for business applications working with many locks and many users.
- Use your smartphone to open and manage your lock with the Master Lock Vault Enterprise app.
- Backup access using numeric code on lock keypad.
- Share access with others - temporary or permanent.
- Easily monitor access with robust data and audit trails.
- Low battery notification & reminder on device and in app.
- Comes with easy to replace CR123A battery.
- Large storage capacity for keys and access cards.

Ideal Access Control For:

Real Estate Sales, Commercial Property, Rental Property, Vacation Property, Job Site, Home



Item Code	Description	Pack Qty	Min. Order Qty	Internal Compartment Dimensions				Shackle Dimensions		
				H	W	D	Cubic Capacity	Dia	H	W
5440ENT	Portable Lock Box	2	1	91.4mm	63.5mm	27.9mm	119.6cu cm	10mm	46mm	36mm
5441ENT	Wall Mount Lock Box	2	1	91.4mm	63.5mm	27.9mm	124.5cu cm	NA		

DOOR CONTROLLER



6440ENT

- Wire to doors to provide secure access to buildings and restricted areas.
- Easy installation: wires into existing electric strikes and magnetic locks.
- Slim profile fits common door frames.
- Strong Bluetooth signal for reliable connectivity.

Item Code	Description	Pack Qty	Min. Order Qty	Dimensions				
				Full H	Body H	Body W	Body D	Wire L
6440ENT	Door Controller	2	1	133mm	133mm	36mm	20mm	229mm

KEY STORAGE SAFES

SELECT ACCESS



5400DAU



5401DAU



5403EURDAU

- Holds up to 5 keys in a convenient location.
- Set-your-own 4-digit combination for keyless convenience.
- Reinforced body withstands hammering and sawing.
- Cover protects combination dials from weather, dirt and grime.
- Portable or wall mount options available.

Item Code	Description	Pack Qty	Min. Order Qty	Internal Dimensions		
				H	W	D
5400DAU	Select Access Portable	4	1	78mm	68mm	34mm
5401DAU	Select Access Wall Mount	4	1	92mm	64mm	28mm
5403EURDAU	Select Access Maxi Wall Mount	4	1	117mm	79mm	42mm

SELECT ACCESS HEAVY DUTY



5414EURDAU



5415EURDAU

- Holds house and car keys, access cards and other valuables.
- Reinforced solid zinc alloy body for superior strength and reliability.
- Dual locking levers for extra pry resistance.
- Optimised storage capacity.
- Protective door for better weather resistance and greater discretion.
- 4-digit resettable combination.

Item Code	Description	Pack Qty	Min. Order Qty	Internal Dimensions		
				H	W	D
5414EURDAU	Select Access Heavy Duty Portable	4	1	96mm	63mm	35mm
5415EURDAU	Select Access Heavy Duty Wall Mount	4	1	96mm	63mm	35mm

SELECT ACCESS PUSH BUTTON



5422DAU

5423DAU

- Holds keys, cards and other personal items.
- Solid die cast body is reinforced to withstand hammering and sawing.
- Large push-buttons for ease of use.
- Automatic scrambling: Once you close the door, the lock is secured so no need to scramble numbers.
- Set your own combination using up to 12 letters, numbers, or both.
- Lock body covered with moulded bumper to prevent scratches to the door.
- Integrated keypad cover for protection against dirt and grime.

Item Code	Description	Pack Qty	Min. Order Qty	Internal Dimensions		
				H	W	D
5422DAU	Select Access Push Button Portable	4	1	95mm	60mm	20mm
5423DAU	Select Access Push Button Wall Mount	4	1	95mm	60mm	20mm

SELECT ACCESS LIGHT UP



5424DAU

5425DAU

- Wall Mount and Portable lock box provides secure storage of keys or access cards.
- Large easy to read light-up, set-your-own combination dials for better visibility, especially in low light conditions.
- Dials light up automatically each time the weather cover is opened.
- Removable shackle for easy installation.
- 2-7/8in (72mm) Wide durable metal construction.
- Large Open Lever for more comfortable use.
- Durable weather cover prevents freezing and jamming.
- Vinyl coated shackle and moulded bumper prevents scratches to your door.
- Easy to replace battery CR2032 installed.

Item Code	Description	Pack Qty	Min. Order Qty	Internal Dimensions			Shackle Dimensions		
				H	W	D	A	B	C
5424DAU *	Light Up Key Safe Portable	4	4	106mm	60mm	25mm	9mm	43mm	36mm
5425DAU	Light Up Key Safe Wall Mount	4	4	106mm	60mm	25mm	NA		



* NZ Only

CABLES & CHAINS

CABLE LOCKS



8119DPFAU

8154DPFAU

8155DCCA

8233EURDPROCOLAU

- Ideal for ladders, generators, toolboxes and gates.
- Combination locking mechanisms for keyless convenience.
- Flexible steel cables for strong cut resistance.
- Protective coating helps prevent scratching.
- Features 4 digit resettable combination.

Item Code	Description	Pack Qty	Min. Order Qty
8119DPFAU	Cable Lock Combination 1.5m x 10mm Diameter	4	4
8154DPFAU	Cable Lock Bike Keyed 1.8m x 10mm Diameter	4	4
8155DCCA	Cable Lock Bike Keyed 1.8m x 15mm Diameter	2	2
8233EURDPROCOLAU	Cable lock – 4-Digit Combination; 1.8m x 8mm; Assorted Bright Colours 2 Of Each Colour Per Inner Pack	6	6

PYTHON ADJUSTABLE CABLE LOCKS



- Patented locking mechanism holds the cable tight at any position from 300mm to 1.8m for infinite locking positions.
- Rekeyable cylinders for keyed alike convenience.
- Available Keyed alike to any standard M1 key cut.
- 100% braided steel cable.
- Weather tough and rust-resistant lock body.
- Vinyl sleeve and lock body bumper prevents scratching.
- Velcro strap holds excess cable for compact storage.

Item Code	Description	Pack Qty	Min. Order Qty	Key Profile
8428DCCA	Adjustable Python Contractor Cable Lock 1.8m x 10mm	4	4	1K

HOW TO OPERATE

1. UNLOCK



In the “UNLOCK” position, the flexible steel cable moves freely through the Python lock.

2. CINCH



In the “CINCH” mode, the exclusive locking mechanism permits the cable to be pulled tight without slipping back.

3. LOCK



In the “LOCK” position the Python lock secures the cable at the perfect length for the job!

HEAVY DUTY CABLES



72DPFAU



78DPFAU



85DPFAU

- Braided steel cable for strength and flexibility.
- Convenient loops with rust-resistant sleeves and scratch guards.
- Galvanised steel cable resists rusting.
- Vinyl coating helps prevent scratching.
- Recommend use with high or maximum security padlocks.

Item Code	Description	Pack Qty	Min. Order Qty	Coated Cable Length	Outside Dia. of Coated Cable
72DPFAU	4.6m x 10mm dia. Braided Steel Cable	4	4	4.6m	10mm
78DPFAU	1.8m x 10mm dia. Braided Steel Cable	4	4	1.8m	10mm
85DPFAU	1.2m x 10mm dia. Braided Steel Cable	4	4	1.2m	10mm

SECURITY CHAINS



8011EURDAU



8016EURDAU



8018EURDAU

- Hardened steel chain.
- Square link for better cut resistance.
- Vinyl thermoformed protective sleeve to prevent from scratching.
- Cut strength:
 - 6mm = 2500kgs
 - 8mm = 4000kgs
 - 10mm = 5000kgs
- Recommended use with high or maximum security padlocks.

Item Code	Description	Pack Qty	Min. Order Qty	Coated Chain Length	Outside Dia. of Coated Chain
8011EURDAU	Security Chain	6	1	1.00m	6mm
8016EURDAU	Security Chain	4	1	1.00m	8mm
8018EURDAU	Security Chain	4	1	2.00m	8mm

KEY CABINETS

KEY CABINETS



7125D

- Heavy-duty steel construction with full length hinged door and built in slotted key racks.
- Durable powder coated beige finish.
- Key retaining ensures key cannot be removed until cabinet is locked.
- Includes 2 keys, key holders, cross reference chart and installation hardware.

Item Code	Description	Pack Qty	Min. Order Qty	Size (Metric)		
				H	W	D
7125D	Heavy Duty Key Cabinet Holds 60 Keys	4	1	311mm	273mm	76mm



DIFOT

Our state of the art warehouse/distribution centre is located just off the M5/M7 in Sydney a central distribution point. Our warehouse/distribution centre is key to delivering orders in full and on time.

- 18,000 pallet capacity
- Paperless RF warehouse management system ensuring quicker pick/pack/dispatch times
- Dedicated container unloading facilities
- Custom padlock keying and laser engraving department
- 24 hour operation if required

CATEGORY INDEX

SAFETY LOCKOUT
TAGOUT

INDUSTRIAL SECURITY



[AU] **1300 360 211** | [NZ] **09 415 6240**



4 Secombe Place, Moorebank NSW 2170



customerservice@mayohardware.com.au



Follow us on LinkedIn | Mayo Hardware

**Master
Lock**

The contents of this catalogue are the exclusive copyright of Mayo Hardware Pty Ltd and may not be reproduced without written permission. © Copyright 2021. Whilst every care was taken in preparation of this catalogue, Mayo Hardware Pty Ltd accepts no responsibility for the accuracy of the information supplied.