

PRODUCT RANGE

Manufacturer of quality Ratcheting Podger Wrenches for use in the rigging and scaffolding markets

4 in 1 STUBBY RATCHET PODGER

- Light weight
- When outer socket is used, inner socket is pushed up easily
- After use the inner socket returns

to th	e original po	er socket returns sition by spring afety rope attacl				•			
Item Code	Part Number	Socket Sizes (mm)	Length (mm)	Weight (g)	Suitable for Socket Sizes		When outer socket	t	Suitable for Socket Sizes
508223 508224	SRF-1 SRF-3	10 x 14, 13 x 17 17 x 21, 19 x 24	198 240	290 470	(10)	Oloxia &	is used, inner socket is pushed up easily then returns		17
	Reverse	Inner Socket Outer Socket		Spring Hexagonal Nut	14 \\ 13 \\ 17 \\ 17	SUPER	Safety rope attachment SRF-1 608223	SRF-3 508224	21 19 24





RATCHET PODGER WRENCH

Ratchet wrenches are used for tightening and loosening nuts and bolts. The spear is used to align the position of the bolt holes at work sites such as those on the steel structures, towers and bridge beams.

As there is no danger of the socket falling off, the ratchet wrench works well especially in the civil engineering and construction industries where workers are assembling scaffold frames at heights. The ratchet wrench can be turned clockwise or counter-clockwise.

Wrenches are cation plated which provides excellent rust proofing properties.

Item Code	Part Number	Socket Sizes (mm)	Length (mm)	Weight (g)
508253	SRRN1012	10 x 12	225	160
508256	SRRN1317	13 x 17	265	240
508257	SRRN1618	16 x 18	310	400
508258	SRRN1719	17 x 19	310	400
508260	SRRN1824	18 x 24	355	680
508262	SRRN1921	19 x 21	310	400
508264	SRRN1924R	19 x 24	355	680
508265	SRRN2124	21 x 24	355	680
508266	SRRN2224	22 x 24	355	680
508267	SRRN2427	24 x 27	355	680
508268	SRRN2430	24 x 30	400	1080
508270	SRRN2730	27 x 30	400	1080
508271	SRRN2732	27 x 32	400	1080
508272	SRRN3036	30 x 36	445	1400
508274	SRRN3236	32 x 36	445	1400
508275	SRRN3641	36 x 41	490	2050
508276	SRRN4650	46 x 50	545	3080
	INCLUD	ES RUBBER GRIP		
508280	SRRNG1924	19 x 24	355	680
508281	SRRNG2430	24 x 30	400	1080



OFFSET PODGER RING SPANNERS

 Single offset ring podger wrench with 60° angle head helps prevent collision with adjacent bolts or angle ribs

Heavy duty professional type

Item Code	Part Number	Socket Sizes (mm)
508229	SRKP19	19
508230	SRKP22	22
508231	SRKP24	24
508232	SRKP27	27
508233	SRKP30	30
508234	SRKP32	32
508235	SRKP36	36
508236	SRKP41	41
508237	SRKP46	46
508238	SRKP50	50





SAFETY ROPE


- For Ratchet Podger Wrenches
- Flexible, thin and lightweight
- Kevlar® core cord coated with polyurethane
- Nominal length: 470mm
- Stretched length: 1820mm
- Can carry a falling weight of 1kg



DIRECT CATCH SYSTEM

CONNECTING WIRE SYSTEM





Part Weight Item Code Number (g) SRARK-10K 508208

STUBBY SCAFFOLDING PODGER

- Specially designed to fit Australasian Scaffold Fittings
- Chrome plated finish



Item	Part	Socket		Weight
Code	Number	Sizes (mm)		(g)
508211	SRB2124	21 x 23.5	240	270

RUBBER GRIPS

- Special oil resistant grip designed for use with podger wrenches
- Attaches to the spear part of the ratchet wrenches
- Easy to grasp non-slip surface is perfect for extended use



Item Code	Suits Socket Sizes (mm)		
508245	SRRG4	17 x 19, 16 x 18, 19 x 21	
508246	SRRG5	21 x 24, 22 x 24	
508247	SRRG6	24 x 30, 27 x 30, 27 x 32, 30 x 36, 32 x 36	
508248^	SRRG8	36 x 41, 46 x 50	

[^]Special Order Only

ADJUSTABLE HOOK SPANNER

- Hook spanner for circular nuts
- Designed for tightening and removing notched circular nuts without damage to the nut
- Nickel-Chrome plated finish



Item Code	Part Number	Nut Sizes (mm)	
508226	SRHW105	35 - 105	
508228	SRHW165	95 - 165	

ADJUSTABLE PIN HOOK SPANNER

- Hook spanner for circular nuts
- Designed for tightening and removing notched circular nuts without damage to the nut
- Nickel-Chrome plated finish
- Pin Diameter 6mm



Item Code	Part Number	Nut Sizes (mm)
508227	SRHW105A	35 - 105



ADJUSTABLE PIN SPANNER



- Pin spanner for circular nuts, designed to be hammered at the moving part.
- Designed for tightening and removing circluar nuts with pin holes
- Body Nickel-Chrome plated finish, other parts in phosphoric acid manganese film forming treatment
- Pin Diameter 5mm x 7mm & 6mm x 8mm



Item	Part	Pitch
Code	Number	Sizes (mm)
508242	SRPW100	

ADJUSTABLE RATCHETING WRENCH

- Optimal for use in a confined space
- Efficient work with a thin and light weight body
- Wider mouth design



Item Code	Part Number	Length (mm)	Max. opening of jaw
508240	SRMWR30	205	30
508241	SRMWR36	246	36

Available from your local Super distributor:

P_AUS_SUPER_BROCHURE_2020

WHITE INTERNATIONAL PTY LTD

60 Ashford Ave Milperra NSW 2214 PO Box 304 Milperra NSW 2214 Phone 02 9783 6000 Fax 02 9783 6001 Customer Service 1300 780 876 Email Sales: tradesales@whiteint.com.au www.whiteint.com.au

Please always refer to our website for further technical information & new product innovations

Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications. Product images are representations only.





© 2020 Copyright White International Pty Ltd

TM (R) - WARNING: Please be aware that various brands & products depicted within this document are subject to trademark, patent or design registrations. Infringement of any intellectual property contained within this document without express written authority by the appropriate intellectual property holder may result in further legal action to be taken. For any queries regarding use of the contained information please feel free to contact White International Pty Ltd.