# SCREWDRIVERS

Screwdriver Bits - Screwdrivers - Carded - Bulk - Sets

# Suttontools ULTRABIT



# **UltraBit Screwdriver Range**

Sutton Tools UltraBits, with impact torsion neck, designed to withstand high torque impact applications.

### Features

- Shock Absorber Zone Impact torsion neck, designed to withstand high torque screwing, lasting 12x longer than standard bits.
- Anti-Breakage Reinforced joints for a stronger link avoiding breakages.
- Ring Reinforcement Reinforced screw head ring for longer impact resistance.



### Impact

Impact Bits – specifically developed for use with the high-torque output of an impact driver. Look out for the "Impact" logo on the packaging.



### Magnetic

All bits are magnetic eliminating frustration and increasing productivity when working at awkward angles or in tight spaces.



### Torsion

Shock Absorber Zone – Impact torsion neck, designed to withstand high torque screwing.



### **Precision Fit**

Precise Fit – Avoids slipping and stripping screw heads.



Scan to watch video

ULTRADIT

sutton suttontoo suttontools

Available in:

Torx

Square

PH2

123

0

ULTRABUT

Hex

T10

0

ULTRABUT

Phillips

H5

儒

# SCREWDRIVERS

### Screwdriver Bits Index

ONDHUS

94	Screwdriver Bits ACR®	
108	Screwdriver Bits Dry Wall Extension	
99	Screwdriver Bits Magnetic Bit Holder	
108	Screwdriver Bits Magnetic Screw Guide	
93	Screwdriver Bits Phillips®	
94	Screwdriver Bits Phillips®	
	Plasterboard Insert Bit	
95	Screwdriver Bits Pozidriv®	
106	Screwdriver Bits Sets	
96	Screwdriver Bits Slotted	
99	Screwdriver Bits Socket Adaptor	

- **102 Screwdriver Bits** Supabit, Hex
- **105 Screwdriver Bits** Supabit, Magnetic Nutsetter
- **103 Screwdriver Bits** Supabit, Square Recess
- **105 Screwdriver Bits** Supabit, Torsion Nutsetter
- 101 Screwdriver Bits Supabit, Torsion Phillips®
- **104** Screwdriver Bits Supabit, Torx<sup>®</sup>
- 92 Screwdriver Bits Technical Information
- **97 Screwdriver Bits** Torx<sup>®</sup>
- **97 Screwdriver Bits** Torx<sup>®</sup> Tamper Resistant
- 98 Screwdriver Bits Tri-Wing®
- **100** Screwdriver Bits UltraBit

### Bondhus Screwdrivers Index

- **Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Phillips
- **111 Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Slotted Electrician Tip
- **111 Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Slotted Engineer's Tip
- **110 Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Stubby
- **112** Screwdrivers Series 2000 ComfortGrip<sup>™</sup> Torx<sup>®</sup>
- **113 Screwdrivers** Series 2000 VDE Insulated ComfortGrip<sup>™</sup> Phillips
- **114 Screwdrivers** Series 2000 VDE Insulated ComfortGrip<sup>™</sup> Pozidriv
- **113 Screwdrivers** Series 2000 VDE Insulated ComfortGrip<sup>™</sup> Slotted
- **114 Screwdrivers** Series 2000 VDE Insulated ComfortGrip<sup>™</sup> Terminal
- **Screwdrivers** Series 2000 VDE Insulated Voltage Tester
- **Screwdrivers** Series 2000 VDE Insulated Voltage Tester
- 116 Screwdrivers Sets Series 2000 ComfortGrip™
- 116 Screwdrivers Sets Series 2000 VDE Insulated ComfortGrip™
- 117 Screwdrivers Sets Series 4000 PrecisionGrip™

### Screwdriver Bits Technical Information



Flat Installs flush with Used where metal surfaces or countersink countersinks with installation is softer materials for desired. Rounded clean appearance. head offers deep recess & is



Oval

visible just above

the surface.



Button

Used for general purposes with a lower crown & shallower recess than our Round Head design.

Truss
Low profile offers
added security
against vice-grips
removal. Large
diameter head
for increased
fastening strength

Pan

Features a low

diameter head

with a high-edged

crown for increased

profile, large

strength.

Socket

Features a cylindrical head profile allowing for a deeper recess. This style of head is common amongst TORX<sup>®</sup> and Hex drive systems.

### **Types of Screw Threads**



These types have a locating point with either an A or B thread forming screw thread.

# 

Ideal for applications where no pilot holes are required due to a type AB thread with a self drilling point.

# 

Available in both imperial or metric threads, these screws offer a straight sheared point.

### Frequently Asked Questions

#### Are your screwdriver bits milled or forged?

Our bits are forged for many reasons such as life & performance. This manufacturing process enables

our screwdriver bits to have superior performance characteristics against milled equivalents.

#### What is the difference between an insert bit and a power bit?

The insert bits are commonly used with a magnetic bit holder in a power tool. This combination is economical, provides flexibility and allows a fastener to be magnetically held by the bit. The power bits are placed directly into the drill chuck.

#### What is ISO-Temp<sup>™</sup>?

ISO-TEMP<sup>™</sup> has been developed to combine both the low wear advantages of extra hard bits and the high elasticity of medium hard bits. This means that ISO-TEMP™ bits ideally suit screw driving in hard materials where high torque peaks need to be counteracted.

#### Where do I use reduced diameter bits?

In applications for driving screws below the surface of a drywall.

#### Painted, coated and corroded fasteners provide excessive cam-out, what should I do?

ACR<sup>®</sup> bits, with their extra grip, are a good solution. ACR<sup>®</sup> bits are available in both insert and power drives.

#### How do I identify between Phillips® and Pozidriv® bits?

The shallow 'cross' indentations in the screw head identify a Pozidriv<sup>®</sup> fastener. The Pozidriv<sup>®</sup> bit and recess design provides more surface contact between the bit and the screw head than a standard Phillips®. Therefore, the Pozidriv® allows you to apply more torque, reduce the possibility of cam-out. Another way to distinguish the difference is that a Pozidriv® bit can drive a Phillips® screw (but not recommended), whilst a Phillips® bit will struggle to drive a Pozidriv<sup>®</sup> screw.

#### **Registered Trademarks:**

ACR, PHILLIPS, POZIDRIV, TORQ-SET and TRI-WING are registered trademarks of the Phillips Screw Company.

TORX and TORX-ALIGN are registered trademarks of Camcar Division of Textron

	Automotive	Aviation	Appliance	Furniture	Construction / Decking	Public Transport	Electronics	Rec/Hobby	Marine	Security	Drywall / Subfloor	Machine Tools / Metal
Phillips®	•	•	•	•	•	•	•	•	•		•	
Slotted	•	•	•	•	•	•	•	•	•			
Torx®	•		•				•					
Tamper Resistant	•		•			•	•			•		
Torq-Set <sup>®</sup>		•								•		
Tri-Wing <sup>®</sup>		•								•		
Pozidriv®	•	•	•	•	•	•	•	•	•		•	
Square			•	•						•		
Frearson								•				
Torx-Align <sup>®</sup>	•		•			•						
Hex	•											•

**Usage By Industry** 





Phillips is the most widely used drive system in the world. The design absorbs torque peak reducing slippage and breakage.



Shank 1/4" hex for use in power tools and quick change adapters

**Insert** 1/4" hex for use in bit holders and hand drivers **Chrome Vanadium** Tough grade high alloy steel absorbs shock and offers superior performance



**Discount Group: Z0702** 

Size		Length	Pieces	ltem #	Bulk (Order Qty — 10) Barcode	List Price	ltem #	Carded (Order Qty – 1) Barcode	List Price	
1/4" Insert					S105	List Frice		S104	List Frice	
PH1		25		S105 0125	9311963031798	\$1.19	S104 0125	9311963004198	\$2.91	
PH2		25		S105 0225	9311963031804	\$1.19	S104 0225	9311963005010	\$2.91	1.84
PH3		25		S105 0325	9311963031811	\$1.19	S104 0325	9311963007830	\$2.91	
Reduced 1/	4" Insert									Double Ended
PH 2R*		25		S105 0225R	9311963031866	\$1.48				100
1/4" Powe	r – With Ful	l Rounded B	ody							A
PH1		50		S105 0150	9311963035284	\$2.38	S104 0150	9311963072746	\$3.29	
PH1		100		S105 01100	9311963038759	\$5.36				V
PH1		150		S105 01150	9311963050218	\$7.10				<i>a</i> <b>b</b>
PH2		50		S105 0250	9311963035291	\$2.38	S104 0250	9311963072753	\$3.29	Reduced Head
PH2		70		S105 0270	9311963035321	\$4.18	S104 2265	9311963570464	\$2.70	Ideal for use in
PH2		90		S105 0290	9311963035345	\$4.18	S104 0290	9311963106717	\$5.36	restricted areas
PH2		100		S105 02100	9311963039374	\$5.36	S104 22100	9311963570471	\$5.19	
PH2		150		S105 02150	9311963050027	\$7.10	S104 02150	9311963179391	\$8.27	
PH3		50		S105 0350	9311963035307	\$2.38	S104 0350	9311963072760	\$3.29	100
РНЗ		90		S105 0390	9311963035352	\$4.18				
1/4" Powe	r – With Ful	l Hex Body								
PH2		65					S104 0265	9311963570440	\$3.87	
Double End	ed				S125			<b>S122</b>		
PH2	PH2	45		S125 0245	9311963049892	\$2.70	S122 0245	9311963106724	\$3.52	
PH2	PH2	65		S125 0260	9311963049885	\$2.98	S122 0265	9311963179377	\$3.58	
Double End	ed – With F	ull Hex Body	1		S123			<b>S104</b>		
PH2	PH2	100					S104 12100	9311963570457	\$2.20	1.8
PH2	PH2	110		5123 02110	9311963050768	\$4.18				
PH2	PH2	150		S123 02150	9311963050911	\$5.90				Double Ended
										Full Hex Body
Double End	ed - Impact							S105		
PH2	PH2	50	10	5			S105 1250	9311963570334	\$17.81	
PH2	PH2	75	6	IMPACT			S105 1275	9311963570341	\$14.24	0.10
PH2	PH2	100	6	ACT.			S105 12100	9311963570358	\$16.63	

\*Carded pack contains 2 bits.

Convert any power drill into a screwgun. Retaining ring notch ideal for even drive depth in plasterboards without tearing.

PH2


e

sutton tools



Made with high hardness

S2 grade tool steel



Application
DIY
Trade
General Contracting
Plastering

		Discount Group: Z070			
Size	Length	ltem #	Carded (Order Qty — 1) Barcode	List Price	
Dry wall - Ph	illips Plasterboard Insert bit		<b>S104</b>		
PH2	25	S104 0225D	9311963623726	\$7.15	







The self-centring Pozidriv system provides excellent driving control with less operator fatigue.



**Chrome Vanadium** Tough grade high alloy steel absorbs shock and offers superior performance



Shank 1/4" hex for use in power tools and quick change adapters

Insert 1/4" hex for use in bit holders and hand drivers

Recess Design Providing better mating with the driver, greater driving, surface and minimal metal "fall away"



							Discount Gr	oup: <b>Z070</b> 2
Size		Length	ltem #	Bulk (Order Qty – 10) Barcode	List Price	ltem #	Carded (Order Qty – 1) Barcode	List Price
1/4" Insert				<b>S103</b>			S102	
PZ1*		25	S103 0125	9311963031873	\$1.19	S102 0125	9311963009032	\$2.91
PZ2*		25	S103 0225	9311963032030	\$1.19	S102 0225	9311963009544	\$2.91
PZ3		25	S103 0325	9311963032078	\$1.19			
1/4" Power	r – With Ful	l Rounded Body						
PZ1		50	S103 0150	9311963035628	\$2.38	S102 0150	9311963072777	\$3.29
PZ1		75	S103 0175	9311963039749	\$3.58			
PZ1		150	S103 01150	9311963037066	\$7.10			
PZ2		50	S103 0250	9311963035635	\$2.38	S102 0250	9311963072784	\$3.29
PZ2		75	S103 0275	9311963039756	\$3.58			
PZ2		150	S103 02150	9311963037073	\$7.10			
PZ3		50	S103 0350	9311963036205	\$2.38	S102 0350	9311963072791	\$3.29
PZ3		75	S103 0375	9311963039763	\$3.58			
PZ3		150	S103 03150	9311963037080	\$7.10			
Double End	ed							
PZ2*	PZ2	45	S103 0245	9311963570495	\$2.08	S102 0245	9311963570488	\$3.87
PZ2*	PZ2	65	S103 0265	9311963570518	\$3.95	S102 0265	9311963570501	\$4.18
				S121			<b>S120</b>	
PZ2	PZ2	60	S121 0260	9311963050478	\$2.08	S120 0260	9311963179384	\$2.98





5-6

-

0

82

suttontools

The most popular driving system for general use. For positive drive, the screwdriver tip must be turned 90 degree to align itself with the recess.

utton ution

ution

utton

ution

utton(

utton

ution

utton

# **Shank** 1/4" hex for use in power tools and quick change adapters

**Insert** 1/4" hex for use in bit

holders and

hand drivers

1

**Chrome Vanadium** Tough grade high alloy steel absorbs shock and offers superior performance

Application DIY Trade Industrial Application Automotive Electrical Plumbing Carpentry Plastering General Contracting Woodworking Metalworking Machine Shop MRO

								Discount Gr	oup: <b>Z</b> 0702
Size		Length		ltem #	Bulk (Order Qty — 10) Barcode	List Price	ltem #	Carded (Order Qty – 1) Barcode	List Price
1/4" Inse	rt				<b>S101</b>			<b>S100</b>	
5-6*		25		S101 5625	9311963049373	\$1.19	S100 5625	9311963005164	\$2.91
6-8*		25		S101 6825	9311963049380	\$1.19	S100 6825	9311963005508	\$2.91
1/4" Pow	ver – With	Full Rounded Boo	iy						
2-3		50					S100 2350	9311963072715	\$3.52
5-6		50		S101 5650	9311963037134	\$2.70	S100 5650	9311963072722	\$3.52
6-8		50		S101 6850	9311963037141	\$2.70			
8-10		50		S101 81050	9311963037158	\$2.70	S100 81050	9311963072739	\$2.98
1/4" Pow	ver – With	Full Hex Body							
4		50					S100 4550	9311963570389	\$2.08
6		50					S100 6850	9311963570396	\$2.08
Double Er	nded Slotte	d – Phillips			S127				
6-8	PH2	40		S127 68240	9311963049229	\$2.08			
1/4" Inse	rt – Bulk				S111			<b>S110</b>	
T10*		25	10	S111 1025	9311963041902	\$1.68	S110 1025	9311963570402	\$2.33
T15*		25	10	S111 1525	9311963041919	\$1.68	S110 1530	9311963570419	\$2.33
T20		25	10	S111 2025	9311963041926	\$1.68			






Application

DIY Trade Appliances Automotive

# suttontools

The system provides NO CAM-OUTS because of the straight, vertical side walls in the design of the recessed screw head. Also provides a greater depth of engagement between the driver and the fastener due to the 6 lobes.



Discount Group: Z0702

Size	Length	Order Qty		Bulk (Order Qty - 10)		Carded (Order Qty – 1)			
Size	Lengui	order Qty	ltem #	Barcode	List Price	ltem #	Barcode	List Price	
T25*	25	10	S111 2525	9311963041933	\$1.68	S110 2530	9311963570426	\$2.33	
T27*	25	10	S111 2725	9311963041940	\$1.68	S110 2730	9311963570433	\$2.33	
T30	25	10	S111 3025	9311963041957	\$2.08				

Screwdriver Bits Torx® Tamper Resistant









Torx<sup>®</sup> Tamper Resistant Tip Popular in security protection applications

#### Application DIY Trade Appliances Automotive Security


				Discount G	roup: <b>Z</b> 0702
Size	Length	Order Qty	ltem #	Barcode	List Price
1/4" Insert – Bulk				S113	
T10H	25	10	S113 1025	9311963044484	\$2.08
T15H	25	10	S113 1525	9311963045085	\$2.08
T20H	25	10	S113 2025	9311963045108	\$2.08
T25H	25	10	S113 2525	9311963045283	\$2.08
T27H	25	10	S113 2725	9311963045405	\$2.08
тзон	25	10	S113 3025	9311963046648	\$2.38

\*Carded pack contains 2 bits.



Tamper resistant bits for the installation and removal of security fasteners.







#### Discount Group: Z0702

Size	Length	Order Qty	ltem #	Barcode	List Price
1/4" Insert – Bulk				S117	
3mm	25	10	S117 0325	9311963041667	\$1.48
4mm	25	10	S117 0425	9311963041698	\$1.48
5mm	25	10	S117 0525	9311963041742	\$1.48

Screwdriver Bits Sock	et Adap	tor					
<b>Suttontools</b> For use with a power socket. Ideal for who torque loads are required.	en high				Pin Lc For secure attachme of socl	ent	MAGNETIC
Cocket Adapter Prove Secondaria (C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	trois E C abis E C abis E C abis E C abis E C abis E C trois E C trois E C		Shank 1/4" he tools ar adapte	ex for use in pov nd quick change rs	2		Application DIY Trade Automotive Electrical Plumbing Carpentry General Contracting Woodworking Metalworking Machine Shop MRO
		Bulk (Order Qty – 10)			Discount Gr Carded (Order Qty – 1)	roup: 20702	
Size Length	Item #	Barcode S137	List Price	ltem #	Barcode S136	List Price	
1/4 POWPEBIE		514/					

Screwdriver Bits Magnetic Bit Holder suttontools **Opening** Designed for use with insert bits Help you change bits faster for greater productivity. **C-Ring** Internal clip fits into the retaining notch of insert bits to hold the bit securely in place Application DIY Trade Industrial Application Automotive Electrical Plumbing Rare Earth Magnet 4 times stronger than standard magnets Carpentry Plastering Shank General Contracting 1/4" hex for use in power tools Woodworking and quick change adapters Metalworking Machine Shop suttontools MRO **Discount Group: Z0702** Bulk (Order Qty – 10) Barcode Carded (Order Qty – 1) Size Length List Price List Price Item # 1/4" Power Drive with C-Ring – Magnetic **S129 S128** 1/4 55 S129 0650 9311963049663 \$8.05

S128 0675

\$9.24

9311963005171

\$10.13

9311963037233

S129 0675

75

1/4



			Discourt	iroup: Z070
Ler	igth	Pieces	Item # Barcode	List Price
			S160	
5	0	2	S160 0250 9311963618678	\$16.46
			S161	
5	0	5	S161 0250 9311963618685	\$39.10
			S162	
5	0	10	S162 0250 9311963618692	\$80.21
			S163	
5	0	2	S163 0550 9311963618708	\$16.46
			S164	
5	0	5	S164 0550 9311963618715	\$39.10
			S165	
5	0	10	S165 0550 9311963618722	\$80.21
			S166	
5	0	2	S166 0250 9311963618739	\$16.46
			S167	
5	0	5	S167 0250 9311963618746	\$39.10
			S168	
5	0	10	S168 0250 9311963618753	\$80.21
			S169	
5	0	2	S169 1050 9311963618760	\$16.46
5	0	2	S169 1550 9311963618777	\$16.46
5	0	2	S169 2050 9311963618784	\$16.46
5	0	2	S169 2550 9311963618791	\$16.46
5	0	2	S169 3050 9311963618807	\$16.46
5	0	2	S169 4050 9311963618814	\$16.46



S162 0250



5120	Length	Pieces	Item #	Barcode	List Price	Item #	Barcode	List Price
Phillips <sup>®</sup> 1/4" Insert				S107			<b>S106</b>	
PH1	25		S107 0125	9311963441337	\$2.08	S106 0125	9311963441306	\$3.40
PH2	25		S107 0225	9311963441344	\$2.08	S106 0225	9311963441313	\$3.40
PH3	25		S107 0325	9311963441351	\$2.08	S106 0325	9311963441320	\$3.40
Phillips <sup>®</sup> 1/4" Power -	With Torsion	n Body						
PH1	50		S107 0150	9311963441399	\$2.98	S106 0150	9311963441368	\$4.18
PH2	50		S107 0250	9311963441405	\$2.98	S106 0250	9311963441375	\$4.18
PH3	50		S107 0350	9311963441412	\$2.98	S106 0350	9311963441382	\$4.18
							S150	
PH2	50	2				S150 0250	9311963608525	\$8.76
PH2	100	2				S150 02100	9311963608587	\$19.02
PH2	152	2				S150 02152	9311963608617	\$24.80
							S151	
PH2	50	5				S151 0250	9311963608532	\$19.02
PH2	100	5				S151 02100	9311963608594	\$44.65
PH2	152	5				S151 02152	9311963608624	\$57.87
Double Ended - With T	orsion Body*	*					<b>S108</b>	
PH2	50	1				S108 2050	9311963599922	\$3.66
PH2	75	1				S108 2070	9311963599939	\$4.06
PH2	100	1				S108 2100	9311963599946	\$5.24
🌒 PH2	150	1				S108 2150	9311963623702	\$11.27
PH2	50	6				S108 20506	9311963600000	\$16.23
PH2	75	6				S108 20706	9311963600017	\$18.55
PH2	100	6				5108 21006	9311963600024	\$20.88
Assorted - Doubled End	ed — With Tor	sion Body					S125	
PH2/R2	60	2				S125 1260	9311963623658	\$8.75
🎾 PH2, R2, PH2/R2	60	3				S125 9360	9311963623665	\$12.30



	Size	Length	Pieces	ltem #	Bulk (Order Qty — 10) Barcode	List Price	ltem #	Carded (Order Qty – 1) Barcode	List Price
	Metric 1/4" Insert				S115			S114	
	4mm	25		S115 0425	9311963041834	\$1.19			
	5mm	25		S115 0525	9311963041841	\$1.19	S114 0525	9311963352282	\$2.70
	6mm	25		S115 0625	9311963041858	\$1.19			
	8mm	25		S115 0825	9311963041865	\$1.97			
	Metric 1/4" Power								
	4mm	50					S114 0450	9311963625485	\$4.37
9	Set 3-8mm	50	5				S114 9550	9311963623641	\$18.01
	1/4" Power – With Full	Rounded Bod	y						
	5mm	50		S115 0550	9311963049441	\$2.38	S114 0550	9311963439129	\$3.29
	5mm	75		S115 0575	9311963439105	\$3.58	S114 0575	9311963439136	\$4.59
	5mm	100		S115 05100	9311963439112	\$5.36	S114 05100	9311963439143	\$6.74
								S146	
	5mm	50	2				S146 0550	9311963608334	\$6.55
	5mm	152	2				S146 05152	9311963608402	\$20.89
	6mm	65	2				S146 0665	9311963609164	\$9.87
								S147	
	5mm	50	5				S147 0550	9311963608341	\$15.71
	5mm	152	5				S147 05152	9311963608419	\$47.33





This system is very popular especially for wooden boat building, mobile homes, recreation vehicles and other specialty uses. Also known as a Robertson\* bit.

uttonicous

uttonice

suttonicon

suttontools

SUPA III

suttontools

C

82

R1

0



use in bit holders and

hand drivers

SUPAR

Square Recess Tip Specialised tip design for a number of applications

**Full Hex Body** Provides extra strength and durability

> Application Appliances Cabinet Making Decking Trade Carpentry Plastering Woodworking HVAC

Size	Length	Pieces		Bulk (Order Qty – 10)			Carded (Order Qty – 1)	
1/4" Insert	8		Item #	Barcode S119	List Price	ltem #	Barcode S118	List Pric
R1*	25		5119 0125	9311963039770	\$1.19	S118 0125	9311963024691	\$2.91
R2*	25		S119 0125 S119 0225	9311963039770	\$1.19	S118 0125	9311963024691	\$2.91
R3*	25		S119 0225	9311963039787	\$1.19	S118 0225	9311963024707	\$2.91
1/4" Power – With Fi			51190325	5511505055754	<i>p</i> 1.19	5110 0525	5511505024721	\$2.5
R1	50		5119 0150	9311963039800	\$1.91	S118 0150	9311963024738	\$2.80
R1	90		5119 0190	9311963049465	\$3.93	00100110	5511505024756	₽2.0V
R1	100		S119 0190	9311963623689	\$7.15			
R1	150		S119 01100 S119 01150	9311963049489	\$5.90			
R I	100		0110 6110	3311303043469	<i>p</i> 3.90			
R2	50		5119 0250	9311963039817	\$1.91	S118 0250	9311963024745	\$2.8
R2 R2						51180250	9311963024745	<b>≱</b> 2.8
	75		S119 0275	9311963039862	\$3.93	6440.0000	0244052027750	<i>4</i> <b>-</b> 0
R2	90		S119 0290	9311963049472	\$3.93	5118 0290	9311963024769	\$5.0
R2	150		S119 02150	9311963049649	\$5.90	S118 02150	9311963024776	\$6.8
					4			40.0
R3	50		S119 0350	9311963039824	\$1.91	S118 0350	9311963024752	\$2.8
R3	100		5119 03100	9311963623719	\$7.15			
2 Pce Set 1/4" Power								
R2/H5	60	2				S118 1260	9311963623672	\$9.2
2 Pce Set							S148	
R2	50	2				S148 0250	9311963608426	\$6.5
R2	152	2				5148 02152	9311963608501	\$16.4
5 Pce Set							S149	
R2	50	5				S149 0250	9311963608433	\$14.0
R2	152	5				S149 02152	9311963608518	\$42.9
Double Ended Sets							S119	
R2/R2	60	2				S119 1260	9311963623627	\$8.7
R2/R2	75	6				S119 1275	9311963570365	\$14.
R3/R3	75	6				S119 1375	9311963570372	\$15.4
R1,R2,R3	60	3				S119 9360	9311963623610	\$12.3

\* Carded pack contains 2 bits.





**Discount Group: Z0702** 



suttontools

Sutton Tools Torx® Supabit screwdriver bits are specifically designed to withstand high torque applications. The elastic property of these bits deliver professional performance that stands up to rigorous use. Provides a greater depth of engagement between the driver and the fastener.



יותע EXTREME IMP



Size	Length	Pieces	ltem #	Barcode	List Price
2 Pce Pack				S153	
T10	50	2	S153 1050	9311963615066	\$8.49
T20	50	2	S153 2050	9311963615073	\$8.49
T25	50	2	S153 2550	9311963615080	\$8.49
T40	50	2	S153 4050	9311963615172	\$8.49
3 Pce Pack					
📎 T15, T20, T25	50	3	S153 0003	9311963625478	\$10.60
/					
5 Pce Pack				S154	
T10	50	5	S154 1050	9311963615097	\$18.10
T20	50	5	S154 2050	9311963615103	\$18.10
T25	50	5	S154 2550	9311963615110	\$18.10



S153 0003

S154 2050

104 Prices exclude GST



Opening

Available for both metric

and imperial sizes



Nutsetters are used predominantly in the roofing industry to drive hex head screws.





> **High Performance Materials** Delivers professional performance that stands up to rigorous use

Application DIY Trade Automotive Electrical Plumbing Carpentry General Contracting Woodworking Metalworking Machine Shop MRO

								Discount Gre	oup: 20702
	Size	Length	Pieces	ltem #	Bulk (Order Qty – 10) Barcode	List Price	ltem #	Carded (Order Qty — 1) Barcode	List Price
	1/4" Power Imperial				S133			S132	
	1/4	45		S133 0645	9311963039893	\$5.36	S132 0645	9311963074160	\$6.31
	1/4	65		S133 0665	9311963042015	\$6.74	S132 0665	9311963074191	\$7.57
	1/4	150					S132 06150	9311963518565	\$11.85
	5/16	45		S133 0845	9311963039909	\$5.78	S132 0845	9311963074177	\$6.55
	5/16	65		S133 0865	9311963042022	\$7.10	S132 0865	9311963074207	\$7.75
	5/16	150					5132 08150	9311963518572	\$11.85
	3/8	50		S133 0950	9311963041797	\$6.26	S132 0950	9311963074184	\$7.10
	3/8	65		S133 0965	9311963043401	\$7.46	S132 0965	9311963074214	\$8.27
	3/8	150					S132 09150	9311963518589	\$11.85
NEV	3/8	305					S132 09305	9311963623733	\$29.79
2									
NEV	Sets							S157	
$\mathbf{\nabla}$	1/4	65	3				S157 0665	9311963626680	\$21.61
	5/16	65	3				S157 0865	9311963626697	\$22.12
	3/8	65	3				S157 0965	9311963626703	\$24.70
MENS	Assorted Set								
-	1/4 5/16 3/8	65	3				S157 0003	9311963626710	\$23.15
	1/4" Power Metric				S135				
	8	45		S135 0845	9311963051055	\$5.90			
	10	50		S135 1050	9311963051062	\$6.26			

Screwdriver Bits Supabit, Torsion Nutsetter









Magnetic Nutsetters are used to drive hex head nuts and screws in a wide variety of applications. Supabits withstand high torque applications. The elastic property of these bits deliver professional performance.



		Discount Gro	up: 20702
Size	Length	Carded (Order Qty – 1) Item # Barcode	List Price
		S152	
1/4	65	S152 0665 9311963611181	\$14.27
5/16	65	S152 0865 9311963611198	\$14.27
3/8	65	S152 0965 9311963611204	\$14.27







S142 0012















S138 0250





S138 0017





S138 0150



S138 0265

S138 0245

S138 0007

S138 0008









		ME IMPAC	r		Discount G	iroup: 20702
Size	Pieces	Case	Order Qty	Item #	Barcode	List Price
					S142	
Impact Screwdriver Set Pivoting bit holder (15°) 50mm bits: PH1, PH2, PH3, R2, Hex 5mm Double ended: PH2x50mm, PH2x75mm, PH2x100mn Nutsetters: 1/4, 5/16 & 3/8	12	Plastic	1	5142 0012	9311963600314	\$103.50

# suttontools

Popular configuration to suit a variety of applications. Steel Grade S2 59-62 HRC

Steel Grade S2 59-62 HRC						Discount G	roup: <b>Z070</b> 2
Size	Length	Pieces	Case	Order Qty	ltem #	Barcode	List Price
						S138	
Screwdriver Phillips Insert							
PH1 & PH2	25	20	Plastic	1	S138 0102	9311963439068	\$21.39
Screwdriver Phillips Power Round Bo	dy						
PH1	50	10	Plastic	1	S138 0150	9311963439020	\$29.51
PH2	50	10	Plastic	1	5138 0250	9311963439037	\$29.51
Screwdriver Phillips Power Double Er	nded						
PH2	45	10	Plastic	1	S138 0245	9311963439044	\$28.01
PH2	65	10	Plastic	1	S138 0265	9311963439051	\$30.40
PH1, PH2, PH3	60	3	Carded	1	S138 9360	9311963623696	\$12.30
Assorted Set							
PH1, PH2, PH3, R2, H5	50	5	Carded	1	S138 9550	9311963623634	\$18.47
Screwdriver Bit Insert Assorted Set Slotted:4mm, 5mm, 6mm, 7mm Philips: PH1, PH2, PH3 Pozidriv: PZ1, PZ2, PZ3 Torx: T10, T15, T20, T25, T30, T40 Magnetic Bit Holder 1/4"	60	17	Plastic	1	S138 0017	9311963439075	\$28.55
Dial Selector Set Phillips: PH1, PH2 Slotted: 4.5mm, 7.0mm Pozidriv: P21, P22 Magnetic Bit Holder 1/4"	25	7	Plastic	12	S138 0007	9311963570525	\$7.10
<b>Belt Clip Set</b> Phillips: PH0, PH1, PH2, PH3 Slotted: 4mm, 5mm, 6mm Offset Screwdriver wrench	25	8	Plastic	10	5138 0008	9311963570532	\$14.24



Size	Length	Pieces	Case	Order Qty	ltem #	Barcode	List Price
Screwdriver E	Bit Set - DIY						
Screwdriver: ‡ Pozi: #2 & #3 Slotted: 5 & 7 Magnetic hold	mm	7	Plastic	1	92290	9312621922908	\$2.96
Pite Scrowdri	ver PH#2 (Discount group Z0702)						
					02210	0212621022106	¢2 72
PH2	25				92210	9312621922106	\$3.72
PH2	50				92211	9312621922113	\$5.24





.... 6E 1

S138 0017



Discount Group: A1202





Suitable for dry-wall installation. The extra strong magnet firmly holds screw in place.





	<b>c</b>	70702
Discount	Group:	20/02

Size	Length	Order Qty	ltem #	Barcode	List Price
Dry Wall Magne	etic Extension Bars			S131	
1/4	150	1	S131 06150	9311963600291	\$38.31
1/4	300	1	5131 06300	9311963600307	\$44.13



				Discount Gr	oup: 20702
Size	0/A Length	Length*	ltem #	Carded (Order Qty — 1) Barcode	List Price
1/4" Power Dri	ve with Retracting Sle	eeve		<b>S130</b>	
1/4	120	80	5130 80120	9311963439082	\$11.85
1/4	200	120	5130 120200	9311963439099	\$12.21

\*Length when retracted







# Bondhus Professional Quality Tools Provide Superior Value

Time is money, and the real cost of using an inferior tool is realized when something goes wrong. As anyone who works with mechanical devices knows, bad things occasionally happen.

Stripped screw heads are one of those bad things that can happen. A screw with a stripped head can no longer be removed with a screwdriver. If it is in a difficult to reach location, where a clamping device cannot grip it, the task becomes particularly difficult.

The cost of a high quality screwdriver is negligible compared to the cost of removing a stripped screw. Will it take a few hours? What is the real cost of an inexpensive, poor performing screwdriver?



Bondhus quality screwdrivers are made from the finest steels and plastics in our German manufacturing plant, where screwdrivers have been produced for more than 50 years. The purpose of a high quality screwdriver is to provide a faster, easier, less costly means of performing a task. Bondhus strives to provide not just "good" tools, but the strongest tools available anywhere. Customer satisfaction is what we strive for every day.

# LIFETIME WARRANTY

If any Bondhus® tool bread or fails to meet your expectations in any way, simply return it. We will replace it free of charge.

"All Bondhus products are guaranteed for life. If you are not satisfied with a Bondhus tool for any reason simply return it. A replacement will be shipped right out at no cost, no hassles, no questions asked."

Bondhus manufactures

and every tool is backed

the highest quality screwdrivers available,

by an unconditional

lifetime warranty.

A warranty is only as good as the company standing behind it. Bondhus has been the leading innovator in the hand tool industry for over 50 years.

### Series 2000 -ComfortGrip™ Screwdrivers

Features outstanding comfort and grip in a 2-component ergonomic design. The hex shaped handle design provides the best possible contact between the handle and the users hand, while delivering outstanding comfort and torque.

### Series 2000 VDE Insulated - ComfortGrip™ Screwdrivers

Rated for use to 1,000V, tested at 10,000V and with all the benefits from Series 2000 Range of Screwdrivers. The professional choice for electricians.



To bear the **VDE (Verband der Elektrotechnik)** Certification Mark, tools are put through very rigorous testing to ensure that the quality, construction, safety and even ergonomics meet with protective requirements of the applicable EC Directive.

#### Series 4000 -PrecisionGrip™ Screwdrivers

Manufactured to the exacting standards required by applications where precision is critical. The ergonomic handle shape allows for either full-hand or finger tip control with reduced effort.

## **Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Phillips



РНО	3.5	60	100	26	BDS12082	4016758120828	\$11.32
PH1	5.0	80	105	30	BDS12083	4016758120835	\$12.98
PH1	5.0	150	105	30	BDS12084	4016758120842	\$14.53
PH1	5.0	300	105	30	BDS12086	4016758120866	\$16.45
PH2	6.0	100	110	34	BDS12087	4016758120873	\$16.24
PH2	6.0	200	110	34	BDS12088	4016758120880	\$21.58
PH2	6.0	300	110	34	BDS12089	4016758120897	\$23.44
РНЗ	8.0	150	115	36	BDS12090	4016758120903	\$23.71

# **Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Stubby



Chrome-vanadium-molybdenum blades for hardness and high torque applications Chrome-plated for corrosion resistance Precision tip fits screw head exactly




						Disco	unt Group: Z1502
Size	Diameter	Blade Length	Grip Length	Grip Width	ltem #	Barcode	List Price
PH1	5.0	30	50	30	BDS12285	4016758122853	\$13.09
SL5	5.0	30	50	30	BDS12289	4016758122891	\$13.09


## **Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Slotted - Electrician Tip





Size	Slot Size	Diameter	Blade Length	Grip Length	Grip wiath	item #	Barcoae	List Price
SL3	0.5	3.0	75	100	26	BDS12005	4016758120057	\$8.81
SL3.5	0.6	3.5	100	100	26	BDS12007	4016758120071	\$9.83
SL4	0.8	4.0	100	105	30	BDS12008	4016758120088	\$11.85
SL5	1.0	5.0	200	105	30	BDS12013	4016758120132	\$14.53
SL5.5	1.0	5.5	150	110	34	BDS12014	4016758120149	\$16.71

**Screwdrivers** Series 2000 ComfortGrip<sup>™</sup> Slotted - Engineer's Tip











PHO	3.5	60	100	26	BDS12420	4016758124208	\$11.64
PH1	5.0	80	105	30	BDS12421	4016758124215	\$14.42
PH2	6.0	100	110	34	BDS12422	4016758124222	\$18.10
PH3	8.0	150	115	36	BDS12423	4016758124239	\$29.16

Screwdrivers Series 2000 VDE Insulated ComfortGrip™ Slotted





Screwdrivers Series 2000 VDE Insulated ComfortGrip™ Terminal

115


36

BDS12433

4016758124338

\$29.16

150



PZ3

8.0

## Screwdrivers Series 2000 VDE Insulated Voltage Tester



Rated for use to 120–250V, full working range is 90–500V Chrome-vanadium-molybdenum blades for hardness and high torque applications Precision tip fits screw head exactly



				F			Disco	unt Group: Z15
Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	ltem #	Barcode	List Price
SL3	0.5	3.0	60	78	14	BDS12450	4016758124505	\$8.76
SL3.5	0.6	3.5	100	98	20	BDS12451	4016758124512	\$9.93

# Screwdrivers Series 2000 VDE Insulated Voltage Tester



Rated for use to 120–250V, full working range is 90–500V Chrome-vanadium-molybdenum blades for hardness and high torque applications Precision tip fits screw head exactly



					Li		Disco	unt Group: Z15
Size	Slot Size	Diameter	Blade Length	Grip Length	Grip Width	ltem #	Barcode	List Price
SL3	0.5	3.0	60	90	20	BDS12454	4016758124543	\$11.16
SL3.5	0.6	3.5	100	90	20	BDS12455	4016758124550	\$12.98

# Screwdrivers Sets Series 2000 ComfortGrip™





BDS02300

BDS02305

BDS02310

BDS02320

BDS02325

BDS02330

BDS02335 Discount Group: Z1502

Contents	Item #	Barcode	List Price
<b>5Pce Set: Phillips</b> PH1 × 80, PH2 × 100, <b>Slotted</b> SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02300	4016758023006	\$63.02
<b>5Pce Set: Phillips</b> PH1 × 80, PH2 × 100, <b>Slotted</b> SL4.5 × 125, SL5.5 × 125, SL7 × 125	BDS02305	4016758023051	\$69.43
<b>6Pce Set: Phillips</b> PH1 × 80, PH2 × 100, <b>Slotted</b> SL3.5 × 100, SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02310	4016758023105	\$73.70
<b>3Pce Set: Phillips</b> PH2 × 100, <b>Slotted</b> SL5.5 × 125, SL6.5 × 150	BDS02320	4016758023204	\$41.65
<b>3Pce Set: Phillips</b> PH0 × 60, PH1 × 80, PH2 × 100	BDS02325	4016758023259	\$35.19
<b>7Pce Set: Torx</b> T6 × 80, T8 × 80, T10 × 80, T15 × 80, T20 × 100, T25 × 100, T30 × 125	BDS02330	4016758023303	\$95.06
<b>3Pce Set: Torx</b> T10 × 80, T15 × 80, T20 × 100	BDS02335	4016758023358	\$40.53

# Screwdrivers Sets Series 2000 VDE Insulated ComfortGrip™







ds That We

BDS02505







BDS02500

BDS02515

BDS02520

Discount Group: Z1502

Contents	ltem #	Barcode	List Price
6Pce Set: Phillips PH1 × 80, PH2 × 100, Slotted SL2.5 × 75, SL4 × 100, SL5.5 × 125, SL6.5 × 150	BDS02500	4016758025000	\$84.38
<b>6Pce Set: Phillips</b> PH1 × 80, PH2 × 100, <b>Slotted</b> SL2.5 × 75, SL4 × 100, SL5.5 × 125, Voltage Tester	BDS02505	4016758025055	\$73.70
<b>7Pce Set: Phillips</b> PH1 × 80, PH2 × 100, <b>Pozidriv</b> PZ1 × 80, PZ2 × 100, <b>Slotted</b> SL2.5 × 75, SL4 × 100, SL5.5 × 125 × 100, SL5.5 × 100, SL5 × 100, SL5.5 × 100, SL5.5 × 100, SL5 ×	BDS02515	4016758025154	\$95.06
3Pce Set: Phillips PH1 × 80, Slotted SL2.5 × 75, SL4 × 100	BDS02520	4016758025208	\$35.19
5Pce Set: Phillips PH0×60mm, PH1×80mm, PH2×100mm Slotted SL3.5×100mm, SL4.5×125mm	BDS02405	4016758024058	\$74.27

# Screwdrivers Sets Series 4000 PrecisionGrip™







#### Discount Group: Z1502

Contents	ltem #	Barcode	List Price
<b>6Pce Set: Phillips</b> PH00× 60, PH0 × 60, PH1 × 80, <b>Slotted</b> SL1.5 × 60, SL2 × 60, SL3 × 75	BDS04370	4016758043707	\$52.33
<b>6Pce Set: Phillips</b> PH00× 60, PH0 × 60, <b>Pozidriv</b> PZ0 × 60, PZ1 × 80, <b>Slotted</b> SL1.5 × 60, SL2 × 60	BDS04375	4016758043752	\$55.48
<b>6Pce Set: Torx</b> T3 × 60, T4 × 60, T5 × 60, T6 × 80, T8 × 80, T10 × 80	BDS04380	4016758043806	\$83.26