

Safety Data Sheet

Page 1 of 6

LOCTITE LB 8060 known as Silver Grade Anti-Seize Stick

SDS No.: 153551

V001.4

Date of issue: 30.03.2020

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITELB 8060 known as Silver Grade Anti-Seize Stick

Intended use: Lubricant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard ClassHazard CategorySkin irritationCategory 2Serious eye damage/eye irritationCategory 1

Hazard pictogram:



Signal word: Danger

Hazard statement(s): H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary Statement(s):

Prevention: P264 Wash hands thoroughly after handling.

P280 Wear protective gloves, eye protection, and face protection.

Response: P302+P352 IF ON SKIN: Wash with plenty of water.

 $P305+P351+P338+P315 \ IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.$ Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical

advice/attention.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing.

Page 2 of 6

SDS No.: 153551 V001.4

LOCTITE LB 8060 known as Silver Grade Anti-Seize

Stick

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: Mixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Calcium oxide	1305-78-8	10- < 30 %
non hazardous ingredients~		60- <= 100 %

Section 4. First aid measures

Ingestion: Do not induce vomiting.

Seek medical advice.

Have victim rinse mouth thoroughly with water.

Skin: Rinse with running water and soap.

Seek medical advice.

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Use media appropriate for surrounding material.

Improper extinguishing media: None known

Decomposition products in case of fire:

Thermal decomposition can lead to release of irritating gases and vapors.

Oxides of carbon, oxides of nitrogen, irritating organic vapors. Sulphur oxides

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

See advice in section 8

Environmental precautions: Do not let product enter drains.

Page 3 of 6

SDS No.: 153551

V001.4 LOCTITE LB 8060 known as Silver Grade Anti-Seize

Stick

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Precautions for safe handling: Use only in well-ventilated areas.

Avoid skin and eye contact.

Wear suitable protective clothing, gloves and eye/face protection.

See advice in section 8

Conditions for safe storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection

National exposure standards:

Engineering controls: Ensure good ventilation/suction at the workplace.

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

Nitrile rubber gloves should be worn.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: Silver Solid

Odor: Mild

Flash point: Product is a solid. Burn Rate: Approx 12 mm/2 minutes

Density: 1.10 g/cm3

Section 10. Stability and reactivity

Stability: Stable under recommended storage conditions.

Conditions to avoid: Avoid excessive heat and ignition sources.

SDS No.: 153551 V001.4

LOCTITE LB 8060 known as Silver Grade Anti-Seize

Stick

Incompatible materials: Reaction with strong acids.

Reacts with strong oxidants.

Hazardous decomposition

products:

Thermal decomposition can lead to release of irritating gases and vapors.

Oxides of carbon. Oxides of sulfur. Oxides of nitrogen.

Section 11. Toxicological information

Health Effects:

Ingestion: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Skin: Causes skin irritation.

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Eyes: Contact with this product may cause severe eye damage.

Contact with the eyes may cause moderate to severe eye injury. Eye contact may result in corneal injury. Symptoms may include discomfort or pain, excess blinking and tear production, with

marked redness and swelling of the conjunctiva.

Inhalation: Not a hazard under normal conditions of use.

May cause respiratory tract irritation.

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method	
CAS-No.	type		application	time			
Calcium oxide	LD50	> 2,000 mg/kg	oral		rat	OECD Guideline 425 (Acute	
1305-78-8	LC50	> 6.04 mg/l	inhalation	4 h	rat	Oral Toxicity: Up-and-Down	
	LD50	> 2,500 mg/kg	dermal		rabbit	Procedure)	
						OECD Guideline 436 (Acute	
						Inhalation Toxicity: Acute	
						Toxic Class (ATC) Method)	
						OECD Guideline 402 (Acute	
						Dermal Toxicity)	

Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Calcium oxide	Category 1 (irreversible effects on the eye)		rabbit	OECD Guideline 405 (Acute
1305-78-8				Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Calcium oxide 1305-78-8	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study/ Route of administration	Metabolic activation / Exposure time	Species	Method
Calcium oxide	negative	bacterial reverse	with and without		OECD Guideline 471
1305-78-8		mutation assay (e.g			(Bacterial Reverse Mutation
		Ames test)			Assay)

Page 5 of 6

SDS No.: 153551 V001.4 LOCTITE LB 8060 known as Silver Grade Anti-Seize

Stick

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Calcium oxide 1305-78-8	NOAEL=1,000 mg/kg	oral: gavage	up to 48 consecutive daysdaily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Section 12. Ecological information

General ecological information: Do not empty into drains / surface water / ground water.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity	Exposure time	Species	Method
CAS-110.	type		Study	time		
Calcium oxide 1305-78-8	LC50	50.6 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute
Calcium oxide 1305-78-8	EC50	49.1 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp.
						Acute Immobilisation Test)
Calcium oxide 1305-78-8	EC50	184.57 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth
Calcium oxide 1305-78-8	NOEC	48 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	201 (Alga, Growth
Calcium oxide 1305-78-8	EC20	229.2 mg/l	Bacteria	3 h	activated sludge of a predominantly domestic sewage	Inhibition Test) OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test)

Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Page 6 of 6

SDS No.: 153551 V001.4 LOCTITE LB 8060 known as Silver Grade Anti-Seize

Stick

Air transport IATA:

UN no.: 1910

Proper shipping name: Calcium oxide

Class or division: 8
Packing group: III
Packing instructions (passenger) 860
Packing instructions (cargo) 864

Section 15. Regulatory information

SUSMP Poisons Schedule None

AICS: All components are listed or are exempt from listing on the Australian Inventory of

Chemical Substances (AICS).

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1,2,

Date of previous issue: 01.04.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for

additional assistance.