

Safety Data Sheet

LOCTITE LB 771 known as LOCTITE NICKEL ANTI-SEIZE 771

Page 1 of 8

SDS No.: 319450 V001.6 Date of issue: 12.05.2022

Section 1. Identification of the substance/preparation and of the company/undertaking LOCTITE LB 771 known as LOCTITE NICKEL ANTI-SEIZE 771 **Product name:** Intended use: Lubricant

Supplier: Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

> +61 (3) 9724 6444 Phone:

Emergency information:

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class	Hazard Category
Serious eye irritation	Category 2A
Skin sensitizer	Category 1
Carcinogenicity	Category 2
Target Organ Systemic Toxicant	- Category 1
Repeated exposure	
Acute hazards to the aquatic	Category 2
environment	
Chronic hazards to the aquatic	Category 3
environment	
Hazard pictogram:	
Signal word:	Danger

Hazard statement(s):	 H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H372 Causes damage to organs through prolonged or repeated exposure. H401 Toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary Statement(s):	
Prevention:	 P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist/vapours. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Response:	 P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/attention. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.
Storage:	P405 Store locked up.
Disposal:	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: Mixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Nickel	7440-02-0	10- < 30 %
Graphite	7782-42-5	< 10 %
Mineral oil~		1- < 10 %
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters,	68649-42-3	1-< 3 %
zinc salts		
aluminium powder (stabilised)	7429-90-5	< 10 %

Section 4. First aid measures

Ingestion:

Rinse mouth, do not induce vomiting, consult a doctor.

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Skin:

Eyes:	Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.
Inhalation:	Move to fresh air.
First Aid facilities:	Eye wash Normal washroom facilities
Medical attention and special treatment:	Treat symptomatically.

Section 5. Fire fighting measures

Suitable extinguishing media:	Foam, extinguishing powder, carbon dioxide.
Decomposition products in case of fire:	carbon oxides. Irritating organic vapours.
Special protective equipment for fire-fighters:	Wear protective equipment. Wear self-contained breathing apparatus.

Section 6. Accidental release measures

Personal precautions:	Danger of slipping on spilled product. Wear impervious gloves and chemical splash goggles.
Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	Soak up with inert absorbent. Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling:	Ensure that workrooms are adequately ventilated.
Conditions for safe storage:	Keep container tightly sealed. Store in a dry place.

Section 8. Exposure controls / personal protection

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
NICKEL, POWDER 7440-02-0			1				
NICKEL, SOLUBLE COMPOUNDS (AS NI) 7440-02-0			0.1				
NICKEL, METAL 7440-02-0			1				

ALUMINIUM, PYRO POWDERS (AS

(AS AL) 7429-90-5

GRAPHITE (ALL FORMS EXCEPT FIBRES) (RESPIRABLE DUST) (NATURAL & SYNTHETIC) 7782-42-5	Respirable dust.	3		
ALUMINIUM (METAL DUST) 7429-90-5	Dust.	10		
ALUMINIUM (WELDING FUMES) (AS AL)	Fume.	5		

AL) 7429-90-5	
Engineering controls:	Ensure good ventilation/extraction.
Eye protection:	Wear chemical goggles.
Skin protection:	Use of protective coveralls and long sleeves is recommended. Protective gloves made of rubber.
Respiratory protection:	If inhalation risk exists, wear a respirator or air supplied mask complying with the requirements of AS/NZS 1715 and AS/NZS 1716.

5

Section 9. Physical and chemical properties

Appearance:	dark grey
	liquid
Odor:	Hydrocarbon-like
Flash point:	> 240 °C (> 464 °F)
Density:	1.1 g/cm3
Solubility in water:	Insoluble

Section 10. Stability and reactivity

Stability:	Stable under normal conditions of temperature and pressure.
Conditions to avoid:	Avoid ignition sources where dust is produced.
Incompatible materials:	Strong oxidizing agents. Nickel powder can react explosively with substances such as ammonium nitrate, perchloraes, phosphorus, selenium, sulfur, etc
Hazardous decomposition products:	In case of fire toxic gases can be released. Irritating organic vapours. Oxides of carbon.

Section 11. Toxicological information

Page 5 of 8

SDS No.: 319450 V001.6

Health Effects:	
Ingestion:	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Skin:	May cause skin sensitization.
	May cause skin irritation.
Eyes:	May cause eye irritation.
Inhalation:	Inhalation of dust generated by this material may cause respiratory tract irritation.
Chronic effects:	
Nickel	Skin damage and respiratory dysfunctions after sensitisation; contact dermatitis, contact urticaria,
7440-02-0:	allergic rhinitis and allergic asthma; active pneumonia, hyperplasia of the macrophages, alveolar proteinosis, fibrosis, hyperplasia of the bronchial lymph nodes and atrophy of the olfactory epithelium; carcinogenic potential, the lungs and nose are the target organs of the carcinogenicity of nickel and nickel compounds. Soluble Ni is quickly resorbed in the respiratory tract, percutaneous resorption is regarded as negligible.
Carcinogenicity:	Suspected of causing cancer.

Acute toxicity:

Hazardous components CAS-No.	Value	Value	Route of application	Exposure time	Species	Method
00	type	0.000 1		ume		
Nickel	LD50	> 9,000 mg/kg	oral		rat	equivalent or similar to OECD
7440-02-0						Guideline 401 (Acute Oral
						Toxicity)
Graphite	LD50	> 2,000 mg/kg	oral		rat	OECD Guideline 423 (Acute
7782-42-5	LC50		inhalation	4 h	rat	Oral toxicity)
						OECD Guideline 403 (Acute
						Inhalation Toxicity)
Phosphorodithioic acid,	LD50	2,230 mg/kg	oral		rat	not specified
O,O-di-C1-14-alkyl	LD50	> 2,000 mg/kg			rat	not specified
esters, zinc salts			dermal			1
68649-42-3						
aluminium powder	LD50	> 15,900 mg/kg	oral		rat	equivalent or similar to OECD
(stabilised)	LC50	> 5 mg/l	inhalation	4 h	rat	Guideline 401 (Acute Oral
7429-90-5						Toxicity)
						not specified

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Graphite	not irritating	4 h	rabbit	OECD Guideline 404 (Acute
7782-42-5				Dermal Irritation / Corrosion)
aluminium powder	not irritating	24 h	rabbit	OECD Guideline 404 (Acute
(stabilised)	-			Dermal Irritation / Corrosion)
7429-90-5				

Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Graphite 7782-42-5	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
aluminium powder (stabilised) 7429-90-5	not irritating		rabbit	FDA Guideline

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Graphite 7782-42-5	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	equivalent or similar to OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
aluminium powder (stabilised) 7429-90-5	not sensitising	Draize Test	guinea pig	Draize Test

Germ cell mutagenicity:

Hazardous components	Result	Type of study /	Metabolic	Species	Method
CAS-No.		Route of	activation /		
		administration	Exposure time		
Graphite	negative	bacterial reverse	with and without		OECD Guideline 471
7782-42-5	negative	mutation assay (e.g	with and without		(Bacterial Reverse Mutation
	negative	Ames test)	with and without		Assay)
		in vitro mammalian			OECD Guideline 473 (In vitro
		chromosome			Mammalian Chromosome
		aberration test			Aberration Test)
		mammalian cell			OECD Guideline 476 (In vitro
		gene mutation assay			Mammalian Cell Gene
					Mutation Test)
aluminium powder	positive	in vitro mammalian	without		OECD Guideline 487 (In vitro
(stabilised)	positive	cell micronucleus	without		Mammalian Cell
7429-90-5	negative	test	with and without		Micronucleus Test)
	-	in vitro mammalian			equivalent or similar to OECD
		chromosome			Guideline 473 (In vitro
		aberration test			Mammalian Chromosome
		mammalian cell			Aberration Test)
		gene mutation assay			OECD Guideline 476 (In vitro
					Mammalian Cell Gene
					Mutation Test)
aluminium powder	negative	oral: gavage		rat	OECD Guideline 474
(stabilised)	ambiguous	oral: gavage		rat	(Mammalian Erythrocyte
7429-90-5					Micronucleus Test)
					OECD Guideline 475
					(Mammalian Bone Marrow
					Chromosome Aberration Test)

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Graphite 7782-42-5	NOAEL=ca. 8 mg/kg	oral: feed	daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Section 12. Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Toxicity:

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
Nickel	LC50	Toxicity > Water	Fish	96 h	Brachydanio rerio (new name:	OECD Guideline
7440-02-0		solubility			Danio rerio)	203 (Fish, Acute
						Toxicity Test)
Nickel	EC50	Toxicity > Water	Daphnia	48 h	Daphnia magna	OECD Guideline
7440-02-0		solubility				202 (Daphnia sp.
						Acute
						Immobilisation
	1.070	10.000 1		0.51		Test)
Graphite	LC50	> 10,000 mg/l	Fish	96 h	Brachydanio rerio (new name:	OECD Guideline
7782-42-5					Danio rerio)	203 (Fish, Acute
Carabita	EC50	5 COO	Deathaile	24 h	Denhaismeana	Toxicity Test) OECD Guideline
Graphite 7782-42-5	EC30	> 5,600 mg/l	Daphnia	24 II	Daphnia magna	202 (Daphnia sp.
7782-42-5						Acute
						Immobilisation
						Test)
Mineral oil~	LC50	> 100 mg/l	Fish	96 h	Pimephales promelas	OECD Guideline
		6			F F F F F	203 (Fish, Acute
						Toxicity Test)
Mineral oil~	EC50	> 10,000 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
		-	_			202 (Daphnia sp.
						Acute
						Immobilisation
			ļ			Test)
Mineral oil~	EC50	>100 mg/l	Algae	72 h	Scenedesmus quadricauda	OECD Guideline
						201 (Alga, Growth
	LC50	. 1 10 /1	Fish	96 h		Inhibition Test)
Phosphorodithioic acid, O,O-	LC50	> 1 - 10 mg/l	Fish	96 h	not specified	OECD Guideline
di-C1-14-alkyl esters, zinc salts						203 (Fish, Acute Toxicity Test)
68649-42-3						Toxicity Test)
Phosphorodithioic acid, O,O-	EC50	> 1 - 10 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
di-C1-14-alkyl esters, zinc	10.50	> 1 10 mg/1	Dupinna	40 11	Dupinnu mugnu	202 (Daphnia sp.
salts						Acute
68649-42-3						Immobilisation
						Test)

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Mineral oil~	not readily biodegradable.	aerobic	31 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Phosphorodithioic acid, O,O- di-C1-14-alkyl esters, zinc salts 68649-42-3	not readily biodegradable.	aerobic	5 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

Section 13. Disposal considerations

Waste disposal of product:

Recommended cleanser:

Solvent naphtha

Disposal for uncleaned package:

Dispose of in accordance with local and national regulations.

Collection and delivery to recycling enterprise or other registered elimination institution.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Marine transport IMDG: Not dangerous goods

Air transport IATA: Not dangerous goods

	Section 16. Other information
Abbreviations/acronyms:	GHS: Globally Harmonized System IATA-DGR: International Air Transport Association – Dangerous Goods Regulations IMDG: International Maritime Dangerous Goods code STEL - Short term exposure limit TWA - Time weighted average AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme
Reason for issue:	Reviewed MSDS. Reissued with new date. involved chapters: 1-16
Date of previous issue:	18.05.2017
Disclaimer:	The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein doe not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties the material. The information contained in the Safety Data Sheet is offered in good faith and has be developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet. This information is not to be construed as a representation that the material is suitable any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiring as to the material's characteristics and, where appropriate, to conduct their own tests in specific context of the material's intended use. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction provided herein conforms to the substantive export or other law of any other jurisdiction or additional assistance.

Section 15. Regulatory information