

Safety Data Sheet

LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

Page 1 of 8

SDS No.: 153498

V001.3

Date of issue: 15.05.2020

respiratory tract irritation

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

Intended use: Adhesive

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Hazard Category Target organ

Serious eye irritation Category 2A Target Organ Systemic Toxicant -Category 3

Single exposure

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

Category 3

Category 3

Hazard pictogram:



Signal word:

Warning

SDS No.: 153498

V001.3 LOCTITE 641 RETAI Loctite 641 10ML AU

LOCTITE 641 RETAINING COMPOUND known as

Hazard statement(s): H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/face protection.

Response: P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

 $P337 + P313 \ If \ eye \ irritation \ persists: Get \ medical \ advice/attention.$

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Signal word:

HAZARDOUS

Section 3. Composition / information on ingredients

General chemical description: Mixture

Type of preparation: Anaerobic Sealant

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
α, α-dimethylbenzyl hydroperoxide	80-15-9	1- < 3 %
methyl methacrylate	80-62-6	< 1 %
non hazardous ingredients~		< 95 %

Section 4. First aid measures

Ingestion: Do not induce vomiting.

Have victim rinse mouth thoroughly with water.

Seek medical advice.

Skin: In case of contact, immediately remove contaminated clothing and flush skin with copious

amounts of water.

In case of adverse health effects seek medical advice.

Eyes: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical advice.

Page 3 of 8

SDS No.: 153498

V001.3

LOCTITE 641 RETAINING COMPOUND known as

Loctite 641 10ML AU

Inhalation: Move to fresh air.

Keep warm and in a quiet place.

Seek medical advice.

First Aid facilities: Eye wash and safety shower

Normal washroom facilities

Medical attention and special

treatment:

fire-fighters:

Treat symptomatically and supportively.

Section 5. Fire fighting measures

Suitable extinguishing media: Foam, dry chemical or carbon dioxide.

Decomposition products in case of Thermal decomposition can lead to release of irritating gases and vapors.

fire: Carbon monoxide.

Carbon dioxide.

Special protective equipment for

Wear full protective clothing.

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

Additional fire fighting advice: Collect contaminated fire fighting water separately. It must not enter drains.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation.

Wear appropriate personal protective equipment.

Environmental precautions: Do not empty into drains / surface water / ground water.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Precautions for safe handling: Use only in well-ventilated areas.

Avoid skin and eye contact.

Wear suitable protective clothing, safety glasses and gloves.

Conditions for safe storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection

National exposure standards:

In gre dient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
METHYLMETHACRYLATE 80-62-6		50	208				
METHYLMETHACRYLATE 80-62-6						100	416

SDS No.: 153498

V001.3

LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

Engineering controls: Ensure adequate ventilation.

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

Suitable protective gloves.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: Yellow Liquid

Odor: Characteristic

Specific gravity: 1.08

Boiling point: > 149.0 °C (> 300.2 °F) **Flash point:** > 93.3 °C (> 199.94 °F)

(Tagliabue closed cup)

Vapor pressure: < 5 mm hg

(; 27 °C (80.6 °F))

Density: 1.08 g/cm3 **VOC content:** 10.4 % 112 g/l

Section 10. Stability and reactivity

Stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames, sparks and other sources of ignition.

Extremes of temperature.

Incompatible materials: Strong oxidizing agents.

Reducing agents. Keep away from alkalis. Metal oxides.

Metal oxides. Reacts with acids.

Hazardous decomposition

products:

Thermal decomposition can lead to release of irritating gases and vapors.

Carbon monoxide. Carbon dioxide.

Hazardous polymerization: Will not occur.

Section 11. Toxicological information

Page 5 of 8

SDS No.: 153498 V001.3

LOCTITE 641 RETAINING COMPOUND known as

Loctite 641 10ML AU

Health Effects:

Ingestion: May cause irritation to the gastrointestinal tract, mouth and mucous membranes.

Skin: May cause mild skin irritation.

Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Eyes: Causes serious eye irritation.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Inhalation: This product is irritating to the respiratory system.

Inhalation of vapors may cause moderate to severe respiratory tract irritation.

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LD50	530 - 1,060			rat	other guideline:
80-15-9	Acute	mg/kg	dermal			Expert judgement
	toxicity	1,100 mg/kg	dermal			
	estimate					
	(ATE)					
methyl methacrylate	LD50	9,400 mg/kg	oral		rat	not specified
80-62-6	LC50	29.8 mg/l	inhalation	4 h	rat	not specified
	LD50	> 5,000 mg/kg	dermal		rabbit	not specified

Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
α, α-dimethylbenzyl	corrosive		rabbit	Draize Test
hydroperoxide				
80-15-9				

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
methyl methacrylate	sensitising	Mouse	mouse	OECD Guideline 429 (Skin
80-62-6		local		Sensitisation: Local Lymph
		lymphnod		Node Assay)
		e assay		
		(LLNA)		

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study/ Route of administration	Metabolic activation / Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified
methyl methacrylate 80-62-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified

Page 6 of 8

SDS No.: 153498 V001.3

LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
α, α-dimet hylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified
methyl methacrylate 80-62-6	LOAEL=2000 ppm	inhalation	14 weeks6 hrs/day, 5 days/wk	mouse	Dose Range Finding Study
methyl methacrylate 80-62-6	NOAEL=1000 ppm	inhalation	14 weeks6 hrs/day, 5 days/wk	mouse	Dose Range Finding Study

Section 12. Ecological information

General ecological information: Do not empty into drains, soil or bodies of water.

Ecotoxicity: Harmful to aquatic life with long lasting effects.

Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
a, a-dimethylbenzyl hydroperoxide 80-15-9	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	18 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	ErC50	3.1 mg/l	Algae	72 h	Pseudo kirchneriella subcapitata	
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min		not specified
methyl methacrylate 80-62-6	LC50	350 mg/l	Fish	96 h	Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)
met hyl methacrylate 80-62-6	EC50	69 mg/l	Daphnia	48 h	Daphnia magna	EPA OTS 797.1300 (Aquatic Invertebrate Acute Toxicity Test, Freshwater Daphnids)
methyl methacrylate 80-62-6	EC50	170 mg/l	Algae	96 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
methyl methacrylate 80-62-6	NOEC	100 mg/l	Algae	96 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
methyl methacrylate 80-62-6	EC20	> 150 - 200 mg/l	Bacteria	30 min	activated sludge, domestic	ISO 8192 (Test for Inhibition of Oxygen Consumption by Activated Sludge)

Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		

SDS No.: 153498 V001.3

LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

α, α-dimethylbenzyl hydroperoxide 80-15-9		no data	0 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
methyl methacrylate 80-62-6	readily biodegradable	aerobic	94 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
α, α-dimethylbenzyl		9.1		calculation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	2.16					not specified
hydroperoxide						
80-15-9						
methyl methacrylate	1.38				20 °C	other guideline:
80-62-6						_

Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: Disposal of empty packaging at suitable material collection for recycling.

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in an authorised legal land fill site or incinerated.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule None

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

GHS: Globally Harmonized System CAS: Chemical Abstracts Service

OECD: Organization for Economic Cooperation and Development

LC 50: Lethal Concentration 50%

LD 50: Lethal Dose 50%

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

Page 8 of 8

SDS No.: 153498 V001.3

LOCTITE 641 RETAINING COMPOUND known as Loctite 641 10ML AU

Reason for issue: Reviewed SDS. Reissued with new date, involved chapters: 1,2,3,7,16

Date of previous issue: 25.05.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.