

Safety Data Sheet

Page 1 of 8

LOCTITE 222 LOW STRENGTH THREADLOCKER known as Loctite 222 10ML AU

SDS No.: 153481 V001.4

respiratory tract irritation

Date of issue: 17.01.2020

Section 1. Identification of the substance/preparation and of the company/undertaking

LOCTITE 222 LOW STRENGTH THREADLOCKER known as Loctite 222 10ML AU Product name:

Intended use: Anaerobic Sealant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379 **Emergency information:**

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Hazard Category Target organ Category 2A

Serious eye irritation Target Organ Systemic Toxicant -

Category 3

Single exposure Acute hazards to the aquatic

Category 3

environment

Chronic hazards to the aquatic

Category 3

environment

Hazard pictogram:

Warning

Signal word:

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER

known as Loctite 222 10ML AU

Hazard statement(s): H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention: P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/face protection.

Response: P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

 $P337 + P313 \ If \ eye \ irritation \ persists: \ Get \ medical \ advice/attention.$

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: Mixture

Type of preparation: Methacrylate resin based threadlocker

Identity of ingredients:

| Chemical ingredients | CAS-No. | Proportion |
|-----------------------------------|---------|------------|
| α, α-dimethylbenzyl hydroperoxide | 80-15-9 | < 3 % |
| Propane-1,2-diol | 57-55-6 | < 5 % |
| non hazardous ingredients~ | | 60 % |

Section 4. First aid measures

Ingestion: Rinse mouth, do not induce vomiting, consult a doctor.

Skin: Wash skin with water

In case of adverse health effects seek medical advice.

Eyes: Flush eyes with plenty of water for at least 5 minutes. If irritation persists seek medical

attention.

Inhalation: Should not be a problem as product is of low volatility. However, if feeling unwell

remove patient to fresh air.

First Aid facilities: Eye wash

Normal washroom facilities

Page 3 of 8

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER

known as Loctite 222 10ML AU

Section 5. Fire fighting measures

Suitable extinguishing media: Foam, dry chemical or carbon dioxide.

Decomposition products in case of

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

fire:

Oxides of sulfur.

Particular danger in case of fire: None

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Environmental precautions: Do not let product enter drains.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Precautions for safe handling: Avoid contact with eyes, skin and clothing.

Avoid breathing vapors or mists of this product.

Wash thoroughly after handling. Use only with adequate ventilation.

See advice in section 8

Conditions for safe storage: Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep

container tightly closed until ready for use. Store in original container until ready to use.

Section 8. Exposure controls / personal protection

National exposure standards:

Engineering controls: No specific ventilation requirements noted, but forced ventilation may still be required if

concentrations exceed occupational exposure limits.

Eye protection: Safety goggles or safety glasses with side shields.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Neoprene gloves.

Butyl rubber gloves.

Natural rubber gloves.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Page 4 of 8

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER

known as Loctite 222 10ML AU

Appearance:
Purple
Liquid
Odor:
mild
Specific gravity:
1.05

Boiling point: > 149.0 °C (> 300.2 °F) **Flash point:** > 93.3 °C (> 199.94 °F)

(Tagliabue closed cup)

Density: 1.0800 g/cm3

Section 10. Stability and reactivity

Conditions to avoid: See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

Incompatible materials: Strong alkalis.

Reducing agents. Strong oxidizing agents.

Acids.

Hazardous decomposition

products:

Irritating and toxic gases or fumes may be released during a fire.

Oxides of sulfur. Oxides of nitrogen. Oxides of carbon.

Hazardous polymerization: Will not occur.

Section 11. Toxicological information

Health Effects:

Ingestion: May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.

Skin: May cause mild skin irritation.

Eyes: Contact with eyes will cause irritation. **Inhalation:** May cause respiratory tract irritation.

Acute toxicity:

| Hazardous components | Value | Value | Route of | Exposure | Species | Method |
|----------------------|----------|----------------|-------------|----------|---------|------------------|
| CAS-No. | type | | application | time | | |
| α, α-dimethylbenzyl | LD50 | 382 mg/kg | oral | | rat | other guideline: |
| hydroperoxide | LD50 | 530 - 1,060 | | | rat | other guideline: |
| 80-15-9 | Acute | mg/kg | dermal | | | Expert judgement |
| | toxicity | 1,100 mg/kg | dermal | | | |
| | estimate | | | | | |
| | (ATE) | | | | | |
| Propane-1,2-diol | LD50 | 22,000 mg/kg | oral | | rat | not specified |
| 57-55-6 | LC50 | > 317.042 mg/l | inhalation | 2 h | rabbit | not specified |
| | LD50 | > 2,000 mg/kg | dermal | | rabbit | not specified |

Skin corrosion/irritation:

| Hazardous components CAS-No. | Result | Exposure time | Species | Method |
|---|----------------|---------------|---------|---|
| α, α-dimethylbenzyl hydroperoxide 80-15-9 | corrosive | | rabbit | Draize Test |
| Propane-1,2-diol 57-55-6 | not irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER known as Loctite 222 10ML AU

Serious eye damage/irritation:

| Hazardous components CAS-No. | Result | Exposure time | Species | Method |
|------------------------------|----------------|---------------|---------|--|
| Propane-1,2-diol 57-55-6 | not irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

Respiratory or skin sensitization:

| Hazardous components CAS-No. | Result | Test type | Species | Method |
|------------------------------|-----------------|-------------------------|------------|--|
| Propane-1,2-diol 57-55-6 | not sensitising | Guinea pig maximisat | guinea pig | equivalent or similar to OECD Guideline 406 (Skin |
| | | ion test | | Sensitisation) |

Germ cell mutagenicity:

| Hazardous components CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---|----------------------|---|--|---------------------|---|
| α, α-dimethylbenzyl hydroperoxide 80-15-9 | positive | bacterial reverse mutation assay (e.g Ames test) | without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| α, α-dimethylbenzyl hydroperoxide 80-15-9 | negative | dermal | | mouse | not specified |
| Propane-1,2-diol 57-55-6 | negative negative | bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test | without with and without | | Ames Test OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Propane-1,2-diol 57-55-6 | negative negative | oral: gavage intraperitoneal oral: gavage | | rat mouse rat | not specified not specified not specified |

Repeated dose toxicity:

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Method |
|---|----------------------|------------------------|--|---------|---------------|
| α, α-dimethylbenzyl hydroperoxide 80-15-9 | | inhalation: aerosol | 6 h/d5 d/w | rat | not specified |
| Propane-1,2-diol 57-55-6 | NOAEL=1,700 mg/kg | oral: feed | 2 yearsdaily | rat | not specified |
| Propane-1,2-diol 57-55-6 | NOAEL=1000 mg/m3 | inhalation | 90 d6 h/d, 5 d/w | rat | not specified |

Section 12. Ecological information

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER known as Loctite 222 10ML AU

General ecological information: Do not empty into drains / surface water / ground water.

Toxicity:

| Hazardous components CAS-No. | Value | Value | Acute Toxicity | Exposure time | Species | Method |
|--------------------------------------|-------|---------------------|-------------------|---------------|------------------------------------|------------------------------------|
| CAS-110. | type | | Study | unic | | |
| α, α-dimethylbenzyl | LC50 | 3.9 mg/l | Fish | 96 h | Oncorhynchus mykiss | OECD Guideline |
| hydroperoxide | | | | | | 203 (Fish, Acute |
| 80-15-9 | ECCO | 10 // | D 1 : | 40.1 | D 1 : | Toxicity Test) |
| α, α-dimethylbenzyl hydroperoxide | EC50 | 18 mg/l | Daphnia | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. |
| 80-15-9 | | | | | | Acute |
| 00 13 7 | | | | | | Immobilisation |
| | | | | | | Test) |
| α, α-dimethylbenzyl | ErC50 | 3.1 mg/l | Algae | 72 h | Pseudokirchneriella subcapitata | OECD Guideline |
| hydroperoxide | | | | | | 201 (Alga, Growth |
| 80-15-9 | FG10 | 7 0 7 | | 20. | | Inhibition Test) |
| α, α-dimethylbenzyl | EC10 | 70 mg/l | Bacteria | 30 min | | not specified |
| hydroperoxide 80-15-9 | | | | | | |
| Propane-1,2-diol | LC50 | > 10,000 mg/l | Fish | 48 h | Leuciscus idus | DIN 38412-15 |
| 57-55-6 | | | | | | |
| Propane-1,2-diol | EC50 | 18,340 mg/l | Daphnia | 48 h | Ceriodaphnia dubia | other guideline: |
| 57-55-6 | | |] | | | |
| Propane-1,2-diol | EC50 | 24,200 mg/l | Algae | 72 h | Pseudokirchneriella subcapitata | |
| 57-55-6 | | | | | | 201 (Alga, Growth |
| Propane-1,2-diol | NOEC | 15,000 mg/l | Algae | 14 d | Pseudokirchneriella subcapitata | Inhibition Test) OECD Guideline |
| 57-55-6 | NOEC | 15,000 mg/1 | Aigae | 14 u | F seudokii ciiileriena subcapitata | 201 (Alga, Growth |
| 3, 33 0 | | | | | | Inhibition Test) |
| Propane-1,2-diol | EC50 | > 1,000 mg/l | Bacteria | 3 h | activated sludge | OECD Guideline |
| 57-55-6 | | | | | | 209 (Activated |
| | | | | | | Sludge, Respiration |
| | | | | | | Inhibition Test) |

Persistence and degradability:

| Hazardous components CAS-No. | Result | Route of application | Degradability | Method |
|---------------------------------|-----------------------|----------------------|---------------|-----------------------------------|
| α, α-dimethylbenzyl | | no data | 0 % | OECD Guideline 301 B (Ready |
| hydroperoxide | | | | Biodegradability: CO2 Evolution |
| 80-15-9 | | | | Test) |
| Propane-1,2-diol | not inherently | aerobic | 60 % | OECD Guideline 302 B (Inherent |
| 57-55-6 | biodegradable | | | biodegradability: Zahn- |
| | | | | Wellens/EMPA Test) |
| Propane-1,2-diol | readily biodegradable | aerobic | > 70 % | OECD Guideline 301 A (new |
| 57-55-6 | | | | version) (Ready Biodegradability: |
| | | | | DOC Die Away Test) |

Bioaccumulative potential / Mobility in soil:

| Hazardous components | LogPow | Bioconcentration | Exposure | Species | Temperature | Method |
|--------------------------------------|--------|------------------|----------|-------------|-------------|--------------------------|
| CAS-No. | | factor (BCF) | time | | | |
| α, α-dimethylbenzyl | | 9.1 | | calculation | | OECD Guideline 305 |
| hydroperoxide | | | | | | (Bioconcentration: Flow- |
| 80-15-9 | | | | | | through Fish Test) |
| α, α-dimethylbenzyl hydroperoxide | 2.16 | | | | | not specified |
| 80-15-9 | | | | | | |
| Propane-1,2-diol | -1.07 | | | | 20.5 °C | EU Method A.8 (Partition |
| 57-55-6 | | | | | | Coefficient) |

Section 13. Disposal considerations

Waste disposal of product:

Dispose of in accordance with local and national regulations.

Page 7 of 8

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER

known as Loctite 222 10ML AU

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

None

ASCC - Australian Safety and Compensation Council

GHS: Globally Harmonized System

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

IMDG: International Maritime Dangerous Goods code

STEL - Short term exposure limit

SUSDP - Standard for the Uniform Medicines of Drugs and Poisons

TWA - Time weighted average

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 2

Page 8 of 8

SDS No.: 153481 V001.4

LOCTITE 222 LOW STRENGTH THREADLOCKER known as Loctite 222 10ML AU

Date of previous issue: 10.02.2015

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.