

Safety Data Sheet

Page 1 of 7

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

SDS No.: 168433 V001.4

Date of issue: 21.01.2020

respiratory tract irritation

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Intended use: Anaerobic

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379 **Emergency information:**

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard Class Hazard Category Target organ Category 2A

Serious eye irritation Target Organ Systemic Toxicant -

Category 3

Single exposure

Category 3

Acute hazards to the aquatic

environment Chronic hazards to the aquatic

Category 3

environment

Hazard pictogram:



Signal word:

Warning

SDS No.: 168433

V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Hazard statement(s): H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s):

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. **Prevention:**

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment. P280 Wear eye protection/face protection.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position Response:

> comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

Type of preparation: Anaerobic Sealant

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
α, α-dimethylbenzyl hydroperoxide	80-15-9	1-< 3 %
non hazardous ingredients~		60- <= 100 %

Section 4. First aid measures

Ingestion: Rinse mouth, do not induce vomiting, consult a doctor.

Rinse with running water and soap. Skin:

Remove contaminated clothing and footwear. If skin irritation persists, call a physician.

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if Eyes:

necessary.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

Page 3 of 7

SDS No.: 168433 V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Decomposition products in case of

fire:

Oxides of carbon. Irritating fumes.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Additional fire fighting advice: In case of fire, keep containers cool with water spray.

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation. See advice in section 8

Environmental precautions: Do not let product enter drains.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Dispose of contaminated material as waste according to Section 13.

Section 7. Handling and storage

Precautions for safe handling: Use only in well-ventilated areas.

Avoid skin and eye contact.

Vapours should be extracted to avoid inhalation.

Conditions for safe storage: Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Section 8. Exposure controls / personal protection

National exposure standards:

None

Engineering controls: Ensure good ventilation/suction at the workplace.

Eye protection: Safety goggles or safety glasses with side shields.

Skin protection: Wear suitable protective clothing.

The use of chemical resistant gloves such as Nitrile is recommended.

Please note that in practice the working life of chemical resistant gloves may be

considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

SDS No.: 168433 V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Appearance: brown liquid
Odor: characteristic

pH: 3 - 6 Specific gravity: 1.08

 Boiling point:
 > 149 °C (> 300.2 °F)

 Flash point:
 > 100 °C (> 212 °F)

 Vapor pressure:
 0.1 mm hg

Density: 1.08 g/cm3

Section 10. Stability and reactivity

Stability: Stable under recommended storage conditions.

Conditions to avoid: Stable

Incompatible materials: Reaction with strong acids.

Reacts with strong oxidants.

Hazardous decomposition

products:

Irritating organic vapours.

Oxides of carbon. nitrogen oxides

Hazardous polymerization: Will not occur

Section 11. Toxicological information

Health Effects:

Ingestion: May cause gastrointestinal disturbances such as nausea, vomiting, abdominal pain, and diarrhea.

Skin: This product may cause irritation to the skin.

Eyes: Irritating to eyes. Causes excessive tearing. Eyelids may bond.

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LD50	530 - 1,060			rat	other guideline:
80-15-9	Acute	mg/kg	dermal			Expert judgement
	toxicity	1,100 mg/kg	dermal			
	estimate					
	(ATE)					

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
α, α-dimethylbenzyl	corrosive		rabbit	Draize Test
hydroperoxide				
80-15-9				

SDS No.: 168433 V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified

Section 12. Ecological information

General ecological information:

Cured Loctite products are typical polymers and do not pose any immediate environmental hazards., Do not empty into drains / surface water / ground water. Harmful to aquatic organisms., May cause long-term adverse effects in the aquatic environment.

Toxicity:

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity	time		
			Study			
α, α-dimethylbenzyl	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline
hydroperoxide						203 (Fish, Acute
80-15-9						Toxicity Test)
α, α-dimethylbenzyl	EC50	18 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline
hydroperoxide						202 (Daphnia sp.
80-15-9						Acute
						Immobilisation
						Test)
α, α-dimethylbenzyl	ErC50	3.1 mg/l	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline
hydroperoxide						201 (Alga, Growth
80-15-9						Inhibition Test)
α, α-dimethylbenzyl	EC10	70 mg/l	Bacteria	30 min		not specified
hydroperoxide						
80-15-9						

Persistence and degradability:

Hazardous components	Result	Route of	Degradability	Method
CAS-No.		application		
α, α-dimethylbenzyl		no data	0 %	OECD Guideline 301 B (Ready
hydroperoxide				Biodegradability: CO2 Evolution
80-15-9				Test)

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
α, α-dimethylbenzyl		9.1		calculation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	2.16					not specified
hydroperoxide						
80-15-9						

Page 6 of 7

SDS No.: 168433 V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Section 13. Disposal considerations

Waste disposal of product: Collection and delivery to recycling enterprise or other registered elimination institution.

Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule None

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

GHS: Globally Harmonized System

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1,2,16

Page 7 of 7

SDS No.: 168433 V001.4

LOCTITE 542 THREADSEALANT known as LOCTITE 542 THREAD SLNT 50ML EN

Date of previous issue: 22.12.2014

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.