





# **Safety Data Sheet**

1 - Product Identifier & Identity for the Chemical

Manufacturer: WD-40 Company Australia

Pty Ltd

Address: 41 Rawson Street

(Level 2, Suite 23)

**Epping** 

NSW, 2121, Australia

Telephone:

**Information:** +61 2 9868 2200 **Emergency only:** 1800 862 115

**Poisons Information Centre:** 

Australia: 13 11 26

New Zealand: 0800 764 766

**New Zealand Contact Details:** 

Name: Eproducts New Zealand

Limited

Address: 7D Orbit Drive

**Albany New Zealand** 

Telephone:

Information: 09 916 6750 Emergency only: 0800 425 459 Product Name: WD-40 Bulk Liquid

**Chemical Name:** Mixture

**Product Use:** Lubricant, Penetrant, Drives Out Moisture, Removes and Protects Surfaces from

Corrosion

Restriction on Use: None Identified

SDS Date of Preparation: 7 September 2021

This SDS applies to unit codes: 62107,

62108, 62109, 62110

## 2 - Hazards Identification

#### Classification of the Hazardous Chemical (in accordance with WHS Regulation)

Health	Environmental	Physical
Aspiration Toxicity Category 1	Not Classified	Flammable Liquid Category 4

#### **Label Elements**



Contains: Distillates (Petroleum), hydrotreated light

## Danger!

H227 Combustible liquid

H304 May be fatal if swallowed and enters airways.

## Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

P280 Wear eye protection.

## Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331 Do NOT induce vomiting.

P370+P378 In case of fire: Use water fog, dry chemical, carbon dioxide or foam to extinguish.

#### Storage

P403 Store in a well-ventilated place.

P405 Store locked up.

#### Disposal

P501 Dispose of contents and container in accordance with local and national regulations.

#### Other Hazards that do not Result in Classification: None

# 3 - Composition/Information on Ingredients

Ingredient	CAS#	Weight Percent	Substance
_			Classification
Distillates (Petroleum),	64742-47-8	30-60%	Flam. Liq. Cat 4 (H227)
hydrotreated light			Asp. Tox. Cat 1 (H304)
Petroleum Base Oils	Mixture	10-<30%	Not Hazardous
Naptha(petroleum),	64742-48-9	5-15%	Flam. Liq. Cat 3 (H226)
hydrotreated heavy			Asp. Tox. Cat 1 (H304)
-			STOT SE Cat 3 (H336)

See Section 16 for full text of GHS Classification and H phrases

#### 4 - First Aid Measures

**Ingestion (Swallowed):** Aspiration Hazard. DO NOT induce vomiting. Call a Poisons Information Center (phone 13 11 26 from anywhere in Australia or 0800 764 766 in New Zealand) immediately.

**Eye Contact:** Flush thoroughly with water. Remove contact lenses if present after the first 5 minutes and continue flushing for several more minutes. Get medical attention if irritation persists. **Skin Contact:** Wash with soap and water. If irritation develops and persists, get medical attention.

**Inhalation (Breathing):** If irritation is experienced, move to fresh air. Get medical attention if irritation or other symptoms develop and persist.

**Most Important Symptoms:** Prolonged skin contact may cause drying of the skin. Inhalation may cause headache, dizziness, nausea, and other symptoms of central nervous system depression. Accidental ingestion may cause gastrointestinal effects with irritation, nausea, vomiting, dizziness, coma, and death. Aspiration into the lungs during ingestion or vomiting may cause lung damage.

Indication of Immediate Medical Attention and Special Treatment, if Needed: Immediate medical attention is required for ingestion.

## **5 – Fire Fighting Measures**

Suitable Extinguishing Media: Use water fog, dry chemical, carbon dioxide or foam. Do not use water jet or flooding amounts of water. Burning product will float on the surface and spread fire. Specific Hazards Arising from the Chemical: Combustible liquid. Keep away from ignition source and open fire. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back. A vapor and air mixture can create an explosion hazard in confined spaces.

**Special Protective Equipment and Precautions for Fire-Fighters:** Firefighters should always wear positive pressure self-contained breathing apparatus and full protective clothing. Cool fire-exposed containers with water.

## 6 - Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate protective clothing (see Section 8). Eliminate all sources of ignition and ventilate area. **Environmental Precautions:** Report spills to authorities as required.

**Methods and Materials for Containment/Cleanup:** Contain and collect liquid with an inert absorbent material and place in a container for disposal. Clean spill area thoroughly.

## 7 - Handling and Storage

**Precautions for Safe Handling:** Avoid contact with eyes. Avoid prolonged contact with skin. Avoid breathing vapors or aerosols. Use only with adequate ventilation. Keep away from heat, sparks, hot surfaces, and open flames. Wash thoroughly with soap and water after handling. Keep containers closed when not in use. Keep out of the reach of children.

**Conditions for Safe Storage, including any incompatibilities:** Store in a cool, dry ventilated area away from incompatible materials. Protect from physical damage.

8 - Exposure Controls / Personal Protection

Chemical	Occupational Exposure	Biological Limit Value
	Limits	
Distillates (Petroleum),	1200 mg/m3 TWA Supplier	None Established
hydrotreated light	Recommended (total	
	hydrocarbons)	
Petroleum Base Oils	5 mg/m3 TWA AU OEL (as oil	None Established
	mist, refined mineral)	
	5 mg/m3 TWA, 10 mg/m3	
	STEL NZ OEL (as oil mist,	
	mineral)	
	5 mg/m3 TWA ACGIH TLV	
	(inhalable) (as mineral oil)	
Naptha(petroleum),	5 mg/m3 TWA AU OEL (as oil	None Established
hydrotreated heavy	mist, mineral)	
	5 mg/m3 TWA, 10 mg/m3	
	STEL NZ OEL (as oil mist,	
	mineral)	
	5 mg/m3 TWA ACGIH TLV	
	(inhalable) (as mineral oil)	

The Following Controls are Recommended for Normal Consumer Use of this Product Appropriate Engineering Controls: Use in a well-ventilated area.

**Personal Protection:** 

**Eye Protection:** Avoid eye contact. Safety glasses or goggles recommended.

Skin Protection: Avoid prolonged or repeated skin contact. Chemical resistant gloves

recommended for operations where skin contact is likely.

Respiratory Protection: None needed for normal use with adequate ventilation.

For Bulk Processing or Workplace Use the Following Controls are Recommended Appropriate Engineering Controls: Use adequate general and local exhaust ventilation to maintain exposure levels below that occupational exposure limits.

**Personal Protection:** 

**Eye Protection:** Safety goggles recommended where eye contact is possible.

Skin Protection: Wear chemical resistant gloves.

**Respiratory Protection:** None required if ventilation is adequate. If the occupational exposure limits are exceeded, wear an approved respirator. Respirator selection and use should be based on contaminant type, form, and concentration. Follow applicable regulations and good Industrial Hygiene practice.

Work/Hygiene Practices: Wash hands after handling.

Other Protective Equipment: None required.

## 9 - Physical and Chemical Properties

Appearance and Odor:	Light amber liquid with a pleasant scent	Partition Coefficient of n-octanol/water:	Not determined
Odor Threshold:	Not determined	Auto-ignition	Not determined

		temperature:	
pH:	Not determined	Decomposition	Not determined
		Temperature:	
Melting/Freezing Point:	Not determined	Viscosity:	Not determined
Boiling Point / Range:	150-205°C (302-	Specific Heat Value:	Not determined
	401°F)		
	Naptha(petroleum),		
	hydrotreated heavy		
Flash Point:	69°C (156.2°F)	Particle Size:	Not applicable
	(ASTM D93)		
Evaporation Rate	Not determined	VOC:	Not determined
(Butyl Acetate = 1):			
Flammability (solid, gas):	Not applicable	Percent Volatile:	Not determined
Flammable Limits:	LEL 0.6% UEL 7.0%	Saturated Vapor	Not determined
		Concentration:	
Vapor Pressure:	Not determined	Release of invisible	Not determined
		flammable vapors	
		and gases:	
Vapor Density (air = 1):	>1	Aerosol Protection	Not applicable
		Level (NFPA 30B):	
Relative Density (Water =	Not determined	Solubility:	Immiscible in water
1):		-	

# 10 - Stability and Reactivity

Reactivity: Non-reactive

Chemical Stability: Stable under normal storage conditions.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur. **Conditions to Avoid:** Avoid extreme heat, flames, and other sources of ignition.

Incompatible Materials: Strong oxidizers and strong acids.

Hazardous Decomposition Products: Oxides of carbon and unburned hydrocarbons.

# 11 - Toxicological Information

#### **Health Hazards:**

**Ingestion:** Swallowing large amounts may produce gastrointestinal irritation, nausea, vomiting and diarrhea. This product is an aspiration hazard. If swallowed, can enter the lungs, and may cause chemical pneumonitis, severe lung damage and death.

**Eye Contact:** Direct contact with eyes may cause irritation. May cause redness, stinging, swelling, and tearing.

**Skin Contact:** Prolonged and/or repeated contact may produce mild irritation and defatting with possible dermatitis.

**Inhalation:** Mist or vapor can irritate the throat and lungs. High concentrations may cause nasal and respiratory irritation and central nervous system effects such as headache, dizziness, and nausea. Intentional abuse may be harmful or fatal.

Chronic Exposure: None known.

**Medical Conditions Aggravated by Exposure:** Preexisting eye, skin and respiratory conditions may be aggravated by exposure.

# **Acute Toxicity Values:**

Distillates (Petroleum), hydrotreated light: Oral rat LD50- >5000 mg/kg, Inhalation rat LC50->5 mg/L/4 hr, Skin rabbit LD50- >5000 mg/kg

Petroleum Base Oils: Acute Toxicity Estimates: Oral > 5,000 mg/kg, Dermal >2,000 mg/kg Naptha(petroleum), hydrotreated heavy: Oral rat LD50- >5000 mg/kg, Skin rabbit LD50- >5000 mg/kg.

**Skin Corrosion/Irritation:** No data available for mixture. Based on the ingredients, this product is not classified as a skin irritant.

**Serious Eye Damage/Irritation:** No data available for mixture. Based on the ingredients, this product is not classified as an eye irritant.

**Respiratory or Skin Sensitization:** This product is not expected to cause sensitization. **Germ Cell Mutagenicity:** None of the components have been found to be mutagenic.

**Carcinogenicity:** None of the components are listed as a carcinogen or suspected carcinogen by IARC. NTP. ACGIH. US OSHA or the EU CLP.

**Reproductive Toxicity:** None of the components are known to cause adverse reproductive effects.

**Specific Target Organ Toxicity:** 

**Single Exposure:** No data available. **Repeated Exposure:** No data available.

**Aspiration Hazard:** No data available. Based on the ingredients, this product is expected to present an aspiration hazard and may be harmful if the contents are swallowed.

## 12 - Ecological Information

**Ecotoxicity:** If applied to leaves may kill grasses and small plants by interfering with respiration and transpiration. This product is not toxic to fish but may coat gill structures resulting in suffocation.

**Persistence and Degradability:** No data available. **Bioaccumulative Potential:** No data available.

**Mobility in Soil:** No data available. **Other Adverse Effects:** None Known

# 13 - Disposal Considerations

Safe Handling and Disposal Method: Dispose as appropriate for oil waste.

**Disposal of Contaminated Packaging:** Empty containers may be disposed of through normal waste management options.

**Environmental Regulations:** Dispose of all waste product, absorbents, and other materials in accordance with applicable Federal, state and local regulations.

## 14 – Transportation Information

IMDG Shipping Name: Not Regulated

IMDG Hazard Class: None

**UN Number:** None

IATA Shipping Name: Not Regulated

IATA Hazard Class: None

**UN Number:** None

ADG Shipping Name: Not Regulated

ADG Hazard Class: None

**UN Number:** None

Hazchem (Emergency Action) Code: None

**Special Precautions for User:** WD-40 Company does not test containers to assure that they can withstand the pressure change without leakage when transported by air. We do not recommend that our products be transported by air unless a specific review is conducted.

## 15 – Regulatory Information

Montreal Protocol (Ozone Depleting Substances): None present

The Stockholm Convention (Persistent Organic Pollutants): None present The Rotterdam Convention (Prior Informed Consent): Not applicable

**Basel Convention:** Not applicable

International Convention for the Prevention of Pollution from Ships (MARPOL): Not applicable Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Hydrocarbons, liquids are listed in Schedule 5.

**Australian Inventory of Chemical Substances:** All of the components of this product are listed on the AICS inventory.

New Zealand:

**HSNO Approval Number:** HSR002602

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation. Not Classified as Dangerous Good for transport purposes.

HSNO Hazard Classes: 3.1D. 6.1E

New Zealand Inventory: All the ingredients comply with the HSNO regulations.

#### 16 – Other Information

REVISION DATE: 7 September 2021 SUPERSEDES: 18 September 2019

Prepared By: IHSC, LLC

Full Text of GHS Classification and H Phrases from Section 3:

Asp. Tox. Cat 1 Aspiration Toxicity Category 1

Flam. Liq. Cat 3 Flammable Liquid Category 3

Flam. Liq. Cat 4 Flammable Liquid Category 4

STOT SE Cat 3 Specific Target Organ Toxicity Single Exposure Category 3

H226 Flammable liquid and vapor.

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

List of Abbreviations or Acronyms:

ACGIH American Conference of Industrial Hygienists

ADG Australian Dangerous Goods

AICS Australian Inventory of Chemical Substances

AU Australia

**EC Effective Concentration** 

EU European Union

GHS Globally Harmonized System of Classification and Labelling of Chemicals

**HSNO** Hazardous Substances and New Organisms

IARC International Agency of Research on Cancer

IATA International Air Transport Association

IMDG International Maritime Dangerous Goods

LC Lethal Concentration

LD Lethal Dosage

LEL Lower Explosive Limit

NTP National Toxicology Program

NZ New Zealand

OEL Occupational Exposure Limits

US OSHA United States Occupational Safety and Health Administration

PEL Permissible Exposure Limit

SDS Safety Data Sheet

STEL Short Term Exposure Limit

TWA Time-Weighted Average

UEL Upper Explosive Limit VOC Volatile Organic Compounds WHS Work Health and Safety

REVIEWED BY:	I. Kowalskí	TITLE: Manager Regulatory Affairs

This SDS complies with Australian guidelines for SDS. The foregoing information has been compiled from sources believed to be accurate but is not warranted to be. Recipients are advised to confirm in advance of need that data is correct. Standards change without notice. It is the responsibility of the recipient to ensure that their personnel have been notified of any changes which may affect them. The data provided on this SDS are not meant to be used as specifications, only as guideline information as to the safe use of this product. User should refer to applicable laws before use.

2032400/ No. 0168505