SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY UNDERTAKING

Product Identifier: GUARDSMAN FOOD MACHINERY ALUMINIUM COMPLEX GREASE #2

Relevant identified uses of the substance or mixture and uses advised against:

Intended use: Refer to Technical Data Sheet

Details of the supplier of the safety data sheet:

MOREY OIL SOUTH PACIFIC (AUST) PTY LTD 2/50 SUCCESS STREET, ACACIA RIDGE

QLD 4110, AUSTRALIA

Phone number: 7 321 66000 Website: www.moreyoil.com.au Email: info@moreyoil.com.au

Emergency telephone number: 1 800 637173

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture:

EYE Irrit. 2;H319 Causes serious eye irritation

Label Elements:

Using the Toxicity Data listed in section 11 & 12 the product is labelled as follows.

GHS Label element:



Signal Word: WARNING

Hazard Statement:

H319 Causes serious eye irritation

Precautionary Statements:

Prevention: P273 Avoid release to the environment

P280 Wear protective gloves/eye protection/face protection

Response: P305+351+338 IF IN EYES: Rinse continuously with water for 15 minutes.

Remove contact lenses if present and easy to do.

Continue rinsing

P337+313 If eye irritation persists: Get medical attention/advice

P391 Collect spillage

Disposal: P501 Dispose of contents/container in accordance with

local/national regulations

HMIS Health: 0 NFPA Health: 0

Fire: 1 Fire: 1
Physical: 0 Reactivity: 0

Hazards:

PPE: C Special Hazards:--

Other Hazards:

This product containe no PBT/vPvB chemicals.

Not classified as hazardous according to the criteria of NOHSC Australia.

Not defined as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods

by road or rail.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

CAS No	%	Name	EC No. 1272/2008 GHS Classification
0008042-47-5	<90	Mineral Oil	Not Classified
Proprietary or N/A	<10	Oxoaluminum Stearate/Benzoate	Not Classified
0013463-67-7	<10	Titanium dioxide	Not Classified
0000065-85-0	<3	Benzoic acid	Acute Tox. 4;H302 Eye Dam. 1;H318
0000057-10-3	<3	Palmitic acid	Not Classified
0009003-27-4	<3	Polyisobutylene	Not Classified

SECTION 4 FIRST AID MEASURES

General: In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation: If inhaled, remove person to fresh air and keep comfortable for breathing.

If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen. If unconscious, place in the recovery position and seek medical attention immediately.

Skin: In case of contact, immediately rinse skin with plenty of water. Remove contaminated

clothing and shoes. If skin irritation occurs, seek medical attention. Launder contaminated

clothing before reuse.

Eye: In case of contact, immediately rinse eyes with plenty of fresh, clean water for at least 15

minutes. Remove contact lenses if present and continue rinsing. Seek medical attention

immediately.

Ingestion: Do not induce vomiting. Call a doctor or emergency medical facility immediately.

Most important symptoms and effects, both acute and delayed.

No data available

Indication of any immediate medical attention and special treatment needed: No data available

SECTION 5 FIRE FIGHTING MEASURES

Extinguishing media: Use carbon dioxide (CO2), dry chemical, or foam to extinguish flames.

Special hazards arising from the substance or mixture:

Hazardous decomposition products. May form CO and CO2.

Advice for fire-fighters: Self-contained full-face positive pressure breathing apparatus (SCBA) should be used.

Water can be used to cool and protect exposed material. Do not allow runoff water and

contaminants from firefighting to enter drains or water courses.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Avoid contact with spilled material. Use suitable personal protective equipment. Ventilate area if spilled in confined space or other poorly ventilated areas. Evacuate personnel to safe areas. Keep unnecessary personnel away.

Environmental precautions: Prevent entry into sewers and waterways. Report spills as required to appropriate

authorities in accordance with all applicable regulations.

Methods and material for containment and cleaning up:

Ventilate the area and avoid breathing vapours. Take the personal protective measures

listed in section 8.

Contain and absorb spillage with non-combustible materials. Place in closed containers outside buildings and dispose of according to the Waste Regulations. See section 13.

Clean preferably with a detergent. Do not use solvents. Do not allow spills to enter drains or water courses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes, the Environmental

Protection Authority should also be informed.

Dispose of in accordance with local environmental regulations.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling:

Handling: Avoid skin and eye contact. Wash thoroughly after handling. Avoid breathing vapour.

Use with adequate ventilation.

In storage: Store in a dry location at room temperature. Keep this container and vapours from the

container away from heat and flame.

Keep container closed and maintain all original markings and labels.

Conditions for safe storage

including any incompatibilities: Keep away from strong oxidizing and reducing agents.

CAUTION: Do not use cutting or welding torches on drums, even when empty. Do not reuse container. Containers, even those that have been emptied will retain product residue and vapours. Always obey hazard warnings and handle empty containers as if they were

full.

Specific end use(s): There are no exposure scenarios, see details in section 1.

SECTION 8

EXPOSURE CONTROLS - PERSONAL PROTECTION

Control parameters:

The following occupational exposure limits have been established.

CAS NUMBER 0000057-10-3	INGREDIENT Palmitic acid	SOURCE OSHA ACGIH NIOSH	VALUE No established limit No established limit No established limit
0000065-85-0	Benzoic acid	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0008042-47-5	Mineral oil	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0009003-27-4	Polyisobutylene	OSHA ACGIH NIOSH	No established limit No established limit No established limit
0013463-67-7	Titanium dioxide	OSHA ACGIH NIOSH	TWA 15mg/m3 10mg/m3 TWA No established limit
Proprietary or N/A	Oxoaluminum stearate/ benzoate	OSHA ACGIH NIOSH	No established limit No established limit No established limit

Contains mineral oil. The exposure limits for oil mist are 5mg/m3 OSHA PEL and 10mg/m3 ACGIH.

Carcinogen data:

CAS NUMBER	INGREDIENT	SOURCE	VALUE
0000057-10-3	Palmitic acid	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No
0000065-85-0	Benzoic acid	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No: Group 2B: No;
			Group 3: No; Group 4: No
0008042-47-5	Mineral oil	OSHA	Select Carcinogen: No
		IARC	Group 1: No: Group 2A; No: Group 2B: No;
			Group 3: No; Group 4: No
0009003-27-4	Polyisobutylene	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No
0013463-67-7	Titanium dioxide	OSHA	Select Carcinogen: No
		IARC	Group 1: No; Group 2A: No; Group 2B: Yes;
			Group 3: Yes; Group 4:No
Proprietary or N/A	Oxoaluminum stearate/	OSHA	Select Carcinogen: No
	benzoate	IARC	Group 1: No; Group 2A: No; Group 2B: No;
			Group 3: No; Group 4: No

DNEL/PNEC values: No data available

Exposure controls: No special requirements under ordinary conditions of use and with adequate ventilation.

Eye/face protection: Wear safety glasses. If potential for splash or mist exists, wear chemical goggles or face

shield.

Skin protection: Wear chemical resistant gloves. Gloves should be inspected before each use and discarded

if they show tears, pinholes or sign of wear.

Other: Gloves, overalls, apron, boots, or other suitable protective garments should be worn to

minimize contact based on the task being performed.

Respiratory protection: Use NIOSH/OSHA approved respirator where high vapour concentrations are present.

Thermal hazards: No data available.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: WHITE GREASE Odour: Petroleum odour Odour threshold: Not determined pH: Not measured Melting point/freezing point (C): Not determined Initial boiling point and boiling range (C): Not measured Flash point (C): >180 Evaporation rate (H20 = 1): Not determined Flammability (solid, gas): Relative density: Not applicable 0.933

Vapour pressure (Pa): Not determined Vapour density: Heavier than air Solubility(ies): negligible Auto-ignition temperature (C): Not determined **Decomposition temperature:** Not determined Pour point temperature (C): Not determined

Volatile Organic Compounds: SADT: nil

Not determined Viscosity (cSt) @ 40 C: Viscosity (cSt) @ 100 C: Not measured Not measured

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not determined **Upper Explosive Limit:** Not determined

Partition coefficient n-octanol/water (Log Kow): Not determined

The data listed above are typical physical and chemical properties that do not constitute product specification.

Other information:

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

SECTION 10 STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Material is normally stable at ambient temperature and pressure.

Possibility of hazardous reactions: May react with oxidizing agents

Conditions to avoid: High temperature, sparks and open flames.

Keep away from strong oxidizing and reducing agents. Incompatible materials:

Hazardous decomposition products: May form CO and CO2.

TOXICOLOGICAL INFORMATION SECTION 11

Acute toxicity

The preparation has been assessed using the Acute Toxicity Data listed below, and classified for toxicological hazards accordingly. See section 2 for details.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation vapour LD50, mg/L/4hr
Benzoic acid - (0000065-85-0)	Not available	Not available	Not available
Mineral oil - (0008042-47-5)	10,000.99, Rat	Not available	Not available
Oxoaluminum Stearate/Benzoate			
(Proprietary or N/A)	Not available	Not available	Not available
Palmitic acid – (0000057-10-3)	Not available	Not available	Not available
Polyisobutylene – (0009003-27-4)	Not available	Not available	Not available
Titanium dioxide- (0013463-67-7)	10,000., Rat	Not available	Not available

SECTION 12

ECOLOGICAL INFORMATION

Toxicity:

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is classified for eco-toxicological properties accordingly. See Sections 2 and 3 for details.

Aquatic Toxicity:

96 hr LC50 fish Ingredient 48 hr EC50 crustacea ErC50algae mg/l mg/l mg/l Not available Not available Mineral Oil - (0008042-47-5) 10.00, Lepomis macrochirus Oxoaluminum Stearate/Benzoate (Proprietary or N/A) Not available Not available Not available 1,000.00 Fundulus Titanium dioxide- (0013463-67-7) 5.50, Daphnia magna 5.83 (72 hr) heteroclitus Pseudokirchneriella subcapitata 9.00 (00 hr) Anabaenia Benzoic acid - (0000065-85-0) 44.60, Fish (Piscis) 100.00 Daphnia magna inaequalis

Palmitic acid – (0000057-10-3)

Not available

Polyisobutylene – (0009003-27-4)

Not available

Not available

Not available

Not available

Persistence and degradability: There is no data available on the preparation itself.

Bioaccumulative potential:

Mobility in soil:

Not measured
No data available

Results of PBT and vPvB assessment: This product contains no PBT/vPvB chemicals

Other adverse effects: No data available

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods: Consult federal, state and local regulations regarding disposal methods. Recycle used oil.

Do not contaminate used oil with solvents or other chemicals.

SECTION 14 TRANSPORTATION INFORMATION

UN Number: Not applicable UN proper shipping name: Not regulated

Transport hazard class(es):

US DOT Label Not regulated ADR/RID Not regulated IMDG Not regulated Sub class Not applicable

Packing group: Not applicable

Environmental hazards:

ADR/RID Environmentally Hazardous: Yes – Not regulated IMDG Marine Pollutant: Yes (Mineral oil) – Not regulated

Special precautions for user: No further information

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

SECTION 15 REGULATORY INFORMATION

National Legislation:

United States:

The regulatory data in Section 15 is not intended to be all inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TCSA (Toxic Substance Control Act) Inventory or are not required to be listed on the TSCA Inventory.

SARA 311/312 (>0.1%) Not applicable SARA 313 (>0.1%): Not applicable

CERCLA (>0.1%): Benzoic acid

Inventory - Canada - Non - Domestic Substances List (NDSL):

Octadecenamide, N-[2-[(2-hydroxyethyl)amino]ethyl]-, monoacetate (salt)

California Proposition 65 Cancer:

Not applicable

California Proposition 65 Developmental:

Not applicable

California Proposition 65 Female Reproductive:

Not applicable

California Proposition 65 Male Reproductive:

Not applicable

Inventory - Australia - Inventory of Chemical Substances (AICS):

1,3-Butadiene, 2-methyl-, homopolymer

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4, 5-dihydro-

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates

Benzenepropanoic acid, 3,5-bis(1,1-dimethyllethyl)-4hydroxy-, thiodi-2, 1-ethanediyl ester

Benzoic acid

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-,(Z)-

Mineral Oil

Octadecanoic acid

Oxoaluminum Stearate/Benzoate

Palmitic acid Polyisobutylene

Titanium dioxide

Inventory - Japan Existing and New Chemical Substances (ENCS):

1,3-Butadiene, 2-methyl-, homopolymer (6-748)

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4, 5-dihydro-(5-425; 5-3496)

Benzenepropanoic acid, 3,5-bis(1,1-dimethyllethyl)-4-hydroxy-, thiodi-2,

1-ethanediyl ester (3-3094)

Benzoic acid (3-1397)

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-,(Z)- (2-1226; 2-2679; 9-1930)

Mineral Oil ()

Octadecanoic acid (2-608; 2-609)

Oxoaluminum Stearate/Benzoate ()

Palmitic acid (2-608)

Polyisobutylene (5-774; 6-774)

Titanium dioxide (1-558: 5-5225)

Korean Existing Chemicals Inventory:

1,3-Butadiene, 2-methyl-, homopolymer

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4, 5-dihydro-

Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, thiodi-2, 1-ethanediyl ester

Benzoic acid

Glycine, N-methyl-N-(1-oxo-9-octadecenyl),(Z)-

Mineral Oil

Octadecanoic acid

Oxoaluminum Stearate/Benzoate

Palmitic acid

Polyisobutylene

Titanium dioxide

Inventory of Existing Chemical Substances in China:

Mineral Oil

Oxoaluminum Stearate/Benzoate

Polyisobutylene

Philippines Inventory of Chemicals and Chemical Substances (PICCS)

1, 3-Butadiene, 2-methyl-, homopolymer

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4, 5-dihydro-

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates

Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, thiodi-2, 1-ethanediyl ester

Benzoic acid

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-(Z)-

Mineral Oil

Octadecanoic acid

Oxoaluminum Stearate/Benzoate

Palmitic acid

Polyisobutylene

Titanium dioxide

Taiwan List of Toxic Chemical Substances regulated under Toxic Chemical Substances Control Act:

Not applicable

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Octadecanoic acid Palmaitic acid

Inventory - European Union - European Inventory of Existing Commercial Chemical Substances (EINECS):

1H-Imidazole-1-ethanol, 2-(8-heptadecenyl)-4, 5-dihydro- (202-414-9)

Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates (279-632-6)

Benzenepropanoic acid, 3,5-bis(1,1-dimethylethyl)-4-hydroxy-, thiodi-2,

1-ethanediyl ester (255-392-8)

Benzoic acid (200-618-2)

Glycine, N-methyl-N-(1-oxo-9-octadecenyl)-,(Z)- (203-749-3)

Mineral Oil (232-455-8)

Octadecanoic acid (200-313-4)

Oxoaluminum Stearate/Benzoate ()

Palmitic acid (200-312-9)

Polyisobutylene ()

Titanium dioxide (236-675-5)

EU List of Notified Chemical Substances (ELINCS):

Not applicable

Risk Phrases: R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 16

OTHER INFORMATION

This information has been compiled from sources considered to be dependable and is accurate to the best of Morey Oil South Pacific Ltd knowledge. Morey Oil South Pacific Ltd makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Morey Oil South Pacific Ltd assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed

H318 Causes serious eye damage

This is the first revision of this SDS Format, changes from previous revision not applicable.

End of document