

# **Safety Data Sheet**

LOCTITE 3090 PART A

Page 1 of 8

SDS No.: 442955

V001.3

Date of issue: 17.08.2021

respiratory tract irritation

# Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE 3090 PART A

Intended use: Cyanoacrylate

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137

Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

## Section 2. Hazards identification

### Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

### **GHS Classification:**

<u>Hazard Class</u> <u>Hazard Category</u> <u>Target organ</u>

Flammable liquids

Skin irritation

Serious eye irritation

Target Organ Systemic Toxicant 
Category 4

Category 2

Category 2

Category 2A

Category 3

Single exposure

Acute hazards to the aquatic

environment

Chronic hazards to the aquatic

environment

Category 3

Category 3

Hazard pictogram:



Signal word: Warning

V001.3 LOCTITE 3090 PART A

**Hazard statement(s):** H227 Combustible liquid.

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statement(s):** 

**Prevention:** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

**Response:** P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

Storage: P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

#### **Dangerous Goods information:**

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

#### Section 3. Composition / information on ingredients

**General chemical description:** Mixture

**Type of preparation:** Cyanoacrylate Adhesive

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
Ethyl 2-cyanoacrylate	7085-85-0	60- <= 100 %
Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane	119-47-1	< 3 %

### Section 4. First aid measures

LOCTITE 3090 PART A V001.3

Ensure that breathing passages are not obstructed. The product will polymerise **Ingestion:** 

immediately in the mouth making it almost impossible to swallow. Saliva will slowly

separate the solidified product from the mouth (several hours).

Skin: Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a

spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate

enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin. If lips are accidentally stuck together apply warm water to the lips and encourage

maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

Eyes: If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help

to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of

cyanoacrylate trapped behind the eyelid cause any abrasive damage.

**Inhalation:** Move to fresh air, consult doctor if complaint persists.

First Aid facilities:

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically and supportively.

### Section 5. Fire fighting measures

Suitable extinguishing media: Foam, extinguishing powder, carbon dioxide.

Fine water spray

Improper extinguishing media: None known

**Decomposition products in case of** Oxides of carbon, oxides of nitrogen, irritating organic vapors.

Particular danger in case of fire: In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

In case of fire, keep containers cool with water spray.

Special protective equipment for

fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

#### Section 6. Accidental release measures

**Personal precautions:** Ensure adequate ventilation.

Do not let product enter drains. **Environmental precautions:** 

Do not use cloths for mopping up. Flood with water to complete polymerization and **Clean-up methods:** 

scrape off the floor. Cured material can be disposed of as non-hazardous waste.

### Section 7. Handling and storage

**Precautions for safe handling:** Avoid skin and eye contact.

Vapours should be extracted to avoid inhalation.

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C **Conditions for safe storage:** 

(35.6 - 46.4 °F)

V001.3

# Section 8. Exposure controls / personal protection

#### National exposure standards:

None

Provide adequate local exhaust ventilation to maintain worker exposure below exposure **Engineering controls:** 

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

The use of chemical resistant gloves such as Nitrile is recommended.

Polyethylene or polypropylene gloves are recommended when using large volumes.

Do not use PVC, rubber or nylon gloves.

Please note that in practice the working life of chemical resistant gloves may be

considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

Page 4 of 8

then the gloves should be replaced.

Respiratory protection: Ensure adequate ventilation.

If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

# Section 9. Physical and chemical properties

Appearance: colourless Liquid

Odor: Irritating pH: Not available. Flash point: 80 °C (176 °F) Vapor pressure: < 700 mbar

(no method; 50 °C (122 °F))

1.05 g/cm3 Density:

Solubility in water: Polymerises in presence of water.

< 3 % **VOC** content:

(2010/75/EC)

#### Section 10. Stability and reactivity

Stability: Stable under normal conditions of temperature and pressure.

Conditions to avoid: Excessive heat.

**Incompatible materials:** Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and

alcohols.

Hazardous decomposition

products:

In case of fire toxic gases can be released.

# Section 11. Toxicological information

# SDS No.: 442955

V001.3 LOCTITE 3090 PART A

**Health Effects:** 

**Ingestion:** Not expected to be harmful by ingestion. Rapidly polymerizes (solidifies) and bonds in mouth. It

is almost impossible to swallow.

Skin: Cyanoacrylates generate heat on solidification. In rare circumstances a large drop will burn the

skin. Cured adhesive does not present a health hazard even if bonded to the skin.

Bonds skin in seconds. May cause skin irritation. Cyanoacrylates have been reported to cause allergic reaction but due to rapid polymerization at the skin surface, an allergic response is rare.

Irritating to eyes. Causes excessive tearing. Eyelids may bond.

**Inhalation:** Exposure to vapors above the established exposure limit results in respiratory irritation, which

may lead to difficulty in breathing and tightness in the chest.

#### Acute toxicity:

Eyes:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Ethyl 2-cyanoacrylate	LD50	> 5,000 mg/kg	oral		rat	OECD Guideline 401 (Acute
7085-85-0	LD50	> 2,000 mg/kg			rabbit	Oral Toxicity)
			dermal			OECD Guideline 402 (Acute
						Dermal Toxicity)
Bis(2-hydroxy-3-tert-	LD50	> 10,000 mg/kg	oral		rat	not specified
butyl-5-	LD50	> 10,000 mg/kg			rat	not specified
methylphenyl)methane			dermal			_
119-47-1						

#### Skin corrosion/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		
Ethyl 2-cyanoacrylate	slightly irritating	24 h	rabbit	OECD Guideline 404 (Acute
7085-85-0				Dermal Irritation / Corrosion)

#### Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Ethyl 2-cyanoacrylate	irritating	72 h	rabbit	OECD Guideline 405 (Acute
7085-85-0				Eve Irritation / Corrosion)

#### Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Ethyl 2-cyanoacrylate 7085-85-0	not sensitising		guinea pig	not specified

#### Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Ethyl 2-cyanoacrylate 7085-85-0	negative negative negative	bacterial reverse mutation assay (e.g Ames test) mammalian cell gene mutation assay in vitro mammalian chromosome aberration test	with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Bis(2-hydroxy-3-tert- butyl-5- methylphenyl)methane 119-47-1	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

# Section 12. Ecological information

V001.3

General ecological information: Do not empty into drains / surface water / ground water.

### Toxicity:

Hazardous components CAS-No.	Value type	Value	Acute Toxicity	Exposure time	Species	Method
			Study			
Bis(2-hydroxy-3-tert-butyl-5-	LC50	Toxicity > Water	Fish		Oryzias latipes	OECD Guideline
methylphenyl)methane		solubility				203 (Fish, Acute
119-47-1						Toxicity Test)
Bis(2-hydroxy-3-tert-butyl-5-	EC50	Toxicity > Water	Daphnia	48 h	Daphnia magna	OECD Guideline
methylphenyl)methane		solubility				202 (Daphnia sp.
119-47-1						Acute
						Immobilisation
						Test)
Bis(2-hydroxy-3-tert-butyl-5-	EC50	Toxicity > Water	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline
methylphenyl)methane		solubility			(reported as Selenastrum	201 (Alga, Growth
119-47-1					capricornutum)	Inhibition Test)
Bis(2-hydroxy-3-tert-butyl-5-	NOEC	Toxicity > Water	Algae	72 h	Pseudokirchneriella subcapitata	OECD Guideline
methylphenyl)methane		solubility			(reported as Selenastrum	201 (Alga, Growth
119-47-1					capricornutum)	Inhibition Test)
Bis(2-hydroxy-3-tert-butyl-5-	EC 50	> 10,000 mg/l	Bacteria	3 h		OECD Guideline
methylphenyl)methane						209 (Activated
119-47-1						Sludge, Respiration
						Inhibition Test)

#### Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Ethyl 2-cyanoacrylate 7085-85-0	not readily biodegradable.	aerobic	57 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane 119-47-1	under test conditions no biodegradation observed	aerobic	0 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

# Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Ethyl 2-cyanoacrylate	0.776				22 °C	EU Method A.8 (Partition
7085-85-0						Coefficient)
Bis(2-hydroxy-3-tert-butyl-5-		320 - 780	60 d	Cyprinus carpio		OECD Guideline 305 E
methylphenyl)methane						(Bioaccumulation: Flow-
119-47-1						through Fish Test)
Bis(2-hydroxy-3-tert-butyl-5-	6.25				20 °C	OECD Guideline 107
methylphenyl)methane						(Partition Coefficient (n-
119-47-1						octanol / water), Shake
						Flask Method)

# Section 13. Disposal considerations

Waste disposal of product: Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorised

landfill or incinerate under controlled conditions.

Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in

which it is used

After use, tubes, cartons and bottles containing residual product should be disposed of as Disposal for uncleaned package:

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

### Section 14. Transport information

LOCTITE 3090 PART A

V001.3

#### Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

**Marine transport IMDG:** 

Not dangerous goods

Air transport IATA:

UN no.: 3334

Proper shipping name: Aviation regulated liquid, n.o.s. (Cyanoacrylate ester)

Class or division: 9
Packing group: III
Packing instructions (passenger) 964
Packing instructions (cargo) 964

Additional Information IATA: Primary packs containing less than 500ml are unregulated by this

mode of transport and may be shipped unrestricted.

## Section 15. Regulatory information

SUSMP Poisons Schedule

5

#### Section 16. Other information

**Abbreviations/acronyms:** ADGC - Australian Dangerous Goods Code

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

**Reason for issue:** Reviewed SDS. Reissued with new date. involved chapters: 1 - 16

**Date of previous issue:** 29.07.2016

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of

the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for

additional assistance.

SDS No.: 442955

Page 8 of 8

V001.3 LOCTITE 3090 PART A



# **Safety Data Sheet**

LOCTITE 3090 Part B

Page 1 of 5

SDS No.: 337099

V001.2

Date of issue: 17.08.2021

# Section 1. Identification of the substance/preparation and of the company/undertaking

**Product name:** LOCTITE 3090 Part B

**Intended use:** Activator

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137 Australia

Phone: +61 (3) 9724 6444

**Emergency information:** 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

## Section 2. Hazards identification

### Classification of the substance or mixture

Not hazardous according to the criteria of Safe Work Australia.

### **GHS Classification:**

No classification required.

No classification required.

#### **Dangerous Goods information:**

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

### Section 3. Composition / information on ingredients

**General chemical description:** Mixture **Type of preparation:** Activator

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
non hazardous ingredients~		60- <= 100 %

SDS No.: 337099 Page 2 of 5

V001.2 LOCTITE 3090 Part B

Section 4. First aid measures

**Ingestion:** Rinse mouth, do not induce vomiting, consult a doctor.

**Skin:** Wash skin with water

In case of adverse health effects seek medical advice.

Eyes: Flush eyes with plenty of water for at least 5 minutes. If irritation persists seek medical

attention.

**Inhalation:** Should not be a problem as product is of low volatility. However, if feeling unwell

remove patient to fresh air.

First Aid facilities: Eye wash and safety shower

Normal washroom facilities

Medical attention and special

treatment:

Treat symptomatically.

#### Section 5. Fire fighting measures

**Suitable extinguishing media:** Foam, extinguishing powder, carbon dioxide.

**Improper extinguishing media:** None known

**Decomposition products in case of** 

fire:

Trace amounts of toxic and/or irritating fumes may be released and the use of breathing

apparatus is recommended.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

#### Section 6. Accidental release measures

**Personal precautions:** Ensure adequate ventilation.

**Clean-up methods:** For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

# Section 7. Handling and storage

**Precautions for safe handling:** Use only in well-ventilated areas.

Gloves and safety glasses should be worn

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

**Conditions for safe storage:** Store in sealed original container.

### Section 8. Exposure controls / personal protection

#### National exposure standards:

None

SDS No.: 337099 Page 3 of 5

V001.2 LOCTITE 3090 Part B

**Engineering controls:** Use general ventilation.

**Eye protection:** Eye protection should be used where there is any risk of splashing.

**Skin protection:** Wear suitable protective clothing.

Protective gloves made of rubber.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

**Respiratory protection:** Ensure adequate ventilation.

# Section 9. Physical and chemical properties

**Appearance:** Colorless Liquid

 Odor:
 Characteristic

 pH:
 Not available.

 Boiling point:
 258 °C (496.4 °F)

 Flash point:
 160 °C (320 °F)

 Vapor pressure:
 < 700 mbar</th>

(no method; 50 °C (122 °F))

**Density:** 1.15 g/cm3 **VOC content:** < 3 %

(2010/75/EC)

#### Section 10. Stability and reactivity

**Stability:** Stable under recommended storage conditions.

**Conditions to avoid:** Stable under normal conditions of storage and use.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

carbon oxides.

# Section 11. Toxicological information

**Health Effects:** 

Ingestion: May cause irritation of the stomach
Skin: May cause mild skin irritation.
Eyes: May cause mild irritation

**Inhalation:** Inhalation of mist or spray may cause irritation of the respiratory tract and nasal passages.

**Aggravated med.** Eye, skin and respiratory disorders.

**condition:** Asthma.

**Toxicity data:**No data available.

# Section 12. Ecological information

**General ecological information:** Do not empty into drains / surface water / ground water.

V001.2

# Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

### Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

**Marine transport IMDG:** 

Not dangerous goods

Air transport IATA:

Not dangerous goods

# Section 15. Regulatory information

**SUSMP Poisons Schedule** 

# Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

None

IMDG: International Maritime Dangerous Goods code

IATA-DGR: International Air Transport Association - Dangerous Goods Regulations

AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1 - 16 SDS No.: 337099
V001 2
LOCTITE 3090 Part B

V001.2 LOCTITE 3090 Par

**Date of previous issue:** 29.07.2016

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.