

Safety Data Sheet

Page 1 of 10

LOCTITE 268 HIGH STRENGTH THREADLOCKER known as

Loctite 268 Stick 19g carded JP

SDS No.: 153641

V001.4

Date of issue: 09.12.2021

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: LOCTITE 268 HIGH STRENGTH THREADLOCKER known as Loctite 268 Stick 19g

carded JP

Intended use: Anaerobic thread sealant

Supplier:

Henkel Australia Pty Ltd 135-141 Canterbury Road Kilsyth, Victoria, 3137

Australia

Phone: +61 (3) 9724 6444

Emergency information: 24 HOUR EMERGENCY CONTACT NUMBER: 1800 032 379

Section 2. Hazards identification

Classification of the substance or mixture

Hazardous according to the criteria of Safe Work Australia.

GHS Classification:

Hazard ClassHazard CategorySkin sensitizerCategory 1

Hazard pictogram:

Signal word: Warning

LOCTITE 268 HIGH STRENGTH THREADLOCKER known

as Loctite 268 Stick 19g carded JP

Hazard statement(s): H317 May cause an allergic skin reaction.

Precautionary Statement(s):

Prevention: P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

Response: P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

Disposal: P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

Dangerous Goods information:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

Section 3. Composition / information on ingredients

General chemical description: Mixture

Identity of ingredients:

Chemical ingredients	CAS-No.	Proportion
Thixatrol plus		10- < 30 %
Silica, amorphous, fumed, crystal-free	112945-52-5	< 10 %
Ethene, homopolymer	9002-88-4	< 10 %
α, α-dimethylbenzyl hydroperoxide	80-15-9	< 1 %
N,N-Diethyl-p-toluidine	613-48-9	< 10 %
N-methyl-2-pyrrolidone	872-50-4	< 0.3 %
N.N-dimethyl-o-toluidine	609-72-3	< 10 %

Section 4. First aid measures

Ingestion: Do not induce vomiting.

Have victim rinse mouth thoroughly with water.

Seek medical advice.

Skin: Rinse with running water and soap.

Seek medical advice.

Eyes: Wash with plenty of water immediately and continue for several minutes, holding eyelid

open. Consult a doctor.

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Normal washroom facilities

Eye wash

Medical attention and special

treatment:

Treat symptomatically and supportively.

Page 3 of 10

SDS No.: 153641 V001.4

LOCTITE 268 HIGH STRENGTH THREADLOCKER known

as Loctite 268 Stick 19g carded JP

Section 5. Fire fighting measures

Suitable extinguishing media: Carbon dioxide, foam, powder

Fine water spray

Improper extinguishing media: None known

Decomposition products in case of

Thermal decomposition may release toxic and/or hazardous gases. carbon monoxide

fire:

Carbon dioxide.
Oxides of nitrogen.
Oxides of sulfur.

Particular danger in case of fire: In case of fire, keep containers cool with water spray.

Special protective equipment for

Wear full protective clothing.

fire-fighters:

Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).

Section 6. Accidental release measures

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation. Wear protective equipment.

Environmental precautions: Waste disposal with the approval of the responsible local authority.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

Section 7. Handling and storage

Precautions for safe handling: Use only in well-ventilated areas.

Avoid skin and eye contact.

Gloves and safety glasses should be worn

Prolonged or repeated skin contact should be avoided to minimise any risk of sensitisation.

Conditions for safe storage: Ensure good ventilation/extraction.

Store in a cool, well-ventilated place.

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to

containers as contamination may reduce the shelf life of the bulk product.

Unsuitable materials with

product:

plastic

Section 8. Exposure controls / personal protection

National exposure standards:

Ingredient [Regulated substance]	form of exposure	TWA (ppm)	TWA (mg/m3)	Peak Limit. (ppm)	Peak Limit. (mg/m3)	STEL (ppm)	STEL (mg/m3)
CUMENE 98-82-8						75	375
CUMENE 98-82-8		25	125				

Page 4 of 10

SDS No.: 153641 V001.4

LOCTITE 268 HIGH STRENGTH THREADLOCKER known

as Loctite 268 Stick 19g carded JP

NUISANCE DUSTS, INHALABLE DUST 9002-88-4	Inhalable dust.		10			
1-METHYL-2-PYRROLIDONE 872-50-4					75	309
1-METHYL-2-PYRROLIDONE 872-50-4		25	103			

Engineering controls: No specific ventilation requirements noted, but forced ventilation may still be required if

concentrations exceed occupational exposure limits.

Eye protection: Wear protective glasses.

Skin protection: Wear suitable protective clothing.

The use of chemical resistant gloves such as Nitrile is recommended.

Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed

then the gloves should be replaced.

Respiratory protection: If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

Section 9. Physical and chemical properties

Appearance: red wax

Odor: mild Specific gravity: 1.0687

Boiling point: $> 149 \, ^{\circ}\text{C} \, (> 300.2 \, ^{\circ}\text{F})$

Vapor pressure: < 6.67 mbar

(; 20 °C (68 °F))

Density: 1.07 g/cm3
Solubility in water: Insoluble
VOC content: <3 %

(2010/75/EC)

Section 10. Stability and reactivity

Stability: Stable under normal conditions of temperature and pressure.

Conditions to avoid: Keep away from heat, ignition sources and incompatible materials.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition

products:

Thermal decomposition can lead to release of irritating gases and vapors.

carbon monoxide Carbon dioxide. Oxides of sulfur. Oxides of nitrogen.

Hazardous polymerization: None under normal processing. Polymerization may occur at elevated temperature or in

the presence of incompatible materials.

Hazardous polymerization: Will not occur.

Section 11. Toxicological information

Page 5 of 10

SDS No.: 153641 V001.4

LOCTITE 268 HIGH STRENGTH THREADLOCKER known

as Loctite 268 Stick 19g carded JP

Health Effects:

Ingestion: May cause gastrointestinal disturbances such as headache nausea, vomiting, abdominal pain, and

diarrhea, with delayed effects of skin redness and peeling.

Skin: May cause an allergic skin reaction.
May cause mild skin irritation.

Eyes: Can cause moderate eye irritation.

Eyes: Can cause moderate eye irritation. **Inhalation:** May cause respiratory tract irritation.

Inhalation of product mist may cause mucous membrane irritation.

Chronic effects:

N-methyl-2-pyrrolidone Damage to the skin, irritation to the mucous membranes.

872-50-4:

Acute toxicity:

Hazardous components CAS-No.	Value	Value	Route of	Exposure time	Species	Method
	type	2 000 #	application	ume		101 1
Thixatrol plus	LD50	> 2,000 mg/kg	oral		rat	not specified
Silica, amorphous, fumed,	LD50	> 5,000 mg/kg	oral		rat	OECD Guideline 401 (Acute
crystal-free	LC50	> 58.8 mg/l	inhalation	4 h	rat	Oral Toxicity)
112945-52-5	LD50	> 2,000 mg/kg	dermal		rabbit	OECD Guideline 403 (Acute
						Inhalation Toxicity)
						OECD Guideline 402 (Acute
						Dermal Toxicity)
Ethene, homopolymer	Acute	> 5,000 mg/kg	oral			Expert judgement
9002-88-4	toxicity	> 5 mg/l	inhalation			Expert judgement
	estimate	> 5,000 mg/kg	dermal			Expert judgement
	(ATE)					
	Acute					
	toxicity					
	estimate					
	(ATE)					
	Acute					
	toxicity					
	estimate					
	(ATE)					
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LC50	1.370 mg/l	inhalation	4 h	rat	not specified
80-15-9	Acute	1,100 mg/kg	dermal			Expert judgement
	toxicity					
	estimate					
	(ATE)					
N-methyl-2-pyrrolidone	LD50	4,150 mg/kg	oral		rat	OECD Guideline 401 (Acute
872-50-4	LC50	> 5.1 mg/l	inhalation	4 h	rat	Oral Toxicity)
	LD50	> 5,000 mg/kg	dermal		rat	OECD Guideline 403 (Acute
						Inhalation Toxicity)
						OECD Guideline 402 (Acute
						Dermal Toxicity)

Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
Silica, amorphous, fumed, crystal-free 112945-52-5	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
α, α-dimethylbenzyl hydroperoxide 80-15-9	corrosive		rabbit	Draize Test
N-methyl-2-pyrrolidone 872-50-4	irritating	24 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
N-methyl-2-pyrrolidone 872-50-4	moderately irritating		human	not specified

LOCTITE 268 HIGH STRENGTH THREADLOCKER known as Loctite 268 Stick 19g carded JP

Serious eye damage/irritation:

Hazardous components	Result	Exposure	Species	Method
CAS-No.		time		0707 0 11 11 407 (4
Silica, amorphous, fumed, crystal-free 112945-52-5	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Ethene, homopolymer 9002-88-4	not irritating	24 h	rabbit	FDA Guideline
N-methyl-2-pyrrolidone 872-50-4	irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
Ethene, homopolymer 9002-88-4	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
N-methyl-2-pyrrolidone 872-50-4	not sensitising	Mouse local lymphnod e assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)

Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Silica, amorphous, fumed, crystal-free 112945-52-5	negative negative negative	bacterial reverse mutation assay (e.g Ames test) mammalian cell gene mutation assay in vitro mammalian chromosome aberration test	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Ethene, homopolymer 9002-88-4	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		Ames Test
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified
N-methyl-2-pyrrolidone 872-50-4	negative negative negative	DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro bacterial reverse mutation assay (e.g Ames test) mammalian cell gene mutation assay	without with and without with and without		OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro) OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
N-methyl-2-pyrrolidone 872-50-4	negative negative	oral: gavage oral: gavage		mouse hamster, Chinese	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test)

Page 7 of 10

SDS No.: 153641 V001.4

LOCTITE 268 HIGH STRENGTH THREADLOCKER known as Loctite 268 Stick 19g carded JP $\,$

Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
Silica, amorphous, fumed, crystal-free 112945-52-5	NOAEL=< 0.046 mg/l	inhalation	14 days6 hours/day, 5 days/week	rat	not specified
Silica, amorphous, fumed, crystal-free 112945-52-5	NOAEL=> 4,500 mg/kg	oral: feed	13 weeksdaily, continous	rat	
α, α-dimethylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified
N-methyl-2-pyrrolidone 872-50-4	NOAEL=0.5 mg/l	inhalation	90 days6 hrs/day, 5 days/wk	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

Section 12. Ecological information

LOCTITE 268 HIGH STRENGTH THREADLOCKER known as Loctite 268 Stick 19g carded JP

General ecological information:

Do not empty into drains / surface water / ground water., In the cured state contribution of this product to Environmental Hazards is insignificant in comparison to articles in which it is used.

Toxicity:

Hazardous components	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity Study	time		
Thixatrol plus	LC50	> 0.2 mg/l	Fish	96 h	carp	not specified
Thixatrol plus	EL50	15.63 - 250 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute
Thixatrol plus	EC50	0.005 mg/l	Algae	72 h	Skeletonema costatum	Immobilisation Test) ISO 10253:2006 (Marine algal growth inhibition
Thixatrol plus	NOEC	0.003 mg/l	Algae	72 h	Skeletonema costatum	test) ISO 10253:2006 (Marine algal growth inhibition test)
Silica, amorphous, fumed, crystal-free 112945-52-5	LC50	> 10,000 mg/l	Fish	96 h	Brachydanio rerio (new name: Danio rerio)	OECD Guideline 203 (Fish, Acute Toxicity Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	EL50	> 1,000 mg/l	Daphnia	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute
Silica, amorphous, fumed, crystal-free 112945-52-5	NOELR	10,000 mg/l	Algae	72 h	Desmodesmus subspicatus	Immobilisation Test) OECD Guideline 201 (Alga, Growth Inhibition Test)
Silica, amorphous, fumed, crystal-free 112945-52-5	EL50	> 10,000 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth
Silica, amorphous, fumed, crystal-free	EC0	10,000 mg/l	Bacteria	30 min	Pseudomonas putida	Inhibition Test) DIN 38412, part 27 (Bacterial oxygen
112945-52-5 Ethene, homopolymer 9002-88-4	LC50	> 100 mg/l	Fish	96 h	Leuciscus idus	consumption test) OECD Guideline 203 (Fish, Acute
Ethene, homopolymer 9002-88-4	EC0	> 1,000 mg/l	Bacteria	3 h	not specified	Toxicity Test) OECD Guideline 209 (Activated Sludge, Respiration
α, α-dimethylbenzyl hydroperoxide 80-15-9	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	Inhibition Test) OECD Guideline 203 (Fish, Acute
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	18.84 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	3.1 mg/l	Algae	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	Test) OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	NOEC	1 mg/l	Algae	72 h	Desmodesmus subspicatus (reported as Scenedesmus	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min	subspicatus)	not specified
80-15-9 N-methyl-2-pyrrolidone 872-50-4	LC50	4,000 mg/l	Fish	96 h	Leuciscus idus	DIN 38412-15
N-methyl-2-pyrrolidone 872-50-4	EC50	4,897 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

LOCTITE 268 HIGH STRENGTH THREADLOCKER known as Loctite 268 Stick 19g carded JP

N-methyl-2-pyrrolidone 872-50-4	EC50	> 500 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus	DIN 38412-09
N,N-dimethyl-o-toluidine	LC 50	46 mg/l	Fish	96 h	subspicatus) Fathead minnow (Pimephales	

Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
Thixatrol plus	not readily biodegradable.	aerobic	69.3 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Ethene, homopolymer 9002-88-4	not readily biodegradable.	aerobic	1 %	ISO 10708 (BODIS-Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	not readily biodegradable.	aerobic	3 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
N-methyl-2-pyrrolidone 872-50-4	inherently biodegradable	aerobic	> 90 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)
N-methyl-2-pyrrolidone 872-50-4	readily biodegradable	aerobic	92 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))

Bioaccumulative potential / Mobility in soil:

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.		factor (BCF)	time			
Thixatrol plus	5.4 - 6.6				25 °C	EU Method A.8 (Partition
						Coefficient)
Silica, amorphous, fumed,	0.53					QSAR (Quantitative
crystal-free						Structure Activity
112945-52-5						Relationship)
α, α-dimethylbenzyl		9.1		calculation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	1.6				25 °C	OECD Guideline 117
hydroperoxide						(Partition Coefficient (n-
80-15-9						octanol / water), HPLC
						Method)
N-methyl-2-pyrrolidone	-0.46				25 °C	OECD Guideline 107
872-50-4						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)

Section 13. Disposal considerations

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

Section 14. Transport information

Road and Rail Transport:

Dangerous Goods information: Not classified as Dangerous Goods according to the criteria of the

Australian Code for the Transport of Dangerous Goods by Road and

Rail (ADG Code).

Marine transport IMDG:

Not dangerous goods

Page 10 of 10

SDS No.: 153641 V001.4

LOCTITE 268 HIGH STRENGTH THREADLOCKER known

as Loctite 268 Stick 19g carded JP

Air transport IATA: Not dangerous goods

Section 15. Regulatory information

SUSMP Poisons Schedule

None

Section 16. Other information

Abbreviations/acronyms: ADGC - Australian Dangerous Goods Code

ASCC - Australian Safety and Compensation Council

STEL - Short term exposure limit TWA - Time weighted average

AIIC - Australian Inventory of Industrial Chemicals (AIIC) AICIS - Australian Industrial Chemicals Introduction Scheme

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel Australia Pty. Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel Australia Pty. Limited concerning the properties of the material.

The information contained in the Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel Australia Pty. Limited assumes no legal responsibility for reliance upon same. Henkel Australia Pty. Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by either Commonwealth or State statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.