APPLIED TOUGH ORANGE ITW POLYMERS & FLUIDS

Chemwatch: 4717-82

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 01/11/2019 Print Date: 15/03/2022 Initial Date: 02/06/2004

S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	APPLIED TOUGH ORANGE
Chemical Name	Not Applicable
Synonyms	A4493
Chemical formula	Not Applicable
Other means of identification	Not Available

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Heavy duty degreaser.

Details of the supplier of the safety data sheet

Registered company name	ITW POLYMERS & FLUIDS	
Address	100 Hassall Street, Wetherill Park Not Available 2164 NSW Australia	
Telephone	+61 2 9757 8800	
Fax	Not Available	
Website	www.itwpf.com.au	
Email	Not Available	

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers	+61 1800 951 288	
Other emergency telephone numbers	+61 2 9186 1132	

CHEMWATCH EMERGENCY RESPONSE

Primary Number	Alternative Number 1	Alternative Number 2
+61 1800 951 288	+61 2 9186 1132	Not Available

Once connected and if the message is not in your prefered language then please dial 01

SECTION 2 Hazards identification


Classification of the substance or mixture

HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S5
Classification [1]	Serious Eye Damage/Eye Irritation Category 1, Skin Corrosion/Irritation Category 1A
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements

Issue Date: **01/11/2019**Print Date: **15/03/2022**





Signal word

Danger

Hazard statement(s)

H314	Causes severe skin burns and eye damage.
H314	Lauses severe skin burns and eye damage.

Precautionary statement(s) Prevention

P260	Do not breathe mist/vapours/spray.	
P264	Wash all exposed external body areas thoroughly after handling.	
P280	Wear protective gloves, protective clothing, eye protection and face protection.	

Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician/first aider.

Precautionary statement(s) Storage

Store loc	ked up
	Store loc

Precautionary statement(s) Disposal

P501 Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation	P501
---	------

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
111-76-2	<10	ethylene glycol monobutyl ether
	<10	alkaline salt
1310-73-2	<1	sodium hydroxide
	>60	Ingredients determined not to be hazardous

SECTION 4 First aid measures

Description of first aid measures

General	
Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

Issue Date: **01/11/2019**Print Date: **15/03/2022**

Ingestion

- If swallowed do **NOT** induce vomiting.
- If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.
- Observe the patient carefully.
- ▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Water spray or fog.
- Foam.
- Dry chemical powder.
- ► BCF (where regulations permit).

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known

Advice for firefighters

Fire Fighting

- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Wear full body protective clothing with breathing apparatus.
- Prevent, by any means available, spillage from entering drains or water course.
- ▶ Use fire fighting procedures suitable for surrounding area.

Fire/Explosion Hazard

- ► Non combustible.
- Not considered to be a significant fire risk.
- Expansion or decomposition on heating may lead to violent rupture of containers.
 Decomposes on heating and may produce toxic fumes of carbon monoxide (CO).
- 2000mpoods on nodining and may produce toxic ramos of salizon monorida (

Decomposes on heating and produces toxic fumes of: carbon dioxide (CO2)

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Minor Spills

Slippery when spilt.

- Clean up all spills immediately.
- Avoid breathing vapours and contact with skin and eyes.
- Control personal contact with the substance, by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.

Slippery when spilt.

Minor hazard.

Major Spills

- ► Clear area of personnel.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact with the substance, by using protective equipment as required.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe handling

DO NOT allow clothing wet with material to stay in contact with skin
Limit all unnecessary personal contact.

Safe handling

- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.

Other information

- ▶ Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.

Issue Date: 01/11/2019 Print Date: 15/03/2022

▶ Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

contained to care contage, morataing any moonipalitimes		
	Bulk.	
Suitable container	Polyethylene or polypropylene container.	

- ▶ Packing as recommended by manufacturer.
- ▶ Check all containers are clearly labelled and free from leaks.
- Storage incompatibility Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

Suitable container

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	ethylene glycol monobutyl ether	2-Butoxyethanol	20 ppm / 96.9 mg/m3	242 mg/m3 / 50 ppm	Not Available	Not Available
Australia Exposure Standards	sodium hydroxide	Sodium hydroxide	Not Available	Not Available	2 mg/m3	Not Available

Emergency Limits

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
ethylene glycol monobutyl ether	Not Available	60 ppm	120 ppm	700 ppm
sodium hydroxide	Not Available	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
ethylene glycol monobutyl ether	700 ppm	Not Available
sodium hydroxide	10 mg/m3	Not Available

Exposure controls

Thermal hazards

Not Available

posure controls	
Appropriate engineering controls	General exhaust is adequate under normal operating conditions.
Personal protection	
Eye and face protection	 Safety glasses with side shields; or as required, Chemical goggles. Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. Wear safety footwear or safety gumboots, e.g. Rubber The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice. Personal hygiene is a key element of effective hand care.
Body protection	See Other protection below
Other protection	 Overalls. PVC Apron. PVC protective suit may be required if exposure severe. Eyewash unit.

Issue Date: **01/11/2019**Print Date: **15/03/2022**

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Orange alkaline liquid with a mild citrus odour; r	nives with water nH 13 3	
Appearance	Orange alkaline liquid with a mild citius ododi, i	nixes with water, pri 15.5.	
Physical state	Liquid	Relative density (Water = 1)	1.04
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Alkaline	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	~100	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Miscible	pH as a solution (Not Available%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Applicable

SECTION 10 Stability and reactivity

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	Not normally a hazard due to non-volatile nature of product
Ingestion	Ingestion may result in nausea, abdominal irritation, pain and vomiting
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing skin condition
Eye	This material can cause eye irritation and damage in some persons.
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

APPLIED TOUGH ORANGE	TOXICITY	IRRITATION

Issue Date: 01/11/2019 Print Date: 15/03/2022

APPLIED TOUGH ORANGE	TOXICITY	IRRITATION	
APPLIED TOUGH ORANGE	TOXICITY	IRRITATION	
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
APPLIED TOUGH ORANGE	NOTE: Changes in kidney, liver, spleen and lungs are observed by all routes. ** ASCC (NZ) SDS The material may cause skin irritation after prolonged or repeate swelling, the production of vesicles, scaling and thickening of the For ethylene glycol monoalkyl ethers and their acetates (EGMA Typical members of this category are ethylene glycol propylene ethylene glycol hexyl ether (EGHE) and their acetates. EGMAEs are substrates for alcohol dehydrogenase isozyme AE to aldehydes (which are transient metabolites). Further, rapid corproduces alkoxyacetic acids, which are the predominant urinary Acute Toxicity: Oral LD50 values in rats for all category memb values increasing with decreasing molecular weight. Four to six these chemicals in rats at the highest vapour concentrations pramg/m3) for EGHE, LC50 > 400ppm (2620 mg/m3) for EGBEA to Animal testing showed that exposure to ethylene glycol monobulembryo. Reproductive effects were thought to be less than that Chronic exposure may cause anaemia, with enlargement and froutoxyethanol may cause generalized clotting and bone infarctions of the concern, including liver cancer. For ethylene glycol: Ethylene glycol is quickly and extensively absorbed throughout is also absorbed through the airways; absorption through skin is throughout the body. In humans, it is initially metabolized by alconverted to glycolic acid and glyoxal.	ed exposure and may produce on contact skin redness, e skin. Es): ether (EGPE), ethylene glycol butyl ether (EGBE) and DH-3, which catalyzes the conversion of their terminal alcohol enversion of the aldehydes by aldehyde dehydrogenase metabolites of mono substituted glycol ethers. ers range from 739 (EGHE) to 3089 mg/kg bw (EGPE), with hour acute inhalation toxicity studies were conducted for actically achievable. Values range from LCO > 85 ppm (508 to LC50 > 2132 ppm (9061 mg/m3) for EGPE. Ityl ether resulted in toxicity to both the mother and the of other monoalkyl ethers of ethylene glycol. agility of red blood cells. It is thought that in animals on. In animals, 2-butoxyethanol also increased the rate of the gastrointestinal tract. Limited information suggests that it apparently slow. Following absorption, it is distributed	
APPLIED TOUGH ORANGE	Asthma-like symptoms may continue for months or even years after exposure to the material ends. This may be due to a non-allergic condition known as reactive airways dysfunction syndrome (RADS) which can occur after exposure to high levels of highly irritating compound. Main criteria for diagnosing RADS include the absence of previous airways disease in a non-atopic individual, with sudden onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. Other criteria for diagnosis of RADS include a reversible airflow pattern on lung function tests, moderate to severe bronchial hyperreactivity on methacholine challenge testing, and the lack of minimal lymphocytic inflammation, without eosinophilia. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Repeated exposures may produce severe ulceration.		
APPLIED TOUGH ORANGE	The material may produce severe irritation to the eye causing p irritants may produce conjunctivitis.	ronounced inflammation. Repeated or prolonged exposure to	
Acute Toxicity	×	arcinogenicity X	
Skin Irritation/Corrosion	✓	Reproductivity X	
	✓ STOT - Si		
Serious Eye Damage/Irritation		ngle Exposure X	
		ated Exposure X	

★ - Data available but does not fill the criteria for classification

Data Not Available to make classification

SECTION 12 Ecological information

Toxicity

Not Available

Ingredient	Endpoint	Test Duration (hr)	Effect	Value	Species	BCF
APPLIED TOUGH ORANGE	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

Issue Date: **01/11/2019**Print Date: **15/03/2022**

| APPLIED TOUGH ORANGE | Not Available |
|----------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| APPLIED TOUGH ORANGE | Not Available |

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethylene glycol monobutyl ether	LOW (Half-life = 56 days)	LOW (Half-life = 1.37 days)
sodium hydroxide	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
ethylene glycol monobutyl ether	LOW (BCF = 2.51)
sodium hydroxide	LOW (LogKOW = -3.8796)

Mobility in soil

Ingredient	Mobility	
ethylene glycol monobutyl ether	HIGH (KOC = 1)	
sodium hydroxide	LOW (KOC = 14.3)	

SECTION 13 Disposal considerations

Waste treatment methods

Product / Packaging disposal

- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.
- ▶ Treat and neutralise with dilute acid at an effluent treatment plant.
- ▶ Recycle containers, otherwise dispose of in an authorised landfill.

SECTION 14 Transport information

Labels Required

Marila - Ballatant	NO
Marine Pollutant	Not Applicable
HAZCHEM	Not Applicable

Land transport (Not Applicable)

Air transport (ICAO-IATA / DGR)

Sea transport (IMDG-Code / GGVSee)

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Ingredient	Pollution Category	
Not Available	APPLIED TOUGH ORANGE	Not Available	

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

ethylene glycol monobutyl ether(111-76-2) is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 6

Chemwatch: 4717-82 Version No: 8.1 Page 8 of 8

APPLIED TOUGH ORANGE

Issue Date: **01/11/2019**Print Date: **15/03/2022**

Australian Inventory of Industrial Chemicals (AIIC)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

sodium hydroxide(1310-73-2) is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

National Inventory	Status
Australia - AIIC	
Canada - DSL	Yes
Canada - NDSL	No (ethylene glycol monobutyl ether; sodium hydroxide)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	Yes
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	Yes
USA - TSCA	Yes
Legend:	Y = All ingredients are on the inventory

SECTION 16 Other information

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.