ITW POLYMERS & FLUIDS

Chemwatch: 5137-44 Version No: 9.1

Safety Data Sheet according to Work Health and Safety Regulations (Hazardous Chemicals) 2023 and ADG requirements

Issue Date: **10/03/2023** Print Date: **02/10/2024** S.GHS.AUS.EN

SECTION 1 Identification of the substance / mixture and of the company / undertaking

Product Identifier

Product name	Epirez Supastuff Food Grade Finish [FG] Compound	
Chemical Name	Not Applicable	
Synonyms	s Not Available	
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains bisphenol A/ diglycidyl ether polymetric molecular weight)		
Chemical formula	Not Applicable	
Other means of identification	Not Available	

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Base component of a two-part high build epoxy coating. Base component of a two-part high build epoxy coating. Use according to manufacturer's directions. Requires that the two parts be mixed by hand or mixer before use, in accordance with manufacturers directions. Mix only as much as is required. Do not return the mixed material to the original containers The use of a quantity of material in an unventilated or confined space may result in increased exposure and an irritating atmosphere developing.
--------------------------	--

Details of the manufacturer or supplier of the safety data sheet

Registered company name	ITW POLYMERS & FLUIDS	ITW Polymers & Fluids (NZ)	
Address 100 Hassall Street, Wetherill Park NSW 2164 Australia		Unit 2/38 Trugood Drive, East Tamaki, Auckland 2013 New Zealand	
Telephone +61 2 9757 8800		0800 476 265	
Fax +61 2 9757 3855		+64 9 273 6489	
Website www.itwpf.com.au		www.itwpf.co.nz	
Email Not Available Not Available		Not Available	

Emergency telephone number

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE (24/7)	ITW Polymers & Fluids (NZ)	CHEMWATCH EMERGENCY RESPONSE (24/7)
Emergency telephone numbers	+61 1800 951 288	0800 2436 2255	+61 1800 951 288
Other emergency telephone numbers	+61 3 9573 3188	Not Available	+61 3 9573 3188

Once connected and if the message is not in your preferred language then please dial 01

SECTION 2 Hazards identification

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	S5
Classification ^[1]	Skin Corrosion/Irritation Category 2, Sensitisation (Skin) Category 1, Serious Eye Damage/Eye Irritation Category 2A, Reproductive Toxicity Category 2, Hazardous to the Aquatic Environment Long-Term Hazard Category 2
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

Label elements



Hazard statement(s)		
H315 Causes skin irritation.		
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.	
H411	Toxic to aquatic life with long lasting effects.	

Precautionary statement(s) General

P101 If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.	
P280 Wear protective gloves, protective clothing, eye protection and face protection.		
P261 Avoid breathing mist/vapours/spray.		
P273	Avoid release to the environment.	

Precautionary statement(s) Response

P308+P313 IF exposed or concerned: Get medical advice/ attention.	
P302+P352 IF ON SKIN: Wash with plenty of water and soap.	
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Conti	
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.	

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501	Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.
------	--

SECTION 3 Composition / information on ingredients

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
25068-38-6	10-30	10-30 bisphenol A/ diglycidyl ether polymer, high molecular weight	
9003-36-5	<10	<10 phenol/ formaldehyde glycidyl ether copolymer	
68609-97-2	<10	(C12-14)alkylglycidyl ether	
Not Available	>60 fillers, unregulated		
Not Available	<10	other ingredients not contributing to the classification	
Legend: 1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI; 4. Classification drawn from C&L * EU IOELVs available			

SECTION 4 First aid measures

Issue Date: 10/03/2023 Print Date: 02/10/2024

Epirez Supastuff Food Grade Finish [FG] Compound

Description of first aid measures

Eye Contact	 If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 Firefighting measures

Extinguishing media

- Foam.
- Dry chemical powder.
- BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility Avoid corresult	ontamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may
--------------------------------------	--

Advice for firefighters

	 Alert Fire Brigade and tell them location and nature of hazard.
Fire Fighting	 Wear breathing apparatus plus protective gloves.
The Fighting	 Prevent, by any means available, spillage from entering drains or water courses.
	Use water delivered as a fine spray to control fire and cool adjacent area.
	Combustible.
	 Slight fire hazard when exposed to heat or flame.
	 Heating may cause expansion or decomposition leading to violent rupture of containers.
	On combustion, may emit toxic fumes of carbon monoxide (CO).
Fire/Evaluation Herend	Combustion products include:
Fire/Explosion Hazard	carbon dioxide (CO2)
	aldehydes
	other pyrolysis products typical of burning organic material.
	May emit poisonous fumes.
	May emit corrosive fumes.
HAZCHEM	•3Z

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety goggles. Trowel up/scrape up. Clean up all spills immediately. Avoid breathing vapours/ aerosols/ or dusts and avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 Handling and storage

Precautions for safe hand	ling
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 Metal can or drum Packaging as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Avoid reaction with oxidising agents

SECTION 8 Exposure controls / personal protection

Control parameters

Occupational Exposure Limits (OEL)

INGREDIENT DATA

-		
Not Available		
Ingredient	Original IDLH	Revised IDLH
bisphenol A/ diglycidyl ether polymer, high molecular weight	Not Available	Not Available
phenol/ formaldehyde glycidyl ether copolymer	Not Available	Not Available
(C12-14)alkylglycidyl ether	Not Available	Not Available

Occupational Exposure Banding

Ingredient	gredient Occupational Exposure Band Rating Occupational Exposure Band Limit		
bisphenol A/ diglycidyl ether polymer, high molecular weight	E	≤ 0.01 mg/m³	
phenol/ formaldehyde glycidyl ether copolymer	E	≤ 0.1 ppm	
(C12-14)alkylglycidyl ether	E	≤ 0.1 ppm	
Notes:	Occupational exposure banding is a process of assigning chemicals into specific categories or bands based on a chemical's potency and the adverse health outcomes associated with exposure. The output of this process is an occupational exposure band (OEB), which corresponds to a range of exposure concentrations that are expected to protect worker health.		

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to

	provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.
Individual protection measures, such as personal protective equipment	
Eye and face protection	 Safety glasses with side shields. Chemical goggles. [AS/NZS 1337.1, EN166 or national equivalent] Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.
Skin protection	See Hand protection below
Hands/feet protection	 When handling liquid-grade epoxy resins wear chemically protective gloves , boots and aprons. The performance, based on breakthrough times ,of: Ethyl Vinyl Alcohol (EVAL laminate) is generally excellent Butyl Rubber ranges from excellent to good Nitrile Butyl Rubber (NBR) from excellent to fair. Neoprene from excellent to fair Polyvinyl (PVC) from excellent to poor As defined in ASTM F-739-96 Excellent breakthrough time > 480 min Good breakthrough time > 20 min Fair breakthrough time > 20 min Poor glove material degradation Gloves should be tested against each resin system prior to making a selection of the most suitable type. Systems include both the resin and any hardener, individually and collectively) DO NOT use cotton or leather (which absorb and concentrate the resin), natural rubber (latex), medical or polyethylene gloves (which absorb the resin). NOTE: The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact. Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.
Body protection	See Other protection below
Other protection	 Overalls. P.V.C apron. Barrier cream. Skin cleansing cream.

Respiratory protection

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Off-white thick paste with a characteristic odour; does not mix with water.		
		Relative density (Water =	
Physical state	Non Slump Paste	1)	2.01
Odour	Not Available	Partition coefficient n- octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature (°C)	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	>100 (PMCC)	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available

Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available
Heat of Combustion (kJ/g)	Not Available	Ignition Distance (cm)	Not Available
Flame Height (cm)	Not Available	Flame Duration (s)	Not Available
Enclosed Space Ignition Time Equivalent (s/m3)	Not Available	Enclosed Space Ignition Deflagration Density (g/m3)	Not Available

SECTION 10 Stability and reactivity

Reactivity	See section 7
Reactivity	See Section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 Toxicological information

Information on toxicological effects

Inhaled	The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of the material, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress.	
Ingestion	Accidental ingestion of the material may be harmful; a fatal or may produce serious damage to the health of	animal experiments indicate that ingestion of less than 150 gram may be the individual.
Skin Contact	Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. The material may accentuate any pre-existing dermatitis condition Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected. The material may cause moderate inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.	
Eye	This material can cause eye irritation and damage in some persons. The material may produce severe irritation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.	
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. There is some evidence that inhaling this product is more likely to cause a sensitisation reaction in some persons compared to the general population. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Bisphenol A may have effects similar to female sex hormones and when administered to pregnant women, may damage the foetus. It may also damage male reproductive organs and sperm. Sensitisation may give severe responses to very low levels of exposure, i.e. hypersensitivity.	
Epirez Supastuff Food		
Grade Finish [FG] Compound	TOXICITY Not Available	IRRITATION Not Available
	ΤΟΧΙΟΙΤΥ	IRRITATION
bisphenol A/ diglycidyl ether polymer, high	dermal (rat) LD50: >1200 mg/kg ^[2]	Eye (rabbit): 100 mg - mild
molecular weight	Oral (Mouse) LD50; >500 mg/kg ^[2]	
molecular weight	Oral (Mouse) LD50; >500 mg/kg ^[2] TOXICITY	IRRITATION
phenol/ formaldehyde		IRRITATION Eye: no adverse effect observed (not irritating) ^[1]
	тохісіту	
phenol/ formaldehyde	TOXICITY dermal (rat) LD50: >400 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1]
phenol/ formaldehyde glycidyl ether copolymer	TOXICITY dermal (rat) LD50: >400 mg/kg ^[2] Oral (Rat) LD50: >5000 mg/kg ^[2]	Eye: no adverse effect observed (not irritating) ^[1] Skin: adverse effect observed (irritating) ^[1]
phenol/ formaldehyde glycidyl ether copolymer	TOXICITY dermal (rat) LD50: >400 mg/kg ^[2] Oral (Rat) LD50: >5000 mg/kg ^[2] TOXICITY	Eye: no adverse effect observed (not irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] IRRITATION
phenol/ formaldehyde glycidyl ether copolymer	TOXICITY dermal (rat) LD50: >400 mg/kg ^[2] Oral (Rat) LD50: >5000 mg/kg ^[2] TOXICITY	Eye: no adverse effect observed (not irritating) ^[1] Skin: adverse effect observed (irritating) ^[1] IRRITATION Eye (rabbit): mild [Ciba]

Mutagenicity	× Asp	iration Hazard	×
Respiratory or Skin sensitisation	✓ STOT - Repeat	ated Exposure	×
Serious Eye Damage/Irritation	✓ STOT - Sir	ngle Exposure	×
Skin Irritation/Corrosion	✓	Reproductivity	×
Acute Toxicity	× C:	arcinogenicity	×
PHENOL/ FORMALDEHYDE GLYCIDYL ETHER COPOLYMER	pituitary cell line GH3, which releases growth hormone in a thyro other derivatives did not show such activity. The material may cause skin irritation after prolonged or repeate the production of vesicles, scaling and thickening of the skin.		
BISPHENOL A/ DIGLYCIDYL ETHER POLYMER, HIGH MOLECULAR WEIGHT &	The chemical structure of hydroxylated diphenylalkanes or bisph bridging carbon. This class of endocrine disruptors that mimic of Bisphenol A (BPA) and some related compounds exhibit oestrog were remarkable differences in activity. Several derivatives of BF	estrogens is wide enic activity in hu PA exhibited signi	ly used in industry, particularly in plastics. Iman breast cancer cell line MCF-7, but there ficant thyroid hormonal activity towards rat
BISPHENOL A/ DIGLYCIDYL ETHER POLYMER, HIGH MOLECULAR WEIGHT & PHENOL/ FORMALDEHYDE GLYCIDYL ETHER COPOLYMER & (C12- 14)ALKYLGLYCIDYL ETHER	The following information refers to contact allergens as a group a Contact allergies quickly manifest themselves as contact eczem pathogenesis of contact eczema involves a cell-mediated (T lym skin reactions, e.g. contact urticaria, involve antibody-mediated i	a, more rarely as phocytes) immun	urticaria or Quincke's oedema. The ne reaction of the delayed type. Other allergic
C12-14)ALKYLGLYCIDYL ETHER	Oxiranes (including glycidyl ethers and alkyl oxides, and epoxides) share many common characteristics with respect to animal toxicology. One such oxirane is ethyloxirane; data presented here may be taken as representative. For 1,2-butylene oxide (ethyloxirane): In animal testing, ethyloxirane increased the incidence of tumours of the airways in animals exposed via inhalation. However, tumours were not observed in mice chronically exposed via skin. Two structurally related substances, oxirane (ethylene oxide) and methyloxirane (propylene oxide), which are also direct-acting alkylating agents, have been classified as causing cancer.		
PHENOL/ FORMALDEHYDE GLYCIDYL ETHER COPOLYMER	The material may produce moderate eye irritation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis.		
POLYMER, HIGH MOLECULAR WEIGHT	Cancer-causing potential: It has been concluded that bisphenol <i>i</i> causing potential in humans. Genetic toxicity: Laboratory tests on genetic toxicity of BADGE h Immunotoxicity: Animal testing suggests regular injections of dilu Consumer exposure: Comsumer exposure to BADGE is almost food. Testing has not found any evidence of hormonal disruption	nave so far been i ited BADGE may exclusively from i	negative. result in sensitization.
BISPHENOL A/ DIGLYCIDYL ETHER	for RTECS No: SL 6475000: (liquid grade) Equivocal tumouriger The material may produce severe irritation to the eye causing pr irritants may produce conjunctivitis. Animal testing over 13 weeks showed bisphenol A diglycidyl ethe the skin. Reproductive and Developmental Toxicity: Animal testing showe weight but had no reproductive effects.	onounced inflamier (BADGE) caus	mation. Repeated or prolonged exposure to red mild to moderate, chronic, inflammation of
Legend:	1. Value obtained from Europe ECHA Registered Substances - , Unless otherwise specified data extracted from RTECS - Regis	-	
		Skin: adverse	effect observed (irritating) ^[1]
		Skin : Moderat	ie
		Skin (rabbit): n	noderate
		Skin (human):	

X – Data either not available or does not fill the criteria for classificatio

 Data available to make classification

SECTION 12 Ecological information

Toxicity

Epirez Supastuff Food	Endpoint	Test Duration (hr)	Species	Value	Source
Grade Finish [FG] Compound	Not Available	Not Available	Not Available	Not Available	Not Available

bisphenol A/ diglycidyl	Endpoint	Test Duration (hr)	Species	Value	Source
ether polymer, high	EC50	48h	Crustacea	~2mg/l	2
molecular weight	EC50(ECx)	48h	Crustacea	~2mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	1.6mg/l	2
phenol/ formaldehyde glycidyl ether copolymer	EC50	72h	Algae or other aquatic plants	Algae or other aquatic plants >1.8mg/l	
giyclayi etner copolymer	LC50	96h	Fish	0.55mg/l	2
	NOEC(ECx)	504h	Crustacea	0.3mg/l	2
	Endpoint	Test Duration (hr)	Species	Value	Source
	EC50	48h	Crustacea	6.07mg/l	2
C12-14)alkylglycidyl ether	LC50	96h	Fish	>5000mg/l	2
	EC50(ECx)	48h	Crustacea	6.07mg/l	2
Legend:	4. US EPA, Eco		e ECHA Registered Substances - Ecotoxic Data 5. ECETOC Aquatic Hazard Assessme	•	atic Toxicit

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. **DO NOT** discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

Bioaccumulative potential

Ingredient	Bioaccumulation
	No Data available for all ingredients

Mobility in soil

Ingredient	Mobility	
	No Data available for all ingredients	

SECTION 13 Disposal considerations

Waste treatment methods

	 Containers may still present a chemical hazard/ danger when empty.
	Return to supplier for reuse/ recycling if possible.
Product / Packaging	Otherwise:
disposal	If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to
	store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.
	Where possible retain label warnings and SDS and observe all notices pertaining to the product.

SECTION 14 Transport information

Labels Required	
Marine Pollutant	
HAZCHEM	•3Z

14.1. UN number or ID number	3082			
14.2. UN proper shipping name	ENVIRONMENTALLY molecular weight)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains bisphenol A/ diglycidyl ether polymer, high molecular weight)		
14.3. Transport hazard class(es)	Class Subsidiary Hazard	9 Not Applicable		
14.4. Packing group	III			
14.5. Environmental hazard	Environmentally hazardous			
14.6. Special precautions	Special provisions	274 331 335 375 AU01		
for user	Limited quantity	5 L		

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082

are not subject to this Code when transported by road or rail in;

(a) packagings;

(b) IBCs; or

(c) any other receptacle not exceeding 500 kg(L).

- Australian Special Provisions (SP AU01) - ADG Code 7th Ed.

Air transport (ICAO-IATA / DGR)

14.2. UN proper shipping			
name Environmentally hazardous substance, liquid, n.o.s. (contains bisphenol A/ diglycidyl ether pol	Environmentally hazardous substance, liquid, n.o.s. (contains bisphenol A/ diglycidyl ether polymer, high molecular weight)		
ICAO/IATA Class 9			
14.3. Transport hazard ICAO / IATA Subsidiary Hazard Not Applicable			
ERG Code 9L			
14.4. Packing group III			
14.5. Environmental hazard Environmentally hazardous	Environmentally hazardous		
Special provisions A97 A158 A197 A215			
Cargo Only Packing Instructions 964			
Cargo Only Maximum Qty / Pack 450 L			
14.6. Special precautions for user Passenger and Cargo Packing Instructions 964			
Passenger and Cargo Maximum Qty / Pack 450 L			
Passenger and Cargo Limited Quantity Packing Instructions Y964			
Passenger and Cargo Limited Maximum Qty / Pack 30 kg G			

Sea transport (IMDG-Code / GGVSee)

14.1. UN number	3082		
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains bisphenol A/ diglycidyl ether polymer, high molecular weight)		
14.3. Transport hazard class(es)	IMDG Class IMDG Subsidiary Ha	9 azard Not Applicable	
14.4. Packing group	III		
14.5 Environmental hazard	Marine Pollutant		
14.6. Special precautions for user	EMS Number Special provisions Limited Quantities	F-A , S-F 274 335 969 5 L	

14.7.1. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

14.7.2. Transport in bulk in accordance with MARPOL Annex V and the IMSBC Code

Issue Date: 10/03/2023 Print Date: 02/10/2024

Epirez Supastuff Food Grade Finish [FG] Compound

Product name	Group
bisphenol A/ diglycidyl ether polymer, high molecular weight	Not Available
phenol/ formaldehyde glycidyl ether copolymer	Not Available
(C12-14)alkylglycidyl ether	Not Available

14.7.3. Transport in bulk in accordance with the IGC Code

Product name	Ship Type
bisphenol A/ diglycidyl ether polymer, high molecular weight	Not Available
phenol/ formaldehyde glycidyl ether copolymer	Not Available
(C12-14)alkylglycidyl ether	Not Available

SECTION 15 Regulatory information

Safety, health and environmental regulations / legislation specific for the substance or mixture

bisphenol A/ diglycidyl ether polymer, high molecular weight is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australia Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) - Schedule 5

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

phenol/ formaldehyde glycidyl ether copolymer is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

(C12-14)alkylglycidyl ether is found on the following regulatory lists

Australia Hazardous Chemical Information System (HCIS) - Hazardous Chemicals

Australian Inventory of Industrial Chemicals (AIIC)

Chemical Footprint Project - Chemicals of High Concern List

Additional Regulatory Information

Not Applicable

National Inventory Status

National Inventory	Status		
Australia - AIIC / Australia Non-Industrial Use	Yes		
Canada - DSL	Yes		
Canada - NDSL	No (bisphenol A/ diglycidyl ether polymer, high molecular weight; phenol/ formaldehyde glycidyl ether copolymer; (C12- 14)alkylglycidyl ether)		
China - IECSC	Yes		
Europe - EINEC / ELINCS / NLP	Yes		
Japan - ENCS	Yes		
Korea - KECI	Yes		
New Zealand - NZIoC	Yes		
Philippines - PICCS	Yes		
USA - TSCA	Yes		
Taiwan - TCSI	Yes		
Mexico - INSQ	No (bisphenol A/ diglycidyl ether polymer, high molecular weight; (C12-14)alkylglycidyl ether)		
Vietnam - NCI	Yes		
Russia - FBEPH	Yes		
Legend:	Yes = All CAS declared ingredients are on the inventory No = One or more of the CAS listed ingredients are not on the inventory. These ingredients may be exempt or will require registration.		

SECTION 16 Other information

Revision Date	10/03/2023
Initial Date	14/03/2006

SDS Version Summary

Version	Date of Update	Sections Updated
8.1	23/12/2022	Classification review due to GHS Revision change.
9.1	10/03/2023	Classification change due to full database hazard calculation/update.

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.