# **Epirez Ezirender HB ITW POLYMERS & FLUIDS**

Chemwatch: 4659-64

Safety Data Sheet according to WHS Regulations (Hazardous Chemicals) Amendment 2020 and ADG requirements

Issue Date: 20/08/2021 Print Date: 15/03/2022 Initial Date: 07/03/2006 S.GHS.AUS.EN

## SECTION 1 Identification of the substance / mixture and of the company / undertaking

#### **Product Identifier**

Product name	Epirez Ezirender HB
Chemical Name	Not Applicable
Synonyms	Not Available
Chemical formula	Not Applicable
Other means of identification	Not Available

## Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Cement type non-shrink repair mortar.

## Details of the supplier of the safety data sheet

Registered company name	ITW POLYMERS & FLUIDS
Address	100 Hassall Street, Wetherill Park Not Available 2164 NSW Australia
Telephone	+61 2 9757 8800
Fax	Not Available
Website	www.itwpf.com.au
Email	Not Available

## **Emergency telephone number**

Association / Organisation	CHEMWATCH EMERGENCY RESPONSE	
Emergency telephone numbers	+61 1800 951 288	
Other emergency telephone numbers	+61 2 9186 1132	

#### **CHEMWATCH EMERGENCY RESPONSE**

Primary Number	Alternative Number 1	Alternative Number 2
+61 1800 951 288	+61 2 9186 1132	Not Available

Once connected and if the message is not in your prefered language then please dial 01

#### **SECTION 2 Hazards identification**

## Classification of the substance or mixture

## HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

Poisons Schedule	Not Applicable
Classification <sup>[1]</sup>	Skin Corrosion/Irritation Category 2, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Toxicity - Single Exposure (Respiratory Tract Irritation) Category 3
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HCIS; 3. Classification drawn from Regulation (EU) No 1272/2008 - Annex VI

#### Label elements

#### Hazard pictogram(s)



Signal word

Warning

## Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

## Precautionary statement(s) Prevention

P271	Use only outdoors or in a well-ventilated area.
P261	Avoid breathing dust/fumes.
P280	Wear protective gloves, protective clothing, eye protection and face protection.
P264	Wash all exposed external body areas thoroughly after handling.

## Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/physician/first aider/if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P302+P352	IF ON SKIN: Wash with plenty of water.

## Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

## Precautionary statement(s) Disposal

**P501** Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

## **SECTION 3 Composition / information on ingredients**

## Substances

See section below for composition of Mixtures

## Mixtures

CAS No	%[weight]	Name
65997-15-1	30-60	portland cement
471-34-1	10-30	<u>calcium carbonate</u>
	30-60	Ingredients determined not to be hazardous

## **SECTION 4 First aid measures**

## Description of first aid measures

General	
Eye Contact	<ul> <li>If this product comes in contact with the eyes:</li> <li>Wash out immediately with fresh running water.</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>

Chemwatch: **4659-64**Version No: **7.1** 

Page 3 of 8

**Epirez Ezirender HB** 

Issue Date: **20/08/2021**Print Date: **15/03/2022** 

Skin Contact	If skin contact occurs:  Immediately remove all contaminated clothing, including footwear.  Flush skin and hair with running water (and soap if available).  Seek medical attention in event of irritation.
Inhalation	<ul> <li>If dust is inhaled, remove from contaminated area.</li> <li>Encourage patient to blow nose to ensure clear passage of breathing.</li> <li>If irritation or discomfort persists seek medical attention.</li> </ul>
Ingestion	If poisoning occurs, contact a doctor or Poisons Information Centre.  If swallowed do NOT induce vomiting.  If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.  Observe the patient carefully.  Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious  Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.  Seek medical advice.

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 Firefighting measures**

Extinguishing media	
	<ul> <li>There is no restriction on the type of extinguisher which may be used.</li> <li>Use extinguishing media suitable for surrounding area.</li> </ul>

## Special hazards arising from the substrate or mixture

## Advice for firefighters

Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> <li>Prevent, by any means available, spillage from entering drains or water courses.</li> <li>Use fire fighting procedures suitable for surrounding area.</li> </ul>
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>Combustion products include:</li> <li>silicon dioxide (SiO2)</li> <li>May emit corrosive fumes.</li> </ul>

#### **SECTION 6 Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

Minor Spills	<ul> <li>Clean up all spills immediately.</li> <li>Avoid breathing dust and contact with skin and eyes.</li> <li>Wear protective clothing, gloves, safety glasses and dust respirator.</li> <li>Use dry clean up procedures and avoid generating dust.</li> </ul>
Major Spills	Moderate hazard.  CAUTION: Advise personnel in area.  Alert Emergency Services and tell them location and nature of hazard.  Control personal contact by wearing protective clothing.
	Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 Handling and storage**

Precautions for safe handling		
Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> <li>Use in a well-ventilated area.</li> <li>Prevent concentration in hollows and sumps.</li> </ul>	

#### Other information

- Store in original containers.
- Keep containers securely sealed.
- ▶ Store in a cool, dry area protected from environmental extremes.
- Store away from incompatible materials and foodstuff containers.

#### Conditions for safe storage, including any incompatibilities

#### Suitable container

- Lined metal can, lined metal pail/ can.
- Plastic pail.
- Polyliner drum.
- Packing as recommended by manufacturer.

## Storage incompatibility

- Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.
- Avoid contact with copper, aluminium and their alloys.
- ► Segregate from alcohol, water.

## **SECTION 8 Exposure controls / personal protection**

#### **Control parameters**

## Occupational Exposure Limits (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	portland cement	Portland cement	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Australia Exposure Standards	calcium carbonate	Calcium carbonate	10 mg/m3	Not Available	Not Available	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.

#### **Emergency Limits**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
calcium carbonate	Not Available	45 mg/m3	210 mg/m3	1,300 mg/m3

Ingredient	Original IDLH	Revised IDLH	
portland cement	5,000 mg/m3	Not Available	
calcium carbonate	Not Available	Not Available	

#### **Exposure controls**

## Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

#### Personal protection











## Eye and face protection

Safety glasses with side shields.

observed when making a final choice.

- ► Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task.

#### Skin protection

#### See Hand protection below

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be

#### Hands/feet protection

Personal hygiene is a key element of effective hand care.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

polychloroprene.

	<ul><li>▶ nitrile rubber.</li><li>▶ butyl rubber.</li></ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>P.V.C apron.</li> <li>Barrier cream.</li> <li>Skin cleansing cream.</li> </ul>
Thermal hazards	Not Available

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

## **SECTION 9 Physical and chemical properties**

## Information on basic physical and chemical properties

Appearance	Grey powder with no odour; insoluble in water. Hardens after reaction with water.			
Physical state	Divided Solid	Relative density (Water = 1)	>1	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable	
pH (as supplied)	Not Applicable	Decomposition temperature	Not Applicable	
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable	
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable	
Flash point (°C)	Not Applicable	Taste	Not Available	
Evaporation rate	Not Applicable	Explosive properties	Not Available	
Flammability	Not Applicable	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Applicable	
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Applicable	
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available	
Solubility in water	Reacts	pH as a solution (Not Available%)	Not Available	
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available	

#### **SECTION 10 Stability and reactivity**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

## **SECTION 11 Toxicological information**

#### Information on toxicological effects

The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.

Inhaled

Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled.

## Epirez Ezirender HB

Issue Date: 20/08/2021 Print Date: 15/03/2022

	If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.  Effects on lungs are significantly enhanced in the presence of respirable particles.		
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.		
Skin Contact	The material may accentuate any pre-existing dermatitis condition  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.  Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.  The material may cause moderate inflammation of the skin either following direct contact or after a delay of some time. Repeated exposure can cause contact dermatitis which is characterised by redness, swelling and blistering.		
Eye	There is evidence that material may produce eye irritation in some persons and produce eye damage 24 hours or more after instillation. Severe inflammation may be expected with pain.		
Chronic	Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.  Overexposure to the breathable dust may cause coughing, wheezing, difficulty in breathing and impaired lung function. Chronic symptoms may include decreased vital lung capacity and chest infections. Repeated exposures in the workplace to high levels of fine-divided dusts may produce a condition known as pneumoconiosis, which is the lodgement of any inhaled dusts in the lung, irrespective of the effect. This is particularly true when a significant number of particles less than 0.5 microns (1/50000 inch) are present.		
	TOXICITY	IRRITATION	
Epirez Ezirender HB	TOXICITY	IRRITATION	
Epirez Ezirender HB	TOXICITY	IRRITATION	
Epirez Ezirender HB Epirez Ezirender HB	TOXICITY	IRRITATION	
·		IRRITATION  d Substances - Acute toxicity 2.*	
Epirez Ezirender HB	TOXICITY  1. Value obtained from Europe ECHA Registere	IRRITATION  d Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a  Il-mediated (T lymphocytes) immediated (T lymphocytes)	e specific to this product. as urticaria or Quincke's oedema. The une reaction of the delayed type. Other
Epirez Ezirender HB  Legend:	Toxicity  1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in	IRRITATION  d Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a  Il-mediated (T lymphocytes) immivolve antibody-mediated immune  idence of mutagenic or teratogen  longed or repeated exposure and	e specific to this product. es surticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological
Epirez Ezirender HB  Legend:  Epirez Ezirender HB	1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No ev The material may cause skin irritation after proswelling, the production of vesicles, scaling an Asthma-like symptoms may continue for month	d Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a  Il-mediated (T lymphocytes) immeroule antibody-mediated immune  idence of mutagenic or teratogen  longed or repeated exposure and  d thickening of the skin.  as or even years after exposure to ys dysfunction syndrome (RADS)  diagnosing RADS include the abs sistent asthma-like symptoms wi osis of RADS include a reversible	e specific to this product. as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological aic effects. d may produce on contact skin redness, o the material ends. This may be due to a ) which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented e airflow pattern on lung function tests,
Epirez Ezirender HB  Legend:  Epirez Ezirender HB  Epirez Ezirender HB	TOXICITY  1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No ev The material may cause skin irritation after pro swelling, the production of vesicles, scaling and Asthma-like symptoms may continue for month non-allergic condition known as reactive airway of highly irritating compound. Main criteria for non-atopic individual, with sudden onset of per exposure to the irritant. Other criteria for diagnomoderate to severe bronchial hyperreactivity of	IRRITATION  d Substances - Acute toxicity 2.* RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a Ill-mediated (T lymphocytes) immivolve antibody-mediated immune  idence of mutagenic or teratogen longed or repeated exposure and d thickening of the skin.  Ins or even years after exposure to ys dysfunction syndrome (RADS) diagnosing RADS include the abs sistent asthma-like symptoms wi osis of RADS include a reversible in methacholine challenge testing	e specific to this product.  as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological  aic effects. d may produce on contact skin redness,  to the material ends. This may be due to a hybrid which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented the airflow pattern on lung function tests, the analysis of the product of the product of the previous airways disease.
Epirez Ezirender HB  Legend:  Epirez Ezirender HB  Epirez Ezirender HB	TOXICITY  1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No ev The material may cause skin irritation after proswelling, the production of vesicles, scaling an Asthma-like symptoms may continue for month non-allergic condition known as reactive airward of highly irritating compound. Main criteria for non-atopic individual, with sudden onset of perexposure to the irritant. Other criteria for diagn moderate to severe bronchial hyperreactivity of inflammation, without eosinophilia.  The material may produce severe irritation to the content of the content o	IRRITATION  d Substances - Acute toxicity 2.* RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a Ill-mediated (T lymphocytes) immivolve antibody-mediated immune  idence of mutagenic or teratogen longed or repeated exposure and d thickening of the skin.  Ins or even years after exposure to ys dysfunction syndrome (RADS) diagnosing RADS include the abs sistent asthma-like symptoms wi osis of RADS include a reversible in methacholine challenge testing	e specific to this product.  as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological  aic effects. d may produce on contact skin redness,  to the material ends. This may be due to a hybrid which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented the airflow pattern on lung function tests, the analysis of the product of the product of the previous airways disease.
Epirez Ezirender HB  Legend:  Epirez Ezirender HB  Epirez Ezirender HB  Epirez Ezirender HB	TOXICITY  1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No ev The material may cause skin irritation after proswelling, the production of vesicles, scaling and Asthma-like symptoms may continue for month non-allergic condition known as reactive airway of highly irritating compound. Main criteria for non-atopic individual, with sudden onset of perexposure to the irritant. Other criteria for diagn moderate to severe bronchial hyperreactivity of inflammation, without eosinophilia.  The material may produce severe irritation to the irritants may produce conjunctivitis.	IRRITATION  d Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a  Il-mediated (T lymphocytes) immi volve antibody-mediated immune  idence of mutagenic or teratogen  longed or repeated exposure and d thickening of the skin.  Ins or even years after exposure to ys dysfunction syndrome (RADS)  diagnosing RADS include the abs sistent asthma-like symptoms wi osis of RADS include a reversible in methacholine challenge testing  the eye causing pronounced inflat	e specific to this product. as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological dic effects. d may produce on contact skin redness, of the material ends. This may be due to a d) which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented the airflow pattern on lung function tests, the airflow pattern on lung function tests, the airflow pattern on lung function tests the airflow pattern on lung functio
Epirez Ezirender HB  Legend:  Epirez Ezirender HB  Epirez Ezirender HB  Epirez Ezirender HB  Acute Toxicity	TOXICITY  1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No ev The material may cause skin irritation after proswelling, the production of vesicles, scaling an Asthma-like symptoms may continue for month non-allergic condition known as reactive airward of highly irritating compound. Main criteria for non-atopic individual, with sudden onset of perexposure to the irritant. Other criteria for diagn moderate to severe bronchial hyperreactivity of inflammation, without eosinophilia.  The material may produce severe irritation to the irritants may produce conjunctivitis.	IRRITATION  Id Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a  Il-mediated (T lymphocytes) immivolve antibody-mediated immune  idence of mutagenic or teratogen  longed or repeated exposure and  d thickening of the skin.  In so or even years after exposure to the diagnosing RADS include the about the sistent asthma-like symptoms with sois of RADS include a reversible on methacholine challenge testing  the eye causing pronounced inflate  Carcinogenicity	e specific to this product.  as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological  dic effects. d may produce on contact skin redness,  o the material ends. This may be due to a ) which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented e airflow pattern on lung function tests, g, and the lack of minimal lymphocytic  mmation. Repeated or prolonged exposure to
Epirez Ezirender HB  Legend:  Epirez Ezirender HB  Epirez Ezirender HB  Epirez Ezirender HB  Acute Toxicity Skin Irritation/Corrosion Serious Eye	1. Value obtained from Europe ECHA Registere Unless otherwise specified data extracted from  The following information refers to contact alle Contact allergies quickly manifest themselves pathogenesis of contact eczema involves a ce allergic skin reactions, e.g. contact urticaria, in data identified in literature search.  No evidence of carcinogenic properties. No evidence of carcinogenic properties. No evidence of carcinogenic properties, scaling and Asthma-like symptoms may continue for month non-allergic condition known as reactive airward of highly irritating compound. Main criteria for conditional individual, with sudden onset of perexposure to the irritant. Other criteria for diagn moderate to severe bronchial hyperreactivity of inflammation, without eosinophilia.  The material may produce severe irritation to the irritants may produce conjunctivitis.	IRRITATION  d Substances - Acute toxicity 2.*  RTECS - Register of Toxic Effect  rgens as a group and may not be as contact eczema, more rarely a Il-mediated (T lymphocytes) immi volve antibody-mediated immune  idence of mutagenic or teratogen longed or repeated exposure and d thickening of the skin.  In sor even years after exposure to ys dysfunction syndrome (RADS) diagnosing RADS include the abs sistent asthma-like symptoms with osis of RADS include a reversible n methacholine challenge testing  the eye causing pronounced inflate  Carcinogenicity  Reproductivity	e specific to this product.  as urticaria or Quincke's oedema. The une reaction of the delayed type. Other e reactions. No significant acute toxicological  aic effects. d may produce on contact skin redness,  to the material ends. This may be due to a thin which can occur after exposure to high levels sence of previous airways disease in a thin minutes to hours of a documented the airflow pattern on lung function tests, the airflow pattern on lung function tests, the airflow pattern or prolonged exposure to  mmation. Repeated or prolonged exposure to

X - Data available but does not fill the criteria for classification

Data Not Available to make classification

#### **SECTION 12 Ecological information**

#### **Toxicity**

#### Not Available

Ingredient	Endpoint	Test Duration (hr)	Effect	Value	Species	BCF
Epirez Ezirender HB	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Epirez Ezirender HB	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available
Epirez Ezirender HB	Not Available	Not Available	Not Available	Not Available	Not Available	Not Available

DO NOT discharge into sewer or waterways.

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
	No Data available for all ingredients	No Data available for all ingredients	

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
	No Data available for all ingredients

#### Mobility in soil

Ingredient	Mobility
	No Data available for all ingredients

## **SECTION 13 Disposal considerations**

#### Waste treatment methods

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- ▶ Reduction
- ► Reuse
- ► Recycling
- ► Disposal (if all else fails)

#### **Product / Packaging** disposal

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
- ▶ Where in doubt contact the responsible authority.
- Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.
- ▶ Bury residue in an authorised landfill.
- ▶ Recycle containers if possible, or dispose of in an authorised landfill.

#### **SECTION 14 Transport information**

## **Labels Required**

	NO
Marine Pollutant	Not Applicable
HAZCHEM	Not Applicable

## **Land transport (Not Applicable)**

## Air transport (ICAO-IATA / DGR)

## Sea transport (IMDG-Code / GGVSee)

#### Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Ingredient	Pollution Category
Not Available	Epirez Ezirender HB	Not Available

#### **SECTION 15 Regulatory information**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

#### portland cement(65997-15-1) is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

## calcium carbonate(471-34-1) is found on the following regulatory lists

Australian Inventory of Industrial Chemicals (AIIC)

International WHO List of Proposed Occupational Exposure Limit (OEL) Values for Manufactured Nanomaterials (MNMS)

National Inventory	Status
Australia - AIIC	
Canada - DSL	Yes
Canada - NDSL	No (portland cement)
China - IECSC	Yes
Europe - EINEC / ELINCS / NLP	Yes
Japan - ENCS	No (portland cement)
Korea - KECI	Yes
New Zealand - NZIoC	Yes
Philippines - PICCS	No (portland cement)
USA - TSCA	Yes
Legend:	Y = All ingredients are on the inventory

#### **SECTION 16 Other information**

#### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.