

Date Revised: 24/02/2019 Version 1.1

FOR CHEMICAL EMERGENCY Contact Australian Poison Centre: 13 11 26

### Section 1. Identification of the material and the supplier

Product: Gorilla Wood Glue

Synonyms: Polyvinyl Acetate Polymer product in water

Product Use: Consumer Adhesives for building, carpentry, or hobby projects using

any type of wood. It is water resistant (passes ANSI/HPVA Type II),

sandable, and paintable.

Australian Supplier: Mayo Hardware

4 Secombe Place

Moorebank, NSW, 2170

Australia

Telephone: +611300 360 211

Emergency Number: 13 11 26

Manufacturer: Gorilla Glue Europe A/S

Chorley Business & Technology Centre

East Terrace Euxton Lane

Chorley PR7 6TE +44-(0)1257 241319

**Telephone:** +44-(0)1257 241 Date of SDS Preparation: 24 August 2016

#### Section 2. Hazards Identification

Australia NOHSC - NOT Hazardous according to Safe Work Australia NOHSC 2011 National Code of Practice

## Section 3. Composition / Information on Ingredients

Ingredient	Cas No	Weight %
Non-hazardous or trace ingredients		Balance

## Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for 15 minutes. If eye irritation persists: Get medical advice.

If on Skin Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention.

If Swallowed Rinse mouth. DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse

mouth thoroughly with water.

If Inhaled If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for

breathing. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if breathing becomes

difficult or if you feel unwell.

## Section 5. Fire Fighting Measures



Date Revised: 24/02/2019 Version 1.1

FOR CHEMICAL EMERGENCY Contact Australian Poison Centre: 13 11 26

Hazard Type	Not flammable.
Hazards from	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of aluminum.
decomposition	
products	
Suitable Extinguishing	This product in solution form does not burn. The product will only burn after the
media	water it contains is driven off. For the dry polymer, use alcohol resistant foam,
	carbon dioxide, or dry chemical. <b>Unsuitable:</b> Do not use a heavy water stream.
	Use of heavy stream of water may spread fire.
Precautions for	Do not enter fire area without proper protective equipment, including respiratory
firefighters and	protection. Exercise caution when fighting any chemical fire.
special protective	Do not allow run-off from fire-fighting to enter drains or water courses.
clothing	
HAZCHEM CODE	None Allocated

## Section 6. Accidental Release Measures

#### For emergency responders:

Use personal protection recommended in Section 8. Do not get in eyes, on skin, or on clothing. Contaminated surfaces will become very slippery. Evacuate unnecessary personnel.

#### Methods and material for containment and cleaning up

Ventilate area. Stop leak if safe to do so. Absorb and/or contain spill with inert material, then place in suitable container. Dispose of according to Local Regulations. Prevent entry to sewers and public waters.

#### Section 7. Handling and Storage

#### Handling

- Read label before use.
- · Wash hands thoroughly after handling.
- · Wear protective clothing.
- Handling Temperature: >10°C

#### Storage

- Store in a dry, cool and well-ventilated place.
- Keep container tightly closed when not in use.
- Protect from moisture.
- Store away from strong acids, strong bases, strong oxidizers, water.
- Storage temperature: 10 35°C

# Section 8 Exposure Controls / Personal Protection

#### **WORKPLACE EXPOSURE STANDARDS (provided for guidance only)**

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse



Date Revised: 24/02/2019 Version 1.1

FOR CHEMICAL EMERGENCY Contact Australian Poison Centre: 13 11 26

effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply.

#### **Engineering Controls**

Emergency eye wash fountains and safety showers should be available in the immediate vicinity Of any potential exposure. Provide sufficient ventilation to keep vapors below permissible Exposure limit. Ensure all national/local regulations are observed.

## **Personal Protection Equipment**









Eyes	Wear goggles or safety glasses.	
Hands and Skin	Wear chemically resistant protective gloves. Wear suitable protective clothing.	
Respiratory	Use a NIOSH-approved respirator or self-contained breathing apparatus whenever	
	exposure may exceed established Occupational Exposure Limits.	

# Section 9 Physical and Chemical Properties

Appearance	Light Tan, Milky Liquid
Odour	Sweet
Odour Threshold	Not available
pH	2.5 – 3.5
Boiling Point	>100°C
Melting Point	0°C
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Exposure	Not available
Limits	
Vapour Pressure	Not available
Density	Not available
Relative Density	Not available
Solubilities	Not available
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
<b>Decomposition Temperature</b>	Not available
Viscosity	4000 - 6000 cP @ 25 °C
Particle Characteristics	Not available

# Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Conditions to Avoid	Direct sunlight. Extremely high or low temperatures.
Incompatible Materials	Strong acids, strong bases, strong oxidizers, water.
Hazardous Decomposition	Carbon oxides (CO, CO <sub>2</sub> ). Oxides of aluminum.



Date Revised: 24/02/2019 Version 1.1

FOR CHEMICAL EMERGENCY Contact Australian Poison Centre: 13 11 26

Products	

# Section 11 Toxicological Information

#### **Acute Effects:**

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Not applicable.
Skin	Not applicable.

#### **Chronic Effects:**

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

# Section 12. Ecotoxicological Information

This product is not harmful to the environment.

Persistence and degradability	No data available
Bioaccumulation	No data available
Mobility in Soil	No data available
Other adverse effects	No data available

## Section 13. Disposal Considerations

This material must be disposed of in accordance with all local, state, provincial, and federal regulations. The generation of waste should be avoided or minimized wherever possible.

## Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in Australian Dangerous Goods Code ADG7 and NOHSC:1008(2004)

# Section 15 Regulatory Information

Australia NOHSC – NOT Hazardous according to Safe Work Australia NOHSC 2011 National Code of Practice.

Poison Schedule: Not Scheduled

#### Section 16 Other Information

1. Safe Work Australia: Preparation of SDS sheets for hazardous chemicals (Code of Practice).

Nexreg Compliance Disclaimer:



Date Revised: 24/02/2019 Version 1.1

FOR CHEMICAL EMERGENCY Contact Australian Poison Centre: 13 11 26

This document was created by a 3rd party service that has advertised to Nexreg Compliance, Inc. (Nexreg) specialized regulatory knowledge and capabilities in the region(s) where this document is stated to be compliant. We believe the statements, technical information, translations and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. In the event that there is a dispute regarding the documents compliance or content Nexreg will endeavour to provide all reasonable assistance to remedy the problem. It is ultimately the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

### 3rd party service Disclaimer:

This document has been issued by a subcontractor and serves as their Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to subcontractor or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While the subcontractors have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, the subcontractors accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the Australian distributor, if further information is required.

Issue Date: 24 January 2019 Review Date: 24 January 2022