Corrosion Technologies 2638 National Drive Garland, TX 75041

(972) 271-7361 Fax: (972) 278-9721

ReelX[™] Safety Data Sheet

1. IDENTIFICATION

Product Name:
Product Numbers:

Synonyms:

SDS Number:
Issue Date:

ReelX™

77000

Not applicable

Not applicable

16 December 2021

Version Number: AGHS7

Relevant identified uses of the substance or mixture and uses advised against Identified Uses:

Corrosion Inhibitor / Moisture Displacer / Lubricant

Uses advised against: Other uses are not recommended unless an assessment is completed, prior to commencement

of that use, which demonstrates that the use will be controlled.

Details of the supplier of the safety data sheet

Manufacturer: Corrosion Technologies

2638 National Drive, Garland, TX 75041

 Telephone:
 972-271-7361

 Fax:
 972-278-9721

 Email:
 info@corrosionx.com

 Website:
 www.corrosionx.com

Distributor in Australia: Applied Industrial Technologies Pty Ltd

22 Stamford Road Oakleigh VIC Australia 3166

PO Box 1011, Huntingdale VIC 3166

Tel: +613 9567 8700 AH: +61 427 740 927 Fax: +613 9567 8733 Emergency Telephone: CHEMTREC® USA (800) 424-9300

Outside US +1 (703) 527-3887

Poisons Information Centre: Australia: 13 11 26

2. HAZARDS IDENTIFICATION

Hazard Classification

Health Hazard(s) None

Physical Hazard(s)

None Hazard(s) not otherwise classified

None

Labeling

Signal Word: N/A Pictograms: N/A

Statements of Hazard
Hazard Statements
None applicable.

Precautionary Statements

Wash thoroughly after handling. Dispose of contents and container in accordance with applicable regulations. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Percent by Wt.
Mineral oil	8042-47-5	10-15*
Hydrotreated neutral base oil	72623-85-9	65-75*

^{*} Exact percentage of composition has been withheld as a trade secret

4. FIRST AID MEASURES

General Advice: Causes eye irritation. Avoid eye contact. Aspiration hazard; do not swallow. May cause lung damage. Use with adequate ventilation. Avoid breathing mist. Keep container closed.

Inhalation: Remove from exposure area to fresh air. Give artificial respiration if not breathing. Get medical attention.

Skin Contact: Wipe excess from skin; remove contaminated clothing. Wash with soap and water.

Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Seek medical attention if irritation persists. **Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a physician or poison control center.

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **Suitable:** Carbon Dioxide, Dry Chemical, and Foam

Unsuitable: Alcohol, Alcohol based solutions, any other media not listed above.

Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus, pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Unusual Fire and Explosion Hazards: None known.

Hazardous Combustion/ Decomposition Products: Oxides of carbon, sulfur, calcium, magnesium and phosphorous.

ReelX 16 December 2021 Page 1 of 3

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions / Protective Equipment / Emergency Procedures: Use caution as spills may be slippery. Ensure adequate ventilation. Use personal protective equipment.

Methods and materials for containment and cleaning up: Do not flush into surface water or sanitary sewer system. Dike and contain spillage. Soak up with absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite). Use clean tools to collect absorbed material and transfer to a properly labeled container for disposal according to applicable regulations.

7. HANDLING AND STORAGE

HANDLING

Precautions for Safe Handling: Avoid eye contact. Use with adequate ventilation. Avoid breathing mist. Follow all SDS/label precautions even after container is empty due to residue.

STORAGE

Conditions to avoid: Store in a cool, dry, well-ventilated place in the original container. Keep container closed when not in use. Avoid excess heating and high temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

	ACGIII		OSHA			
Component	TLV	TLV	PEL	PEL	STEL	STEL
	ppm	mg/m3	ppm	mg/m3	ppm	mg/m3
Mineral Oil	Not Est.	5	10	5	Not Est.	2500
Hydrotreated neutral base oil	Not Est.	5	10	5	Not Est.	2500

Engineering Controls: Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

Personal Protection

Respiratory Protection: None required under normal use conditions. In case of insufficient ventilation and for exposures above occupational exposure limits wear a NIOSH approved air purifying respirator with organic vapor cartridge.

Hand / Skin Protection: None typically required. For sensitive skin; wear impermeable gloves such as neoprene or nitrile rubber gloves. Gauntlets and apron may be worn depending on the extent and duration of exposure.

Eye / Face Protection: Safety glasses with side-shields. An eyewash station should be available to the area of use.

General Hygiene Measures: Avoid eye contact. Always wash hands and face before eating, drinking or smoking. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Autoignition Temperature: Appearance: Not established Transparent **Physical State:** Non-viscous liquid Volatile by volume (%): Vapor Density (Air=1): 5.9 Odor: Fresh scent Color: Greenish-brown Evaporation Rate (BuAc=1): <1 Vapor Pressure, mmHg @20°C: < 0.05 Viscosity, cSt @ 40°C: 33.2 Solubility in water:
Octanol/Water Partition: cSt @ 100°C: Insoluble 7.0 pH: Not applicable Not established 0 (0) **Boiling Point/ Range:** >421°F / 216°C VOC Content g/I (%): Melting Point: Flash Point: Not established Specific Gravity @15.6°C: 0.895 143°C / 290°F Pour Point: -22°F / -30°C Method: Cleveland Open Cup Non-volatile by Volume (%): 96 Lower Explosive Limit, vol %: Not Est. Dielectric Strength (KV): 37 **Upper Explosive Limit, vol %:** Not Est.

10. STABILITY AND REACTIVITY

Stability: Stable at ambient temperatures.

Conditions to Avoid: Excess heating above 356°F / 180°C over long periods of time degrades the resin. Avoid high temperatures. **Hazardous Polymerization:** Will not occur by itself, but masses of more than one pound of product plus an aliphatic amine will cause irreversible polymerization with considerable heat.

Materials to Avoid: Bases, acids, amines and oxidizing materials.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information: Not established

Ingredient Information

Mineral oil: Orl-rat LD50 >5000 mg/kg, Skn-Rbt LD50 - 20,000 mg/kg

Hydrotreated neutral base oil: Orl-rat LD50 >5000 mg/kg, Skn-Rbt LD50 - 20,000 mg/kg

Acute Effects

Signs and Symptoms of Overexposure: Eye Irritation, Coughing, Sneezing

Inhalation: May cause coughing and sneezing.

Skin Contact: May be slightly irritating to sensitive users. Prolonged and repeated contact with skin without adequate cleaning may clog the pores of the skin and may result in disorders such as oil acne (folliculitis) in sensitive individuals.

Eye Contact: May cause stinging, tearing and redness.

Ingestion: May cause nausea, vomiting and diarrhea. Ingestion and subsequent vomiting may result in aspiration of the product into the lungs resulting in chemical pneumonitis, pneumonia and pulmonary edema.

Primary Route(s) of Exposure: Eyes, Inhalation Primary Route(s) of Entry: Inhalation, Ingestion

Target Organs: Eyes, Lungs Chronic Effects: None known

Carcinogenicity: Highly refined base oil blend (< 3 % DMSO extractable) ACGIH group A4; not classified as human carcinogen. **Medical Conditions Aggravated by Exposure:** May aggravate existing eye and respiratory conditions such as asthma and dermatitis.

ReelX 16 December 2021 Page 2 of 3

12. ECOLOGICAL INFORMATION

Product Data: Not established Ingredient Data: Not established

Elimination Information: Expected to be not readily biodegradable. The major oil component is expected to biodegrade over period of 100-120 days in aerobic environment at temperature above 70°F (21°C), however finished product contains components that may persist in the environment. May contain components that bioaccumulate.

13. DISPOSAL CONSIDERATIONS

Product: Dispose of in accordance with local regulations. Smaller quantities can be disposed of with household waste. **Container:** Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Empty containers may contain residues. Do not cut, weld or grind empty containers.

14. TRANSPORT INFORMATION

Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. For transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed.

Australian Dangerous Goods Code (ADG) - Road/Rail

14.3. Transport hazard class(es) Not regulated as dangerous goods.

Hazchem Code: 2[Z]

International Air Transport Association (IATA) - Air Transport

14.3. Transport hazard class(es) Not regulated as dangerous goods.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

14.3. Transport hazard class(es) Not regulated as dangerous goods.

14.5. Environmental hazards: Marine Pollutant: No

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code: Not intended to be transported in bulk.

15. REGULATORY INFORMATION

U.S. Federal Regulations

Toxic Substances Control Act (TSCA): All components are included on the Inventory

Superfund Amendments and Reauthorization Act (SARA) Title III:

Immediate	Delayed	Fire	Pressure	Reactivity
Hazard	Hazard	Hazard	Hazard	Hazard
Yes	No	No	No	No

Australia

Substances that deplete the ozone layer None Persistent Organic Pollutants: None

This material is considered hazardous according to Australia Model Work Health and Safety Regulations.

This material is not regulated according to Australian Dangerous Goods Code.

Australian Inventory of Industrial Chemicals (AICIS) Listing: The chemical components contained within this product are listed on the Australian Inventory of Industrial Chemical and are in compliance with the requirements of the Industrial Chemicals Act 2019 as amended.

Poison Schedule: A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

New Zealand

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation.

HSNO Group Standard: Corrosion Inhibitors (Subsidiary Hazard) Group Standard 2020 - HSR002549

HSNO classification: 6.4A

NZIoC (New Zealand Inventory of Chemicals): All components are listed on the NZIoC inventory or are exempt.

Not classified as a Dangerous Good according to NZS5433:2007 Transport of Dangerous Goods on Land.

16. OTHER INFORMATION

Prepared by: Corrosion Technologies, Technical Services Department

National Fire Protection Association (704)

Health: 1 Flammability: 1 Reactivity: 0 Other:

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damage incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical and application of such products is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. It is the sole responsibility of the user to comply with all applicable Federal, State and Local Laws and Regulations. Any questions with regards to information contained herein should be referred to: U. S. Corrosion Technologies, (972) 271-7361.