



The Professional's Choice

Product No: 3017

TECHNICAL DATA SHEET

CRC Industries (Aust) Pty. Limited

PO Box 199, Castle Hill, NSW 1765. ACN 000 725 833

I. Product Description

CRC CRX Multi-Purpose High Strength Lubricant is a multipurpose lubricant with proven CC3 anti-corrosion formula. It is safe to use on almost any surface and application, being non-toxic, non-staining non-conductive. It will not dry out or wash off with water, making it ideal for industrial applications as well as recreational and home use.

CRC CRX Multi-Purpose High Strength Lubricant will stay in place for long periods of time without drying out or becoming sticky. **CRC CRX Multi-Purpose High Strength Lubricant** contains **NO** silicone, acid, kerosene or diesel, it will not harm any plastics, metals, paints, enamels, fibreglass, laminated surfaces or rubber seals.

II. Features & Benefits

- Displaces, penetrates, lubricates, and protects.
- Contains no silicone, acid, kerosene, or diesel.
- Won't dry out, gum up, become gooey or sticky, or wash off with water.
- Non-conductive, Non-toxic, Non-corrosive and Non-staining.

III. Typical Properties and Characteristics

Physical Properties

Colour (ASTM D1500)	0.5 Max
Flash Point	205°C (TCC)
Boiling Point	+215°C Initial
Propellant	Hydrocarbon
Viscosity	28-30 cSt @ 40°C
Acid Number	<0.05 mg KOH
Type of film	Thin, oily film
Dry Time	Non-drying wet oil
Temperature Range	-20°C to +150°C (continuous), +170°C (intermittent)

Product No: 3017

IV. Application and Directions

1. Shake can well before using.
2. Spray when required.

V. Package Description

Part Number	Size
3017	300g Aerosol

VII. Special Precautions

Read label before use.

General:

Use with adequate ventilation. Store in a cool, well-ventilated area. Dispose of empty containers safely. All unused product should be disposed of in conformance with local and HSNO regulations, do not contaminate water supply.

Aerosol Cans:

Do not puncture, incinerate or store above 50°C. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

First Aid:

Swallowed – Not considered a normal route of entry.

Skin – Remove contaminated clothing and wash skin thoroughly with soap and water. Remove any adhering solids with industrial skin cleansing cream. Do not use solvents. Seek medical attention in the event of irritation. Wash contaminated clothing before reuse.

Eyes – Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water.

Inhaled – Remove to fresh air. Lay patient down. Keep warm and rested.

For more information regarding short term and long term exposure, review this product's Safety Data Sheet.

PRODUCT WARRANTY: CRC offers a conditional warranty on this product for the period of 5 years from the date of manufacture.

DISCLAIMER: All information on this data sheet is based on testing by CRC Industries (Aust.) Pty. Ltd. All products should be tested for suitability on a particular application prior to actual use. CRC Industries (Aust.) Pty. Ltd. makes no representations or warranties of any kind concerning this data.

TDS Date: July, 2017
Version: I