



TECHNICAL DATA

Surface Cleaner

Cleaner Blend 300 Degreaser

Description

Surface Cleaner is a multipurpose, non-trichloroethane base degreaser for use on heavy grease and oil deposits on metal and other substrates.

Surface Cleaner does not have to be rinsed and leaves no residue.

Surface Cleaner is fast evaporating and great for degreasing tanks and general cleaning.

Areas of Application

Any metal surfaces, alloys and porous castings
Rubber surfaces
Plastics
Wood
Concrete surfaces
Removes dirt, oil, tar and grease

General Properties

Appearance : Clear liquid
Flash point : 40°C

Application Directions

Severe surface contamination may require mechanical preparation prior to application of **Surface Cleaner**. This may be accomplished through abrading, grinding, or shot blasting.

Following this procedure, **Surface Cleaner** should be applied generously and completely over the desired surface. The area should then be thoroughly wiped with a clean cloth and allowed to dry prior to application of epoxy or urethane products.

The information contained in this Technical Bulletin is as up to date and correct as possible as at the time of issue. The data provided should be used as a guide only as the performance of the product will vary depending on differing operating conditions and application methods.

The sale of any product described in this Technical Bulletin will be in accordance with ITW Polymers & Fluids Conditions Of Sale, a copy of which is available on request. To the extent permitted by law, ITW Polymers & Fluids excludes all other warranties in relation to this product.

Storage

Store in dry conditions between 10°C and 30°C, away from sources of heat and naked flames.

Packaging

Surface Cleaner is available in 1 litre can.

Ordering Information

1 Lt #19515

Safety Precautions

Avoid contact with skin and avoid breathing vapour. Wear gloves and goggles when mixing and using. Keep away from children. Provide adequate ventilation if applied in confined spaces. If poisoning occurs call Doctor or Poisons Information Centre. If swallowed **DO NOT** induce vomiting. Give plenty of water or milk. If skin contact occurs remove any contaminated clothing and wash effected areas thoroughly with soap and water.

TDG Code: UN 1993

Note

The figures quoted for work time, cure time and casting thickness are not definitive. They are dependent on job site conditions and will vary accordingly. In all cases we endeavour to provide typical figures for use as a guide.

Health & Safety Information

The product is classified as hazardous according to Worksafe Australia Criteria. A Material Safety Data Sheet is available from the ITW Polymers & Fluids Technical Department upon request or available on our website www.itw-devcon.com.au.

AUSTRALIA

ITW Polymers & Fluids
100 Hassall Street
Wetherill Park NSW 2164
Phone (02) 9757 8800 Fax (02) 9757 3855

NEW ZEALAND

ITW Polymers & Fluids
Unit 2, 38 Trugood Drive
East Tamaki 2013, Auckland
Phone (09) 272 1945 Fax (09) 273 6489