



"Why compete against your supplier when you can be our partner"

## 40-1 Sprocket



Pinions	mm
Tooth Radius r3	
Radius Width C	
Tooth Width B1	7.2
Chain	mm
Pitch	12.7
Inside	7.94
Roller $\phi$	7.94

Teeth	de	dp	Simplex			App. Kg
			dm	D1	A	
9	43.2	37.13	24	10	25	0.14
10	47.2	41.10	26	10	25	0.15
11	51.2	45.07	29	10	25	0.17
12	55.2	49.07	33	10	28	0.24
13	59.2	53.06	37	10	28	0.25
14	63.2	57.07	41	10	28	0.31
15	67.2	61.09	45	10	28	0.33
16	71.2	65.10	50	12	28	0.37
17	75.2	69.11	52	12	28	0.51
18	79.2	73.14	56	12	28	0.54
19	83.3	77.16	60	12	28	0.65
20	87.3	81.19	64	12	28	0.76
21	91.3	85.22	68	14	28	0.82
22	95.4	89.24	70	14	28	0.88
23	99.4	93.27	70	14	28	1.05
24	103.4	97.29	70	14	28	1.07
25	107.4	101.33	70	14	28	1.13
26	111.5	105.36	70	16	30	1.15
27	115.5	109.40	70	16	30	1.19
28	119.5	113.42	70	16	30	1.30
29	123.6	117.46	80	16	30	1.33
30	127.6	121.50	80	16	30	1.36
32	135.7	129.56	90	16	30	1.46
35	147.8	141.68	90	16	30	1.61
38	159.9	153.80	90	16	35	1.78
40	168.0	161.87	90	16	35	1.88
42	176.6	169.95	OA	OA	OA	1.97
50	208.9	202.26	OA	OA	OA	3.00
55	229.1	222.46	OA	OA	OA	3.14
57	237.2	230.54	OA	OA	OA	3.28
60	249.3	242.66	OA	OA	OA	3.45