


The Magswitch fixed manual hand lifter series allows for safe and convenient lifting. With and ergonomic fixed handle, the 235 hand lifter features a single 90° side-actuation lever with a locking mechanism that prevents accidental release. It is perfect for handling sharp or dirty steel or scrap. It can be used for dragging or handling small steel sheet.






Part Number 1101131 Revision Date: March 24, 2015 WARNING! Do Not Operate Unless In Contact With Ferrous Target

SPECIFICATIONS

P/N: 8100795 - MAGSWITCH 235 FIXED MANUAL HAND LIFTER	
Max Breakaway*	235 lbs/106 kg
Full Saturation Thickness	3/16in / 4.75mm
Net Weight	1.6 lbs/0.7 kg
Overall Height	4.1in/105.1mm
Magnetic Pole Footprint	56mm x 42 mm

* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.





Part Number 1101131 Revision Date: March 24, 2015 * Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.

