

**SB 18 LT BL (602316890) Cordless hammer drill**  
**18V; Cardboard box**

Order no. 602316890  
EAN 4007430302359



Product may differ from Image



- Brushless cordless hammer drill with optimal power for demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- High-performance impact mechanism for optimum drilling performance
- Integrated working light to illuminate the contact area
- With handy belt hook and bit case which can be fixed either on the right or left side
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: [www.cordless-alliance-systems.com](http://www.cordless-alliance-systems.com)

**Note:**

*The machine shown may differ in equipment and technical details depending on the configuration.  
Kindly pay attention to the scope of delivery and product description.  
Accessories are included only if listed in the Scope of delivery.*

## Technical data

### Characteristics

|                             |                             |
|-----------------------------|-----------------------------|
| Battery voltage             | 18 V                        |
| Maximum torque - soft       | 34 Nm / 301 in-lbs          |
| Maximum torque, hard        | 75 Nm / 663.8 in-lbs        |
| Adjustable torque           | 0.7 - 8 Nm // 6 - 71 in-lbs |
| Drill-Ø masonry             | 13 mm / 1/2 "               |
| Drill Ø steel               | 13 mm / 1/2 "               |
| Drill-Ø soft wood           | 38 mm / 1 1/2 "             |
| No-load speed               | 0 - 600 / 0 - 2100 rpm      |
| Maximum impact rate         | 31950 bpm                   |
| Chuck capacity              | 1.5 - 13 mm // 1/16 - 1/2 " |
| Weight without battery pack | 1.2 kg / 2.6 lbs            |
| Weight with battery pack    | 1.6 kg / 3.5 lbs            |

### Vibration

|                              |                       |
|------------------------------|-----------------------|
| Drilling in metal            | 2.9 m/s <sup>2</sup>  |
| Uncertainty of measurement K | 1.5 m/s <sup>2</sup>  |
| Impact drilling concrete     | 17.3 m/s <sup>2</sup> |
| Uncertainty of measurement K | 1.5 m/s <sup>2</sup>  |

### Noise emission

|                              |           |
|------------------------------|-----------|
| Sound pressure level         | 91 dB(A)  |
| Sound power level (LwA)      | 102 dB(A) |
| Uncertainty of measurement K | 3 dB(A)   |

## Scope of delivery

Keyless chuck  
Belt hook and bit case  
without battery pack, without charger

**SSW 18 LT 300 BL (602398850) Cordless impact wrench**  
**18V; Cardboard box**

Order no. 602398850  
EAN 4061792217263



Product may differ from Image



- Compact cordless impact driver with 1/2" male square and 300 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Handy belt hook, can be fixed either on the right or left side
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: [www.cordless-alliance-systems.com](http://www.cordless-alliance-systems.com)

**Note:**

*The machine shown may differ in equipment and technical details depending on the configuration.  
Kindly pay attention to the scope of delivery and product description.  
Accessories are included only if listed in the Scope of delivery.*

**Technical data****Characteristics**

|                             |                             |
|-----------------------------|-----------------------------|
| Battery voltage             | 18 V                        |
| Max. screw size             | M16                         |
| Max. no-load speed          | 3050 rpm                    |
| Maximum impact rate         | 3900 bpm                    |
| Maximum torque              | 300                         |
| Speed/torque levels         | 3                           |
| Bit retainer                | Male square 1/2" (12.70 mm) |
| Weight without battery pack | 1.18 kg / 2.6 lbs           |
| Weight with battery pack    | 1.58 kg / 3.5 lbs           |

**Vibration**

|                              |                       |
|------------------------------|-----------------------|
| Impact screwdriving          | 13.8 m/s <sup>2</sup> |
| Uncertainty of measurement K | 1.5 m/s <sup>2</sup>  |

**Noise emission**

|                              |         |
|------------------------------|---------|
| Uncertainty of measurement K | 3 dB(A) |
|------------------------------|---------|

**Scope of delivery**

Belt Hook  
without battery pack, without charger

## LiHD Battery pack 18 V - 5.5 Ah (625368000)

Order no. 625368000

EAN 4007430334640



Product may differ from Image



- LiHD battery packs for ultimate performance and extremely long application with minimal temperature generation
- Intelligent battery management for long-lasting battery packs with a 3 year warranty
- Patented "AIR COOLED" charging technology
- Permanent Electronic Single Cell Protection (ESCP) when charging, for particularly long life.
- Processor-controlled charge and discharge management
- Capacity display with almost no self-discharge
- Capacity display with almost no self-discharge
- Many brands, one battery pack system: This battery pack is compatible with all 18 V machines and chargers of the CAS brands: [www.cordless-alliance-system.com](http://www.cordless-alliance-system.com)

**Technical data**

**Characteristics**

|                       |        |
|-----------------------|--------|
| Battery pack voltage  | 18 V   |
| Battery pack capacity | 5.5 Ah |
| Energy                | 99 Wh  |
| Weight                | 980 g  |

## "AIR COOLED" Charger ASC 55, 12-36 V, AUS/NZ (627047000)

Order no. 627047000

EAN 4007430215864



Product may differ from Image



- The universal one: one charger for all slide-on battery packs of all Volt classes (12-36V)
- Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack during the charging cycle
- Optimal communication between battery pack and charger for maximum service life of the battery packs
- 3-year warranty on all Metabo battery packs and chargers irrespective of the number of charging cycles
- Many brands, one battery pack system: charger for charging all battery packs of the CAS brands: [www.cordless-alliance-system.com](http://www.cordless-alliance-system.com)
- "AIR COOLED" function: the patented principle is based on air-cooling the battery pack during the charging process. The battery packs are gently cooled down to the required charging temperature, and then during the charging process are constantly maintained at optimum temperature. With this principle, a higher tool life of the battery packs and up to 30% shorter total charging time can be achieved.

**Technical data****Characteristics**

|                               |                 |
|-------------------------------|-----------------|
| Battery voltage               | 12 - 36 V       |
| Mains voltage                 | 220 - 240 V     |
| Mains frequency               | 50 - 60 Hz      |
| Max. charging current         | 3 / 4 A         |
| Output rating                 | 55 W            |
| Charging time for 18 V/4.0 Ah | 80 min          |
| Charging time for 18 V/8.0 Ah | 160 min         |
| Weight                        | 582 g / 20.5 oz |



## metaBOX 165 L for angle grinder (626890000)

Order no. 626890000

EAN 4061792189508



Product may differ from Image



- Intelligent transport and storage system for mobile working
- Extremely robust and break-proof due to the material and design for maximum resilience
- Optimum protection of machine and accessories against dirt and moisture (IP43)
- Fast and easy stacking and coupling of the boxes in all system widths
- One box in the stack can easily be opened without having to decouple it
- Comfortable front handle for carrying the box near you and extra-wide cover handle (not for 185 XL) to carry several stacked-up boxes
- Numerous tailor-made inserts (accessories) for individual order inside the box
- Clever accessories: Roller board for maximum mobility as well as an adapter plate to secure the boxes in the vehicle
- metaBOX 165 L, suitable for angle grinders up to disc Ø 125 mm

\*\*\***Note:** Accessories are not included.

## Technical data

### Characteristics

|                     |   |
|---------------------|---|
| Dimensions          | 496 x 296 x 165 mm // 19.53 x 11.66 x 6 1/2 " |
| Interior dimensions | 479 x 268 x 130 mm // 18 3/4 x 10.56 x 5.13 " |
| Case volume         | 16.7 l  |
| Max. load cover     | 125 kg / 275.6 lbs                            |
| Weight              | 2.29 kg / 5 lbs                               |
| Material            | ABS   |