

SB 18 LTX BL I (602360850) Cordless hammer drill
18V; Cardboard box

Order no. 602360850
EAN 4061792188174



Product may differ from image



- Brushless hammer drill with maximum power for demanding applications
- Hammer drill function for drilling in masonry
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Precision Stop: electronic torque control with increased precision for precise, delicate working
- Electronic safety shutdown: no kickback if the drill bit stops unexpectedly - for high user safety
- Integrated LED work light with night light function for optimal brightness in the work area
- With handy belt hook and bit case which can be fixed either on the right or left side
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Type of battery pack	Li-Power
Battery voltage	18 V
Maximum torque - soft	65 Nm / 575 ft. lbs
Pulse torque	65 Nm / 575 in-lbs
Maximum torque, hard	130 Nm / 1151 ft. lbs
Adjustable torque	1 - 20 Nm // 9 - 177 in-lbs
Drill-Ø masonry	16 mm / 5/8 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	68 mm / 2.68 "
No-load speed	0 - 550 / 0 - 2000 rpm
Maximum impact rate	38000 bpm
Chuck capacity	1.5 - 13 mm // 1/16 - 1/2 "
Weight without battery pack	1.8 / 4
Weight with battery pack	2.2 kg / 4.9 lbs

Vibration

Drilling in metal	2.6 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Impact drilling concrete	16.5 m/s ²
Uncertainty of measurement K	1.7 m/s ²

Noise emission

Sound pressure level	92 dB(A)
Sound power level (LwA)	103 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Keyless chuck
Side handle
Belt hook and bit case

BH 18 LTX BL 16 (600324850) Cordless hammer
18V; Cardboard box

Order no. 600324850
EAN 4061792191686



Product may differ from Image



- Very lightweight, compact cordless hammer with brushless motor for low-fatigue drilling in any working position
- Maximum drill performance, efficiency and service life thanks to brushless technology and high-performance hammer action
- Rotary hammer with 2 functions: hammer drilling and drilling
- Metabo VibraTech (MVT): working, also continuously, in a low-fatigue manner whilst protecting the user's health
- Vario-Tacho-Constamatic (VTC)-Full Wave Electronics for work with materials requiring customised speeds, which remain constant under load
- Electronic safety shutdown of the motor for safe working in case the tool stops unexpectedly
- LED work light for optimum view of the drilling site
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Battery voltage	18 V
Max. single blow energy (EPTA)	1.3 J
Maximum impact rate	5250 bpm
Drill-Ø concrete with hammer drills	16 mm / 5/8 "
Drill-Ø masonry with core bits	68 mm / 2.6725 "
Drill Ø steel	13 mm / 1/2 "
Drill-Ø soft wood	20 mm / 25/32 "
No-load speed	0 - 730 rpm
Bit retainer	SDS-plus
Weight without battery pack	1.6 kg / 3.5 lbs
Weight with battery pack	2 kg / 4.4 lbs

Vibration

Hammer drilling concrete	12.7 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	87 dB(A)
Sound power level (LwA)	98 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Side handle
Drilling depth guide
without battery pack, without charger

SSD 18 LT 200 BL (602397850) Cordless Impact Driver
18V; Cardboard box

Order no. 602397850
EAN 4061792217249



Product may differ from Image



- Compact cordless impact driver with 1/4" hexagon socket and 200 Nm
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Three speed/torque levels for a varied range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Handy belt hook, can be fixed either on the right or left side

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data**Characteristics**

Battery voltage	18 V
Max. screw size	M16
Max. no-load speed	3050 rpm
Maximum impact rate	3750 bpm
Maximum torque	200
Speed/torque levels	3
Bit retainer	Hexagon recess 1/4" (6.35 mm)
Weight without battery pack	1.17 kg / 2.6 lbs
Weight with battery pack	1.57 kg / 3.5 lbs

Vibration

Impact screwdriving	14 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Uncertainty of measurement K	3 dB(A)
------------------------------	---------

Scope of delivery

Belt Hook
without battery pack, without charger

SSW 18 LTX 400 BL (602205890) Cordless impact wrench
18V; Cardboard box

Order no. 602205890
EAN 4007430244284



Product may differ from Image



- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Overload protection: protects the motor from overheating
- High torque accompanied by an exceptionally compact design
- Low kick-back operation with extremely high torque
- Twelve speed/torque levels for a wide range of applications
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Handy belt hook, can be fixed either on the right or left side
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Battery voltage	18 V
Max. screw size	M20
Max. no-load speed	0 - 2150 rpm
Maximum impact rate	4250 bpm
Maximum torque	400 Nm / 295 ft. lbs
Max. loosening torque	620 Nm / 420 ft. lbs
Speed/torque levels	12
Bit retainer	Male square 1/2" (12.70 mm)
Weight without battery pack	1.3 kg / 2.9 lbs
Weight with battery pack	1.8 kg / 4 lbs

Vibration

Impact screwdriving	12 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	100 dB(A)
Sound power level (LwA)	111 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Belt Hook
without battery pack, without charger

**WB 18 LT BL 11-125 Quick (613054850) Cordless angle grinder
18V; Cardboard box; with brake, quick-locking nut, rotating battery pack**

Order no. 613054850
EAN 4061792205383



Product may differ from image



- Brushless cordless angle grinder of the new generation: as powerful as a 1,100 Watt mains-powered tool thanks to 40% more power
- Service-free Brushless motor with highest efficiency and maximum handiness
- Fast brake system for highest user safety: Disc stops within 1 second after switching off
- M-Quick System for tool-free disc change at the touch of a button
- Tool-free adjustable guard; twist-proof
- Battery pack can be rotated in 90° steps for best ergonomics in any working position
- Metabo S-automatic mechanical safety clutch: minimises kick-back to the lowest level when the disc jams unexpectedly - for maximum user safety
- Electronic overload protection, soft start and restart protection
- Detachable dust protection filter protects motor from coarse particles
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Battery voltage	18 V
Disc-Ø	125 mm / 5 "
Max. cutting depth	27 mm / 1 1/16 "
No-load speed	10000 rpm
Spindle thread	M 14
Handle circumference	191 mm / 7.52 "
Weight without battery pack	1.8
Weight with battery pack	2.5

Vibration

Surface grinding	8 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Grinding with sandpaper	2.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	81 dB(A)
Sound power level (LwA)	92 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Guard
 Inner support flange
 M-Quick flange nut
 Side handle
 Dust protection filter
 without battery pack, without charger

**SSE 18 LTX BL Compact (602366850) Cordless sabre saw
18V; Cardboard box**

Order no. 602366850
EAN 4061792181281



Product may differ from Image



- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Variospeed (V) Electronics for working with customised stroke rates for the materials used
- Saw blade rotatable by 180° for working comfortably overhead
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- Depth guide can be adjusted without tools for ideal utilisation of the saw blade and diverse applications such as plunge cuts
- Integrated LED work light for optimum illumination of the cutting line
- Wide range of uses thanks to the adapted Metabo saw blade range
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data**Characteristics**

Battery voltage	18 V
Strokes in idle	0 - 3000 rpm
Saw blade stroke	16 mm / 0.629 "
Weight without battery pack	1.4 kg / 3.1 lbs
Weight with battery pack	1.8 kg / 4 lbs

Vibration

Sawing chipboards	13 m/s ²
Uncertainty of measurement K	2 m/s ²
Sawing wooden beam	15 m/s ²
Uncertainty of measurement K	2.5 m/s ²

Noise emission

Sound pressure level	82 dB(A)
Sound power level (LwA)	93 dB(A)
Uncertainty of measurement K	5 dB(A)

Scope of delivery

Sabre saw blade for wood and metal
without battery pack, without charger

KS 18 LTX 66 BL (611866850) Cordless circular saw
18V; Cardboard box

Order no. 611866850
EAN 4061792196490



Product may differ from image



- Powerful, light, cordless circular saw for universal use on construction sites
- Aluminium base plate can be directly used on guide rails from Metabo and Mafell, Bosch, Festool, Makita, HiKOKI, Hilti and other manufacturers
- Fast, precise cross cuts thanks to easy coupling with a Metabo cross cutting rail
- LIHD high-performance battery packs and the Metabo brushless motor guarantee maximum power and enduring sawing
- Automatic switching on/off of the connected vacuum cleaner thanks to CordlessControl. (available as accessory)
- Sawdust ejection nozzle for any working position can be rotated and locked individually
- Integrated LED work light for optimum illumination of the cutting line
- 0° position re-adjustable for highest cutting precision
- Clearly visible cutting indicator for precise sawing after initial cut
- Robust and durable thanks to aluminium die-cast saw housing
- Handle with non-slip soft-grip surface for safe guidance
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Battery voltage	18 V
Swivel range from / to:	0 / + 46 °
Adjustable cutting depth	0 - 66 mm // 0 - 2 19/32 "
Maximum cutting depth at 90°	66 mm / 2 19/32 "
Maximum cutting depth at 45°	43 mm / 1 11/16 "
Max. cutting depth with guide rail	61 mm / 2 13/32 "
Saw blade Ø x bore	165 x 20 mm // 6 1/2 x 5/8 "
No-load speed	4800 rpm
Max. cutting speed	43 m/s / 141 ft/s
Weight without battery pack	3.5 kg / 7.7 lbs
Weight with battery pack	4.5 kg / 9.9 lbs

Vibration

Sawing chipboards	2.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	87 dB(A)
Sound power level (LwA)	98 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Carbide circular saw blade (18 teeth)
Parallel guide
Hexagonal wrench
without battery pack, without charger

MT 18 LTX BL QSL (613088850) Cordless multi-tool
18V; Cardboard box

Order no. 613088850
EAN 4061792183957



Product may differ from Image



- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- For intensive applications in interior development with custom-fit 3D holder StarlockPlus
- Indispensable for interior development such as cutting, sanding and scraping of different materials
- Metabo Quick tool change: quick and comfortable thanks to magnetic holder to pre-fix the accessory
- Precise and dust-free working thanks to clamping ring with depth guide and extraction connection (accessory)
- Unique Metabo brushless motor highest efficiency when working, also in continuous mode
- Quick work progress thanks to large oscillation angle and VTC-Electronics to maintain constant speed even under load
- Slim design and non-slip soft-grip surface for optimised handling
- Extra bright LED lights for good visibility of the working area
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Type of battery pack	Li-Power
Battery voltage	18 V
Orbital frequency with no load	8000 - 20000 rpm
Oscillation angle left/right	1.6 °
Bit retainer	Starlock/ StarlockPlus
Base plate, dimensions from corner to corner	93 mm / 3 5/8 "
Weight without battery pack	1.3 kg / 2.9 lbs
Weight with battery pack	1.7 kg / 3.7 lbs

Vibration

Surface grinding	3.4 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Sawing with plunge cut saw blade	19.9 m/s ²
Uncertainty of measurement K	1.5 m/s ²
Sawing with segmented sawing blade	5.5 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	81 dB(A)
Sound power level (LWA)	92 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Plunge saw blade 32 mm (wood+metal)
without battery pack, without charger

SXA 18 LTX 125 BL (600146840) Cordless random orbital sander
18V; metaBOX 215; with 125 mm sanding pad

Order no. 600146840
EAN 4061792195172



Product may differ from image



- Flat cordless random orbital sander with ergonomic design and low weight for low-fatigue working
- Comfortable guidance of the sander close to the surface thanks to the low overall height
- Low-vibration working thanks to smooth running operation
- Grip area with non-slip soft-grip surface
- Soft start minimises surface damage when placing the machine on the work surface
- Unique Metabo brushless motor highest efficiency when grinding, also in continuous mode
- Infinitely variable speed control for working with different materials
- Multi-hole sanding pad for effective extraction and a longer service life of the sanding medium
- With easy to empty textile dust bag for working without extraction facilities
- Can be connected to an all-purpose vacuum cleaner with the coupling bush 630798000
- Motor and plate brake permits quick placing down of the machine after use
- Removable protector protects adjacent surfaces and increases the service life of the sanding pad
- With attachment point for tool safety straps for working at great heights
- With metaBOX, the intelligent solution for transport and storage

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data

Characteristics

Battery voltage	18 V
Diameter of backing pad	125 mm / 5 "
No-load speed	4000 - 10000 rpm
Orbital frequency with no load	8000 - 20000 rpm
Orbit diameter	2 mm
Weight without battery pack	1.1 kg
Weight with battery pack	1.5 kg

Vibration

Surface grinding	1.1 m/s ²
Uncertainty of measurement K	1.5 m/s ²

Noise emission

Sound pressure level	67 dB(A)
Sound power level (LwA)	78 dB(A)
Uncertainty of measurement K	3 dB(A)

Scope of delivery

Sanding pad "multi-hole" with hook and loop
 Textile dust bag compact
 Hexagonal wrench
 metaBOX 215
 without battery pack, without charger
 1 Hook and loop sanding sheet P 120 wood and metal "professional"
 Protector

**AS 18 L PC Compact (602028850) Cordless vacuum cleaner
18V; Cardboard box; with manual filter cleaning**

Order no. 602028850
EAN 4061792197534



Product may differ from Image



- Portable, compact cordless vacuum cleaner for wet and dry vacuum cleaning (IPX4), ideal for smaller cleaning and extraction jobs
- Commercially approved cordless vacuum cleaner, certified for dusts of dust class L
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- With stretchy hose for comfortable handling and maximum freedom of movement when vacuuming
- Dust-proof and splash-proof battery pack compartment with lockable flap
- Hoses, pipes and nozzles can be stored directly on the vacuum cleaner
- Easy transport with ergonomically-designed handle or carry strap
- Many brands, one battery pack system: This product can be combined with all 18V battery packs and chargers of the CAS brands: www.cordless-alliance-systems.com

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data**Characteristics**

Battery voltage	18 V
Air output max.	2100 l/min
Vacuum	120 hPa (mbar)
Filter surface	3000 cm ²
Container volume	6 l
Suction hose Ø	32 mm
Hose length	2.5 m
Weight without battery pack	3.8 kg
Weight with battery pack	4.8 kg

Noise emission

Uncertainty of measurement K	2 dB(A)
------------------------------	---------

Scope of delivery

Stretchy suction hose (Ø 32 mm / 0.5-2.5 m)
Fleece filter bag
Suction nozzle (120 mm wide)
Crevice nozzle
Carrying strap
Coupling bush internal Ø 28 mm / external Ø 35 mm
3 Plastic suction tubes
Intermediate sleeve

ULA 14.4-18 LED (600368000) Cordless Portable Lamp
Cardboard box

Order no. 600368000
EAN 4007430242730



Product may differ from Image



- Powerful LED portable lamp for uniform, bright illumination of the working area
- Compact and handy for versatile use
- Lamp head can be tilted and locked in 12 positions
- Robust aluminium die-cast housing for use on construction sites
- Swivelling hook for suspending the lamp
- Operation with all Li-Power and LiHD slide-on 14.4 and 18 Volt battery packs

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data**Characteristics**

Battery voltage	14.4 - 18 V
Max. luminous flux	280 lm
Max. operation time per battery charge	14.4 V / 2.0 Ah: 4.5h / 14.4 V / 4.0 Ah: 9h / 18 V / 2.0 Ah: 6.4h / 18 V / 4.0 Ah: 12.7h / 18 V / 5.2 Ah: 16.5h / 18 V / LiHD 3.1: 10h / 18 V / LiHD 5.5: 17.6h / 18 V / LiHD 6.2: 19.8h
Weight without battery pack	0.4 kg / 0.9 lbs
Weight with battery pack	0.8 kg / 1.8 lbs

Scope of delivery

without battery pack, without charger

R 12-18 BT (600777590) Cordless worksite radio
Cardboard box

Order no. 600777590
EAN 4061792188419



Product may differ from Image



- Robust and compact AM/FM worksite radio with Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 volts or mains-powered
- Station presets for AM/FM
- Mains cable can be plugged in
- Digital DSP tuner with illuminated LCD display and automatic station search
- Flexible antenna

Note

*The machine shown may differ in equipment and technical details depending on the configuration.
Kindly pay attention to the scope of delivery and product description.
Accessories are included only if listed in the Scope of delivery.*

Technical data**Characteristics**

Battery voltage	12 - 18 V
Max. runtime per battery charge	12 V / 2.0 Ah: 6 h / 14.4 V / 2.0 Ah: 7.2 h / 18 V / 2.0 Ah: 9 h / 18 V / LiHD 8.0 Ah: 32 h
Radio frequency AM	522 - 1620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight without battery pack	1.8 kg / 4 lbs
Weight with battery pack	2.1 kg / 4.6 lbs

Scope of delivery

Mains cable
without battery pack

LiHD Battery pack 18 V - 5.5 Ah (625368000)

Order no. 625368000

EAN 4007430334640



Product may differ from Image



- LiHD battery packs for ultimate performance and extremely long application with minimal temperature generation
- Intelligent battery management for long-lasting battery packs with a 3 year warranty
- Patented "AIR COOLED" charging technology
- Permanent Electronic Single Cell Protection (ESCP) when charging, for particularly long life.
- Processor-controlled charge and discharge management
- Capacity display with almost no self-discharge
- Capacity display with almost no self-discharge
- Many brands, one battery pack system: This battery pack is compatible with all 18 V machines and chargers of the CAS brands: www.cordless-alliance-system.com

Technical data

Characteristics

Battery pack voltage	18 V
Battery pack capacity	5.5 Ah
Energy	99 Wh
Weight	980 g

Dual quick charger ASC 145 DUO, 12-36 V, "AIR COOLED", AUS/NZ (627498000)

Order no. 627498000

EAN 4061792179127



Product may differ from Image

- Fast charging for two: the double quick charger for all slide-on battery packs of all Volt classes (12 - 36V)
- The battery packs are charged up to 4x faster than with an entry level charger
- Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack during the charging cycle
- Optimal communication between battery pack and charger for maximum service life of the battery packs
- Two USB connections with 1.5 A charging current each
- 3-year warranty on all Metabo battery packs and chargers irrespective of the number of charging cycles
- Many brands, one battery pack system: charger for charging all battery packs of the CAS brands: www.cordless-alliance-system.com

Technical data**Characteristics**

Battery voltage	12 - 36 V
Mains voltage	220 - 240 V
Mains frequency	50 - 60 Hz
Max. charging current	8 A
Charging time for 18 V/4.0 Ah	30 min
Charging time for 18 V/8.0 Ah	60 min
Weight	1498 g / 52.8 oz

LiHD Battery pack 18 V - 4.0 Ah (625367000)

Order no. 625367000

EAN 4007430334633



Product may differ from Image



- LiHD battery packs for ultimate performance and extremely long application with minimal temperature generation
- Intelligent battery management for long-lasting battery packs with a 3 year warranty
- Patented "AIR COOLED" charging technology
- Permanent Electronic Single Cell Protection (ESCP) when charging, for particularly long life.
- Processor-controlled charge and discharge management
- Capacity display with almost no self-discharge
- Capacity display with almost no self-discharge
- Many brands, one battery pack system: This battery pack is compatible with all 18 V machines and chargers of the CAS brands: www.cordless-alliance-system.com

Technical data

Characteristics

Battery pack voltage	18 V
Battery pack capacity	4 Ah
Energy	72 Wh
Weight	580 g

Tool bag (large) (657007000)

Order no. 657007000

EAN 4007430243713



Product may differ from Image

- The large, practical Metabo tool bag
- On the inside of the bag there are five bag compartments with hook and loop straps to take three battery packs, one charger and accessories
- On the outside there are two spacious pockets with zipper and three other small pockets for quick access
- Comfortable side pads and padded shoulder strap
- Three reflective Metabo logos for optimum visibility on the construction site
- Stable, integrated base plate with strips to protect the bag contents
- Material: water-repellent and tear-proof 600D polyester
- Dimensions (l x w x h): 670 mm x 290 mm x 325 mm