

# **PRODUCT RANGE**

Manufacturer of quality Ratcheting Podger Wrenches for use in the rigging and scaffolding markets

## 4 in 1 STUBBY RATCHET PODGER

- Light weight
- When outer socket is used, inner socket is pushed up easily
- After use the inner socket returns to the original position by spring
- Sliding hole for safety rope attachment

<b>Item</b> <b>Code</b> 508223 508224	Part Number SRF-1 SRF-3	<b>Socket</b> <b>Sizes (mm)</b> 10 x 14, 13 x 17 17 x 21, 19 x 24	Length (mm) 198 240	Weight (g) 290 470	Suitable for Socket Sizes	When outer socket is used, inner socket is pushed up easily then returns	192	Suitable for Socket Sizes
	Reverse Lever	Inner Socket Outer Socket		Spring Spring		safety rope attachment	SRF-3 508224	21 (19) (24)





## **RATCHET PODGER WRENCH**

Ratchet wrenches are used for tightening and loosening nuts and bolts. The spear is used to align the position of the bolt holes at work sites such as those on the steel structures, towers and bridge beams.

As there is no danger of the socket falling off, the ratchet wrench works well especially in the civil engineering and construction industries where workers are assembling scaffold frames at heights. The ratchet wrench can be turned clockwise or counter-clockwise.

Wrenches are cation plated which provides excellent rust proofing properties.

Item Code	Part Number	Socket Sizes (mm)	Length (mm)	Weight (g)
508253	SRRN1012	10 x 12	225	160
508256	SRRN1317	13 x 17	265	240
508257	SRRN1618	16 x 18	310	400
508258	SRRN1719	17 x 19	310	400
508260	SRRN1824	18 x 24	355	680
508262	SRRN1921	19 x 21	310	400
508264	SRRN1924R	19 x 24	355	680
508265	SRRN2124	21 x 24	355	680
508266	SRRN2224	22 x 24	355	680
508267	SRRN2427	24 x 27	355	680
508268	SRRN2430	24 x 30	400	1080
508270	SRRN2730	27 x 30	400	1080
508271	SRRN2732	27 x 32	400	1080
508272	SRRN3036	30 x 36	445	1400
508274	SRRN3236	32 x 36	445	1400
508275	SRRN3641	36 x 41	490	2050
508276	SRRN4650	46 x 50	545	3080
	INCLUD	ES RUBBER GRIP		
508280	SRRNG1924	19 x 24	355	680
508281	SRRNG2430	24 x 30	400	1080

## **OFFSET PODGER RING SPANNERS**

- Single offset ring podger wrench with 60° angle head helps prevent collision with adjacent bolts or angle ribs
- Heavy duty professional type

Item Code	Part Number	Socket Sizes (mm)
508229	SRKP19	19
508230	SRKP22	22
508231	SRKP24	24
508232	SRKP27	27
508233	SRKP30	30
508234	SRKP32	32
508235	SRKP36	36
508236	SRKP41	41
508237	SRKP46	46
508238	SRKP50	50





Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications.



## SAFETY ROPE

- For Ratchet Podger Wrenches
- Flexible, thin and lightweight
- Kevlar® core cord coated with polyurethane
- Nominal length: 470mm
- Stretched length: 1820mm
- Can carry a falling weight of 1kg







ltem	Part	Weight
Code	Number	(g)
508208	SRARK-10K	45

### **STUBBY** SCAFFOLDING PODGER

Specially designed to fit Australasian Scaffold Fittings



ltem	Part	Socket	Length	Weight
Code	Number	Sizes (mm)	(mm)	(g)
508211	SRB2124	21 x 23.5	240	

### **ADJUSTABLE HOOK SPANNER**

- Hook spanner for circular nuts
- Designed for tightening and removing notched circular nuts without damage to the nut
- Nickel-Chrome plated finish

5		
Item Code	Part Number	Nut Sizes (mm)
508226	SRHW105	35 - 105
508228	SRHW165	95 - 165

### **RUBBER GRIPS**

- Special oil resistant grip designed • for use with podger wrenches
- Attaches to the spear part • of the ratchet wrenches
- Easy to grasp non-slip surface is perfect for extended use



ltem Code	Part Number	Suits Socket Sizes (mm)
508245	SRRG4	17 x 19, 16 x 18, 19 x 21
508246	SRRG5	21 x 24, 22 x 24
508247	SRRG6	24 x 30, 27 x 30, 27 x 32, 30 x 36, 32 x 36
508248^	SRRG8	36 x 41, 46 x 50

^Special Order Only

### **ADJUSTABLE PIN HOOK SPANNER**

- Hook spanner for circular nuts
- Designed for tightening and removing notched circular nuts without damage to the nut
- Nickel-Chrome plated finish
- Pin Diameter 6mm

<b>\$</b>		
Item Code	Part Number	Nut Sizes (mm)
508227	SRHW105A	35 - 105

Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications.



- Pin spanner for circular nuts, designed to be hammered at the moving part.
- Designed for tightening and removing circluar nuts with pin holes
- Body Nickel-Chrome plated finish, other parts in phosphoric acid manganese film forming treatment
- Pin Diameter 5mm x 7mm & 6mm x 8mm







- Optimal for use in a confined space
- Efficient work with a thin and light weight body
- Wider mouth design



	em ode	Part Number	Length (mm)	Max. opening of jaw
508	3240	SRMWR30	205	30
508	8241	SRMWR36	246	36

Available from your local Super distributor:

P\_AUS\_SUPER\_BROCHURE\_2020

#### WHITE INTERNATIONAL PTY LTD

60 Ashford Ave Milperra NSW 2214 PO Box 304 Milperra NSW 2214 Phone 02 9783 6000 Fax 02 9783 6001 Customer Service 1300 780 876 Email Sales: tradesales@whiteint.com.au www.whiteint.com.au

#### Please always refer to our website for further technical information & new product innovations

Disclaimer: Every effort has been made to publish the correct details in this brochure. No responsibility will be taken for errors, omissions or changes in product specifications. Product images are representations only.

#### © 2020 Copyright White International Pty Ltd

TM (a) - WARNING: Please be aware that various brands & products depicted within this document are subject to trademark, patent or design registrations. Infringement of any intellectual property contained within this document without express written authority by the appropriate intellectual property holder may result in further legal action to be taken. For any queries regarding use of the contained information please feel free to contact White International Pty Ltd.



Scan QR Code on your smart phone or iPad to save a digital version.

