

# Product Specifications Sheet

---

## B30 Series B-7569 Pre-Printed GHS Chemical Labels



**Part No**

121645

Durable Vinyl Film (B-7569) is used for pipe markers, arrow tape, warehouse marking, floor marking, warning panels, safety signs and hazardous substance identification.

- Permanent acrylic adhesive sticks to a wide variety of surfaces
- Indoor/outdoor vinyl film withstands exposure to moisture, chemicals and handling.
- Up to 3 year average outdoor durability
- A ribbon is required to print this material. Use Part Number B30-R10000

## Overview

---

Durable Vinyl Film (B-7569) is used for pipe markers, arrow tape, warehouse marking, floor marking, warning panels, safety signs and hazardous substance identification.

## Specification

---

<b>Colour</b>	Red, White
<b>Brand Name</b>	Brady®
<b>Sold</b>	Cartridge of 200 Labels
<b>Industry</b>	Beverage processing, Biotechnology, Buildings identification, Chemical, Education, Energy utilities, Food processing, Government, Healthcare, Manufacturing, Oil & gas, Pharmaceutical, Process, Tourism & recreation, Warehouse & logistics, Construction, Maritime, Mining, Pulp & paper
<b>Finish</b>	Gloss
<b>Barcode</b>	66282064363
<b>Total Quantity Per Pack</b>	200
<b>Layout</b>	L1
<b>Material</b>	Vinyl
<b>Surface</b>	For smooth & textured/rough surfaces
<b>Label Properties</b>	Permanent Adhesive, Aggressive Adhesive, Standard High Quality
<b>Maximum Service Temperature (°C)</b>	75 °C
<b>Minimum Service Temperature (°C)</b>	-20 °C
<b>Adhesive Type</b>	Permanent Acrylic
<b>Pre-Printed Areas on Label</b>	Red GHS/CLP 1 Diamond
<b>Print Technology</b>	Thermal Transfer
<b>Resistance Properties</b>	Abrasion-Resistant, Chemical-Resistant

<b>Application</b>	Electrical Labelling, Hazard Communication Identification, Facility Identification, Safety Identification
<b>Printer and Label Applications</b>	Laboratory, Hazardous Materials
<b>Indoor or Outdoor Use</b>	Outdoor Use
<b>Shape</b>	Rectangle
<b>Height (mm)</b>	104.98 mm
<b>Width (mm)</b>	154.99 mm
<b>Overall Dimension</b>	154.99 mm (W) x 104.98 mm (H)
<b>Thickness (metric) (mm)</b>	0.102 mm
<b>Label/Tape Dimension</b>	104.98 mm (H) x 154.99 mm (W)
<b>Quantity per Roll</b>	200
<b>Quantity per Row</b>	1
<b>Web Width (mm)</b>	104.98 mm
<b>Vertical Repeat (mm)</b>	161.93 mm
<b>Recommended Ribbon Series</b>	R10000
<b>Recommended Ribbon</b>	B30-R10000
<b>Printer Compatibility</b>	<u>BBP35</u> , <u>BBP37</u> , <u>S3100</u> , BBP31, <u>I300</u> , BBP33, <u>S3700</u> , BBP30, S3000, i5300
<b>Continuous or Die-cut</b>	Die-cut

Providing a range of Identification Solutions & Services throughout Australia and Worldwide  
© Copyright 2023 Brady Worldwide Inc. Prices are suggested only & exclude GST. \*MSRP (Manufacturer's Suggested Retail Price).